

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>CLARK COUNTY (Page 1 of 3)</b>											
AB	ALBION-SHELLABARGER SANDY LOAMS, 6 TO 12 PERCENT SLOPES	41	169	111	46	41	41	41	41	35	AB
AC	ABILENE SILT LOAM, 1 TO 3 PERCENT SLOPES	60	60	60	60	60	60	60	60	35	AC
ANC	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	27	27	27	27	27	27	27	27	35	ANC
ANF	ALLUVIAL LAND	47	47	47	47	47	47	47	47	45	ANF
ANM	ALLUVIAL LAND, LOAMY	49	49	49	49	49	49	49	49	45	ANM
BD	BADLAND-WOODWARD COMPLEX	10	10	10	10	10	10	10	10	35	BD
BP	BIPPUS CLAY LOAM, 0 TO 2 PERCENT SLOPES	90	360	301	236	166	93	90	90	45	BP
BU	BIPPUS CLAY LOAM, 2 TO 5 PERCENT SLOPES	75	346	288	223	153	80	75	75	45	BU
CC	CAMPUS-CANLON LOAMS, 5 TO 15 PERCENT SLOPES	10	10	10	10	10	10	10	10	26	CC
CE	CASE CLAY LOAM, 2 TO 7 PERCENT SLOPES	34	34	34	34	34	34	34	34	35	CE
CF	CASE CLAY LOAM , 7 TO 15 PERCENT SLOPES	34	143	85	34	34	34	34	34	35	CF
CH	CANLON-ROCK OUTCROP COMPLEX, 5 TO 30 PERCENT SLOPES	10	10	10	10	10	10	10	10	16	CH
CKC	CASE CLAY LOAM, 3 TO 7 PERCENT SLOPES	35	35	35	35	35	35	35	35	35	CKC
CKK	CLARK LOAM, 1-3 PERCENT SLOPES	35	35	35	35	35	35	35	35	35	CKK
CM	CASE CLAY LOAM , 7 TO 15 PERCENT SLOPES	13	13	13	13	13	13	13	13	35	CM
CMAB	ABILENE SILT LOAM, 0 TO 1 PERCENT SLOPES	94	362	303	238	168	95	94	94	35	CMAB
CMAC	ABILENE SILT LOAM, 1 TO 3 PERCENT SLOPES	87	342	283	218	148	87	87	87	35	CMAC
CMCK	CASE CLAY LOAM, 3 TO 7 PERCENT SLOPES	57	299	240	175	105	57	57	57	35	CMCK
CMCS	CLARK CLAY LOAM, 1 TO 3 PERCENT SLOPES	54	345	286	221	151	78	54	54	35	CMCS
CMCT	CLARK CLAY LOAM, 3 TO 6 PERCENT SLOPES	46	299	240	175	105	46	46	46	35	CMCT
CMLN	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	24	218	159	94	24	24	24	24	45	CMLN
CMSH	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	91	343	284	219	149	91	91	91	35	CMSH
CMWF	WELLSFORD CLAY, 6 TO 25 PERCENT SLOPES	10	10	10	10	10	10	10	10	26	CMWF
CR	CAREY SILT LOAM, 0 TO 1 PERCENT SLOPES	102	363	305	240	169	102	102	102	35	CR
CS	CAREY SILT LOAM, 1 TO 3 PERCENT SLOPES	93	351	292	227	157	93	93	93	35	CS
CT	CLARK CLAY LOAM, 3 TO 6 PERCENT SLOPES	25	25	25	25	25	25	25	25	35	CT
CY	CAREY SILT LOAM, 3 TO 6 PERCENT SLOPES	78	281	222	157	87	78	78	78	35	CY
FB	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	72	72	72	72	72	72	72	72	35	FB
FOR A	NESS CLAY	10	10	10	10	10	10	10	10	45	FOR A
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	101	362	303	238	168	101	101	101	35	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	95	342	283	218	148	95	95	95	35	HB

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>CLARK COUNTY (Page 2 of 3)</b>											
KA	KINGSDOWN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	68	328	270	205	135	<b>68</b>	<b>68</b>	<b>68</b>	35	KA
KB	KINGSDOWN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	57	264	205	140	70	<b>57</b>	<b>57</b>	<b>57</b>	35	KB
KR	KRIER LOAM, OCCASIONALLY FLOODED	10	63	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	65	KR
KWCE	CASE CLAY LOAM, 2 TO 7 PERCENT SLOPES	56	299	240	175	105	<b>56</b>	<b>56</b>	<b>56</b>	35	KWCE
KWCK	CLARK LOAM, 1 TO 3 PERCENT SLOPES	53	345	286	221	151	78	<b>53</b>	<b>53</b>	35	KWCK
KWFB	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	96	348	290	225	155	<b>96</b>	<b>96</b>	<b>96</b>	35	KWFB
KWLN	LINCOLN SANDY LOAM, OCCASIONALLY FLOODED	25	218	159	94	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	45	KWLN
KWTS	TOBIN SILT LOAM, OCCASIONALLY FLOODED	105	346	287	222	152	<b>105</b>	<b>105</b>	<b>105</b>	65	KWTS
KZ	KANZA SOILS	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	45	KZ
LB	LESHO CLAY LOAM, OCCASIONALLY FLOODED	59	328	269	204	134	61	<b>59</b>	<b>59</b>	45	LB
LE	LESHO CLAY LOAM, SALINE, OCCASIONALLY FLOODED	50	234	176	111	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>	45	LE
LF	LIKES LOAMY SAND, 1 TO 8 PERCENT SLOPES	10	106	47	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	35	LF
LH	LIKES-QUINLAN COMPLEX, 3 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	35	LH
LK	LIKES LOAMY SAND	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	35	LK
LN	LINCOLN LOAMY FINE SAND, OCCASIONALLY FLOODED	33	218	159	94	<b>33</b>	<b>33</b>	<b>33</b>	<b>33</b>	45	LN
LR	LINCOLN-KRIER COMPLEX, OCCASIONALLY FLOODED	23	156	98	33	<b>23</b>	<b>23</b>	<b>23</b>	<b>23</b>	45	LR
MB	MANSIC CLAY LOAM, 1 TO 3 PERCENT SLOPES	33	<b>33</b>	<b>33</b>	<b>33</b>	<b>33</b>	<b>33</b>	<b>33</b>	<b>33</b>	26	MB
MECC	CAMPUS-CANLON COMPLEX, 5 TO 15 PERCENT SLOPES	10	13	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	26	MECC
MEKZ	KRIER SOILS, OCCASIONALLY FLOODED	10	113	55	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	65	MEKZ
MELE	LESHARA CLAY LOAM, OCCASIONALLY FLOODED	89	331	273	207	137	<b>89</b>	<b>89</b>	<b>89</b>	45	MELE
MEPR	PRATT SOILS, 0 TO 5 PERCENT SLOPES	42	266	208	143	72	<b>42</b>	<b>42</b>	<b>42</b>	35	MEPR
MEPT	PRATT SOILS, 5 TO 15 PERCENT SLOPES	15	94	36	<b>15</b>	<b>15</b>	<b>15</b>	<b>15</b>	<b>15</b>	35	MEPT
MESA	SATANTA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	92	351	293	227	157	<b>92</b>	<b>92</b>	<b>92</b>	35	MESA
MEWN	WANN LOAM, OCCASIONALLY FLOODED	62	267	208	143	73	<b>62</b>	<b>62</b>	<b>62</b>	45	MEWN
MS	MISSLER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	91	360	301	236	166	93	<b>91</b>	<b>91</b>	35	MS
NS	NESS SILTY CLAY	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	45	NS
OS	OWENS SILTY CLAY, 6 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	26	OS
PA	PENDEN CLAY LOAM, 0 TO 1 PERCENT SLOPES	58	360	301	236	166	93	<b>58</b>	<b>58</b>	35	PA
PB	PENDEN CLAY LOAM, 1 TO 3 PERCENT SLOPES	53	345	286	221	151	78	<b>53</b>	<b>53</b>	35	PB
PC	PENDEN CLAY LOAM, 3 TO 7 PERCENT SLOPES	45	299	240	175	105	<b>45</b>	<b>45</b>	<b>45</b>	35	PC
PF	PENDEN CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	26	233	174	109	39	<b>26</b>	<b>26</b>	<b>26</b>	35	PF

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>CLARK COUNTY (Page 3 of 3)</b>											
PG	PENDEN CLAY LOAM, 7 TO 15 PERCENT SLOPES	24	161	103	38	<b>24</b>	<b>24</b>	<b>24</b>	<b>24</b>	35	PG
PR	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	47	264	205	140	70	<b>47</b>	<b>47</b>	<b>47</b>	35	PR
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	13	89	30	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	35	PT
QW	QUINLAN-WOODWARD LOAMS, 6 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	33	QW
RA	RANDALL CLAY	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	45	RA
RC	ROXBURY SILT LOAM, CHANNELED	59	215	156	91	<b>59</b>	<b>59</b>	<b>59</b>	<b>59</b>	45	RC
RF	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	99	346	287	222	152	<b>99</b>	<b>99</b>	<b>99</b>	65	RF
SA	SATANTA LOAM, 0 TO 2 PERCENT SLOPES	92	351	293	227	157	<b>92</b>	<b>92</b>	<b>92</b>	35	SA
SBC	ST. PAUL SILT LOAM, 0 TO 1 PERCENT SLOPES	75	<b>75</b>	<b>75</b>	<b>75</b>	<b>75</b>	<b>75</b>	<b>75</b>	<b>75</b>	35	SBC
SBM	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	59	<b>59</b>	<b>59</b>	<b>59</b>	<b>59</b>	<b>59</b>	<b>59</b>	<b>59</b>	26	SBM
SH	SHELLABARGER LOAM, 2 TO 5 PERCENT SLOPES	85	338	279	214	144	<b>85</b>	<b>85</b>	<b>85</b>	35	SH
TS	TOBIN SILT LOAM, OCCASIONALLY FLOODED	70	<b>70</b>	<b>70</b>	<b>70</b>	<b>70</b>	<b>70</b>	<b>70</b>	<b>70</b>	45	TS
TV	TIVOLI FINE SAND, HILLY	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	26	TV
UA	ULY SILT LOAM, 0 TO 1 PERCENT SLOPES	104	363	305	240	169	<b>104</b>	<b>104</b>	<b>104</b>	35	UA
UB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	97	356	298	233	162	<b>97</b>	<b>97</b>	<b>97</b>	35	UB
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	90	331	272	207	137	<b>90</b>	<b>90</b>	<b>90</b>	35	UC
WA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	56	267	208	143	73	<b>56</b>	<b>56</b>	<b>56</b>	45	WA
WF	WELLSFORD CLAY, 6 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	26	WF
WN	WANN LOAM	46	<b>46</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>46</b>	<b>46</b>	45	WN
WO	WOODWARD LOAM, 1 TO 3 PERCENT SLOPES	62	290	232	166	96	<b>62</b>	<b>62</b>	<b>62</b>	35	WO
WR	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	26	97	38	<b>26</b>	<b>26</b>	<b>26</b>	<b>26</b>	<b>26</b>	35	WR
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST
YH	YAHOLA LOAM, OCCASIONALLY FLOODED	54	278	220	155	84	<b>54</b>	<b>54</b>	<b>54</b>	45	YH
ZE	ZENDA LOAM, OCCASIONALLY FLOODED	78	286	228	163	93	<b>78</b>	<b>78</b>	<b>78</b>	45	ZE

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>FINNEY COUNTY (Page 1 of 3)</b>											
AD	VALENT FINE SAND, 5 TO 30 PERCENT SLOPES, ERODED	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	17	AD
AN	BRIDGEPORT LOAM, CHANNELED	76	292	229	159	83	<b>76</b>	<b>76</b>	<b>76</b>	49	AN
BA	BAYARD FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	78	332	269	198	122	<b>78</b>	<b>78</b>	<b>78</b>	28	BA
BP	BRIDGEPORT CLAY LOAM, RARELY FLOODED	103	367	303	233	157	<b>103</b>	<b>103</b>	<b>103</b>	49	BP
BX	FLUVENTS, FREQUENTLY FLOODED	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	BX
CH	LEBSACK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	85	355	292	222	146	<b>85</b>	<b>85</b>	<b>85</b>	28	CH
CS	ULYSSES LOAM, SALINE, 0 TO 1 PERCENT SLOPES	78	349	286	215	139	<b>78</b>	<b>78</b>	<b>78</b>	28	CS
DR	DRUMMOND SILT LOAM, 0 TO 1 PERCENT SLOPES	63	191	128	<b>63</b>	<b>63</b>	<b>63</b>	<b>63</b>	<b>63</b>	28	DR
GYLE	LAS ANIMAS SOILS, OCCASIONALLY FLOODED	54	294	230	160	84	<b>54</b>	<b>54</b>	<b>54</b>	49	GYLE
GYLE	LAS CLAY LOAM, OCCASIONALLY FLOODED	71	335	271	201	125	<b>71</b>	<b>71</b>	<b>71</b>	28	GYLE
GYLH	LESHO CLAY LOAM, OCCASIONALLY FLOODED	59	291	228	157	81	<b>59</b>	<b>59</b>	<b>59</b>	28	GYLH
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	111	392	328	258	182	<b>111</b>	<b>111</b>	<b>111</b>	38	HA
HGUM	ULY-COLY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	63	203	140	69	<b>63</b>	<b>63</b>	<b>63</b>	<b>63</b>	33	HGUM
HU	BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED	106	374	311	241	164	<b>106</b>	<b>106</b>	<b>106</b>	49	HU
KA	KEITH LOAM, 0 TO 1 PERCENT SLOPES	101	386	323	253	177	<b>101</b>	<b>101</b>	<b>101</b>	38	KA
KELH	LAS ANIMAS LOAMY SAND, OCCASIONALLY FLOODED	52	276	212	142	66	<b>52</b>	<b>52</b>	<b>52</b>	49	KELH
KELN	LINCOLN SAND, OCCASIONALLY FLOODED	30	204	141	70	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	49	KELN
KELO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	49	KELO
LA	LAS CLAY LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED	58	291	228	157	81	<b>58</b>	<b>58</b>	<b>58</b>	28	LA
LB	LAS CLAY LOAM, DEEP, OCCASIONALLY FLOODED	81	355	291	221	145	<b>81</b>	<b>81</b>	<b>81</b>	28	LB
LC	LAS-BAYARD SANDY LOAMS, OCCASIONALLY FLOODED	68	298	235	165	89	<b>68</b>	<b>68</b>	<b>68</b>	28	LC
LD	LAS-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	58	288	225	154	78	<b>58</b>	<b>58</b>	<b>58</b>	49	LD
LECC	CANLON-CAMPUS COMPLEX, 1 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	17	LECC
LEOF	OTERO FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	21	85	<b>21</b>	<b>21</b>	<b>21</b>	<b>21</b>	<b>21</b>	<b>21</b>	28	LEOF
LK	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	58	276	212	142	66	<b>58</b>	<b>58</b>	<b>58</b>	49	LK
LL	LAS ANIMAS-LINCOLN LOAMY SANDS, OCCASIONALLY FLOODED	33	182	119	48	<b>33</b>	<b>33</b>	<b>33</b>	<b>33</b>	49	LL
LM	LINCOLN SOILS, OCCASIONALLY FLOODED	37	204	141	70	<b>37</b>	<b>37</b>	<b>37</b>	<b>37</b>	49	LM
LN	MIDWAY CLAY, 10 TO 20 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	LN
LO	LOFTON CLAY LOAM, 0 TO 2 PERCENT SLOPES	32	40	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	28	LO
MH	PENDEN-ROXBURY COMPLEX, 0 TO 15 PERCENT SLOPES	42	194	130	60	<b>42</b>	<b>42</b>	<b>42</b>	<b>42</b>	28	MH
MM	CAMPUS-CANLON COMPLEX, 5 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	17	MM

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>FINNEY COUNTY (Page 2 of 3)</b>											
MN	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	70	323	260	189	113	<b>70</b>	<b>70</b>	<b>70</b>	28	MN
MR	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	68	293	230	159	83	<b>68</b>	<b>68</b>	<b>68</b>	28	MR
MT	MANTER-OTERO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES	58	259	196	126	<b>58</b>	<b>58</b>	<b>58</b>	<b>58</b>	28	MT
OT	OTERO FINE SANDY LOAM, 5 TO 15 PERCENT SLOPES	13	67	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	28	OT
OX	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	10	54	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	12	OX
OY	OTERO-ULYSSES COMPLEX, 0 TO 5 PERCENT SLOPES	53	233	170	99	<b>53</b>	<b>53</b>	<b>53</b>	<b>53</b>	28	OY
PC	LIMON CLAY, 1 TO 3 PERCENT SLOPES	38	181	117	47	<b>38</b>	<b>38</b>	<b>38</b>	<b>38</b>	28	PC
PEN	PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES	35	179	116	46	<b>35</b>	<b>35</b>	<b>35</b>	<b>35</b>	28	PEN
RA	NESS CLAY	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	49	RA
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	95	377	313	243	167	<b>95</b>	<b>95</b>	<b>95</b>	38	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	90	352	288	218	142	<b>90</b>	<b>90</b>	<b>90</b>	38	RN
RO	RICHFIELD SILT LOAM, SALINE, 0 TO 1 PERCENT SLOPES	85	335	271	201	125	<b>85</b>	<b>85</b>	<b>85</b>	49	RO
RS	RICHFIELD-SPEARVILLE COMPLEX, 0 TO 1 PERCENT SLOPES	97	383	320	249	173	<b>97</b>	<b>97</b>	<b>97</b>	33	RS
RU	RICHFIELD AND ULYSSES COMPLEXES, BENCH LEVELED	93	386	323	253	177	98	<b>93</b>	<b>93</b>	38	RU
RW	PENROSE-ROCK LAND COMPLEX, 10 TO 20 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	28	RW
RX	ROXBURY SILT LOAM, RARELY FLOODED	115	386	322	252	176	<b>115</b>	<b>115</b>	<b>115</b>	49	RX
SCOH	OTERO SOILS, 5 TO 15 PERCENT SLOPES	15	56	<b>15</b>	<b>15</b>	<b>15</b>	<b>15</b>	<b>15</b>	<b>15</b>	28	SCOH
SCTS	VALENT LOAMY FINE SAND, 5 TO 20 PERCENT SLOPES	10	75	11	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	28	SCTS
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	102	389	326	256	180	<b>102</b>	<b>102</b>	<b>102</b>	28	SP
SR	SPEARVILLE COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	81	301	238	167	91	<b>81</b>	<b>81</b>	<b>81</b>	28	SR
SW	SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED	45	230	167	96	<b>45</b>	<b>45</b>	<b>45</b>	<b>45</b>	49	SW
TF	VALENT FINE SAND, 6 TO 20 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	17	TF
TV	VALENT-VONA LOAMY FINE SANDS, 3 TO 8 PERCENT SLOPES	18	103	40	<b>18</b>	<b>18</b>	<b>18</b>	<b>18</b>	<b>18</b>	28	TV
TX	VALENT-DUNE LAND COMPLEX, 5 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	17	TX
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	91	389	326	256	180	101	<b>91</b>	<b>91</b>	38	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	84	373	310	239	163	<b>84</b>	<b>84</b>	<b>84</b>	38	UB
UC	ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES	75	331	268	197	121	<b>75</b>	<b>75</b>	<b>75</b>	38	UC
UCC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	89	326	262	192	116	<b>89</b>	<b>89</b>	<b>89</b>	38	UCC
UD	ULYSSES LOAM, 0 TO 3 PERCENT SLOPES	84	373	310	239	163	<b>84</b>	<b>84</b>	<b>84</b>	38	UD
UE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	59	255	192	122	<b>59</b>	<b>59</b>	<b>59</b>	<b>59</b>	38	UE
UM	ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED	52	209	145	75	<b>52</b>	<b>52</b>	<b>52</b>	<b>52</b>	33	UM

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>FINNEY COUNTY (Page 3 of 3)</b>											
US	ULYSSES SILT LOAM, SALINE, 0 TO 1 PERCENT SLOPES	78	349	286	215	139	<b>78</b>	<b>78</b>	<b>78</b>	28	US
UT	ULYSSES SILT LOAM, SALINE, 1 TO 3 PERCENT SLOPES	69	324	261	190	114	<b>69</b>	<b>69</b>	<b>69</b>	28	UT
UV	ULYSSES AND RICHFIELD COMPLEXES, SALINE, BENCH LEVELED	87	343	279	209	133	<b>87</b>	<b>87</b>	<b>87</b>	28	UV
UX	RICHFIELD SOILS, SILTED, 0 TO 1 PERCENT SLOPES	95	380	317	246	170	<b>95</b>	<b>95</b>	<b>95</b>	28	UX
VO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	36	164	101	<b>36</b>	<b>36</b>	<b>36</b>	<b>36</b>	<b>36</b>	28	VO
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>FINNEY COUNTY (Page 1 of 2)</b>			
AD	VALENT FINE SAND, 5 TO 30 PERCENT SLOPES, ERODED	<b>10</b>	AD
AN	BRIDGEPORT LOAM, CHANNELED	280	AN
BA	BAYARD FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	320	BA
BP	BRIDGEPORT CLAY LOAM, RARELY FLOODED	357	BP
BX	FLUVENTS, FREQUENTLY FLOODED	<b>10</b>	BX
CH	LEBSACK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	345	CH
CS	ULYSSES LOAM, SALINE, 0 TO 1 PERCENT SLOPES	337	CS
DR	DRUMMOND SILT LOAM, 0 TO 1 PERCENT SLOPES	178	DR
GYLC	LAS ANIMAS SOILS, OCCASIONALLY FLOODED	281	GYLC
GYLE	LAS CLAY LOAM, OCCASIONALLY FLOODED	322	GYLE
GYLH	LESHO CLAY LOAM, OCCASIONALLY FLOODED	278	GYLH
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	381	HA
HGUM	ULY-COLY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	191	HGUM
HU	BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED	364	HU
KA	KEITH LOAM, 0 TO 1 PERCENT SLOPES	374	KA
KELH	LAS ANIMAS LOAMY SAND, OCCASIONALLY FLOODED	263	KELH
KELN	LINCOLN SAND, OCCASIONALLY FLOODED	191	KELN
KELO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	<b>10</b>	KELO
LA	LAS CLAY LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED	278	LA
LB	LAS CLAY LOAM, DEEP, OCCASIONALLY FLOODED	342	LB
LC	LAS-BAYARD SANDY LOAMS, OCCASIONALLY FLOODED	286	LC
LD	LAS-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	275	LD
LECC	CANLON-CAMPUS COMPLEX, 1 TO 40 PERCENT SLOPES	<b>10</b>	LECC
LEOF	OTERO FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	<b>72</b>	LEOF
LK	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	263	LK
LL	LAS ANIMAS-LINCOLN LOAMY SANDS, OCCASIONALLY FLOODED	170	LL
LM	LINCOLN SOILS, OCCASIONALLY FLOODED	191	LM
LN	MIDWAY CLAY, 10 TO 20 PERCENT SLOPES	<b>10</b>	LN
LO	LOFTON CLAY LOAM, 0 TO 2 PERCENT SLOPES	32	LO
MH	PENDEN-ROXBURY COMPLEX, 0 TO 15 PERCENT SLOPES	181	MH
MM	CAMPUS-CANLON COMPLEX, 5 TO 15 PERCENT SLOPES	<b>10</b>	MM
MN	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	310	MN
MR	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	281	MR
MT	MANTER-OTERO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES	247	MT
OT	OTERO FINE SANDY LOAM, 5 TO 15 PERCENT SLOPES	<b>55</b>	OT
OX	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	<b>42</b>	OX
OY	OTERO-ULYSSES COMPLEX, 0 TO 5 PERCENT SLOPES	221	OY
PC	PROMISE CLAY, 1 TO 3 PERCENT SLOPES	168	PC
PEN	PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES	167	PEN
RA	NESS CLAY	<b>10</b>	RA
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	364	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	339	RN
RO	RICHFIELD SILT LOAM, SALINE, 0 TO 1 PERCENT SLOPES	322	RO
RS	RICHFIELD-SPEARVILLE COMPLEX, 0 TO 1 PERCENT SLOPES	371	RS
RU	RICHFIELD AND ULYSSES COMPLEXES, BENCH LEVELED	374	RU
RW	PENROSE-ROCK LAND COMPLEX, 10 TO 20 PERCENT SLOPES	<b>10</b>	RW
RX	ROXBURY SILT LOAM, RARELY FLOODED	376	RX
SCOH	OTERO SOILS, 5 TO 15 PERCENT SLOPES	<b>44</b>	SCOH

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>FINNEY COUNTY (Page 2 of 2)</b>			
SCTS	VALENT LOAMY FINE SAND, 5 TO 20 PERCENT SLOPES	<b>62</b>	SCTS
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	379	SP
SR	SPEARVILLE COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	289	SR
SW	SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED	218	SW
TF	VALENT FINE SAND, 6 TO 20 PERCENT SLOPES	<b>10</b>	TF
TV	VALENT-VONA LOAMY FINE SANDS, 3 TO 8 PERCENT SLOPES	<b>91</b>	TV
TX	VALENT-DUNE LAND COMPLEX, 5 TO 30 PERCENT SLOPES	<b>10</b>	TX
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	379	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	361	UB
UC	ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES	319	UC
UCC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	313	UCC
UD	ULYSSES LOAM, 0 TO 3 PERCENT SLOPES	361	UD
UE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	243	UE
UM	ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED	196	UM
US	ULYSSES SILT LOAM, SALINE, 0 TO 1 PERCENT SLOPES	337	US
UT	ULYSSES SILT LOAM, SALINE, 1 TO 3 PERCENT SLOPES	312	UT
UV	ULYSSES AND RICHFIELD COMPLEXES, SALINE, BENCH LEVELED	330	UV
UX	ULYSSES AND RICHFIELD SOILS, SILTED, 0 TO 1 PERCENT SLOPES	367	UX
VO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	152	VO
WST	WASTE	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>FORD COUNTY (Page 1 of 3)</b>											
AD	TIVOLI FINE SAND, 4 TO 20 PERCENT SLOPES, ERODED	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	26	AD
AN	ROXBURY SILT LOAM, CHANNELED	70	278	219	153	82	<b>70</b>	<b>70</b>	<b>70</b>	36	AN
AS	LESHO-LESHO, SALINE CLAY LOAMS, OCCASIONALLY FLOODED	59	297	237	171	100	<b>59</b>	<b>59</b>	<b>59</b>	36	AS
BC	BIPPUS CLAY LOAM, 2 TO 5 PERCENT SLOPES	74	354	295	229	158	84	<b>74</b>	<b>74</b>	36	BC
BR	FLUVENTS	19	<b>19</b>	<b>19</b>	<b>19</b>	<b>19</b>	<b>19</b>	<b>19</b>	<b>19</b>	36	BR
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	78	358	299	233	162	88	<b>78</b>	<b>78</b>	36	CA
CAKB	KINGSDOWN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	30	137	78	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	36	CAKB
CAPF	PENDEN CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	39	297	238	172	100	<b>39</b>	<b>39</b>	<b>39</b>	36	CAPF
CAPG	PENDEN CLAY LOAM, 7 TO 15 PERCENT SLOPES	34	213	154	88	<b>34</b>	<b>34</b>	<b>34</b>	<b>34</b>	41	CAPG
CARF	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	78	332	272	206	135	<b>78</b>	<b>78</b>	<b>78</b>	36	CARF
CASA	SATANTA LOAM, 0 TO 2 PERCENT SLOPES	96	364	305	239	167	<b>96</b>	<b>96</b>	<b>96</b>	36	CASA
DA	DALE SILT LOAM, RARELY FLOODED	103	354	295	229	158	<b>103</b>	<b>103</b>	<b>103</b>	36	DA
DH	DALE AND HUMBARGER CLAY LOAMS, RARELY FLOODED	87	354	295	229	158	<b>87</b>	<b>87</b>	<b>87</b>	36	DH
DL	DALHART-LUBBOCK COMPLEX, 0 TO 5 PERCENT SLOPES	76	349	290	224	153	79	<b>76</b>	<b>76</b>	36	DL
EDBK	COLY-TOBIN SILT LOAMS, 0 TO 15 PERCENT SLOPES	84	339	280	214	143	<b>84</b>	<b>84</b>	<b>84</b>	46	EDBK
EDHD	HARNEY-ULY COMPLEX, 1 TO 3 PERCENT SLOPES	90	358	299	233	162	<b>90</b>	<b>90</b>	<b>90</b>	36	EDHD
EDHO	HORD SILT LOAM, RARELY FLOODED	112	360	300	234	163	<b>112</b>	<b>112</b>	<b>112</b>	36	EDHO
EDPA	PLATTE SOILS, OCCASIONALLY FLOODED	20	162	103	37	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>	46	EDPA
EDZE	LESHO CLAY LOAM, SALINE, OCCASIONALLY FLOODED	53	236	176	110	<b>53</b>	<b>53</b>	<b>53</b>	<b>53</b>	36	EDZE
GYAN	BRIDGEPORT SILT LOAM, CHANNELED	68	278	219	153	82	<b>68</b>	<b>68</b>	<b>68</b>	36	GYAN
GYLA	LAS ANIMAS-LESHO COMPLEX, ALKALI, OCCASIONALLY FLOODED	51	254	195	129	58	<b>51</b>	<b>51</b>	<b>51</b>	36	GYLA
GYME	PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES	34	213	154	88	<b>34</b>	<b>34</b>	<b>34</b>	<b>34</b>	41	GYME
GYPA	PRATT LOAMY FINE SAND, 1 TO 6 PERCENT SLOPES	37	239	179	113	42	<b>37</b>	<b>37</b>	<b>37</b>	26	GYPA
GYRN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	81	346	287	221	150	<b>81</b>	<b>81</b>	<b>81</b>	36	GYRN
GYSA	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	97	364	305	239	167	<b>97</b>	<b>97</b>	<b>97</b>	36	GYSA
GYSB	SATANTA LOAM, 1 TO 3 PERCENT SLOPES	96	361	302	236	165	<b>96</b>	<b>96</b>	<b>96</b>	36	GYSB
GYUB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	83	361	302	236	165	91	<b>83</b>	<b>83</b>	36	GYUB
GYUC	ULYSSES SILT LOAM, 3 TO 6 PERCENT SLOPES	73	338	279	213	142	<b>73</b>	<b>73</b>	<b>73</b>	36	GYUC
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	91	363	304	238	167	93	<b>91</b>	<b>91</b>	36	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	87	346	287	221	150	<b>87</b>	<b>87</b>	<b>87</b>	36	HB
HD	HOLDREGE FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	100	361	302	236	165	<b>100</b>	<b>100</b>	<b>100</b>	36	HD

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>FORD COUNTY (Page 2 of 3)</b>											
HG	HOLDREGE LOAM, 0 TO 1 PERCENT SLOPES	105	365	306	239	168	<b>105</b>	<b>105</b>	<b>105</b>	36	HG
HGHO	HORD SILTY CLAY LOAM, RARELY FLOODED	110	360	300	234	163	<b>110</b>	<b>110</b>	<b>110</b>	36	HGHO
HGKP	KIM-PENDEN SILTY CLAY LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	36	209	149	83	<b>36</b>	<b>36</b>	<b>36</b>	<b>36</b>	36	HGKP
HGRZ	BRIDGEPORT SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	81	354	295	229	158	84	<b>81</b>	<b>81</b>	36	HGRZ
HO	HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES	108	365	306	239	168	<b>108</b>	<b>108</b>	<b>108</b>	36	HO
HS	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	100	361	302	236	165	<b>100</b>	<b>100</b>	<b>100</b>	36	HS
KWAT	ATTICA LOAMY FINE SAND, 1 TO 4 PERCENT SLOPES	64	325	266	200	129	<b>64</b>	<b>64</b>	<b>64</b>	36	KWAT
KWCO	COLY SILT LOAM, 4 TO 9 PERCENT SLOPES	62	250	190	124	<b>62</b>	<b>62</b>	<b>62</b>	<b>62</b>	36	KWCO
KWCT	COLY-TOBIN SILT LOAMS, 0 TO 20 PERCENT SLOPES	76	299	240	174	103	<b>76</b>	<b>76</b>	<b>76</b>	46	KWCT
LA	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	50	283	224	158	86	<b>50</b>	<b>50</b>	<b>50</b>	46	LA
LC	LAS ANIMAS-LINCOLN COMPLEX, OCCASIONALLY FLOODED	34	209	150	84	<b>34</b>	<b>34</b>	<b>34</b>	<b>34</b>	46	LC
LN	LAS ANIMAS-TIVOLI COMPLEX, 0 TO 6 PERCENT SLOPES, OCCASIONALLY FLOODED	27	201	141	75	<b>27</b>	<b>27</b>	<b>27</b>	<b>27</b>	46	LN
LS	LESHARA CLAY LOAM, OCCASIONALLY FLOODED	101	351	291	225	154	<b>101</b>	<b>101</b>	<b>101</b>	46	LS
LT	LESHO CLAY LOAM, OCCASIONALLY FLOODED	46	266	207	141	70	<b>46</b>	<b>46</b>	<b>46</b>	46	LT
LU	LINCOLN SOILS, FREQUENTLY FLOODED	18	111	52	<b>18</b>	<b>18</b>	<b>18</b>	<b>18</b>	<b>18</b>	46	LU
MA	PENDEN CLAY LOAM, 0 TO 1 PERCENT SLOPES	54	359	300	234	162	88	<b>54</b>	<b>54</b>	36	MA
MB	PENDEN CLAY LOAM, 1 TO 3 PERCENT SLOPES	50	342	282	216	145	71	<b>50</b>	<b>50</b>	36	MB
MC	PENDEN CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	31	268	209	143	72	<b>31</b>	<b>31</b>	<b>31</b>	36	MC
MD	PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES	44	297	238	172	100	<b>44</b>	<b>44</b>	<b>44</b>	36	MD
MEOZ	OTERO-MANTER FINE SANDY LOAMS, 3 TO 6 PERCENT SLOPES	25	129	70	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	36	MEOZ
MEPR	PRATT SOILS, 0 TO 5 PERCENT SLOPES	35	241	182	116	45	<b>35</b>	<b>35</b>	<b>35</b>	26	MEPR
MERX	ROXBURY SILT LOAM, RARELY FLOODED	100	360	300	234	163	<b>100</b>	<b>100</b>	<b>100</b>	36	MERX
MF	PENDEN AND CAMPUS SOILS, 3 TO 6 PERCENT SLOPES, ERODED	29	206	147	81	<b>29</b>	<b>29</b>	<b>29</b>	<b>29</b>	36	MF
MH	PENDEN-TOBIN COMPLEX, 0 TO 15 PERCENT SLOPES	40	216	157	91	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>	41	MH
MN	CAMPUS CLAY LOAM, 0 TO 3 PERCENT SLOPES	26	143	84	<b>26</b>	<b>26</b>	<b>26</b>	<b>26</b>	<b>26</b>	36	MN
MP	CAMPUS-CANLON COMPLEX, 3 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	26	MP
OF	ATTICA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	81	365	306	239	168	94	<b>81</b>	<b>81</b>	36	OF
OR	ATTICA FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES	63	322	263	197	126	<b>63</b>	<b>63</b>	<b>63</b>	36	OR
OS	ATTICA-CARWILE COMPLEX, 0 TO 4 PERCENT SLOPES	60	263	203	137	66	<b>60</b>	<b>60</b>	<b>60</b>	36	OS
OT	OTERO FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	22	132	72	<b>22</b>	<b>22</b>	<b>22</b>	<b>22</b>	<b>22</b>	36	OT
PO	CANLON SOILS, 15 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	21	PO

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>FORD COUNTY (Page 3 of 3)</b>											
PR	PRATT LOAMY FINE SAND, 3 TO 10 PERCENT SLOPES	35	225	166	100	<b>35</b>	<b>35</b>	<b>35</b>	<b>35</b>	26	PR
PT	PRATT-TIVOLI LOAMY FINE SANDS, 4 TO 15 PERCENT SLOPES	20	146	87	21	<b>20</b>	<b>20</b>	<b>20</b>	<b>20</b>	26	PT
RA	NESS CLAY	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	46	RA
SB	PRATT-HUMBARGER COMPLEX, 0 TO 15 PERCENT SLOPES	49	257	197	131	60	<b>49</b>	<b>49</b>	<b>49</b>	36	SB
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	88	365	306	239	168	94	<b>88</b>	<b>88</b>	36	SP
SR	SPEARVILLE COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	69	282	223	157	86	<b>69</b>	<b>69</b>	<b>69</b>	36	SR
TV	TIVOLI FINE SAND, 5 TO 20 PERCENT SLOPES	10	55	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	26	TV
UA	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	92	361	302	236	165	<b>92</b>	<b>92</b>	<b>92</b>	36	UA
UB	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	83	338	279	213	142	<b>83</b>	<b>83</b>	<b>83</b>	36	UB
UC	ULY-COLY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	63	250	190	124	<b>63</b>	<b>63</b>	<b>63</b>	<b>63</b>	36	UC
UH	ULY-HARNEY SILT LOAMS, 1 TO 3 PERCENT SLOPES	90	358	299	233	162	<b>90</b>	<b>90</b>	<b>90</b>	36	UH
UN	ULY-HARNEY COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	75	294	235	169	98	<b>75</b>	<b>75</b>	<b>75</b>	36	UN
UP	ULY-TOBIN COMPLEX, 0 TO 6 PERCENT SLOPES	88	347	288	222	151	<b>88</b>	<b>88</b>	<b>88</b>	46	UP
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>GRANT COUNTY (Page 1 of 2)</b>											
BA	BAYARD FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	31	203	135	61	<b>31</b>	<b>31</b>	<b>31</b>	<b>31</b>	52	BA
BO	VALENT FINE SAND, 5 TO 15 PERCENT SLOPES	10	75	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	18	BO
BP	BRIDGEPORT FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	86	409	341	267	186	103	<b>86</b>	<b>86</b>	52	BP
BR	BRIDGEPORT SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	93	409	341	267	186	103	<b>93</b>	<b>93</b>	41	BR
CA	CHURCH CLAY, DARK VARIANT, OCCASIONALLY FLOODED	30	223	156	81	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	52	CA
CO	COLBY LOAM, 5 TO 12 PERCENT SLOPES	25	118	51	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	29	CO
CU	COLBY-ULYSSES LOAMS, 3 TO 5 PERCENT SLOPES, ERODED	31	171	104	<b>31</b>	<b>31</b>	<b>31</b>	<b>31</b>	<b>31</b>	29	CU
DA	DALHART LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	64	331	264	189	109	<b>64</b>	<b>64</b>	<b>64</b>	29	DA
GB	GLENBERG SOILS, OCCASIONALLY FLOODED	25	167	100	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	52	GB
GO	GOSHEN SILT LOAM, RARELY FLOODED	116	409	341	267	186	<b>116</b>	<b>116</b>	<b>116</b>	41	GO
HB	HUMBARGER LOAM, OCCASIONALLY FLOODED	85	397	329	255	174	91	<b>85</b>	<b>85</b>	52	HB
HG	LESHO, SALINE-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	53	255	188	113	<b>53</b>	<b>53</b>	<b>53</b>	<b>53</b>	41	HG
HSRA	NESS CLAY	17	28	<b>17</b>	<b>17</b>	<b>17</b>	<b>17</b>	<b>17</b>	<b>17</b>	29	HSRA
KEAD	VALENT FINE SAND, 20 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	18	KEAD
KECC	COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES	32	171	104	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	29	KECC
LN	LINCOLN SOILS, OCCASIONALLY FLOODED	32	161	94	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	52	LN
LO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	12	<b>12</b>	<b>12</b>	<b>12</b>	<b>12</b>	<b>12</b>	<b>12</b>	<b>12</b>	29	LO
MA	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	71	391	323	249	168	85	<b>71</b>	<b>71</b>	29	MA
MB	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	66	359	292	217	137	<b>66</b>	<b>66</b>	<b>66</b>	29	MB
OF	OTERO FINE SANDY LOAM, 4 TO 12 PERCENT SLOPES	15	83	16	<b>15</b>	<b>15</b>	<b>15</b>	<b>15</b>	<b>15</b>	29	OF
OG	OTERO-SCHAMBER COMPLEX, 5 TO 20 PERCENT SLOPES	10	24	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	18	OG
OM	OTERO-MANTER FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES	44	240	173	98	<b>44</b>	<b>44</b>	<b>44</b>	<b>44</b>	29	OM
RA	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	84	403	336	261	181	97	<b>84</b>	<b>84</b>	29	RA
RB	RYUS SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	74	384	316	242	161	78	<b>74</b>	<b>74</b>	52	RB
SA	SATANTA FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	84	403	335	261	180	97	<b>84</b>	<b>84</b>	29	SA
SB	SATANTA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	77	373	306	231	150	<b>77</b>	<b>77</b>	<b>77</b>	29	SB
ST	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	90	409	342	268	187	103	<b>90</b>	<b>90</b>	29	ST
STBX	FLUVENTS, FREQUENTLY FLOODED	47	111	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	52	STBX
TF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	10	35	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	18	TF
TV	VALENT-VONA LOAMY FINE SANDS, 3 TO 15 PERCENT SLOPES	10	79	12	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	29	TV
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	81	413	345	271	190	107	<b>81</b>	<b>81</b>	29	UA

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>GRANT COUNTY (Page 2 of 2)</b>											
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	81	398	331	257	176	93	<b>81</b>	<b>81</b>	29	UB
UD	ULYSSES LOAM, 1 TO 3 PERCENT SLOPES	75	398	331	257	176	93	<b>75</b>	<b>75</b>	29	UD
UE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	50	264	197	122	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>	29	UE
VO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	35	174	107	<b>35</b>	<b>35</b>	<b>35</b>	<b>35</b>	<b>35</b>	29	VO
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>GRAY COUNTY (Page 1 of 2)</b>											
AN	BRIDGEPORT SILT LOAM, CHANNELED	74	286	224	155	81	<b>74</b>	<b>74</b>	<b>74</b>	38	AN
BC	BRIDGEPORT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	107	359	297	228	154	<b>107</b>	<b>107</b>	<b>107</b>	38	BC
BD	BRIDGEPORT SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	100	359	297	228	154	<b>100</b>	<b>100</b>	<b>100</b>	38	BD
BO	OPTIMA FINE SAND, 0 TO 10 PERCENT SLOPES	11	132	70	<b>11</b>	<b>11</b>	<b>11</b>	<b>11</b>	<b>11</b>	27	BO
DA	DALE SILT LOAM, RARELY FLOODED	120	378	316	247	172	<b>120</b>	<b>120</b>	<b>120</b>	38	DA
FIBP	BRIDGEPORT CLAY LOAM, RARELY FLOODED	103	359	297	228	154	<b>103</b>	<b>103</b>	<b>103</b>	38	FIBP
FILD	LAS-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	66	334	272	203	128	<b>66</b>	<b>66</b>	<b>66</b>	38	FILD
FITF	VALENT FINE SAND, 6 TO 20 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	27	FITF
FITV	VALENT-VONA LOAMY FINE SANDS, 3 TO 8 PERCENT SLOPES	30	185	123	54	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	27	FITV
FIVO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	52	277	215	146	71	<b>52</b>	<b>52</b>	<b>52</b>	27	FIVO
GR	SCHAMBER GRAVELLY SANDY LOAM, 5 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	GR
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	108	380	318	249	174	<b>108</b>	<b>108</b>	<b>108</b>	27	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	93	345	283	214	139	<b>93</b>	<b>93</b>	<b>93</b>	27	HB
HGUM	ULY-COLY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	58	199	137	68	<b>58</b>	<b>58</b>	<b>58</b>	<b>58</b>	27	HGUM
HSLU	LUBBOCK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	104	382	319	250	176	<b>104</b>	<b>104</b>	<b>104</b>	27	HSLU
LA	LAS ANIMAS-LESHO COMPLEX, ALKALI, OCCASIONALLY FLOODED	51	213	151	82	<b>51</b>	<b>51</b>	<b>51</b>	<b>51</b>	38	LA
LC	LAS ANIMAS SOILS, OCCASIONALLY FLOODED	26	155	93	<b>26</b>	<b>26</b>	<b>26</b>	<b>26</b>	<b>26</b>	38	LC
LD	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	50	270	208	139	65	<b>50</b>	<b>50</b>	<b>50</b>	38	LD
LE	LAS CLAY LOAM, OCCASIONALLY FLOODED	67	331	269	200	125	<b>67</b>	<b>67</b>	<b>67</b>	38	LE
LH	LESHO CLAY LOAM, OCCASIONALLY FLOODED	68	351	289	220	145	<b>68</b>	<b>68</b>	<b>68</b>	38	LH
LK	LESHO-SWEETWATER COMPLEX, OCCASIONALLY FLOODED	42	195	133	64	<b>42</b>	<b>42</b>	<b>42</b>	<b>42</b>	38	LK
LL	LINCOLN SOILS, FREQUENTLY FLOODED	32	123	61	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	27	LL
LO	LOFTON SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	32	372	310	241	167	89	<b>32</b>	<b>32</b>	27	LO
LU	LUBBOCK LOAM, 0 TO 1 PERCENT SLOPES	108	382	319	250	176	<b>108</b>	<b>108</b>	<b>108</b>	27	LU
MD	PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES	52	311	249	180	105	<b>52</b>	<b>52</b>	<b>52</b>	27	MD
ME	PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES	28	165	103	34	<b>28</b>	<b>28</b>	<b>28</b>	<b>28</b>	27	ME
MEHC	HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	78	258	196	127	<b>78</b>	<b>78</b>	<b>78</b>	<b>78</b>	27	MEHC
MERX	ROXBURY SILT LOAM, RARELY FLOODED	115	378	316	247	172	<b>115</b>	<b>115</b>	<b>115</b>	38	MERX
MEUA	ULY SILT LOAM, 0 TO 1 PERCENT SLOPES	104	384	322	253	179	<b>104</b>	<b>104</b>	<b>104</b>	27	MEUA
MEUT	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	58	196	134	65	<b>58</b>	<b>58</b>	<b>58</b>	<b>58</b>	27	MEUT
MF	PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES, SEVERELY ERODED	34	248	186	117	42	<b>34</b>	<b>34</b>	<b>34</b>	27	MF

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>GRAY COUNTY (Page 2 of 2)</b>											
MH	PENDEN COMPLEX, 6 TO 15 PERCENT SLOPES, SEVERELY ERODED	14	94	32	<b>14</b>	<b>14</b>	<b>14</b>	<b>14</b>	<b>14</b>	27	MH
MM	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	71	316	254	185	111	<b>71</b>	<b>71</b>	<b>71</b>	27	MM
MN	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	66	287	225	156	81	<b>66</b>	<b>66</b>	<b>66</b>	27	MN
MO	MANTER FINE SANDY LOAM, 1 TO 6 PERCENT SLOPES, ERODED	46	200	138	69	<b>46</b>	<b>46</b>	<b>46</b>	<b>46</b>	27	MO
MP	CAMPUS-CANLON COMPLEX, 6 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	25	MP
MU	MANTER-ULYSSES COMPLEX, 1 TO 6 PERCENT SLOPES	72	314	252	183	109	<b>72</b>	<b>72</b>	<b>72</b>	27	MU
PA	PRATT LOAMY FINE SAND, 1 TO 6 PERCENT SLOPES	50	280	218	149	74	<b>50</b>	<b>50</b>	<b>50</b>	27	PA
PG	PRATT LOAMY FINE SAND, GRAVEL SUBSTRATUM, 0 TO 1 PERCENT SLOPES	64	329	267	198	124	<b>64</b>	<b>64</b>	<b>64</b>	27	PG
PT	PRATT-OPTIMA LOAMY FINE SANDS, 3 TO 9 PERCENT SLOPES	28	188	126	57	<b>28</b>	<b>28</b>	<b>28</b>	<b>28</b>	27	PT
RA	NESS CLAY	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	27	RA
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	92	373	311	242	167	<b>92</b>	<b>92</b>	<b>92</b>	27	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	88	345	283	214	139	<b>88</b>	<b>88</b>	<b>88</b>	27	RN
RO	RICHFIELD SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	70	281	219	150	75	<b>70</b>	<b>70</b>	<b>70</b>	27	RO
RS	RICHFIELD-SPEARVILLE COMPLEX, 0 TO 1 PERCENT SLOPES	96	379	316	247	173	<b>96</b>	<b>96</b>	<b>96</b>	27	RS
SA	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	98	369	307	238	164	<b>98</b>	<b>98</b>	<b>98</b>	27	SA
SB	SATANTA LOAM, 1 TO 3 PERCENT SLOPES	93	345	283	214	139	<b>93</b>	<b>93</b>	<b>93</b>	27	SB
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	101	382	319	250	176	<b>101</b>	<b>101</b>	<b>101</b>	27	SP
SR	SPEARVILLE COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	80	295	233	164	90	<b>80</b>	<b>80</b>	<b>80</b>	27	SR
SW	SWEETWATER SOILS, OCCASIONALLY FLOODED	42	188	126	57	<b>42</b>	<b>42</b>	<b>42</b>	<b>42</b>	38	SW
TF	OPTIMA FINE SAND, 6 TO 20 PERCENT SLOPES	10	69	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	27	TF
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	91	382	319	250	176	99	<b>91</b>	<b>91</b>	27	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	84	365	303	234	160	<b>84</b>	<b>84</b>	<b>84</b>	27	UB
UBB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	95	365	303	234	160	<b>95</b>	<b>95</b>	<b>95</b>	27	UBB
UC	ULYSSES SILT LOAM, 3 TO 6 PERCENT SLOPES	73	317	255	186	111	<b>73</b>	<b>73</b>	<b>73</b>	27	UC
UCC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	82	317	255	186	111	<b>82</b>	<b>82</b>	<b>82</b>	27	UCC
UM	ULYSSES-COLBY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	46	204	142	73	<b>46</b>	<b>46</b>	<b>46</b>	<b>46</b>	27	UM
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>HAMILTON COUNTY (Page 1 of 2)</b>											
AD	VALENT FINE SAND, 20 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	16	AD
AN	BRIDGEPORT SILT LOAM, CHANNELED	65	275	215	148	76	<b>65</b>	<b>65</b>	<b>65</b>	37	AN
BA	BAYARD FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	64	298	237	170	98	<b>64</b>	<b>64</b>	<b>64</b>	26	BA
BC	LAS VARIANT CLAY, OCCASIONALLY FLOODED	34	165	104	37	<b>34</b>	<b>34</b>	<b>34</b>	<b>34</b>	26	BC
BD	LAS VARIANT CLAY LOAM, OCCASIONALLY FLOODED	63	289	229	162	89	<b>63</b>	<b>63</b>	<b>63</b>	26	BD
BF	LAS VARIANT LOAMY FINE SAND, OCCASIONALLY FLOODED	44	221	160	93	<b>44</b>	<b>44</b>	<b>44</b>	<b>44</b>	26	BF
BX	LAS VARIANT-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	50	249	189	122	<b>50</b>	<b>50</b>	<b>50</b>	<b>50</b>	26	BX
BY	BRIDGEPORT CLAY LOAM, RARELY FLOODED	68	277	217	150	77	<b>68</b>	<b>68</b>	<b>68</b>	37	BY
CA	COLBY SILT LOAM, 0 TO 1 PERCENT SLOPES	51	258	197	130	58	<b>51</b>	<b>51</b>	<b>51</b>	26	CA
CB	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES	47	235	175	108	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	26	CB
CC	COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES	42	203	143	76	<b>42</b>	<b>42</b>	<b>42</b>	<b>42</b>	26	CC
CD	COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES	26	99	39	<b>26</b>	<b>26</b>	<b>26</b>	<b>26</b>	<b>26</b>	26	CD
GO	GOSHEN SILT LOAM, RARELY FLOODED	103	367	307	240	167	<b>103</b>	<b>103</b>	<b>103</b>	37	GO
KELO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	26	KELO
KEPO	CANLON SOILS, 5 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	KEPO
KETV	VALENT-VONA LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	10	71	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	26	KETV
KEVO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	32	156	96	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	26	KEVO
LA	LAS CLAY LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED	45	277	217	150	77	<b>45</b>	<b>45</b>	<b>45</b>	26	LA
LB	LAS CLAY LOAM, DEEP, OCCASIONALLY FLOODED	56	283	223	156	83	<b>56</b>	<b>56</b>	<b>56</b>	26	LB
LC	LAS ANIMAS LOAMY SAND, OCCASIONALLY FLOODED	21	151	90	23	<b>21</b>	<b>21</b>	<b>21</b>	<b>21</b>	26	LC
LD	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	34	213	153	85	<b>34</b>	<b>34</b>	<b>34</b>	<b>34</b>	26	LD
LF	LINCOLN SAND, OCCASIONALLY FLOODED	24	194	134	67	<b>24</b>	<b>24</b>	<b>24</b>	<b>24</b>	37	LF
LO	PLEASANT CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	26	LO
MA	MANter FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	70	356	295	228	156	81	<b>70</b>	<b>70</b>	26	MA
MB	MANter FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	57	279	219	152	79	<b>57</b>	<b>57</b>	<b>57</b>	26	MB
OT	OTERO FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	34	178	118	51	<b>34</b>	<b>34</b>	<b>34</b>	<b>34</b>	26	OT
OX	OTERO-VONA COMPLEX, 5 TO 15 PERCENT SLOPES	15	64	<b>15</b>	<b>15</b>	<b>15</b>	<b>15</b>	<b>15</b>	<b>15</b>	26	OX
PO	CANLON SOILS, 5 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	PO
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	82	362	302	235	163	87	<b>82</b>	<b>82</b>	26	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	76	335	275	208	135	<b>76</b>	<b>76</b>	<b>76</b>	26	RN

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>HAMILTON COUNTY (Page 2 of 2)</b>											
STOX	OTERO-MANTER FINE SANDY LOAMS, 1 TO 5 PERCENT SLOPES	37	178	118	51	<b>37</b>	<b>37</b>	<b>37</b>	<b>37</b>	26	STOX
STVO	VONA LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	27	129	69	<b>27</b>	<b>27</b>	<b>27</b>	<b>27</b>	<b>27</b>	26	STVO
SW	SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED	40	213	153	85	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>	37	SW
TF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	10	31	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	16	TF
TS	VALENT LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	10	68	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	26	TS
TX	VALENT-DUNE LAND COMPLEX, 10 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	16	TX
UA	ULYSSES LOAM, 0 TO 1 PERCENT SLOPES	72	365	305	237	165	90	<b>72</b>	<b>72</b>	26	UA
UB	ULYSSES LOAM, 1 TO 3 PERCENT SLOPES	67	341	281	214	141	<b>67</b>	<b>67</b>	<b>67</b>	26	UB
UC	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	72	365	305	237	165	90	<b>72</b>	<b>72</b>	26	UC
UD	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	74	341	281	214	141	<b>74</b>	<b>74</b>	<b>74</b>	26	UD
UE	ULYSSES-COLBY COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	49	231	171	103	<b>49</b>	<b>49</b>	<b>49</b>	<b>49</b>	26	UE
VO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	30	156	96	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	26	VO
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>HASKELL COUNTY</b>											
AD	VALENT FINE SAND, 5 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	18	AD
CO	COLBY LOAM, 5 TO 12 PERCENT SLOPES	30	117	50	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	29	CO
GB	GLENBERG SOILS, OCCASIONALLY FLOODED	29	165	99	<b>29</b>	<b>29</b>	<b>29</b>	<b>29</b>	<b>29</b>	40	GB
LK	LIKES LOAMY SAND, 0 TO 3 PERCENT SLOPES	17	170	104	30	<b>17</b>	<b>17</b>	<b>17</b>	<b>17</b>	29	LK
LO	LOFTON SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	30	34	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	29	LO
LU	LUBBOCK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	122	408	342	268	188	<b>122</b>	<b>122</b>	<b>122</b>	29	LU
MA	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	79	386	320	246	166	84	<b>79</b>	<b>79</b>	29	MA
MB	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	72	355	289	215	135	<b>72</b>	<b>72</b>	<b>72</b>	29	MB
MEHA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	101	398	331	258	178	<b>101</b>	<b>101</b>	<b>101</b>	40	MEHA
MENS	NESS SILTY CLAY	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	29	MENS
OG	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	13	56	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	23	OG
OU	OTERO-ULYSSES COMPLEX, 1 TO 3 PERCENT SLOPES	61	283	216	142	63	<b>61</b>	<b>61</b>	<b>61</b>	29	OU
RA	NESS CLAY	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	29	RA
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	94	395	329	255	175	<b>94</b>	<b>94</b>	<b>94</b>	40	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	89	369	302	228	149	<b>89</b>	<b>89</b>	<b>89</b>	40	RN
RU	RICHFIELD AND ULYSSES COMPLEXES, BENCH LEVELED	95	405	339	265	185	102	<b>95</b>	<b>95</b>	40	RU
SA	SATANTA FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	94	398	332	258	178	96	<b>94</b>	<b>94</b>	29	SA
SB	SATANTA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	87	369	302	228	149	<b>87</b>	<b>87</b>	<b>87</b>	29	SB
SN	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	101	405	339	265	185	102	<b>101</b>	<b>101</b>	29	SN
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	98	408	342	268	188	105	<b>98</b>	<b>98</b>	29	SP
SWBB	BAYARD FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	64	352	286	212	132	<b>64</b>	<b>64</b>	<b>64</b>	29	SWBB
SWVX	VONA-VALENT LOAMY FINE SANDS, 5 TO 20 PERCENT SLOPES	16	68	<b>16</b>	<b>16</b>	<b>16</b>	<b>16</b>	<b>16</b>	<b>16</b>	29	SWVX
TF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	10	34	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	18	TF
TV	VALENT-VONA LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	10	83	16	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	29	TV
TX	VALENT-DUNE LAND COMPLEX, 5 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	18	TX
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	96	408	342	268	188	105	<b>96</b>	<b>96</b>	40	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	87	394	328	254	174	92	<b>87</b>	<b>87</b>	40	UB
UD	ULYSSES LOAM, 1 TO 3 PERCENT SLOPES	88	391	325	251	171	<b>88</b>	<b>88</b>	<b>88</b>	40	UD
UE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	55	261	195	121	<b>55</b>	<b>55</b>	<b>55</b>	<b>55</b>	35	UE
UM	ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED	44	191	125	51	<b>44</b>	<b>44</b>	<b>44</b>	<b>44</b>	35	UM
VO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	33	172	106	<b>33</b>	<b>33</b>	<b>33</b>	<b>33</b>	<b>33</b>	29	VO
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>HODGEMAN COUNTY (Page 1 of 2)</b>											
BE	BRIDGEPORT SILT LOAM, 0 TO 1 PERCENT SLOPES, RARELY FLOODED	77	351	293	229	160	88	77	77	35	BE
BR	FLUVENTS, FREQUENTLY FLOODED	11	11	11	11	11	11	11	11	35	BR
CC	CAMPUS-CANLON COMPLEX, 3 TO 30 PERCENT SLOPES	10	10	10	10	10	10	10	10	30	CC
CN	CANLON SOILS, 3 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	15	CN
DT	DETROIT SILTY CLAY LOAM, RARELY FLOODED	94	351	293	229	160	94	94	94	35	DT
EDBK	COLY-TOBIN SILT LOAMS, 0 TO 15 PERCENT SLOPES	44	208	150	86	44	44	44	44	35	EDBK
EDHD	HARNEY-ULY COMPLEX, 1 TO 3 PERCENT SLOPES	82	351	293	229	160	88	82	82	35	EDHD
EDHE	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES	75	336	279	214	145	75	75	75	35	EDHE
EDTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	85	343	286	222	152	85	85	85	35	EDTO
FIAN	BRIDGEPORT LOAM, CHANNELED	52	275	217	153	84	52	52	52	54	FIAN
FIMH	PENDEN-ROXBURY COMPLEX, 0 TO 15 PERCENT SLOPES	29	203	145	81	29	29	29	29	35	FIMH
FOAN	ROXBURY SILT LOAM, CHANNELED	56	275	217	153	84	56	56	56	54	FOAN
FOMF	PENDEN AND CAMPUS SOILS, 3 TO 6 PERCENT SLOPES, ERODED	35	288	230	166	97	35	35	35	35	FOMF
FOMH	PENDEN-TOBIN COMPLEX, 0 TO 15 PERCENT SLOPES	28	192	135	70	28	28	28	28	35	FOMH
GYME	PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES	23	190	132	68	23	23	23	23	35	GYME
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	87	358	300	236	167	95	87	87	35	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	81	351	293	229	160	88	81	81	35	HB
HC	HARNEY SILT LOAM, 3 TO 5 PERCENT SLOPES	75	342	284	220	150	79	75	75	35	HC
HD	HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	69	293	235	171	102	69	69	69	35	HD
HE	HARNEY SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES, ERODED	62	257	199	135	66	62	62	62	35	HE
HO	HORD SILTY CLAY LOAM, RARELY FLOODED	94	351	293	229	160	94	94	94	35	HO
KP	KIM-PENDEN SILTY CLAY LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	25	162	104	40	25	25	25	25	35	KP
KW	NIBSON-WAKEEN COMPLEX, 3 TO 25 PERCENT SLOPES	10	10	10	10	10	10	10	10	25	KW
NE	NESS CLAY	10	10	10	10	10	10	10	10	25	NE
NSCU	COLY-ULY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	50	237	179	115	50	50	50	50	35	NSCU
NSPD	PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	18	172	115	50	18	18	18	18	35	NSPD
NSPX	PENDEN-COLY COMPLEX, 3 TO 30 PERCENT SLOPES	26	182	124	60	26	26	26	26	35	NSPX
OM	OST SILT LOAM, 0 TO 1 PERCENT SLOPES	71	357	299	235	166	94	71	71	35	OM
OX	OTERO-SCHAMBER COMPLEX, 6 TO 12 PERCENT SLOPES	10	56	10	10	10	10	10	10	30	OX
PD	PENDEN SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	47	357	299	235	166	94	47	47	35	PD
PE	PENDEN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	42	337	279	215	146	74	42	42	35	PE
PF	PENDEN SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	37	295	237	173	104	37	37	37	35	PF

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>HODGEMAN COUNTY (Page 2 of 2)</b>											
PN	PENDEN-HUMBARGER COMPLEX, 0 TO 12 PERCENT SLOPES	26	192	135	70	<b>26</b>	<b>26</b>	<b>26</b>	<b>26</b>	35	PN
PNNW	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	84	351	293	229	160	88	<b>84</b>	<b>84</b>	35	PNNW
PNUE	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	52	234	177	112	<b>52</b>	<b>52</b>	<b>52</b>	<b>52</b>	35	PNUE
PNWH	WAKEEN-NIBSON SILT LOAMS, 5 TO 15 PERCENT SLOPES	10	12	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	25	PNWH
PU	PENDEN-CAMPUS CLAY LOAMS, 1 TO 4 PERCENT SLOPES	36	301	243	179	110	38	<b>36</b>	<b>36</b>	35	PU
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	67	347	289	225	155	84	<b>67</b>	<b>67</b>	35	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	64	320	263	198	129	<b>64</b>	<b>64</b>	<b>64</b>	35	RN
RO	RICHFIELD SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	50	254	196	132	63	<b>50</b>	<b>50</b>	<b>50</b>	35	RO
RR	NIBSON-ROCK OUTCROP COMPLEX, 10 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	15	RR
RS	ROXBURY SILT LOAM, FREQUENTLY FLOODED	56	275	217	153	84	<b>56</b>	<b>56</b>	<b>56</b>	54	RS
RX	ROXBURY SILT LOAM, RARELY FLOODED	80	351	293	229	160	88	<b>80</b>	<b>80</b>	35	RX
RY	ROXBURY AND BRIDGEPORT SOILS, CHANNELED	62	326	269	205	135	63	<b>62</b>	<b>62</b>	54	RY
RZ	BRIDGEPORT SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	73	344	287	222	153	81	<b>73</b>	<b>73</b>	35	RZ
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	74	358	300	236	167	95	<b>74</b>	<b>74</b>	35	SP
SR	SPEARVILLE COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	58	274	217	152	83	<b>58</b>	<b>58</b>	<b>58</b>	35	SR
UB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	78	351	293	229	160	88	<b>78</b>	<b>78</b>	35	UB
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	70	326	268	204	135	<b>70</b>	<b>70</b>	<b>70</b>	35	UC
UM	ULY-COLY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	52	237	179	115	<b>52</b>	<b>52</b>	<b>52</b>	<b>52</b>	35	UM
WA	WAKEEN SILT LOAM, 1 TO 3 PERCENT SLOPES	17	213	155	91	22	<b>17</b>	<b>17</b>	<b>17</b>	35	WA
WB	WAKEEN SILT LOAM, 3 TO 6 PERCENT SLOPES	14	199	142	78	<b>14</b>	<b>14</b>	<b>14</b>	<b>14</b>	35	WB
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>KEARNY COUNTY (Page 1 of 2)</b>											
AD	VALENT FINE SAND, 20 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	18	AD
AN	BRIDGEPORT LOAM, CHanneLED	71	307	240	165	84	<b>71</b>	<b>71</b>	<b>71</b>	29	AN
BA	BAYARD FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	72	343	276	201	120	<b>72</b>	<b>72</b>	<b>72</b>	29	BA
BD	LAS VARIANT CLAY LOAM, OCCASIONALLY FLOODED	64	316	248	173	93	<b>64</b>	<b>64</b>	<b>64</b>	29	BD
BP	BRIDGEPORT CLAY LOAM, RARELY FLOODED	73	309	242	167	86	<b>73</b>	<b>73</b>	<b>73</b>	29	BP
BX	FLUVENTS, FREQUENTLY FLOODED	49	<b>49</b>	<b>49</b>	<b>49</b>	<b>49</b>	<b>49</b>	<b>49</b>	<b>49</b>	10	BX
CA	CHURCH CLAY, DARK VARIANT, OCCASIONALLY FLOODED	30	123	56	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	29	CA
CB	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES	53	263	195	121	<b>53</b>	<b>53</b>	<b>53</b>	<b>53</b>	29	CB
CC	COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES	48	227	160	85	<b>48</b>	<b>48</b>	<b>48</b>	<b>48</b>	29	CC
CD	COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES	30	110	43	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	29	CD
DX	DALHART-VONA LOAMY FINE SANDS, 0 TO 1 PERCENT SLOPES	65	311	244	169	88	<b>65</b>	<b>65</b>	<b>65</b>	29	DX
FIMH	PENDEN-ROXBURY COMPLEX, 0 TO 15 PERCENT SLOPES	28	119	52	<b>28</b>	<b>28</b>	<b>28</b>	<b>28</b>	<b>28</b>	29	FIMH
GO	GOSHEN SILT LOAM, RARELY FLOODED	123	410	342	268	187	<b>123</b>	<b>123</b>	<b>123</b>	41	GO
GR	SCHAMBER GRAVELLY SANDY LOAM, 5 TO 15 PERCENT SLOPES	10	13	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	GR
GTBR	BRIDGEPORT SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	92	385	317	243	162	<b>92</b>	<b>92</b>	<b>92</b>	29	GTBR
HMOX	OTERO-VONA COMPLEX, 5 TO 15 PERCENT SLOPES	10	51	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	29	HMOX
LA	LAS CLAY LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED	48	274	207	132	51	<b>48</b>	<b>48</b>	<b>48</b>	29	LA
LB	LAS CLAY LOAM, DEEP, OCCASIONALLY FLOODED	67	316	249	174	93	<b>67</b>	<b>67</b>	<b>67</b>	29	LB
LD	LAS-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	48	280	213	138	57	<b>48</b>	<b>48</b>	<b>48</b>	29	LD
LG	LAS CLAY LOAM, OCCASIONALLY FLOODED	40	274	207	132	51	<b>40</b>	<b>40</b>	<b>40</b>	29	LG
LH	LAS ANIMAS LOAMY SAND, OCCASIONALLY FLOODED	30	189	122	47	<b>30</b>	<b>30</b>	<b>30</b>	<b>30</b>	29	LH
LK	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	45	258	191	116	<b>45</b>	<b>45</b>	<b>45</b>	<b>45</b>	29	LK
LN	LINCOLN SAND, OCCASIONALLY FLOODED	26	217	149	75	<b>26</b>	<b>26</b>	<b>26</b>	<b>26</b>	29	LN
LO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	29	LO
MA	PENDEN CLAY LOAM, 0 TO 1 PERCENT SLOPES	60	407	340	265	184	100	<b>60</b>	<b>60</b>	29	MA
MB	PENDEN LOAM, 0 TO 3 PERCENT SLOPES	62	374	306	232	151	67	<b>62</b>	<b>62</b>	29	MB
MF	MANter FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	68	343	276	201	120	<b>68</b>	<b>68</b>	<b>68</b>	29	MF
MH	MANter FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	64	311	244	169	88	<b>64</b>	<b>64</b>	<b>64</b>	29	MH
MK	MANter FINE SANDY LOAM, 3 TO 5 PERCENT SLOPES	58	271	204	129	<b>58</b>	<b>58</b>	<b>58</b>	<b>58</b>	29	MK
OX	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	29	OX
PO	CANLON SOILS, 5 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	PO
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	88	396	328	254	173	89	<b>88</b>	<b>88</b>	29	RM

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>KEARNY COUNTY (Page 2 of 2)</b>											
RX	RICHFIELD-PENDEN COMPLEX, 1 TO 3 PERCENT SLOPES	72	367	300	225	144	<b>72</b>	<b>72</b>	<b>72</b>	29	RX
SW	SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED	45	244	177	102	<b>45</b>	<b>45</b>	<b>45</b>	<b>45</b>	29	SW
TF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	10	35	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	18	TF
TV	VALENT-VONA LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	12	80	<b>12</b>	<b>12</b>	<b>12</b>	<b>12</b>	<b>12</b>	<b>12</b>	29	TV
TX	VALENT-DUNE LAND COMPLEX, 10 TO 40 PERCENT SLOPES	10	23	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	18	TX
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	91	414	346	272	191	107	<b>91</b>	<b>91</b>	18	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	86	396	329	254	173	89	<b>86</b>	<b>86</b>	29	UB
UC	ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES	78	352	285	210	129	<b>78</b>	<b>78</b>	<b>78</b>	29	UC
UE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	56	265	197	122	<b>56</b>	<b>56</b>	<b>56</b>	<b>56</b>	29	UE
UM	ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED	44	187	120	45	<b>44</b>	<b>44</b>	<b>44</b>	<b>44</b>	29	UM
UX	ULYSSES AND RICHFIELD SOILS, SILTED, 0 TO 1 PERCENT SLOPES	89	411	343	268	188	104	<b>89</b>	<b>89</b>	29	UX
VO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	43	209	142	67	<b>43</b>	<b>43</b>	<b>43</b>	<b>43</b>	29	VO
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>MEADE COUNTY (Page 1 of 2)</b>											
AN	ROXBURY SILT LOAM, CHANNELED	71	300	236	165	89	<b>71</b>	<b>71</b>	<b>71</b>	38	AN
BO	TIVOLI FINE SAND, 5 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	28	BO
CAKA	KINGSDOWN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	55	297	233	163	86	<b>55</b>	<b>55</b>	<b>55</b>	28	CAKA
CAKB	KINGSDOWN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	55	286	223	152	76	<b>55</b>	<b>55</b>	<b>55</b>	28	CAKB
CALN	LINCOLN LOAMY FINE SAND, OCCASIONALLY FLOODED	25	188	124	54	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	38	CALN
CC	CAMPUS-CANLON COMPLEX, 5 TO 15 PERCENT SLOPES	10	46	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	22	CC
FOMA	PENDEN CLAY LOAM, 0 TO 1 PERCENT SLOPES	55	389	325	254	178	99	<b>55</b>	<b>55</b>	28	FOMA
GYAN	BRIDGEPORT SILT LOAM, CHANNELED	69	300	236	165	89	<b>69</b>	<b>69</b>	<b>69</b>	38	GYAN
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	91	393	330	259	183	103	<b>91</b>	<b>91</b>	28	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	86	371	308	237	161	<b>86</b>	<b>86</b>	<b>86</b>	28	HB
HC	HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	73	270	207	136	<b>73</b>	<b>73</b>	<b>73</b>	<b>73</b>	28	HC
KZ	KRIER SOILS, OCCASIONALLY FLOODED	10	147	84	13	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	38	KZ
LE	LESHARA CLAY LOAM, OCCASIONALLY FLOODED	93	376	312	241	165	<b>93</b>	<b>93</b>	<b>93</b>	38	LE
LH	LESHO CLAY LOAM, OCCASIONALLY FLOODED	50	305	242	171	94	<b>50</b>	<b>50</b>	<b>50</b>	38	LH
LK	LIKES LOAMY SAND, 0 TO 3 PERCENT SLOPES	10	139	76	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	28	LK
LN	LINCOLN SOILS, FREQUENTLY FLOODED	21	119	56	<b>21</b>	<b>21</b>	<b>21</b>	<b>21</b>	<b>21</b>	38	LN
MA	MANSIC CLAY LOAM, 0 TO 1 PERCENT SLOPES	60	392	328	257	181	102	<b>60</b>	<b>60</b>	28	MA
MB	MANSIC CLAY LOAM, 1 TO 3 PERCENT SLOPES	54	366	303	232	156	76	<b>54</b>	<b>54</b>	28	MB
MC	MANSIC CLAY LOAM, 3 TO 6 PERCENT SLOPES	48	318	255	184	108	<b>48</b>	<b>48</b>	<b>48</b>	28	MC
MF	MANSIC CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	31	231	167	97	<b>31</b>	<b>31</b>	<b>31</b>	<b>31</b>	28	MF
MG	MANSIC CLAY LOAM, 6 TO 15 PERCENT SLOPES	26	169	105	35	<b>26</b>	<b>26</b>	<b>26</b>	<b>26</b>	28	MG
MM	MANSIC-MANTER COMPLEX, 1 TO 4 PERCENT SLOPES	49	300	236	165	89	<b>49</b>	<b>49</b>	<b>49</b>	28	MM
MR	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	56	324	261	190	113	<b>56</b>	<b>56</b>	<b>56</b>	28	MR
MS	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	52	294	231	160	83	<b>52</b>	<b>52</b>	<b>52</b>	28	MS
MT	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	38	224	160	89	<b>38</b>	<b>38</b>	<b>38</b>	<b>38</b>	28	MT
MU	MANTER-SATANTA FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES	60	286	223	152	76	<b>60</b>	<b>60</b>	<b>60</b>	28	MU
MX	MISSLER SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	88	395	331	260	184	105	<b>88</b>	<b>88</b>	28	MX
MZ	MISSLER SILTY CLAY LOAM, 1 TO 6 PERCENT SLOPES	78	379	316	245	169	90	<b>78</b>	<b>78</b>	28	MZ
NS	NESS SILTY CLAY	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	28	NS
OT	OTERO FINE SANDY LOAM, 6 TO 15 PERCENT SLOPES	10	54	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	28	OT
OV	OTERO-MANSIC COMPLEX, 5 TO 25 PERCENT SLOPES	17	88	24	<b>17</b>	<b>17</b>	<b>17</b>	<b>17</b>	<b>17</b>	28	OV
OZ	OTERO-MANTER FINE SANDY LOAMS, 3 TO 6 PERCENT SLOPES	34	196	133	62	<b>34</b>	<b>34</b>	<b>34</b>	<b>34</b>	28	OZ

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>MEADE COUNTY (Page 2 of 2)</b>											
PB	PENDEN CLAY LOAM, 1 TO 3 PERCENT SLOPES	50	366	303	232	156	76	<b>50</b>	<b>50</b>	28	PB
PC	PENDEN CLAY LOAM, 3 TO 7 PERCENT SLOPES	44	318	255	184	108	<b>44</b>	<b>44</b>	<b>44</b>	28	PC
PD	PENDEN CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	31	242	179	108	32	<b>31</b>	<b>31</b>	<b>31</b>	28	PD
PE	PENDEN CLAY LOAM, 7 TO 15 PERCENT SLOPES	23	169	105	35	<b>23</b>	<b>23</b>	<b>23</b>	<b>23</b>	28	PE
PR	PRATT SOILS, 0 TO 5 PERCENT SLOPES	34	264	201	130	53	<b>34</b>	<b>34</b>	<b>34</b>	28	PR
PT	PRATT SOILS, 5 TO 15 PERCENT SLOPES	10	72	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	28	PT
RB	CAMPUS-CANLON COMPLEX, 10 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	17	RB
RX	ROXBURY SILT LOAM, RARELY FLOODED	96	387	323	253	176	97	<b>96</b>	<b>96</b>	38	RX
SA	SATANTA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	85	378	315	244	168	88	<b>85</b>	<b>85</b>	28	SA
SB	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	88	392	328	257	181	102	<b>88</b>	<b>88</b>	28	SB
SC	SATANTA LOAM, 1 TO 3 PERCENT SLOPES	82	366	303	232	156	<b>82</b>	<b>82</b>	<b>82</b>	28	SC
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	86	395	331	260	184	105	<b>86</b>	<b>86</b>	28	SP
TV	TIVOLI FINE SAND, 10 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	28	TV
UA	ULY SILT LOAM, 0 TO 1 PERCENT SLOPES	99	395	331	260	184	105	<b>99</b>	<b>99</b>	28	UA
UB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	90	387	323	253	176	97	<b>90</b>	<b>90</b>	28	UB
UC	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES, ERODED	76	329	265	194	118	<b>76</b>	<b>76</b>	<b>76</b>	28	UC
US	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	82	362	299	228	152	<b>82</b>	<b>82</b>	<b>82</b>	28	US
UT	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	64	270	207	136	<b>64</b>	<b>64</b>	<b>64</b>	<b>64</b>	28	UT
WN	WANN LOAM, OCCASIONALLY FLOODED	70	347	284	213	137	<b>70</b>	<b>70</b>	<b>70</b>	38	WN
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST
YO	YAHOLA SANDY LOAM, RARELY FLOODED	56	347	283	212	136	57	<b>56</b>	<b>56</b>	38	YO

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>MORTON COUNTY (Page 1 of 2)</b>											
1044	ATCHISON CLAY LOAM, 3 TO 6 PERCENT SLOPES	39	286	220	147	68	<b>39</b>	<b>39</b>	<b>39</b>	40	1044
1045	ATCHISON LOAM, 6 TO 9 PERCENT SLOPES	27	197	131	58	<b>27</b>	<b>27</b>	<b>27</b>	<b>27</b>	40	1045
1046	ATCHISON LOAM, 1 TO 3 PERCENT SLOPES	40	299	233	160	81	<b>40</b>	<b>40</b>	<b>40</b>	40	1046
1047	ATCHISON-ROCK OUTCROP COMPLEX, 6 TO 20 PERCENT SLOPES	10	15	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	29	1047
1052	ATCHISON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	38	278	213	140	61	<b>38</b>	<b>38</b>	<b>38</b>	40	1052
1182	BELFON LOAM, 0 TO 1 PERCENT SLOPES	70	381	315	242	163	81	<b>70</b>	<b>70</b>	40	1182
1184	BIGBOW FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	57	332	266	193	114	<b>57</b>	<b>57</b>	<b>57</b>	40	1184
1185	BIGBOW LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	53	314	248	175	96	<b>53</b>	<b>53</b>	<b>53</b>	29	1185
1186	BIGBOW LOAMY FINE SAND, 2 TO 4 PERCENT SLOPES	40	249	183	110	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>	29	1186
1189	BELFON CLAY LOAM, 0 TO 1 PERCENT SLOPES	66	377	311	238	159	77	<b>66</b>	<b>66</b>	40	1189
1504	DALHART FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	60	352	287	213	135	<b>60</b>	<b>60</b>	<b>60</b>	29	1504
1505	DALHART FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	46	288	223	150	71	<b>46</b>	<b>46</b>	<b>46</b>	29	1505
1506	DALHART LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	47	257	192	119	<b>47</b>	<b>47</b>	<b>47</b>	<b>47</b>	29	1506
1558	DALHART LOAMY FINE SAND, 2 TO 4 PERCENT SLOPES	42	229	163	90	<b>42</b>	<b>42</b>	<b>42</b>	<b>42</b>	29	1558
1559	DALHART-EVA LOAMY FINE SANDS, 3 TO 9 PERCENT SLOPES	19	134	69	<b>19</b>	<b>19</b>	<b>19</b>	<b>19</b>	<b>19</b>	29	1559
1670	EVA LOAMY FINE SAND, 1 TO 3 PERCENT SLOPES	33	307	241	168	89	<b>33</b>	<b>33</b>	<b>33</b>	29	1670
1671	EVA-OPTIMA LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	10	108	42	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	29	1671
1672	EVA LOAMY FINE SAND, 3 TO 9 PERCENT SLOPES	11	148	82	<b>11</b>	<b>11</b>	<b>11</b>	<b>11</b>	<b>11</b>	29	1672
1723	FETERITA CLAY, 0 TO 1 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	29	1723
1819	GLENBERG FINE SANDY LOAM, RARELY FLOODED	13	199	133	60	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	51	1819
1846	GLENBERG FINE SANDY LOAM, OCCASIONALLY FLOODED	11	187	121	48	<b>11</b>	<b>11</b>	<b>11</b>	<b>11</b>	51	1846
1979	HAVERSON FINE SANDY LOAM, OCCASIONALLY FLOODED	41	301	235	162	83	<b>41</b>	<b>41</b>	<b>41</b>	51	1979
1980	HAPPYDITCH LOAMY SAND, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	10	192	127	54	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	51	1980
1981	HAPPYDITCH SAND, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODED	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	51	1981
1984	HAPPYDITCH LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	10	130	65	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	51	1984
3037	OTERO SANDY LOAM, 4 TO 15 PERCENT SLOPES	13	154	88	15	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	29	3037
3047	OPTIMA LOAMY FINE SAND, 2 TO 6 PERCENT SLOPES	10	164	98	25	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	29	3047
3048	OPTIMA LOAMY FINE SAND, 6 TO 15 PERCENT SLOPES	10	77	11	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	29	3048
3316	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	63	385	320	247	168	86	<b>63</b>	<b>63</b>	40	3316
3319	RICHFIELD SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	63	379	313	240	161	79	<b>63</b>	<b>63</b>	40	3319
3413	SATANTA FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	71	387	321	248	169	87	<b>71</b>	<b>71</b>	29	3413
3415	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	80	400	335	261	183	101	<b>80</b>	<b>80</b>	40	3415

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>MORTON COUNTY (Page 2 of 2)</b>											
3506	SHORE LOAM, RARELY FLOODED	53	322	256	183	104	<b>53</b>	<b>53</b>	<b>53</b>	51	3506
3638	TWO BUTTE LOAM, 2 TO 6 PERCENT SLOPES	19	208	142	69	<b>19</b>	<b>19</b>	<b>19</b>	<b>19</b>	29	3638
3725	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	60	373	307	234	155	73	<b>60</b>	<b>60</b>	40	3725
3969	WAGONBED SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	56	353	287	214	135	<b>56</b>	<b>56</b>	<b>56</b>	29	3969
3970	WAGONBED SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	50	342	276	203	124	<b>50</b>	<b>50</b>	<b>50</b>	29	3970
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>SEWARD COUNTY (Page 1 of 2)</b>											
AN	BRIDGEPORT LOAM, CHanneLED	63	294	230	159	83	63	63	63	39	AN
BB	BAYARD FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	46	310	247	176	99	46	46	46	28	BB
BO	VALENT FINE SAND, 5 TO 15 PERCENT SLOPES	10	32	10	10	10	10	10	10	17	BO
CC	COLBY LOAM, 3 TO 5 PERCENT SLOPES	30	162	98	30	30	30	30	30	28	CC
CM	COLBY LOAM, 5 TO 12 PERCENT SLOPES	22	112	48	22	22	22	22	22	28	CM
DA	DALHART FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	67	355	291	220	144	67	67	67	28	DA
DB	DALHART FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	61	321	257	186	110	61	61	61	28	DB
DF	DALHART LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	60	314	251	180	103	60	60	60	28	DF
GR	SCHAMBER GRAVELLY SANDY LOAM, 15 TO 30 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	GR
HSSA	SATANTA FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	56	266	203	132	56	56	56	56	28	HSSA
HSSB	SATANTA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	55	263	200	129	55	55	55	55	28	HSSB
HSVO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	32	191	128	57	32	32	32	32	28	HSVO
LD	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	34	231	168	97	34	34	34	34	49	LD
LK	LIKES LOAMY SAND, 1 TO 5 PERCENT SLOPES	10	140	76	10	10	10	10	10	28	LK
LKK	LIKES LOAMY SAND, 0 TO 3 PERCENT SLOPES	10	143	79	10	10	10	10	10	28	LKK
LL	LINCOLN SOILS, OCCASIONALLY FLOODED	19	198	135	64	19	19	19	19	49	LL
MD	MANter-DALHART FINE SANDY LOAMS, 1 TO 3 PERCENT SLOPES	53	297	234	163	86	53	53	53	28	MD
MEHA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	85	382	319	248	172	92	85	85	28	MEHA
MEKZ	KRIER SOILS, OCCASIONALLY FLOODED	25	223	159	88	25	25	25	25	49	MEKZ
MEMM	MANSIC-MANter COMPLEX, 1 TO 4 PERCENT SLOPES	41	261	197	126	50	41	41	41	28	MEMM
MEMU	MANter-SATANTA FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES	52	258	194	123	52	52	52	52	28	MEMU
MENS	NESS SILTY CLAY	10	10	10	10	10	10	10	10	28	MENS
MEOV	OTERO-MANSIC COMPLEX, 5 TO 25 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	MEOV
MEOZ	OTERO-MANter FINE SANDY LOAMS, 3 TO 6 PERCENT SLOPES	42	249	186	115	42	42	42	42	28	MEOZ
MEPR	PRATT SOILS, 0 TO 5 PERCENT SLOPES	27	197	133	62	27	27	27	27	28	MEPR
MERB	CAMPUS-CANLON COMPLEX, 10 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	MERB
MESA	SATANTA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	60	266	203	132	60	60	60	60	28	MESA
MEUA	ULY SILT LOAM, 0 TO 1 PERCENT SLOPES	88	395	332	261	184	105	88	88	28	MEUA
MEWN	WANN LOAM, OCCASIONALLY FLOODED	45	231	168	97	45	45	45	45	49	MEWN
MH	MANter FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES	44	249	186	115	44	44	44	44	28	MH
OX	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	10	55	10	10	10	10	10	10	17	OX
OY	OTERO-PENDEN COMPLEX, 1 TO 4 PERCENT SLOPES	37	261	197	126	50	37	37	37	28	OY

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol	
<b>SEWARD COUNTY (Page 2 of 2)</b>												
RA	NESS CLAY	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	28	RA
RB	RICHFIELD AND ULYSSES COMPLEXES, BENCH LEVELED	77	392	328	258	181	102	<b>77</b>	<b>77</b>		28	RB
RF	RICHFIELD FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	62	296	232	161	85	<b>62</b>	<b>62</b>	<b>62</b>		28	RF
RH	RICHFIELD LOAM, THICK SURFACE, 0 TO 1 PERCENT SLOPES	83	382	319	248	172	92	<b>83</b>	<b>83</b>		28	RH
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	78	382	319	248	172	92	<b>78</b>	<b>78</b>		28	RM
RO	CANLON SOILS, 25 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>		10	RO
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	89	395	332	261	184	105	<b>89</b>	<b>89</b>		17	SP
SVRA	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	58	269	206	135	<b>58</b>	<b>58</b>	<b>58</b>	<b>58</b>		28	SVRA
SVRB	HAXTUN LOAMY FINE SAND, 0 TO 1 PERCENT SLOPES	58	317	253	183	106	<b>58</b>	<b>58</b>	<b>58</b>		28	SVRB
SVVX	VONA-VALENT LOAMY FINE SANDS, 3 TO 20 PERCENT SLOPES	10	53	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>		22	SVVX
TF	VALENT FINE SAND, 10 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>		17	TF
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	74	395	332	261	184	105	<b>74</b>	<b>74</b>		28	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	68	375	311	240	164	85	<b>68</b>	<b>68</b>		28	UB
UE	ULYSSES-COLBY COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	42	237	173	103	<b>42</b>	<b>42</b>	<b>42</b>	<b>42</b>		28	UE
VO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	38	191	128	57	<b>38</b>	<b>38</b>	<b>38</b>	<b>38</b>		28	VO
VX	VONA-VALENT LOAMY FINE SANDS, 5 TO 20 PERCENT SLOPES	10	47	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>		22	VX
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>		10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>STANTON COUNTY</b>											
1044	ATCHISON CLAY LOAM, 3 TO 6 PERCENT SLOPES	34	181	116	44	<b>34</b>	<b>34</b>	<b>34</b>	<b>34</b>	28	1044
1046	ATCHISON LOAM, 1 TO 3 PERCENT SLOPES	36	195	130	58	<b>36</b>	<b>36</b>	<b>36</b>	<b>36</b>	28	1046
1189	BELFON CLAY LOAM, 0 TO 1 PERCENT SLOPES	72	366	301	229	151	<b>72</b>	<b>72</b>	<b>72</b>	28	1189
3415	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	72	353	288	216	138	<b>72</b>	<b>72</b>	<b>72</b>	28	3415
3969	WAGONBED SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	67	361	296	224	146	<b>67</b>	<b>67</b>	<b>67</b>	28	3969
3970	WAGONBED SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	43	236	171	99	<b>43</b>	<b>43</b>	<b>43</b>	<b>43</b>	28	3970
BA	GLENBERG FINE SANDY LOAM, RARELY FLOODED	32	202	137	65	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	28	BA
BO	VALENT LOAMY FINE SAND	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	17	BO
BP	BRIDGEPORT CLAY LOAM, RARELY FLOODED	88	394	330	258	180	99	<b>88</b>	<b>88</b>	39	BP
BX	FLUVENTS, FREQUENTLY FLOODED	39	<b>39</b>	<b>39</b>	<b>39</b>	<b>39</b>	<b>39</b>	<b>39</b>	<b>39</b>	10	BX
CB	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES	46	253	188	116	<b>46</b>	<b>46</b>	<b>46</b>	<b>46</b>	28	CB
CC	COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES	40	218	154	82	<b>40</b>	<b>40</b>	<b>40</b>	<b>40</b>	28	CC
CD	COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES	24	106	41	<b>24</b>	<b>24</b>	<b>24</b>	<b>24</b>	<b>24</b>	28	CD
DA	DALHART FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	69	357	292	220	142	<b>69</b>	<b>69</b>	<b>69</b>	28	DA
DB	DALHART FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	64	326	262	190	112	<b>64</b>	<b>64</b>	<b>64</b>	28	DB
GO	GOSHEN SILT LOAM, RARELY FLOODED	99	398	334	261	184	103	<b>99</b>	<b>99</b>	39	GO
GTBR	BRIDGEPORT SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	85	394	330	258	180	99	<b>85</b>	<b>85</b>	39	GTBR
GTCO	COLBY LOAM, 5 TO 12 PERCENT SLOPES	23	112	47	<b>23</b>	<b>23</b>	<b>23</b>	<b>23</b>	<b>23</b>	28	GTCO
LF	LINCOLN SOILS, OCCASIONALLY FLOODED	24	189	124	52	<b>24</b>	<b>24</b>	<b>24</b>	<b>24</b>	50	LF
LO	PLEASANT CLAY LOAM, 0 TO 1 PERCENT SLOPES	32	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	<b>32</b>	28	LO
MB	CAMPUS CLAY LOAM, 0 TO 3 PERCENT SLOPES	25	207	142	70	<b>25</b>	<b>25</b>	<b>25</b>	<b>25</b>	28	MB
MC	CAMPUS CLAY LOAM, 3 TO 5 PERCENT SLOPES	21	180	115	43	<b>21</b>	<b>21</b>	<b>21</b>	<b>21</b>	28	MC
MF	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	68	385	321	249	171	90	<b>68</b>	<b>68</b>	28	MF
MH	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	63	353	288	216	138	<b>63</b>	<b>63</b>	<b>63</b>	28	MH
MK	MANTER FINE SANDY LOAM, 3 TO 5 PERCENT SLOPES	58	319	254	182	104	<b>58</b>	<b>58</b>	<b>58</b>	28	MK
OX	OTERO-MANTER FINE SANDY LOAMS, 1 TO 5 PERCENT SLOPES	43	252	187	115	<b>43</b>	<b>43</b>	<b>43</b>	<b>43</b>	28	OX
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	77	389	324	252	175	94	<b>77</b>	<b>77</b>	28	RM
TS	VALENT LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	10	73	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	28	TS
TY	TRAVESSILLA SOILS, 6 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	TY
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	74	398	334	261	184	103	<b>74</b>	<b>74</b>	28	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	69	382	317	245	167	86	<b>69</b>	<b>69</b>	28	UB
UC	ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES	62	339	274	202	124	<b>62</b>	<b>62</b>	<b>62</b>	28	UC
UE	ULYSSES-COLBY COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	47	268	203	131	53	<b>47</b>	<b>47</b>	<b>47</b>	28	UE
VO	VONA LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	11	62	<b>11</b>	<b>11</b>	<b>11</b>	<b>11</b>	<b>11</b>	<b>11</b>	28	VO
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>STEVENS COUNTY (1 of 2)</b>											
1044	ATCHISON CLAY LOAM, 3 TO 6 PERCENT SLOPES	22	99	30	22	22	22	22	22	30	1044
1046	ATCHISON LOAM, 1 TO 3 PERCENT SLOPES	50	249	180	104	50	50	50	50	30	1046
1182	BELFON LOAM, 0 TO 1 PERCENT SLOPES	97	403	334	257	174	97	97	97	30	1182
1184	BIGBOW FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	97	374	305	228	146	97	97	97	30	1184
1185	BIGBOW LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	97	377	308	231	149	97	97	97	30	1185
1504	DALHART FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	87	348	279	202	120	87	87	87	30	1504
1505	DALHART FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	77	320	252	175	92	77	77	77	30	1505
1506	DALHART LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	79	317	248	172	89	79	79	79	30	1506
1558	DALHART LOAMY FINE SAND, 2 TO 4 PERCENT SLOPES	78	311	242	166	83	78	78	78	30	1558
1559	DALHART-EVA LOAMY FINE SANDS, 3 TO 9 PERCENT SLOPES	60	267	199	122	60	60	60	60	30	1559
1670	EVA LOAMY FINE SAND, 1 TO 3 PERCENT SLOPES	27	170	101	27	27	27	27	27	30	1670
1671	EVA-OPTIMA LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	10	62	10	10	10	10	10	10	30	1671
1672	EVA LOAMY FINE SAND, 3 TO 9 PERCENT SLOPES	23	152	83	23	23	23	23	23	30	1672
1723	FETERITA CLAY, 0 TO 1 PERCENT SLOPES	14	14	14	14	14	14	14	14	30	1723
1979	HAVERSON FINE SANDY LOAM, OCCASIONALLY FLOODED	41	41	41	41	41	41	41	41	30	1979
1980	HAPPYDITCH LOAMY SAND, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	20	207	138	61	20	20	20	20	53	1980
1981	HAPPYDITCH SAND, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODED	15	123	54	15	15	15	15	15	53	1981
1984	HAPPYDITCH LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	19	200	132	55	19	19	19	19	53	1984
3047	OPTIMA LOAMY FINE SAND, 2 TO 6 PERCENT SLOPES	20	20	20	20	20	20	20	20	30	3047
3048	OPTIMA LOAMY FINE SAND, 6 TO 15 PERCENT SLOPES	10	10	10	10	10	10	10	10	18	3048
3415	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	82	82	82	82	82	82	82	82	30	3415
3506	SHORE LOAM, RARELY FLOODED	99	358	289	212	129	99	99	99	42	3506
3725	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	85	393	324	247	165	85	85	85	30	3725
3969	WAGONBED SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	52	243	174	97	52	52	52	52	30	3969
BO	VALENT FINE SAND, 5 TO 15 PERCENT SLOPES	10	35	10	10	10	10	10	10	18	BO
BX	BROKEN LAND	73	73	73	73	73	73	73	73	30	BX
CM	COLBY LOAM, 5 TO 12 PERCENT SLOPES	24	114	45	24	24	24	24	24	30	CM
DA	DALHART FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	92	369	301	224	141	92	92	92	30	DA
DB	DALHART FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	84	333	264	187	105	84	84	84	30	DB
DF	DALHART LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	79	333	264	187	105	79	79	79	30	DF
DX	DALHART-OTERO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES	69	286	217	141	69	69	69	69	30	DX
GO	GOSHEN SILT LOAM, RARELY FLOODED	111	419	350	274	191	111	111	111	42	GO
GTLO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	10	10	10	10	10	10	10	30	GTLO
GTOF	OTERO FINE SANDY LOAM, 4 TO 12 PERCENT SLOPES	10	77	10	10	10	10	10	10	30	GTOF
GTOG	OTERO-SCHAMBER COMPLEX, 5 TO 20 PERCENT SLOPES	57	263	194	118	57	57	57	57	30	GTOG

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
<b>STEVENS COUNTY (2 of 2)</b>											
G TSA	SATANTA FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	78	322	253	176	94	<b>78</b>	<b>78</b>	<b>78</b>	30	G TSA
G TSB	SATANTA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	78	319	250	173	90	<b>78</b>	<b>78</b>	<b>78</b>	30	G TSB
G TTF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	18	G TTF
G TTV	VALENT-VONA LOAMY FINE SANDS, 3 TO 15 PERCENT SLOPES	10	65	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	30	G TTV
G TUE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	55	271	202	125	<b>55</b>	<b>55</b>	<b>55</b>	<b>55</b>	30	G TUE
G TVO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	35	164	95	<b>35</b>	<b>35</b>	<b>35</b>	<b>35</b>	<b>35</b>	30	G TVO
H SOG	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	62	273	204	127	<b>62</b>	<b>62</b>	<b>62</b>	<b>62</b>	30	H SOG
LF	LINCOLN SOILS, OCCASIONALLY FLOODED	26	200	132	55	<b>26</b>	<b>26</b>	<b>26</b>	<b>26</b>	53	LF
LO	PLEASANT CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	30	LO
LP	PLEASANT FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	13	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	<b>13</b>	30	LP
MA	PENDEN CLAY LOAM, 0 TO 1 PERCENT SLOPES	70	426	357	280	198	112	<b>70</b>	<b>70</b>	30	MA
MB	PENDEN CLAY LOAM, 1 TO 3 PERCENT SLOPES	63	402	333	257	174	88	<b>63</b>	<b>63</b>	30	MB
MX	PENDEN-OTERO COMPLEX, 1 TO 6 PERCENT SLOPES	42	285	216	139	57	<b>42</b>	<b>42</b>	<b>42</b>	30	MX
MY	MANter FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	69	319	250	173	90	<b>69</b>	<b>69</b>	<b>69</b>	30	MY
OT	OTERO FINE SANDY LOAM, 5 TO 12 PERCENT SLOPES	10	70	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	30	OT
RA	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	104	424	355	279	196	110	<b>104</b>	<b>104</b>	30	RA
RB	HAXTUN LOAMY FINE SAND, 0 TO 1 PERCENT SLOPES	99	420	351	275	192	106	<b>99</b>	<b>99</b>	30	RB
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	95	405	336	259	177	<b>95</b>	<b>95</b>	<b>95</b>	30	RM
RX	RICHFIELD-ULYSSES LOAMS, 0 TO 1 PERCENT SLOPES	99	417	348	272	189	103	<b>99</b>	<b>99</b>	30	RX
TF	VALENT FINE SAND, 10 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	18	TF
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	93	421	352	275	193	107	<b>93</b>	<b>93</b>	30	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	86	390	321	244	161	<b>86</b>	<b>86</b>	<b>86</b>	30	UB
UC	ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES	48	353	284	207	125	<b>48</b>	<b>48</b>	<b>48</b>	30	UC
UE	ULYSSES-COLBY COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	55	271	202	125	<b>55</b>	<b>55</b>	<b>55</b>	<b>55</b>	30	UE
VO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	31	164	95	<b>31</b>	<b>31</b>	<b>31</b>	<b>31</b>	<b>31</b>	30	VO
VX	VONA-VALENT LOAMY FINE SANDS, 3 TO 20 PERCENT SLOPES	10	59	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	30	VX
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>HAMILTON COUNTY</b>			
AD	VALENT FINE SAND, 20 TO 40 PERCENT SLOPES	<b>10</b>	AD
AN	BRIDGEPORT SILT LOAM, CHANNELED	264	AN
BA	BAYARD FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	286	BA
BC	LAS VARIANT CLAY, OCCASIONALLY FLOODED	153	BC
BD	LAS VARIANT CLAY LOAM, OCCASIONALLY FLOODED	277	BD
BF	LAS VARIANT LOAMY FINE SAND, OCCASIONALLY FLOODED	209	BF
BX	LAS VARIANT-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	238	BX
BY	BRIDGEPORT CLAY LOAM, RARELY FLOODED	268	BY
CA	COLBY SILT LOAM, 0 TO 1 PERCENT SLOPES	246	CA
CB	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES	224	CB
CC	COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES	192	CC
CD	COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES	87	CD
GO	GOSHEN SILT LOAM, RARELY FLOODED	358	GO
KELO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	<b>10</b>	KELO
KEPO	CANLON SOILS, 5 TO 40 PERCENT SLOPES	<b>10</b>	KEPO
KETV	VALENT-VONA LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	59	KETV
KEVO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	144	KEVO
LA	LAS CLAY LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED	265	LA
LB	LAS CLAY LOAM, DEEP, OCCASIONALLY FLOODED	272	LB
LC	LAS ANIMAS LOAMY SAND, OCCASIONALLY FLOODED	139	LC
LD	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	201	LD
LF	LINCOLN SAND, OCCASIONALLY FLOODED	182	LF
LO	PLEASANT CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	LO
MA	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	344	MA
MB	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	267	MB
OT	OTERO FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	167	OT
OX	OTERO-VONA COMPLEX, 5 TO 15 PERCENT SLOPES	52	OX
PO	CANLON SOILS, 5 TO 25 PERCENT SLOPES	<b>10</b>	PO
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	351	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	323	RN
STOX	OTERO-MANTER FINE SANDY LOAMS, 1 TO 5 PERCENT SLOPES	167	STOX
STVO	VONA LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	117	STVO
SW	SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED	201	SW
TF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	<b>19</b>	TF
TS	VALENT LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	56	TS
TX	VALENT-DUNE LAND COMPLEX, 10 TO 40 PERCENT SLOPES	<b>10</b>	TX
UA	ULYSSES LOAM, 0 TO 1 PERCENT SLOPES	353	UA
UB	ULYSSES LOAM, 1 TO 3 PERCENT SLOPES	330	UB
UC	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	353	UC
UD	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	330	UD
UE	ULYSSES-COLBY COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	219	UE
VO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	144	VO
WST	WASTE	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>KEARNY COUNTY (Page 1of 2)</b>			
AD	VALENT FINE SAND, 20 TO 40 PERCENT SLOPES	<b>10</b>	AD
AN	BRIDGEPORT LOAM, CHANNELED	294	AN
BA	BAYARD FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	330	BA
BD	LAS VARIANT CLAY LOAM, OCCASIONALLY FLOODED	302	BD
BP	BRIDGEPORT CLAY LOAM, RARELY FLOODED	299	BP
BX	FLUVENTS, FREQUENTLY FLOODED	49	BX
CA	CHURCH CLAY, DARK VARIANT, OCCASIONALLY FLOODED	110	CA
CB	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES	249	CB
CC	COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES	214	CC
CD	COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES	97	CD
DX	DALHART-VONA LOAMY FINE SANDS, 0 TO 1 PERCENT SLOPES	298	DX
FIMH	PENDEN-ROXBURY COMPLEX, 0 TO 15 PERCENT SLOPES	106	FIMH
GO	GOSHEN SILT LOAM, RARELY FLOODED	399	GO
GR	SCHAMBER GRAVELLY SANDY LOAM, 5 TO 15 PERCENT SLOPES	<b>10</b>	GR
GTBR	BRIDGEPORT SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	374	GTBR
HMOX	OTERO-VONA COMPLEX, 5 TO 15 PERCENT SLOPES	<b>38</b>	HMOX
LA	LAS CLAY LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED	261	LA
LB	LAS CLAY LOAM, DEEP, OCCASIONALLY FLOODED	303	LB
LD	LAS-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	267	LD
LG	LAS CLAY LOAM, OCCASIONALLY FLOODED	261	LG
LH	LAS ANIMAS LOAMY SAND, OCCASIONALLY FLOODED	176	LH
LK	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	245	LK
LN	LINCOLN SAND, OCCASIONALLY FLOODED	203	LN
LO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	LO
MA	MANSIC CLAY LOAM, 0 TO 1 PERCENT SLOPES	394	MA
MB	MANSKER LOAM, 0 TO 3 PERCENT SLOPES	360	MB
MF	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	330	MF
MH	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	298	MH
MK	MANTER FINE SANDY LOAM, 3 TO 5 PERCENT SLOPES	258	MK
OX	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	<b>38</b>	OX
PO	CANLON SOILS, 5 TO 40 PERCENT SLOPES	<b>10</b>	PO
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	382	RM

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>KEARNY COUNTY (Page 2 of 2)</b>			
RX	RICHFIELD-MANSIC COMPLEX, 1 TO 3 PERCENT SLOPES	354	RX
SW	SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED	231	SW
TF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	<b>21</b>	TF
TV	VALENT-VONA LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	66	TV
TX	VALENT-DUNE LAND COMPLEX, 10 TO 40 PERCENT SLOPES	<b>10</b>	TX
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	403	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	383	UB
UC	ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES	339	UC
UE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	251	UE
UM	ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED	174	UM
UX	ULYSSES AND RICHFIELD SOILS, SILTED, 0 TO 1 PERCENT SLOPES	397	UX
VO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	196	VO
WST	WASTE	<b>10</b>	WST