

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
CLAY COUNTY (Page 1 of 2)							
BE	BENFIELD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	143	186	143	82	87	BE
CB	CALCO SILTY CLAY LOAM, FREQUENTLY FLOODED	114	114	114	94	137	CB
CDCT	CRETE SILT LOAM, 3 TO 6 PERCENT SLOPES	191	233	191	69	73	CDCT
CDLO	LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	210	251	210	82	87	CDLO
CG	CASS FINE SANDY LOAM, OCCASIONALLY FLOODED	206	230	206	94	105	CG
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	229	310	264	69	73	CR
CS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	213	274	229	69	73	CS
CSS	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	213	274	229	69	73	CSS
CT	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	193	227	193	69	73	CT
CX	CRETE SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES, ERODED	166	166	166	69	73	CX
ED	EDALGO SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	127	161	127	69	73	ED
ER	EUDORA VERY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	257	356	310	94	102	ER
EU	EUDORA LOAM, OCCASIONALLY FLOODED	261	347	301	94	116	EU
GC	GEARY SILT LOAM, 2 TO 7 PERCENT SLOPES	213	263	218	82	87	GC
GECF	CLIME-SOIGN SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	10	10	10	63	66	GECF
GF	GEARY SILT LOAM, 9 TO 15 PERCENT SLOPES	144	144	144	82	87	GF
GH	CRETE SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES, ERODED	171	179	171	82	87	GH
GM	EDALGO SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	178	197	178	94	137	GM
HE	EUDORA VERY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	127	190	144	94	105	HE
HN	HOBBS SILT LOAM, CHANNELED	155	155	155	94	112	HN
HO	HOBBS SILT LOAM, OCCASIONALLY FLOODED	249	303	258	94	116	HO
HR	HOLDER SILT LOAM, 3 TO 7 PERCENT SLOPES	225	289	244	82	87	HR
KS	KIPSON-SOIGN SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	10	10	10	63	66	KS
LC	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	169	202	169	82	87	LC
LH	LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	72	72	72	69	73	LH
MU	MUIR SILT LOAM, RARELY FLOODED	288	379	333	94	102	MU
OTEE	EDALGO-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	46	46	46	69	73	OTEE
OTHO	HOBBS SILT LOAM, FREQUENTLY FLOODED	149	149	149	94	112	OTHO

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		
			\$/Acre by Well Depth		Native	Tame	Symbol
			100 ft	200 ft	\$/Acre	\$/Acre	
CLAY COUNTY (Page 2 of 2)							
OTHP	HOBBS-GEARY SILT LOAMS, 0 TO 15 PERCENT SLOPES	152	152	152	82	87	OTHP
SA	SARPY LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES, RARELY FLOODED	82	145	100	94	105	SA
SU	SUTPHEN SILTY CLAY LOAM, OCCASIONALLY FLOODED	223	290	245	94	102	SU
TU	TULLY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES	214	261	216	82	87	TU
WE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	226	255	226	82	87	WE
WSKS	KIPSON-SOQN COMPLEX, 5 TO 30 PERCENT SLOPES	10	10	10	63	66	WSKS
WSLH	LANCASTER-HEDVILLE LOAMS, 5 TO 30 PERCENT SLOPES	54	54	54	69	73	WSLH
WST	WASTE	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
CLOUD COUNTY (Page 1 of 3)							
AA	HOBBS SILT LOAM, FREQUENTLY FLOODED	197	197	197	81	81	AA
AH	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	58	58	58	69	69	AH
AR	ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES	172	230	185	56	56	AR
BA	HASTINGS-HOBBS COMPLEX, 0 TO 25 PERCENT SLOPES	165	165	165	81	81	BA
BR	BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED	220	297	252	81	81	BR
CA	COZAD-CASS SOILS, OCCASIONALLY FLOODED	186	217	186	81	81	CA
CB	CASS FINE SANDY LOAM, RARELY FLOODED	241	302	257	81	81	CB
CF	FLOODED	70	70	70	81	81	CF
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	227	306	261	69	69	CR
CS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	218	271	226	69	69	CS
CT	CRETE SILT LOAM, 3 TO 6 PERCENT SLOPES	200	237	200	69	69	CT
CU	CRETE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	177	177	177	69	69	CU
CYCT	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	206	231	206	69	69	CYCT
CYEU	EUDORA LOAM, OCCASIONALLY FLOODED	242	303	258	81	81	CYEU
CYHE	HAYNIE-SARPY COMPLEX, OCCASIONALLY FLOODED	90	92	90	81	81	CYHE
CYHN	HOBBS SILT LOAM, CHANNELED	196	196	196	81	81	CYHN
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	266	346	300	81	81	DE
EU	EUDORA SILT LOAM, RARELY FLOODED	289	400	355	81	81	EU
GE	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	236	260	236	69	69	GE
GS	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	193	193	193	69	69	GS
HB	HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES	257	317	272	69	69	HB
HC	HASTINGS SILT LOAM, 3 TO 7 PERCENT SLOPES	248	265	248	69	69	HC
HD	HASTINGS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	204	204	204	69	69	HD
HE	HEDVILLE STONY LOAM, 5 TO 30 PERCENT SLOPES	10	10	10	44	44	HE
HO	HOBBS SILT LOAM, OCCASIONALLY FLOODED	252	296	252	81	81	HO
HR	HORD SILT LOAM, RARELY FLOODED	296	387	342	81	81	HR
HU	HUMBARGER LOAM, OCCASIONALLY FLOODED	211	276	231	81	81	HU
JWND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	10	10	56	56	JWND

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
CLOUD COUNTY (Page 2 of 3)							
KP	KIPSON SOILS, 5 TO 30 PERCENT SLOPES	10	10	10	56	56	KP
LH	LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	72	72	72	63	63	LH
LM	LONGFORD SILT LOAM, 1 TO 3 PERCENT SLOPES	257	307	262	69	69	LM
LN	LONGFORD SILT LOAM, 3 TO 7 PERCENT SLOPES	236	260	236	69	69	LN
LO	LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	190	190	190	69	69	LO
MC	MCCOOK SILT LOAM, RARELY FLOODED	218	309	264	81	81	MC
MCAB	ARMO LOAM, 3 TO 7 PERCENT SLOPES	179	234	188	56	56	MCAB
MCAC	ARMO LOAM, 7 TO 15 PERCENT SLOPES	174	203	174	56	56	MCAC
MCHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	221	271	226	69	69	MCHB
MCHE	HARNEY-MENTO SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	188	219	188	69	69	MCHE
MCLA	LANCASTER-ARMO LOAMS, 3 TO 7 PERCENT SLOPES	182	237	192	56	56	MCLA
MCNA	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	198	316	270	69	69	MCNA
MCNC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	10	10	10	56	56	MCNC
MCRB	ROXBURY SILT LOAM, CHANNELED	186	186	186	81	81	MCRB
MCRC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	219	304	258	81	81	MCRC
MCWA	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	53	79	53	56	56	MCWA
MR	MUIR SILT LOAM, RARELY FLOODED	298	391	346	81	81	MR
NC	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	214	309	264	69	69	NC
NU	NUCKOLLS SILT LOAM, 4 TO 12 PERCENT SLOPES	197	197	197	69	69	NU
NX	NUCKOLLS SILT LOAM, 4 TO 12 PERCENT SLOPES, ERODED	165	165	165	69	69	NX
OTEE	EDALGO-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	50	50	50	63	63	OTEE
OTGE	GEARY SILT LOAM, 1 TO 3 PERCENT SLOPES	245	272	245	69	69	OTGE
OTHE	HEDVILLE-ROCK OUTCROP COMPLEX, 5 TO 30 PERCENT SLOPES	10	10	10	44	44	OTHE
OTHP	HOBBS-GEARY SILT LOAMS, 0 TO 15 PERCENT SLOPES	164	164	164	81	81	OTHP
OTLA	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	87	87	87	63	63	OTLA
OTRO	ROXBURY SILT LOAM, CHANNELED	186	186	186	81	81	OTRO
RPBK	GEARY-HOBBS SILT LOAMS, 0 TO 30 PERCENT SLOPES	224	239	224	81	81	RPBK
RPCH	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	206	231	206	69	69	RPCH

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	Symbol
CLOUD COUNTY (Page 3 of 3)							
RPED	EUDORA LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	296	400	355	81	81	RPED
RPKN	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES, ERODED	158	158	158	69	69	RPKN
RPSD	INAVALE LOAMY SAND, 3 TO 12 PERCENT SLOPES	44	44	44	69	69	RPSD
RX	ROXBURY SILT LOAM, RARELY FLOODED	225	330	285	81	81	RX
SA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	81	106	81	69	69	SA
SD	INAVALE LOAMY SAND, 3 TO 12 PERCENT SLOPES	44	44	44	69	69	SD
ST	SUTPHEN SILTY CLAY, RARELY FLOODED	200	262	217	81	81	ST
TO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	250	297	252	81	81	TO
WA	WAKEEN SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	65	70	65	56	56	WA
WSCG	CASS FINE SANDY LOAM, OCCASIONALLY FLOODED	208	229	208	81	81	WSCG
WSCS	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	235	271	235	69	69	WSCS
WSSA	SARPY LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES, RARELY FLOODED	73	111	73	81	81	WSSA
WST	WASTE	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
CLOUD COUNTY (Page 1 of 2)			
AA	HOBBS SILT LOAM, FREQUENTLY FLOODED	197	AA
AH	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	58	AH
AR	ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES	172	AR
BA	HASTINGS-HOBBS COMPLEX, 0 TO 25 PERCENT SLOPES	165	BA
BR	BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED	220	BR
CA	COZAD-CASS SOILS, OCCASIONALLY FLOODED	186	CA
CB	CASS FINE SANDY LOAM, RARELY FLOODED	241	CB
CF	MUNJOR AND INVALE SOILS, 1 TO 4 PERCENT SLOPES, FREQUENTLY FLOODED	70	CF
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	227	CR
CS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	218	CS
CT	CRETE SILT LOAM, 3 TO 6 PERCENT SLOPES	200	CT
CU	CRETE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	177	CU
CYCT	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	206	CYCT
CYEU	EUDORA LOAM, OCCASIONALLY FLOODED	242	CYEU
CYHE	HAYNIE-SARPY COMPLEX, OCCASIONALLY FLOODED	90	CYHE
CYHN	HOBBS SILT LOAM, CHANNELED	196	CYHN
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	266	DE
EU	EUDORA SILT LOAM, RARELY FLOODED	289	EU
GE	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	236	GE
GS	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	193	GS
HB	HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES	257	HB
HC	HASTINGS SILT LOAM, 3 TO 7 PERCENT SLOPES	248	HC
HD	HASTINGS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	204	HD
HE	HEDVILLE STONY LOAM, 5 TO 30 PERCENT SLOPES	10	HE
HO	HOBBS SILT LOAM, OCCASIONALLY FLOODED	252	HO
HR	HORD SILT LOAM, RARELY FLOODED	296	HR
HU	HUMBARGER LOAM, OCCASIONALLY FLOODED	211	HU
JWND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	JWND
KP	KIPSON SOILS, 5 TO 30 PERCENT SLOPES	10	KP
LH	LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	72	LH
LM	LONGFORD SILT LOAM, 1 TO 3 PERCENT SLOPES	257	LM
LN	LONGFORD SILT LOAM, 3 TO 7 PERCENT SLOPES	236	LN
LO	LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	190	LO
MC	MCCOOK SILT LOAM, RARELY FLOODED	218	MC
MCAB	ARMO LOAM, 3 TO 7 PERCENT SLOPES	179	MCAB
MCAC	ARMO LOAM, 7 TO 15 PERCENT SLOPES	174	MCAC
MCHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	221	MCHB
MCHE	HARNEY-MENTO SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	188	MCHE
MCLA	LANCASTER-ARMO LOAMS, 3 TO 7 PERCENT SLOPES	182	MCLA
MCNA	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	198	MCNA
MCNC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	10	MCNC
MCRB	ROXBURY SILT LOAM, CHANNELED	186	MCRB
MCRC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	219	MCRC
MCWA	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	53	MCWA
MR	MUIR SILT LOAM, RARELY FLOODED	298	MR
NC	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	214	NC
NU	NUCKOLLS SILT LOAM, 4 TO 12 PERCENT SLOPES	197	NU

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
CLOUD COUNTY (Page 2 of 2)			
NX	NUCKOLLS SILT LOAM, 4 TO 12 PERCENT SLOPES, ERODED	165	NX
OTEE	EDALGO-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	50	OTEE
OTGE	GEARY SILT LOAM, 1 TO 3 PERCENT SLOPES	245	OTGE
OTHE	HEDVILLE-ROCK OUTCROP COMPLEX, 5 TO 30 PERCENT SLOPES	10	OTHE
OTHP	HOBBS-GEARY SILT LOAMS, 0 TO 15 PERCENT SLOPES	164	OTHP
OTLA	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	87	OTLA
OTRO	ROXBURY SILT LOAM, CHANNELED	186	OTRO
RPBK	GEARY-HOBBS SILT LOAMS, 0 TO 30 PERCENT SLOPES	224	RPBK
RPCH	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	206	RPCH
RPED	EUDORA LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	296	RPED
RPKN	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES, ERODED	158	RPKN
RPSD	INAVALE LOAMY SAND, 3 TO 12 PERCENT SLOPES	44	RPSD
RX	ROXBURY SILT LOAM, RARELY FLOODED	225	RX
SA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	81	SA
SD	INAVALE LOAMY SAND, 3 TO 12 PERCENT SLOPES	44	SD
ST	SUTPHEN SILTY CLAY, RARELY FLOODED	200	ST
TO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	250	TO
WA	WAKEEN SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	65	WA
WSCG	CASS FINE SANDY LOAM, OCCASIONALLY FLOODED	208	WSCG
WSCS	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	235	WSCS
WSSA	SARPY LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES, RARELY FLOODED	73	WSSA
WST	WASTE	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
JEWELL COUNTY (Page 1 of 2)							
AO	ARMO LOAM, 1 TO 3 PERCENT SLOPES	202	279	234	57	57	AO
AR	ARMO LOAM, 3 TO 7 PERCENT SLOPES	182	237	192	57	57	AR
BA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	64	64	64	51	51	BA
BB	BOGUE-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	10	10	10	45	45	BB
BH	BROWNELL-HEIZER GRAVELLY LOAMS, 3 TO 30 PERCENT SLOPES	10	10	10	51	51	BH
CA	CARR FINE SANDY LOAM, OCCASIONALLY FLOODED	164	231	185	57	57	CA
CDCS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	215	248	215	57	57	CDCS
CDCU	CRETE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	159	159	159	57	57	CDCU
CDHD	HASTINGS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	171	171	171	57	57	CDHD
CDTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	247	330	284	57	57	CDTO
CH	CORINTH-HARNEY SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	86	112	86	57	57	CH
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	244	314	268	57	57	CR
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	266	358	312	57	57	DE
GE	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	238	263	238	57	57	GE
GF	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	198	198	198	57	57	GF
GN	GIBBON SILTY CLAY LOAM, OCCASIONALLY FLOODED	194	223	194	57	57	GN
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	240	278	240	57	57	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	221	248	221	57	57	HB
HC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	207	207	207	57	57	HC
HF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	159	159	159	57	57	HF
HM	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	181	183	181	57	57	HM
HO	HOLDREGE SILT LOAM, 3 TO 7 PERCENT SLOPES	219	232	219	57	57	HO
HR	HOLDREGE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	163	163	163	57	57	HR
HS	ERODED	167	167	167	57	57	HS
HU	HORD SILT LOAM, RARELY FLOODED	303	404	359	57	57	HU
IE	INAVALE FINE SAND, FREQUENTLY FLOODED	68	68	68	57	57	IE
IN	INAVALE LOAMY FINE SAND, OCCASIONALLY FLOODED	109	184	138	57	57	IN
KE	KENESAW SILT LOAM, 6 TO 11 PERCENT SLOPES	188	188	188	57	57	KE

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
JEWELL COUNTY (Page 2 of 2)							
MC	MCCOOK SILT LOAM, RARELY FLOODED	237	332	286	57	57	MC
MCNC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	10	10	10	57	57	MCNC
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	192	311	265	57	57	NC
ND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	10	10	57	57	ND
NR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	133	133	133	57	57	NR
RA	ROXBURY SILT LOAM, RARELY FLOODED	245	347	302	57	57	RA
RB	ROXBURY SILT LOAM, CHANNELED	151	151	151	57	57	RB
RC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	244	330	284	57	57	RC
RPGR	ERODED	206	206	206	57	57	RPGR
RPHA	HASTINGS SILT LOAM, 0 TO 1 PERCENT SLOPES	244	278	244	57	57	RPHA
RPHB	HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES	229	248	229	57	57	RPHB
RPHD	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	171	171	171	57	57	RPHD
RPMR	MUIR SILT LOAM, 0 TO 1 PERCENT SLOPES	311	408	362	57	57	RPMR
SA	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	86	86	86	57	57	SA
SMBO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	38	38	38	51	51	SMBO
SMND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	144	144	144	57	57	SMND
SMNH	NUCKOLLS-HOLDREGE SILT LOAMS, 3 TO 7 PERCENT SLOPES	167	167	167	57	57	SMNH
SMUH	ULY-HOLDREGE SILT LOAMS, 7 TO 12 PERCENT SLOPES	157	157	157	57	57	SMUH
WC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	70	138	93	57	57	WC
WD	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	20	20	20	57	57	WD
WST	WASTE	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Bostwick Irrigated Land \$/Acre	Symbol
JEWELL COUNTY			
AO	ARMO LOAM, 1 TO 3 PERCENT SLOPES	202	AO
AR	ARMO LOAM, 3 TO 7 PERCENT SLOPES	182	AR
BA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	64	BA
BB	BOGUE-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	10	BB
BH	BROWNELL-HEIZER GRAVELLY LOAMS, 3 TO 30 PERCENT SLOPES	10	BH
CA	CARR FINE SANDY LOAM, OCCASIONALLY FLOODED	164	CA
CDCS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	215	CDCS
CDCU	CRETE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	159	CDCU
CDHD	HASTINGS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	171	CDHD
CDTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	247	CDTO
CH	CORINTH-HARNEY SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	86	CH
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	244	CR
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	269	DE
GE	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	238	GE
GF	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	198	GF
GN	GIBBON SILTY CLAY LOAM, OCCASIONALLY FLOODED	194	GN
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	240	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	221	HB
HC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	207	HC
HF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	159	HF
HM	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	181	HM
HO	HOLDREGE SILT LOAM, 3 TO 7 PERCENT SLOPES	219	HO
HR	HOLDREGE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	163	HR
HS	HOLDREGE AND GEARY SILTY CLAY LOAMS, 6 TO 11 PERCENT SLOPES, ERODED	167	HS
HU	HORD SILT LOAM, RARELY FLOODED	316	HU
IE	INAVALE FINE SAND, FREQUENTLY FLOODED	68	IE
IN	INAVALE LOAMY FINE SAND, OCCASIONALLY FLOODED	109	IN
KE	KENESAW SILT LOAM, 6 TO 11 PERCENT SLOPES	188	KE
MC	MCCOOK SILT LOAM, RARELY FLOODED	242	MC
MCNC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	10	MCNC
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	221	NC
ND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	ND
NR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	133	NR
RA	ROXBURY SILT LOAM, RARELY FLOODED	258	RA
RB	ROXBURY SILT LOAM, CHANNЕLED	151	RB
RC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	244	RC
RPGR	GEARY-CRETE SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	206	RPGR
RPHA	HASTINGS SILT LOAM, 0 TO 1 PERCENT SLOPES	244	RPHA
RPHB	HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES	229	RPHB
RPHD	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	171	RPHD
RPMR	MUIR SILT LOAM, 0 TO 1 PERCENT SLOPES	319	RPMR
SA	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	86	SA
SMBO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	38	SMBO
SMND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	144	SMND
SMNH	NUCKOLLS-HOLDREGE SILT LOAMS, 3 TO 7 PERCENT SLOPES	167	SMNH
SMUH	ULY-HOLDREGE SILT LOAMS, 7 TO 12 PERCENT SLOPES	157	SMUH
WC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	70	WC
WD	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	20	WD
WST	WASTE	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
MITCHELL COUNTY (Page 1 of 2)							
AA	ANSELMO SANDY LOAM, 1 TO 4 PERCENT SLOPES	179	243	197	58	58	AA
AB	ARMO LOAM, 3 TO 7 PERCENT SLOPES	179	242	195	58	58	AB
AC	ARMO LOAM, 7 TO 15 PERCENT SLOPES	128	128	128	58	58	AC
BA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	79	82	79	46	46	BA
BB	BROWNELL-ROCK OUTCROP COMPLEX, 3 TO 30 PERCENT SLOPES	10	10	10	58	58	BB
CA	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	99	158	111	58	58	CA
CB	CORINTH SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	60	60	60	58	58	CB
CC	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	226	315	269	58	58	CC
CDAR	ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES	173	239	192	58	58	CDAR
CDCS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	207	253	207	58	58	CDCS
CDCU	CRETE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	202	237	202	58	58	CDCU
CDGS	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	223	250	223	58	58	CDGS
CDHD	HASTINGS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	215	228	215	58	58	CDHD
DA	DETROIT SILTY CLAY LOAM, RARELY FLOODED	249	364	318	58	58	DA
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	221	284	237	58	58	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	220	253	220	58	58	HB
HC	HARNEY-CORINTH SILTY CLAY LOAMS, 3 TO 8 PERCENT SLOPES, ERODED	124	124	124	58	58	HC
HCC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	207	240	207	58	58	HCC
HD	HARNEY-MENTO SILT LOAMS, 2 TO 6 PERCENT SLOPES	186	205	186	58	58	HD
HDD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	199	228	199	58	58	HDD
HE	HARNEY-MENTO SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	141	141	141	58	58	HE
HF	HORD SILT LOAM, RARELY FLOODED	281	407	360	58	58	HF
JWAO	ARMO LOAM, 1 TO 3 PERCENT SLOPES	185	254	208	58	58	JWAO
JWCH	CORINTH-HARNEY SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	98	121	98	58	58	JWCH
JWHF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	202	228	202	58	58	JWHF
JWND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	10	10	58	58	JWND
LA	LANCASTER-ARMO LOAMS, 3 TO 7 PERCENT SLOPES	169	214	169	58	58	LA
LC	LANCASTER-HEDVILLE COMPLEX, 3 TO 20 PERCENT SLOPES	70	70	70	46	46	LC

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
MITCHELL COUNTY (Page 2 of 2)							
LCGH	GEARY-LANCASTER COMPLEX, 5 TO 10 PERCENT SLOPES	110	110	110	46	46	LCGH
LCHC	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	210	240	210	58	58	LCHC
LCHF	HARNEY-WAKEEN COMPLEX, 2 TO 7 PERCENT SLOPES	137	137	137	58	58	LCHF
LCNC	NEW CAMBRIA SILTY CLAY LOAM, OCCASIONALLY FLOODED	199	307	261	58	58	LCNC
MA	MCCOOK SILT LOAM, RARELY FLOODED	220	338	291	58	58	MA
MB	MCCOOK SILT LOAM, OCCASIONALLY FLOODED	211	309	263	58	58	MB
NA	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	188	316	270	58	58	NA
NB	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	136	158	136	58	58	NB
NC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	10	10	10	58	58	NC
OBAX	ARMO-BOGUE COMPLEX, 7 TO 20 PERCENT SLOPES	86	86	86	46	46	OBAX
OBHN	HARNEY-NUCKOLLS COMPLEX, 3 TO 8 PERCENT SLOPES	208	237	208	58	58	OBHN
OTGF	GEARY SILT LOAM, 3 TO 6 PERCENT SLOPES	236	279	236	58	58	OTGF
OTHA	HARNEY SILT LOAM, 2 TO 7 PERCENT SLOPES	216	240	216	58	58	OTHA
OTLA	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	155	192	155	58	58	OTLA
RA	ROXBURY SILT LOAM, RARELY FLOODED	228	354	307	58	58	RA
RB	ROXBURY SILT LOAM, CHANNELED	149	149	149	58	58	RB
RC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	225	336	290	58	58	RC
RD	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	213	308	262	58	58	RD
SA	SALTINE SILT LOAM, FREQUENTLY FLOODED	80	80	80	58	58	SA
TA	TIMKEN CLAY, 3 TO 20 PERCENT SLOPES	10	10	10	46	46	TA
TB	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	221	279	232	58	58	TB
WA	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	50	85	50	58	58	WA
WST	WASTE	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Ditch Irrigated Land \$/Acre	Symbol
MITCHELL COUNTY			
AA	ANSELMO SANDY LOAM, 1 TO 4 PERCENT SLOPES	179	AA
AB	ARMO LOAM, 3 TO 7 PERCENT SLOPES	179	AB
AC	ARMO LOAM, 7 TO 15 PERCENT SLOPES	128	AC
BA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	79	BA
BB	BROWNELL-ROCK OUTCROP COMPLEX, 3 TO 30 PERCENT SLOPES	10	BB
CA	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	99	CA
CB	CORINTH SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	60	CB
CC	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	226	CC
CDAR	ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES	173	CDAR
CDCS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	207	CDCS
CDCU	CRETE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	202	CDCU
CDGS	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	223	CDGS
CDHD	HASTINGS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	215	CDHD
DA	DETROIT SILTY CLAY LOAM, RARELY FLOODED	249	DA
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	221	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	220	HB
HC	HARNEY-CORINTH SILTY CLAY LOAMS, 3 TO 8 PERCENT SLOPES, ERODED	124	HC
HCC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	207	HCC
HD	HARNEY-MENTO SILT LOAMS, 2 TO 6 PERCENT SLOPES	186	HD
HDD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	199	HDD
HE	HARNEY-MENTO SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	141	HE
HF	HORD SILT LOAM, RARELY FLOODED	282	HF
JWAO	ARMO LOAM, 1 TO 3 PERCENT SLOPES	185	JWAO
JWCH	CORINTH-HARNEY SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	98	JWCH
JWHF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	202	JWHF
JWND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	JWND
LA	LANCASTER-ARMO LOAMS, 3 TO 7 PERCENT SLOPES	169	LA
LC	LANCASTER-HEDVILLE COMPLEX, 3 TO 20 PERCENT SLOPES	70	LC
LCGH	GEARY-LANCASTER COMPLEX, 5 TO 10 PERCENT SLOPES	110	LCGH
LCHC	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	210	LCHC
LCHF	HARNEY-WAKEEN COMPLEX, 2 TO 7 PERCENT SLOPES	137	LCHF
LCNC	NEW CAMBRIA SILTY CLAY LOAM, OCCASIONALLY FLOODED	199	LCNC
MA	MCCOOK SILT LOAM, RARELY FLOODED	220	MA
MB	MCCOOK SILT LOAM, OCCASIONALLY FLOODED	211	MB
NA	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	192	NA
NB	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	136	NB
NC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	10	NC
OBAX	ARMO-BOGUE COMPLEX, 7 TO 20 PERCENT SLOPES	86	OBAX
OBHN	HARNEY-NUCKOLLS COMPLEX, 3 TO 8 PERCENT SLOPES	208	OBHN
OTGF	GEARY SILT LOAM, 3 TO 6 PERCENT SLOPES	236	OTGF
OTHA	HARNEY SILT LOAM, 2 TO 7 PERCENT SLOPES	216	OTHA
OTLA	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	155	OTLA
RA	ROXBURY SILT LOAM, RARELY FLOODED	229	RA
RB	ROXBURY SILT LOAM, CHANNELED	149	RB
RC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	225	RC
RD	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	213	RD
SA	SALTINE SILT LOAM, FREQUENTLY FLOODED	80	SA
TA	TIMKEN CLAY, 3 TO 20 PERCENT SLOPES	10	TA
TB	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	221	TB
WA	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	50	WA
WST	WASTE	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
OSBORNE COUNTY (Page 1 of 2)							
AA	ALLUVIAL LAND, LOAMY	123	182	136	57	57	AA
AB	HUMBARGER LOAM, FREQUENTLY FLOODED	116	161	116	57	57	AB
AR	ARMO SILT LOAM, 3 TO 7 PERCENT SLOPES	135	233	187	45	45	AR
ARM	ARMO LOAM, 3 TO 7 PERCENT SLOPES	132	233	187	45	45	ARM
AS	ARMO SILT LOAM, 3 TO 7 PERCENT SLOPES, ERODED	103	154	108	45	45	AS
AX	ARMO-BOGUE COMPLEX, 7 TO 20 PERCENT SLOPES	65	65	65	45	45	AX
BO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	12	31	12	33	33	BO
BW	BROWNELL-WAKEEN COMPLEX, 8 TO 20 PERCENT SLOPES	10	10	10	45	45	BW
CO	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	56	91	56	45	45	CO
CR	CORINTH SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	27	27	27	45	45	CR
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	190	354	308	70	70	DE
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	173	280	234	45	45	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	163	249	204	45	45	HB
HC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	148	207	161	45	45	HC
HCC	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	147	207	161	45	45	HCC
HD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	114	133	114	45	45	HD
HE	HARNEY-MENTO COMPLEX, 1 TO 3 PERCENT SLOPES	150	245	200	45	45	HE
HM	HARNEY-MENTO COMPLEX, 3 TO 7 PERCENT SLOPES	138	207	161	45	45	HM
HMM	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	138	207	161	45	45	HMM
HN	HARNEY-NUCKOLLS COMPLEX, 3 TO 8 PERCENT SLOPES	150	219	173	45	45	HN
HX	HEIZER-BROWNELL COMPLEX, 7 TO 30 PERCENT SLOPES	10	10	10	33	33	HX
HZ	HORD SILT LOAM, RARELY FLOODED	208	365	319	57	57	HZ
IN	INAVALE LOAMY FINE SAND, 5 TO 16 PERCENT SLOPES, RARELY FLOODED	35	66	35	45	45	IN
MA	MCCOOK SILT LOAM, RARELY FLOODED	166	323	277	57	57	MA
MC	MUNJOR-MCCOOK COMPLEX, OCCASIONALLY FLOODED	114	227	181	57	57	MC
MCMB	MCCOOK SILT LOAM, OCCASIONALLY FLOODED	127	227	181	57	57	MCMB
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	139	302	256	57	57	NC
ND	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	98	145	99	57	57	ND

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
OSBORNE COUNTY (Page 2 of 2)							
NX	NIBSON COMPLEX, 8 TO 20 PERCENT SLOPES	10	10	10	45	45	NX
RO	ROXBURY SILT LOAM, RARELY FLOODED	175	344	298	57	57	RO
ROHM	HEIZER-BROWNELL GRAVELLY LOAMS, 5 TO 30 PERCENT SLOPES	10	10	10	33	33	ROHM
ROO	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	173	321	275	57	57	ROO
ROUR	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	148	222	176	45	45	ROUR
ROWX	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	10	10	10	45	45	ROWX
RP	ROXBURY SILT LOAM, CHANNELED	110	187	141	57	57	RP
RR	ROXBURY COMPLEX, RARELY FLOODED	175	344	298	57	57	RR
RSAG	ARMO LOAM, 7 TO 15 PERCENT SLOPES	128	202	156	45	45	RSAG
RSNS	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	10	10	45	45	RSNS
SMAR	ARMO LOAM, 2 TO 7 PERCENT SLOPES	136	233	187	45	45	SMAR
SMMM	MCCOOK-MUNJOR COMPLEX, OCCASIONALLY FLOODED	119	227	181	57	57	SMMM
SMND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	141	197	151	45	45	SMND
SMRP	ROXBURY SILT LOAM, FREQUENTLY FLOODED	120	161	120	57	57	SMRP
SMRR	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	173	344	298	57	57	SMRR
SMWD	WAKEEN COMPLEX, 5 TO 20 PERCENT SLOPES	10	10	10	45	45	SMWD
TB	TIMKEN-BOGUE CLAYS, 8 TO 30 PERCENT SLOPES	10	10	10	33	33	TB
TM	TIMKEN-SHALE OUTCROP COMPLEX, 8 TO 30 PERCENT SLOPES	10	10	10	33	33	TM
TR	TOBIN AND ROXBURY SILT LOAMS, OCCASIONALLY FLOODED	174	321	275	57	57	TR
WCC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	59	163	117	45	45	WCC
WM	WAKEEN-MENTO COMPLEX, 3 TO 8 PERCENT SLOPES	78	157	111	45	45	WM
WST	WASTE	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Ditch Irrigated Land \$/Acre	Symbol
OSBORNE COUNTY B455			
AA	ALLUVIAL LAND, LOAMY	123	AA
AB	HUMBARGER LOAM, FREQUENTLY FLOODED	116	AB
AR	ARMO SILT LOAM, 3 TO 7 PERCENT SLOPES	135	AR
ARM	ARMO LOAM, 3 TO 7 PERCENT SLOPES	132	ARM
AS	ARMO SILT LOAM, 3 TO 7 PERCENT SLOPES, ERODED	103	AS
AX	ARMO-BOGUE COMPLEX, 7 TO 20 PERCENT SLOPES	65	AX
BO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	12	BO
BW	BROWNELL-WAKEEN COMPLEX, 8 TO 20 PERCENT SLOPES	10	BW
CO	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	56	CO
CR	CORINTH SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	27	CR
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	231	DE
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	173	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	163	HB
HC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	148	HC
HCC	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	147	HCC
HD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	114	HD
HE	HARNEY-MENTO COMPLEX, 1 TO 3 PERCENT SLOPES	150	HE
HM	HARNEY-MENTO COMPLEX, 3 TO 7 PERCENT SLOPES	138	HM
HMM	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	138	HMM
HN	HARNEY-NUCKOLLS COMPLEX, 3 TO 8 PERCENT SLOPES	150	HN
HX	HEIZER-BROWNELL COMPLEX, 7 TO 30 PERCENT SLOPES	10	HX
HZ	HORD SILT LOAM, RARELY FLOODED	242	HZ
IN	INAVALE LOAMY FINE SAND, 5 TO 16 PERCENT SLOPES, RARELY FLOODED	35	IN
MA	MCCOOK SILT LOAM, RARELY FLOODED	200	MA
MC	MUNJOR-MCCOOK COMPLEX, OCCASIONALLY FLOODED	114	MC
MCMB	MCCOOK SILT LOAM, OCCASIONALLY FLOODED	127	MCMB
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	179	NC
ND	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	98	ND
NX	NIBSON COMPLEX, 8 TO 20 PERCENT SLOPES	10	NX
RO	ROXBURY SILT LOAM, RARELY FLOODED	221	RO
ROHM	HEIZER-BROWNELL GRAVELLY LOAMS, 5 TO 30 PERCENT SLOPES	10	ROHM
ROO	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	198	ROO
ROUR	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	148	ROUR
ROWX	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	10	ROWX
RP	ROXBURY SILT LOAM, CHANNELED	110	RP
RR	ROXBURY COMPLEX, RARELY FLOODED	221	RR
RSAG	ARMO LOAM, 7 TO 15 PERCENT SLOPES	128	RSAG
RSNS	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	RSNS
SMAR	ARMO LOAM, 2 TO 7 PERCENT SLOPES	136	SMAR
SMMM	MCCOOK-MUNJOR COMPLEX, OCCASIONALLY FLOODED	119	SMMM
SMND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	141	SMND
SMRP	ROXBURY SILT LOAM, FREQUENTLY FLOODED	120	SMRP
SMRR	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	221	SMRR
SMWD	WAKEEN COMPLEX, 5 TO 20 PERCENT SLOPES	10	SMWD
TB	TIMKEN-BOGUE CLAYS, 8 TO 30 PERCENT SLOPES	10	TB
TM	TIMKEN-SHALE OUTCROP COMPLEX, 8 TO 30 PERCENT SLOPES	10	TM
TR	TOBIN AND ROXBURY SILT LOAMS, OCCASIONALLY FLOODED	198	TR
WCC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	59	WCC
WM	WAKEEN-MENTO COMPLEX, 3 TO 8 PERCENT SLOPES	78	WM
WST	WASTE	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
OTTAWA COUNTY (Page 1 of 2)							
AM	ARMO LOAM, 3 TO 7 PERCENT SLOPES	175	240	193	70	70	AM
AR	ARMO SILT LOAM, 3 TO 8 PERCENT SLOPES	170	236	190	70	70	AR
CA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	126	314	268	83	83	CA
CR	CRETE SILT LOAM, 0 TO 2 PERCENT SLOPES	234	309	262	70	70	CR
CS	CRETE SILT LOAM, 2 TO 5 PERCENT SLOPES	221	270	224	70	70	CS
CSS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	222	276	230	70	70	CSS
CT	CRETE SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES, ERODED	174	174	174	70	70	CT
CYLH	LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	60	60	60	64	64	CYLH
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	262	363	316	83	83	DE
DKCF	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	235	302	256	70	70	DKCF
DKCG	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	215	260	215	70	70	DKCG
ED	EDALGO SILT LOAM, 3 TO 7 PERCENT SLOPES	121	162	121	70	70	ED
EE	EDALGO-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	32	32	32	64	64	EE
ES	ELS LOAMY SAND, RARELY FLOODED	108	230	184	83	94	ES
GE	GEARY SILT LOAM, 1 TO 3 PERCENT SLOPES	259	320	274	70	70	GE
GF	GEARY SILT LOAM, 3 TO 6 PERCENT SLOPES	237	267	237	70	70	GF
GG	GEARY SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	199	199	199	70	70	GG
HA	HARNEY SILT LOAM, 2 TO 7 PERCENT SLOPES	206	209	206	70	70	HA
HB	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	157	157	157	70	70	HB
HE	HEDVILLE-ROCK OUTCROP COMPLEX, 5 TO 30 PERCENT SLOPES	10	10	10	45	45	HE
HN	HOBBS SILT LOAM, OCCASIONALLY FLOODED	258	303	258	70	70	HN
HNN	HOBBS SILT LOAM, CHANNELED	190	190	190	83	83	HNN
HO	HOBBS SILT LOAM, FREQUENTLY FLOODED	181	181	181	83	83	HO
HP	HOBBS-GEARY SILT LOAMS, 0 TO 15 PERCENT SLOPES	180	180	180	70	70	HP
HR	HORD SILT LOAM, RARELY FLOODED	284	410	364	83	83	HR
KP	KIPSON SOILS, 5 TO 20 PERCENT SLOPES	10	10	10	70	70	KP
LA	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	143	174	143	70	70	LA
LCNC	NEW CAMBRIA SILTY CLAY LOAM, OCCASIONALLY FLOODED	203	316	270	70	70	LCNC

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
OTTAWA COUNTY (Page 2 of 2)							
LH	LANCASTER-HEDVILLE COMPLEX, 3 TO 20 PERCENT SLOPES	44	44	44	64	64	LH
MC	MCCOOK SILT LOAM, RARELY FLOODED	235	336	290	83	83	MC
MCNC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	10	10	10	70	70	MCNC
MD	MCCOOK SOILS, OCCASIONALLY FLOODED	215	297	251	83	83	MD
MU	MUIR SILT LOAM, RARELY FLOODED	289	394	348	83	83	MU
NC	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	205	326	279	70	70	NC
PR	PRATT LOAMY SAND, 5 TO 12 PERCENT SLOPES	98	121	98	70	70	PR
RO	ROXBURY SILT LOAM, CHANNELED	177	180	177	83	83	RO
RX	ROXBURY SILT LOAM, RARELY FLOODED	246	363	316	83	83	RX
SAED	EDALGO CLAY LOAM, 3 TO 7 PERCENT SLOPES	119	162	119	70	70	SAED
SANE	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	200	326	279	70	70	SANE
SD	SUTPHEN SILTY CLAY, OCCASIONALLY FLOODED	188	269	222	83	83	SD
TO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	242	319	273	70	70	TO
WA	WELLS SANDY LOAM, 2 TO 5 PERCENT SLOPES	240	307	261	70	70	WA
WE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	230	267	230	70	70	WE
WF	WELLS LOAM, 3 TO 7 PERCENT SLOPES, ERODED	188	188	188	70	70	WF
WST	WASTE	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
PHILLIPS COUNTY (Page 1 of 2)							
AM	ANSELMO FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	135	246	200	45	45	AM
AN	ANSELMO FINE SANDY LOAM, 3 TO 7 PERCENT SLOPES	122	203	157	45	45	AN
AR	ARMO LOAM, 2 TO 6 PERCENT SLOPES	146	243	197	45	45	AR
BO	BOGUE SILTY CLAY, 6 TO 12 PERCENT SLOPES	30	31	30	33	33	BO
BR	BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	183	345	299	58	58	BR
BW	BROWNELL-HEIZER GRAVELLY LOAMS, 7 TO 20 PERCENT SLOPES	10	10	10	45	45	BW
CC	CAMPUS-CANLON LOAMS, 5 TO 20 PERCENT SLOPES	10	10	10	45	45	CC
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	212	378	332	58	58	DE
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	179	282	236	45	45	HA
HB	HOBBS SILT LOAM, CHANNELED	114	114	114	58	58	HB
HG	HOBBS SILT LOAM, OCCASIONALLY FLOODED	188	303	257	58	58	HG
HN	HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES	189	314	267	45	45	HN
HO	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	177	278	232	45	45	HO
HW	HORD SILT LOAM, RARELY FLOODED	215	357	311	58	58	HW
IN	INAVALE LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	82	192	145	58	58	IN
IP	INAVALE LOAMY FINE SAND, 3 TO 7 PERCENT SLOPES, RARELY FLOODED	49	96	50	45	45	IP
MK	MCCOOK SILT LOAM, RARELY FLOODED	175	325	279	58	58	MK
MU	MUNJOR SANDY LOAM, OCCASIONALLY FLOODED	105	186	140	58	58	MU
NTCO	COLY AND ULY SILT LOAMS, 6 TO 10 PERCENT SLOPES, ERODED	103	121	103	45	45	NTCO
NTHR	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES, ERODED	165	268	222	45	45	NTHR
NTMU	MUNJOR COMPLEX, OCCASIONALLY FLOODED	105	186	140	58	58	NTMU
NTUC	ULY COMPLEX, 10 TO 20 PERCENT SLOPES	93	93	93	45	45	NTUC
PE	PENDEN LOAM, 2 TO 6 PERCENT SLOPES	97	217	171	45	45	PE
RO	ROXBURY SILT LOAM, RARELY FLOODED	186	346	300	58	58	RO
ROHS	HOLDREGE SILT LOAM, 3 TO 6 PERCENT SLOPES	172	265	219	45	45	ROHS
RP	ROXBURY SILT LOAM, CHANNELED	114	186	140	58	58	RP
RS	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	183	324	277	58	58	RS
RV	VODA SILTY CLAY, FREQUENTLY FLOODED	86	86	86	58	58	RV

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
PHILLIPS COUNTY (Page 2 of 2)							
SMHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	180	278	232	45	45	SMHB
SMHC	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	170	265	219	45	45	SMHC
SMHF	HOLDREGE SILT LOAM, 3 TO 7 PERCENT SLOPES	176	265	219	45	45	SMHF
SMND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	105	105	105	45	45	SMND
SMRR	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	150	250	203	45	45	SMRR
SMUH	ULY-HOLDREGE SILT LOAMS, 7 TO 12 PERCENT SLOPES	146	184	146	45	45	SMUH
SMUR	ULY-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	94	94	94	45	45	SMUR
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	166	246	199	45	45	UC
UD	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES	149	193	149	45	45	UD
UE	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES, ERODED	111	111	111	45	45	UE
UH	ULY SILT LOAM, 10 TO 20 PERCENT SLOPES	96	96	96	45	45	UH
UP	ULY-PENDEN COMPLEX, 7 TO 20 PERCENT SLOPES	78	78	78	45	45	UP
VE	VALENTINE LOAMY FINE SAND, 5 TO 20 PERCENT SLOPES	10	10	10	45	45	VE
WK	WAKEEN-NIBSON COMPLEX, 7 TO 20 PERCENT SLOPES	10	10	10	45	45	WK
WST	WASTE	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Ditch Irrigated Land \$/Acre	Symbol
PHILLIPS COUNTY			
AM	ANSELMO FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	135	AM
AN	ANSELMO FINE SANDY LOAM, 3 TO 7 PERCENT SLOPES	122	AN
AR	ARMO LOAM, 2 TO 6 PERCENT SLOPES	146	AR
BO	BOGUE SILTY CLAY, 6 TO 12 PERCENT SLOPES	30	BO
BR	BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	221	BR
BW	BROWNELL-HEIZER GRAVELLY LOAMS, 7 TO 20 PERCENT SLOPES	10	BW
CC	CAMPUS-CANLON LOAMS, 5 TO 20 PERCENT SLOPES	10	CC
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	254	DE
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	179	HA
HB	HOBBS SILT LOAM, CHANNELED	114	HB
HG	HOBBS SILT LOAM, OCCASIONALLY FLOODED	188	HG
HN	HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES	190	HN
HO	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	177	HO
HW	HORD SILT LOAM, RARELY FLOODED	233	HW
IN	INAVALE LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	82	IN
IP	INAVALE LOAMY FINE SAND, 3 TO 7 PERCENT SLOPES, RARELY FLOODED	49	IP
MK	MCCOOK SILT LOAM, RARELY FLOODED	201	MK
MU	MUNJOR SANDY LOAM, OCCASIONALLY FLOODED	105	MU
NTCO	COLY AND ULY SILT LOAMS, 6 TO 10 PERCENT SLOPES, ERODED	103	NTCO
NTHR	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES, ERODED	165	NTHR
NTMU	MUNJOR COMPLEX, OCCASIONALLY FLOODED	105	NTMU
NTUC	ULY COMPLEX, 10 TO 20 PERCENT SLOPES	93	NTUC
PE	PENDEN LOAM, 2 TO 6 PERCENT SLOPES	97	PE
RO	ROXBURY SILT LOAM, RARELY FLOODED	223	RO
ROHS	HOLDREGE SILT LOAM, 3 TO 6 PERCENT SLOPES	172	ROHS
RP	ROXBURY SILT LOAM, CHANNELED	114	RP
RS	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	200	RS
RV	VODA SILTY CLAY, FREQUENTLY FLOODED	86	RV
SMHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	180	SMHB
SMHC	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	170	SMHC
SMHF	HOLDREGE SILT LOAM, 3 TO 7 PERCENT SLOPES	176	SMHF
SMND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	105	SMND
SMRR	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	150	SMRR
SMUH	ULY-HOLDREGE SILT LOAMS, 7 TO 12 PERCENT SLOPES	146	SMUH
SMUR	ULY-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	94	SMUR
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	166	UC
UD	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES	149	UD
UE	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES, ERODED	111	UE
UH	ULY SILT LOAM, 10 TO 20 PERCENT SLOPES	96	UH
UP	ULY-PENDEN COMPLEX, 7 TO 20 PERCENT SLOPES	78	UP
VE	VALENTINE LOAMY FINE SAND, 5 TO 20 PERCENT SLOPES	10	VE
WK	WAKEEN-NIBSON COMPLEX, 7 TO 20 PERCENT SLOPES	10	WK
WST	WASTE	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
REPUBLIC COUNTY (Page 1 of 3)							
BK	GEARY-HOBBS SILT LOAMS, 0 TO 30 PERCENT SLOPES	157	157	157	82	82	BK
BU	BUTLER SILT LOAM, 0 TO 1 PERCENT SLOPES	249	281	249	70	70	BU
CA	COZAD-CASS SOILS, OCCASIONALLY FLOODED	175	175	175	82	82	CA
CDAA	HOBBS SILT LOAM, FREQUENTLY FLOODED	245	247	245	82	82	CDAA
CDAR	ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES	208	256	210	70	70	CDAR
CDBA	HASTINGS-HOBBS COMPLEX, 0 TO 25 PERCENT SLOPES	159	159	159	82	82	CDBA
CDCT	CRETE SILT LOAM, 3 TO 6 PERCENT SLOPES	218	250	218	70	70	CDCT
CDGE	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	248	259	248	70	70	CDGE
CDGS	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	199	199	199	70	70	CDGS
CDLH	LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	53	53	53	63	63	CDLH
CDLN	LONGFORD SILT LOAM, 3 TO 7 PERCENT SLOPES	248	259	248	70	70	CDLN
CDSA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	86	108	86	82	82	CDSA
CDTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	264	296	264	82	82	CDTO
CE	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	251	307	261	70	70	CE
CF	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	231	271	231	70	70	CF
CH	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	225	243	225	70	70	CH
CR	CRETE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	198	203	198	70	70	CR
DT	DETROIT SILTY CLAY LOAM, RARELY FLOODED	294	381	335	82	82	DT
EA	ENGLUND SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	163	163	163	70	70	EA
ED	EUDORA LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	319	406	360	82	82	ED
EU	EUDORA LOAM, 2 TO 8 PERCENT SLOPES, RARELY FLOODED	269	322	276	82	82	EU
GC	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	251	259	251	70	70	GC
GR	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	199	199	199	70	70	GR
HA	HASTINGS SILT LOAM, 0 TO 1 PERCENT SLOPES	295	354	308	70	70	HA
HB	HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES	282	322	282	70	70	HB
HC	HASTINGS SILT LOAM, 3 TO 7 PERCENT SLOPES	261	270	261	70	70	HC
HD	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	214	214	214	70	70	HD
HE	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	204	204	204	70	70	HE

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
REPUBLIC COUNTY (Page 2 of 3)							
HF	HASTINGS-ORTELLO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES, ERODED	226	226	226	70	70	HF
HO	HASTINGS-ORTELLO FINE SANDY LOAMS, 4 TO 8 PERCENT SLOPES, ERODED	199	199	199	70	70	HO
HP	HASTINGS-HOBBS COMPLEX, 0 TO 8 PERCENT SLOPES	218	218	218	82	82	HP
HS	HOBBS SILT LOAM, OCCASIONALLY FLOODED	264	296	264	82	82	HS
HT	HUMBARGER CLAY LOAM, OCCASIONALLY FLOODED	219	275	230	82	82	HT
HU	HUMBARGER LOAM, OCCASIONALLY FLOODED	221	275	230	82	82	HU
JWAR	ARMO LOAM, 3 TO 7 PERCENT SLOPES	215	259	215	70	70	JWAR
JWBA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	51	51	51	70	70	JWBA
JWBB	BOGUE-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	15	15	15	70	70	JWBB
JWGN	GIBBON SILTY CLAY LOAM, OCCASIONALLY FLOODED	120	120	120	82	82	JWGN
JWHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	275	322	277	70	70	JWHB
JWHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	254	270	254	70	70	JWHC
JWHF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	200	200	200	70	70	JWHF
JWHS	ERODED	208	208	208	70	70	JWHS
JWHU	HORD SILT LOAM, RARELY FLOODED	324	405	359	82	82	JWHU
JWMC	MCCOOK SILT LOAM, RARELY FLOODED	237	303	258	82	82	JWMC
JWNC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	253	384	338	82	82	JWNC
JWND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	10	10	57	57	JWND
JWNR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	145	145	145	82	82	JWNR
JWRB	ROXBURY SILT LOAM, CHANNELED	140	140	140	82	82	JWRB
JWRC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	257	315	269	82	82	JWRC
KE	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES	212	212	212	70	70	KE
KN	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES, ERODED	162	162	162	70	70	KN
KP	KIPSON SOILS, 11 TO 30 PERCENT SLOPES	10	10	10	57	57	KP
LA	WELLS LOAM, 4 TO 8 PERCENT SLOPES	242	250	242	70	70	LA
LC	WELLS LOAM, 4 TO 8 PERCENT SLOPES, ERODED	194	194	194	70	70	LC
LH	LANCASTER-HEDVILLE LOAMS, 5 TO 25 PERCENT SLOPES	54	54	54	63	63	LH
LOO	LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	194	194	194	70	70	LOO

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
REPUBLIC COUNTY (Page 3 of 3)							
MR	MUIR SILT LOAM, 0 TO 1 PERCENT SLOPES	325	402	356	82	82	MR
MU	MUIR SILT LOAM, 3 TO 7 PERCENT SLOPES, ERODED	245	245	245	82	82	MU
RO	COLY SILT LOAM, 25 TO 40 PERCENT SLOPES	10	10	10	70	70	RO
SA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	86	108	86	82	82	SA
SD	INAVALE LOAMY SAND, 3 TO 12 PERCENT SLOPES	67	92	67	70	70	SD
TU	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	245	271	245	70	70	TU
TY	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES, ERODED	193	198	193	70	70	TY
WA	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	65	65	65	82	82	WA
WSCS	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	248	274	248	70	70	WSCS
WSKP	KIPSON SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES	10	10	10	57	57	WSKP
WSLC	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	199	234	199	70	70	WSLC
WST	WASTE	10	10	10	10	10	WST
WSTY	TULLY SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	238	258	238	70	70	WSTY
WSWE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	204	204	204	70	70	WSWE

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Bostwick Irrigated Land \$/Acre	Symbol
REPUBLIC COUNTY (Page 1 of 2)			
BK	GEARY-HOBBS SILT LOAMS, 0 TO 30 PERCENT SLOPES	157	BK
BU	BUTLER SILT LOAM, 0 TO 1 PERCENT SLOPES	249	BU
CA	COZAD-CASS SOILS, OCCASIONALLY FLOODED	175	CA
CDA	HOBBS SILT LOAM, FREQUENTLY FLOODED	245	CDA
CDAR	ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES	208	CDAR
CDBA	HASTINGS-HOBBS COMPLEX, 0 TO 25 PERCENT SLOPES	159	CDBA
CDCT	CRETE SILT LOAM, 3 TO 6 PERCENT SLOPES	218	CDCT
CDGE	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	248	CDGE
CDGS	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	199	CDGS
CDLH	LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	53	CDLH
CDLN	LONGFORD SILT LOAM, 3 TO 7 PERCENT SLOPES	248	CDLN
CDSA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	86	CDSA
CDTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	264	CDTO
CE	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	251	CE
CF	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	231	CF
CH	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	225	CH
CR	CRETE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	198	CR
DT	DETROIT SILTY CLAY LOAM, RARELY FLOODED	294	DT
EA	ENGLUND SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	163	EA
ED	EUDORA LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	319	ED
EU	EUDORA LOAM, 2 TO 8 PERCENT SLOPES, RARELY FLOODED	269	EU
GC	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	251	GC
GR	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	199	GR
HA	HASTINGS SILT LOAM, 0 TO 1 PERCENT SLOPES	295	HA
HB	HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES	282	HB
HC	HASTINGS SILT LOAM, 3 TO 7 PERCENT SLOPES	261	HC
HD	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	214	HD
HE	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	204	HE
HF	HASTINGS-ORTELLO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES, ERODED	226	HF
HO	HASTINGS-ORTELLO FINE SANDY LOAMS, 4 TO 8 PERCENT SLOPES, ERODED	199	HO
HP	HASTINGS-HOBBS COMPLEX, 0 TO 8 PERCENT SLOPES	218	HP
HS	HOBBS SILT LOAM, OCCASIONALLY FLOODED	264	HS
HT	HUMBARGER CLAY LOAM, OCCASIONALLY FLOODED	219	HT
HU	HUMBARGER LOAM, OCCASIONALLY FLOODED	221	HU
JWAR	ARMO LOAM, 3 TO 7 PERCENT SLOPES	215	JWAR
JWBA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	51	JWBA
JWBB	BOGUE-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	15	JWBB
JWGN	GIBBON SILTY CLAY LOAM, OCCASIONALLY FLOODED	120	JWGN
JWHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	275	JWHB
JWHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	254	JWHC
JWHF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	200	JWHF
JWHS	HOLDREGE AND GEARY SILTY CLAY LOAMS, 6 TO 11 PERCENT SLOPES, ERODED	208	JWHS
JWHU	HORD SILT LOAM, RARELY FLOODED	324	JWHU
JWMC	MCCOOK SILT LOAM, RARELY FLOODED	237	JWMC
JWNC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	296	JWNC
JWND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	JWND
JWNR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	145	JWNR

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Bostwick Irrigated Land \$/Acre	Symbol
REPUBLIC COUNTY (Page 2 of 2)			
JWRB	ROXBURY SILT LOAM, CHANNELED	140	JWRB
JWRC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	257	JWRC
KE	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES	212	KE
KN	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES, ERODED	162	KN
KP	KIPSON SOILS, 11 TO 30 PERCENT SLOPES	10	KP
LA	WELLS LOAM, 4 TO 8 PERCENT SLOPES	242	LA
LC	WELLS LOAM, 4 TO 8 PERCENT SLOPES, ERODED	194	LC
LH	LANCASTER-HEDVILLE LOAMS, 5 TO 25 PERCENT SLOPES	54	LH
LOO	LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	194	LOO
MR	MUIR SILT LOAM, 0 TO 1 PERCENT SLOPES	325	MR
MU	MUIR SILT LOAM, 3 TO 7 PERCENT SLOPES, ERODED	245	MU
RO	COLY SILT LOAM, 25 TO 40 PERCENT SLOPES	10	RO
SA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	86	SA
SD	INAVALE LOAMY SAND, 3 TO 12 PERCENT SLOPES	67	SD
TU	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	245	TU
TY	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES, ERODED	193	TY
WA	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	65	WA
WSCS	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	248	WSCS
WSKP	KIPSON SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES	10	WSKP
WSLC	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	199	WSLC
WST	WASTE	10	WST
WSTY	TULLY SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	238	WSTY
WSWE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	204	WSWE

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
ROOKS COUNTY (Page 1 of 3)							
AD	ANSELMO FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	78	229	184	44	44	AD
AF	ANSELMO FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	62	183	139	44	44	AF
AR	ARMO LOAM, 1 TO 3 PERCENT SLOPES	94	275	230	44	44	AR
AS	ARMO LOAM, 3 TO 7 PERCENT SLOPES	82	228	184	44	44	AS
AU	ARMO-BOGUE COMPLEX, 7 TO 15 PERCENT SLOPES	33	61	33	44	44	AU
CA	CAMPUS LOAM, 2 TO 6 PERCENT SLOPES	13	96	51	44	44	CA
CC	CAMPUS-ANSELMO COMPLEX, 5 TO 15 PERCENT SLOPES	22	68	23	44	44	CC
CR	CARLSON SILT LOAM, 1 TO 3 PERCENT SLOPES	96	244	199	44	44	CR
EF	ELTREE SILT LOAM, 1 TO 3 PERCENT SLOPES	99	301	256	44	44	EF
ELAO	ARMO LOAM, 3 TO 7 PERCENT SLOPES, ERODED	79	216	171	44	44	ELAO
ELAR	ARMO LOAM, 7 TO 15 PERCENT SLOPES	44	65	44	44	44	ELAR
ELBF	BOEL FINE SANDY LOAM, OCCASIONALLY FLOODED	43	171	126	44	44	ELBF
ELBG	BOGUE CLAY, 3 TO 8 PERCENT SLOPES	14	92	47	44	44	ELBG
ELBO	BOGUE-ARMO COMPLEX, 5 TO 25 PERCENT SLOPES	26	52	26	44	44	ELBO
ELBR	BROWNELL GRAVELLY LOAM, 2 TO 10 PERCENT SLOPES	10	10	10	38	38	ELBR
ELEG	ELTREE SILT LOAM, 3 TO 7 PERCENT SLOPES	98	289	244	44	44	ELEG
ELHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	88	203	158	44	44	ELHC
ELHD	HARNEY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	92	220	175	44	44	ELHD
ELHG	HARNEY-CARLSON SILT LOAMS, 1 TO 3 PERCENT SLOPES	96	244	199	44	44	ELHG
ELHK	HARNEY-WAKEEN SILT LOAMS, 1 TO 3 PERCENT SLOPES	65	203	158	44	44	ELHK
ELHL	HEIZER-ARMO COMPLEX, 8 TO 25 PERCENT SLOPES	10	10	10	38	38	ELHL
ELNC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	90	316	271	44	44	ELNC
GHAN	ANSELMO SANDY LOAM, 2 TO 6 PERCENT SLOPES	63	193	148	44	44	GHAN
GHHU	HUMBARGER LOAM, CHANNELED	53	91	53	44	44	GHHU
GHHW	HUMBARGER LOAM, OCCASIONALLY FLOODED	103	314	270	44	44	GHHW
GHIF	INAVALE SAND, CHANNELED	38	144	99	44	44	GHIF
GHIM	INAVALE LOAMY SAND, OCCASIONALLY FLOODED	45	204	160	44	44	GHIM
GHPK	PENDEN CLAY LOAM, 3 TO 8 PERCENT SLOPES, ERODED	65	236	191	44	44	GHPK

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
ROOKS COUNTY (Page 2 of 3)							
GHPM	PENDEN-CANLON LOAMS, 7 TO 20 PERCENT SLOPES	21	21	21	44	44	GHPM
GHPO	PENDEN-ULY COMPLEX, 7 TO 20 PERCENT SLOPES	35	63	35	44	44	GHPO
GHWN	WAKEEN-NIBSON SILT LOAMS, 3 TO 8 PERCENT SLOPES	17	90	46	44	44	GHWN
GHWS	WAKEEN-NIBSON SILT LOAMS, 8 TO 20 PERCENT SLOPES	10	10	10	44	44	GHWS
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	107	274	229	44	44	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	102	244	199	44	44	HB
HD	HARNEY-MENTO SILT LOAMS, 1 TO 3 PERCENT SLOPES	97	240	196	44	44	HD
HE	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	86	203	158	44	44	HE
HM	HEIZER-BROWNELL GRAVELLY LOAMS, 5 TO 30 PERCENT SLOPES	10	10	10	38	38	HM
HO	HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES	113	305	260	44	44	HO
HR	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	105	270	225	44	44	HR
HS	HOLDREGE SILT LOAM, 3 TO 6 PERCENT SLOPES	94	228	184	44	44	HS
HW	HORD SILT LOAM, RARELY FLOODED	130	347	302	44	44	HW
IC	INAVALE FINE SAND, CHANNELED, OCCASIONALLY FLOODED	23	114	70	44	44	IC
IH	INAVALE FINE SAND, 3 TO 7 PERCENT SLOPES, RARELY FLOODED	13	48	13	44	44	IH
IV	INAVALE LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES, RARELY FLOODED	47	214	169	44	44	IV
MK	MCCOOK SILT LOAM, RARELY FLOODED	104	321	276	44	44	MK
MU	MUNJOR SANDY LOAM, OCASIONALLY FLOODED	56	186	141	44	44	MU
NC	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	96	316	271	44	44	NC
OBBW	BROWNELL-WAKEEN COMPLEX, 8 TO 20 PERCENT SLOPES	10	10	10	38	38	OBBW
OBHD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	85	191	146	44	44	OBHD
OBHE	HARNEY-MENTO COMPLEX, 1 TO 3 PERCENT SLOPES	96	240	196	44	44	OBHE
OBHM	HARNEY-MENTO COMPLEX, 3 TO 7 PERCENT SLOPES	87	203	158	44	44	OBHM
OBHN	HARNEY-NUCKOLLS COMPLEX, 3 TO 8 PERCENT SLOPES	97	225	181	44	44	OBHN
OBIN	INAVALE LOAMY FINE SAND, 5 TO 16 PERCENT SLOPES, RARELY FLOODED	22	96	51	44	44	OBIN
OBMC	MUNJOR-MCCOOK COMPLEX, OCCASIONALLY FLOODED	60	186	141	44	44	OBMC
OBTR	TOBIN AND ROXBURY SILT LOAMS, OCCASIONALLY FLOODED	111	314	270	44	44	OBTR
PE	PENDEN LOAM, 3 TO 7 PERCENT SLOPES	50	203	158	44	44	PE

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
ROOKS COUNTY (Page 3 of 3)							
PLUE	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES, ERODED	80	176	131	44	44	PLUE
PLUP	ULY-PENDEN COMPLEX, 7 TO 20 PERCENT SLOPES	40	59	40	44	44	PLUP
PLWK	WAKEEN-NIBSON COMPLEX, 7 TO 20 PERCENT SLOPES	10	10	10	44	44	PLWK
RO	ROXBURY SILT LOAM, RARELY FLOODED	112	342	297	44	44	RO
RP	ROXBURY SILT LOAM, FREQUENTLY FLOODED	49	57	49	44	44	RP
RS	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	108	314	270	44	44	RS
TRIF	INAVALE LOAMY SAND, CHANNELED	39	144	99	44	44	TRIF
TRPO	PENDEN LOAM, 7 TO 15 PERCENT SLOPES	29	69	29	44	44	TRPO
UR	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	98	239	194	44	44	UR
US	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES	86	188	143	44	44	US
UY	ULY-PENDEN LOAMS, 7 TO 15 PERCENT SLOPES	41	63	41	44	44	UY
WK	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	22	136	91	44	44	WK
WST	WASTE	10	10	10	10	10	WST
WX	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	10	10	10	44	44	WX
WY	WAKEEN-HARNEY SILT LOAMS, 1 TO 3 PERCENT SLOPES	60	203	158	44	44	WY

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Ditch Irrigated Land \$/Acre	Symbol
ROOKS COUNTY (Page 1 of 2)			
AD	ANSELMO FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	109	AD
AF	ANSELMO FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	63	AF
AR	ARMO LOAM, 1 TO 3 PERCENT SLOPES	155	AR
AS	ARMO LOAM, 3 TO 7 PERCENT SLOPES	108	AS
AU	ARMO-BOGUE COMPLEX, 7 TO 15 PERCENT SLOPES	33	AU
CA	CAMPUS LOAM, 2 TO 6 PERCENT SLOPES	13	CA
CC	CAMPUS-ANSELMO COMPLEX, 5 TO 15 PERCENT SLOPES	22	CC
CR	CARLSON SILT LOAM, 1 TO 3 PERCENT SLOPES	124	CR
EF	ELTREE SILT LOAM, 1 TO 3 PERCENT SLOPES	180	EF
ELAO	ARMO LOAM, 3 TO 7 PERCENT SLOPES, ERODED	96	ELAO
ELAR	ARMO LOAM, 7 TO 15 PERCENT SLOPES	44	ELAR
ELBF	BOEL FINE SANDY LOAM, OCCASIONALLY FLOODED	51	ELBF
ELBG	BOGUE CLAY, 3 TO 8 PERCENT SLOPES	14	ELBG
ELBO	BOGUE-ARMO COMPLEX, 5 TO 25 PERCENT SLOPES	26	ELBO
ELBR	BROWNELL GRAVELLY LOAM, 2 TO 10 PERCENT SLOPES	10	ELBR
ELEG	ELTREE SILT LOAM, 3 TO 7 PERCENT SLOPES	168	ELEG
ELHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	88	ELHC
ELHD	HARNEY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	100	ELHD
ELHG	HARNEY-CARLSON SILT LOAMS, 1 TO 3 PERCENT SLOPES	124	ELHG
ELHK	HARNEY-WAKEEN SILT LOAMS, 1 TO 3 PERCENT SLOPES	83	ELHK
ELHL	HEIZER-ARMO COMPLEX, 8 TO 25 PERCENT SLOPES	10	ELHL
ELNC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	196	ELNC
GHAN	ANSELMO SANDY LOAM, 2 TO 6 PERCENT SLOPES	72	GHAN
GHHU	HUMBARGER LOAM, CHANNELED	53	GHHU
GHHW	HUMBARGER LOAM, OCCASIONALLY FLOODED	194	GHHW
GHIF	INAVALE SAND, CHANNELED	38	GHIF
GHIM	INAVALE LOAMY SAND, OCCASIONALLY FLOODED	84	GHIM
GHPK	PENDEN CLAY LOAM, 3 TO 8 PERCENT SLOPES, ERODED	115	GHPK
GHPM	PENDEN-CANLON LOAMS, 7 TO 20 PERCENT SLOPES	21	GHPM
GHPO	PENDEN-ULY COMPLEX, 7 TO 20 PERCENT SLOPES	35	GHPO
GHWN	WAKEEN-NIBSON SILT LOAMS, 3 TO 8 PERCENT SLOPES	17	GHWN
GHWS	WAKEEN-NIBSON SILT LOAMS, 8 TO 20 PERCENT SLOPES	10	GHWS
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	154	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	124	HB
HD	HARNEY-MENTO SILT LOAMS, 1 TO 3 PERCENT SLOPES	120	HD
HE	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	86	HE
HM	HEIZER-BROWNELL GRAVELLY LOAMS, 5 TO 30 PERCENT SLOPES	10	HM
HO	HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES	184	HO
HR	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	150	HR
HS	HOLDREGE SILT LOAM, 3 TO 6 PERCENT SLOPES	108	HS
HW	HORD SILT LOAM, RARELY FLOODED	227	HW
IC	INAVALE FINE SAND, CHANNELED, OCCASIONALLY FLOODED	23	IC
IH	INAVALE FINE SAND, 3 TO 7 PERCENT SLOPES, RARELY FLOODED	13	IH
IV	INAVALE LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES, RARELY FLOODED	93	IV
MK	MCCOOK SILT LOAM, RARELY FLOODED	201	MK
MU	MUNJOR SANDY LOAM, OCASIONALLY FLOODED	66	MU

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Ditch Irrigated Land \$/Acre	Symbol
ROOKS COUNTY (Page 2 of 2)			
NC	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	196	NC
OBBW	BROWNELL-WAKEEN COMPLEX, 8 TO 20 PERCENT SLOPES	10	OBBW
OBHD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	85	OBHD
OBHE	HARNEY-MENTO COMPLEX, 1 TO 3 PERCENT SLOPES	120	OBHE
OBHM	HARNEY-MENTO COMPLEX, 3 TO 7 PERCENT SLOPES	87	OBHM
OBHN	HARNEY-NUCKOLLS COMPLEX, 3 TO 8 PERCENT SLOPES	105	OBHN
OBIN	INAVALE LOAMY FINE SAND, 5 TO 16 PERCENT SLOPES, RARELY FLOODED	22	OBIN
OBMC	MUNJOR-MCCOOK COMPLEX, OCCASIONALLY FLOODED	66	OBMC
OBTR	TOBIN AND ROXBURY SILT LOAMS, OCCASIONALLY FLOODED	194	OBTR
PE	PENDEN LOAM, 3 TO 7 PERCENT SLOPES	82	PE
PLUE	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES, ERODED	80	PLUE
PLUP	ULY-PENDEN COMPLEX, 7 TO 20 PERCENT SLOPES	40	PLUP
PLWK	WAKEEN-NIBSON COMPLEX, 7 TO 20 PERCENT SLOPES	10	PLWK
RO	ROXBURY SILT LOAM, RARELY FLOODED	221	RO
RP	ROXBURY SILT LOAM, FREQUENTLY FLOODED	49	RP
RS	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	194	RS
TRIF	INAVALE LOAMY SAND, CHANNELED	39	TRIF
TRPO	PENDEN LOAM, 7 TO 15 PERCENT SLOPES	29	TRPO
UR	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	118	UR
US	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES	86	US
UY	ULY-PENDEN LOAMS, 7 TO 15 PERCENT SLOPES	41	UY
WK	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	22	WK
WST	WASTE	10	WST
WX	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	10	WX
WY	WAKEEN-HARNEY SILT LOAMS, 1 TO 3 PERCENT SLOPES	83	WY

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
SMITH COUNTY (Page 1 of 2)							
AA	ROXBURY LOAM, CHANNELED	150	183	150	58	58	AA
AR	ARMO LOAM, 2 TO 7 PERCENT SLOPES	158	235	189	45	45	AR
BO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	13	13	13	33	33	BO
BR	BROWNELL GRAVELLY LOAM, 3 TO 15 PERCENT SLOPES	10	20	10	45	45	BR
CC	CAMPUS-CANLON COMPLEX, 5 TO 30 PERCENT SLOPES	10	10	10	33	33	CC
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	194	282	236	45	45	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	182	251	205	45	45	HB
HC	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	158	209	162	45	45	HC
HD	HEIZER-BROWNELL COMPLEX, 7 TO 30 PERCENT SLOPES	10	10	10	27	27	HD
HE	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	188	278	232	45	45	HE
HF	HOLDREGE SILT LOAM, 3 TO 7 PERCENT SLOPES	176	235	189	45	45	HF
HG	HOLDREGE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	138	155	138	45	45	HG
HH	HORD SILT LOAM, RARELY FLOODED	250	410	364	58	58	HH
IM	INAVALE-MUNJOR COMPLEX, OCCASIONALLY FLOODED	99	192	145	58	58	IM
JWBH	BROWNELL-HEIZER GRAVELLY LOAMS, 3 TO 30 PERCENT SLOPES	10	10	10	27	27	JWBH
JWNR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	114	114	114	58	58	JWNR
MA	MCCOOK SILT LOAM, RARELY FLOODED	191	331	284	58	58	MA
MM	MCCOOK-MUNJOR COMPLEX, OCCASIONALLY FLOODED	153	260	214	58	58	MM
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	159	304	258	58	58	NC
ND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	153	176	153	45	45	ND
NH	NUCKOLLS-HOLDREGE SILT LOAMS, 3 TO 7 PERCENT SLOPES	178	240	194	45	45	NH
OBAX	ARMO-BOGUE COMPLEX, 7 TO 20 PERCENT SLOPES	45	45	45	33	33	OBAX
OBCO	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	60	87	60	45	45	OBCO
OBHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	166	209	166	45	45	OBHC
OBHD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	156	196	156	45	45	OBHD
OBHE	HARNEY-MENTO COMPLEX, 1 TO 3 PERCENT SLOPES	161	218	172	45	45	OBHE
OBND	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	137	183	137	58	58	OBND
OBTR	TOBIN AND ROXBURY SILT LOAMS, OCCASIONALLY FLOODED	204	330	284	58	58	OBTR

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
SMITH COUNTY (Page 2 of 2)							
PE	PENDEN LOAM, 3 TO 7 PERCENT SLOPES	105	209	162	45	45	PE
PLBW	BROWNELL-HEIZER GRAVELLY LOAMS, 7 TO 20 PERCENT SLOPES	10	10	10	27	27	PLBW
PLCC	CAMPUS-CANLON LOAMS, 5 TO 20 PERCENT SLOPES	10	10	10	33	33	PLCC
PLHB	HOBBS SILT LOAM, CHANNELED	153	171	153	58	58	PLHB
PLHG	HOBBS SILT LOAM, OCCASIONALLY FLOODED	204	315	269	58	58	PLHG
PLIN	INAVALE LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	92	192	145	58	58	PLIN
PLMU	MUNJOR SANDY LOAM, OCCASIONALLY FLOODED	111	192	145	58	58	PLMU
PLUD	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES	156	185	156	45	45	PLUD
PLUP	ULY-PENDEN COMPLEX, 7 TO 20 PERCENT SLOPES	101	101	101	58	58	PLUP
PLWK	WAKEEN-NIBSON COMPLEX, 7 TO 20 PERCENT SLOPES	10	10	10	27	27	PLWK
RCC	ROXBURY SILT LOAM, CHANNELED	154	183	154	58	58	RCC
RO	ROXBURY SILT LOAM, RARELY FLOODED	201	352	306	58	58	RO
RP	ROXBURY SILT LOAM, FREQUENTLY FLOODED	183	268	222	58	58	RP
RPP	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	206	330	284	58	58	RPP
RR	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	182	304	258	58	58	RR
UCC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	160	201	160	45	45	UCC
UH	ULY-HOLDREGE SILT LOAMS, 7 TO 12 PERCENT SLOPES	153	176	153	45	45	UH
UR	ULY-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	113	113	113	58	58	UR
WC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	56	140	94	45	45	WC
WD	WAKEEN COMPLEX, 5 TO 20 PERCENT SLOPES	15	15	15	45	45	WD
WDD	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	10	10	10	45	45	WDD
WST	WASTE	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Ditch Irrigated Land \$/Acre	Symbol
SMITH COUNTY			
AA	ROXBURY LOAM, CHANNELED	150	AA
AR	ARMO LOAM, 2 TO 7 PERCENT SLOPES	158	AR
BO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	13	BO
BR	BROWNELL GRAVELLY LOAM, 3 TO 15 PERCENT SLOPES	10	BR
CC	CAMPUS-CANLON COMPLEX, 5 TO 30 PERCENT SLOPES	10	CC
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	194	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	182	HB
HC	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	158	HC
HD	HEIZER-BROWNELL COMPLEX, 7 TO 30 PERCENT SLOPES	10	HD
HE	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	188	HE
HF	HOLDREGE SILT LOAM, 3 TO 7 PERCENT SLOPES	176	HF
HG	HOLDREGE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	138	HG
HH	HORD SILT LOAM, RARELY FLOODED	286	HH
IM	INAVALE-MUNJOR COMPLEX, OCCASIONALLY FLOODED	99	IM
JWBH	BROWNELL-HEIZER GRAVELLY LOAMS, 3 TO 30 PERCENT SLOPES	10	JWBH
JWNR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	114	JWNR
MA	MCCOOK SILT LOAM, RARELY FLOODED	207	MA
MM	MCCOOK-MUNJOR COMPLEX, OCCASIONALLY FLOODED	153	MM
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	180	NC
ND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	153	ND
NH	NUCKOLLS-HOLDREGE SILT LOAMS, 3 TO 7 PERCENT SLOPES	178	NH
OBAX	ARMO-BOGUE COMPLEX, 7 TO 20 PERCENT SLOPES	45	OBAX
OBCO	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	60	OBCO
OBHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	166	OBHC
OBHD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	156	OBHD
OBHE	HARNEY-MENTO COMPLEX, 1 TO 3 PERCENT SLOPES	161	OBHE
OBND	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	137	OBND
OBTR	TOBIN AND ROXBURY SILT LOAMS, OCCASIONALLY FLOODED	207	OBTR
PE	PENDEN LOAM, 3 TO 7 PERCENT SLOPES	105	PE
PLBW	BROWNELL-HEIZER GRAVELLY LOAMS, 7 TO 20 PERCENT SLOPES	10	PLBW
PLCC	CAMPUS-CANLON LOAMS, 5 TO 20 PERCENT SLOPES	10	PLCC
PLHB	HOBBS SILT LOAM, CHANNELED	153	PLHB
PLHG	HOBBS SILT LOAM, OCCASIONALLY FLOODED	204	PLHG
PLIN	INAVALE LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	92	PLIN
PLMU	MUNJOR SANDY LOAM, OCCASIONALLY FLOODED	111	PLMU
PLUD	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES	156	PLUD
PLUP	ULY-PENDEN COMPLEX, 7 TO 20 PERCENT SLOPES	101	PLUP
PLWK	WAKEEN-NIBSON COMPLEX, 7 TO 20 PERCENT SLOPES	10	PLWK
RCC	ROXBURY SILT LOAM, CHANNELED	154	RCC
RO	ROXBURY SILT LOAM, RARELY FLOODED	228	RO
RP	ROXBURY SILT LOAM, FREQUENTLY FLOODED	183	RP
RPP	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	207	RPP
RR	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	182	RR
UCC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	160	UCC
UH	ULY-HOLDREGE SILT LOAMS, 7 TO 12 PERCENT SLOPES	153	UH
UR	ULY-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	113	UR
WC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	56	WC
WD	WAKEEN COMPLEX, 5 TO 20 PERCENT SLOPES	15	WD
WDD	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	10	WDD
WST	WASTE	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
WASHINGTON COUNTY (Page 1 of 2)							
BE	BENFIELD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	100	108	100	81	87	BE
CG	CASS FINE SANDY LOAM, OCCASIONALLY FLOODED	198	228	198	81	94	CG
CH	CASS FINE SANDY LOAM, FREQUENTLY FLOODED	125	125	125	81	94	CH
CO	COLO SILT LOAM, RARELY FLOODED	222	334	289	81	104	CO
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	221	307	262	69	72	CR
CS	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	210	288	242	69	72	CS
CT	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	190	240	195	69	72	CT
CX	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	152	162	152	69	72	CX
CYGC	GEARY SILT LOAM, 2 TO 7 PERCENT SLOPES	202	261	216	81	87	CYGC
CYSU	SUTPHEN SILTY CLAY LOAM, OCCASIONALLY FLOODED	205	310	265	81	104	CYSU
ED	EDALGO SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	114	155	114	69	72	ED
EU	EUDORA LOAM, OCCASIONALLY FLOODED	248	340	295	81	104	EU
HO	HOBBS SILT LOAM, OCCASIONALLY FLOODED	237	301	255	81	104	HO
KP	KIPSON SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES	10	10	10	69	72	KP
KS	KIPSON-SOGN COMPLEX, 5 TO 30 PERCENT SLOPES	10	10	10	63	65	KS
LC	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	131	166	131	81	87	LC
LH	LANCASTER-HEDVILLE LOAMS, 5 TO 30 PERCENT SLOPES	42	42	42	69	72	LH
LO	LONGFORD SILT LOAM, 3 TO 7 PERCENT SLOPES	210	261	216	81	87	LO
LX	LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	165	178	165	81	87	LX
MC	MAYBERRY CLAY LOAM, 3 TO 7 PERCENT SLOPES	142	143	142	69	72	MC
MH	MORRILL LOAM, 3 TO 7 PERCENT SLOPES	223	282	237	81	87	MH
MM	MORRILL LOAM, 7 TO 12 PERCENT SLOPES	180	219	180	81	87	MM
MP	MORRILL-JANSEN LOAMS, 7 TO 20 PERCENT SLOPES	121	121	121	81	87	MP
MSKA	KENNEBEC SILT LOAM, OCCASIONALLY FLOODED	249	295	249	81	104	MSKA
MSPB	PAWNEE CLAY LOAM, 4 TO 8 PERCENT SLOPES	136	137	136	69	72	MSPB
MSPC	PAWNEE CLAY, 3 TO 8 PERCENT SLOPES, ERODED	130	137	130	69	72	MSPC
MSWA	WABASH SILTY CLAY LOAM, OCCASIONALLY FLOODED	224	301	255	81	104	MSWA
MSWB	WYMORE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	218	284	239	69	72	MSWB

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
WASHINGTON COUNTY (Page 2 of 2)							
MSWC	WYMORE SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	156	162	156	69	72	MSWC
MU	MUIR SILT LOAM, RARELY FLOODED	285	392	347	81	90	MU
SA	SARPY LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES, RARELY FLOODED	61	140	95	69	72	SA
TU	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	204	271	226	81	87	TU
TY	TULLY SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	179	220	179	81	87	TY
WE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	212	253	212	81	87	WE
WST	WASTE	10	10	10	10	10	WST