

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
BARBER COUNTY (Page 1 of 3)								
1439	CRISFIELD SANDY LOAM, RARELY FLOODED	74	272	216	153	80	80	1439
AD	ALBION-SHELLABARGER SANDY LOAMS, 2 TO 4 PERCENT SLOPES	107	270	215	152	40	40	AD
AE	ALBION AND SHELLABARGER SOILS, 4 TO 15 PERCENT SLOPES	64	121	65	64	40	40	AE
AN	ALBION-SHELLABARGER SANDY LOAMS, 4 TO 15 PERCENT SLOPES	59	121	65	59	40	40	AN
AS	CLAIREMONT SOILS, SALINE, CHANNELED	39	39	39	39	60	60	AS
AT	ATTICA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	97	270	215	152	40	40	AT
BA	BLANKET SILT LOAM, 0 TO 1 PERCENT SLOPES	171	385	329	267	40	40	BA
BB	BLANKET SILT LOAM, 1 TO 3 PERCENT SLOPES	159	358	302	240	40	40	BB
BC	BLANKET SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	130	284	229	166	40	40	BC
BF	QUINLAN-CLAIREMONT COMPLEX, 0 TO 50 PERCENT SLOPES	10	10	10	10	40	40	BF
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	132	337	281	219	60	60	CA
CC	CASE-CLARK CLAY LOAMS, 2 TO 6 PERCENT SLOPES	89	283	227	164	40	40	CC
CD	CLAIREMONT SILT LOAM, OCCASIONALLY FLOODED	132	337	281	219	79	79	CD
CF	CLAIREMONT SOILS, CHANNELED	73	146	90	73	79	79	CF
CK	CLARK CLAY LOAM, 0 TO 2 PERCENT SLOPES	97	346	290	227	40	40	CK
CMCP	CLAIREMONT LOAM, CHANNELED	73	146	90	73	79	79	CMCP
CMOA	OBARO SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	35	78	35	35	40	40	CMOA
CMOB	OBARO-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	28	46	28	28	30	30	CMOB
CMQR	QUINLAN-WOODWARD LOAMS, 6 TO 15 PERCENT SLOPES	10	10	10	10	40	40	CMQR
CMQT	QUINLAN-WOODWARD LOAMS, 15 TO 30 PERCENT SLOPES	10	10	10	10	40	40	CMQT
CMYE	YAHOLA FINE SANDY LOAM, OCCASIONALLY FLOODED	94	263	208	145	79	79	CMYE
FA	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	183	385	329	267	40	40	FA
FM	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	194	385	329	267	40	40	FM
FR	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	180	378	322	260	40	40	FR
FU	FARNUM CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	148	311	255	192	40	40	FU
GA	GRANT SILT LOAM, 0 TO 1 PERCENT SLOPES	169	370	315	252	40	40	GA
GB	GRANT SILT LOAM, 1 TO 3 PERCENT SLOPES	157	332	276	213	40	40	GB
GC	GRANT SILT LOAM, 3 TO 6 PERCENT SLOPES	135	260	204	141	40	40	GC
HPBP	WOODWARD-PORT COMPLEX, 0 TO 20 PERCENT SLOPES	40	69	40	40	40	40	HPBP
HPFU	FARNUM LOAM, 3 TO 6 PERCENT SLOPES	182	367	312	249	40	40	HPFU
HPGE	GERLANE FINE SANDY LOAM, OCCASIONALLY FLOODED	110	254	198	135	79	79	HPGE
HPMC	MINCO SILT LOAM, 0 TO 1 PERCENT SLOPES	183	384	328	266	40	40	HPMC
HPMN	MINCO SILT LOAM, 1 TO 3 PERCENT SLOPES	181	379	323	260	40	40	HPMN
HPMO	MINCO SILT LOAM, 3 TO 6 PERCENT SLOPES	133	260	204	141	40	40	HPMO

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
BARBER COUNTY (Page 2 of 3)								
HPQU	QUINLAN LOAM, 3 TO 6 PERCENT SLOPES	10	10	10	10	40	40	HPQU
HPSE	SHELLABARGER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	145	291	236	173	40	40	HPSE
HPWE	WOODWARD-QUINLAN LOAMS, 1 TO 3 PERCENT SLOPES	53	89	53	53	40	40	HPWE
KA	KANZA SOILS, FREQUENTLY FLOODED	35	114	58	35	79	79	KA
KF	KINGFISHER SILT LOAM, 1 TO 3 PERCENT SLOPES	96	248	192	129	40	40	KF
KMAC	ALBION SANDY LOAM, 3 TO 6 PERCENT SLOPES	93	262	207	144	40	40	KMAC
KMDA	DILLWYN-PLEVNA COMPLEX, OCCASIONALLY FLOODED	42	140	85	42	79	79	KMDA
KMFA	FARNUM SANDY LOAM, 0 TO 2 PERCENT SLOPES	188	382	327	264	40	40	KMFA
KMSB	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	148	291	236	173	40	40	KMSB
KMWA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	87	241	185	122	79	79	KMWA
KV	KINGFISHER-VERNON COMPLEX, 1 TO 3 PERCENT SLOPES	82	221	166	103	40	40	KV
KWLN	LINCOLN SANDY LOAM, OCCASIONALLY FLOODED	25	158	102	39	60	60	KWLN
KWQW	QUINLAN-WOODWARD LOAMS, 6 TO 25 PERCENT SLOPES	10	10	10	10	40	40	KWQW
KWWA	WALDECK LOAM, OCCASIONALLY FLOODED	89	241	185	122	79	79	KWWA
KZ	KINGFISHER-VERNON COMPLEX, 3 TO 6 PERCENT SLOPES	58	153	97	58	40	40	KZ
LN	LINCOLN SOILS, FREQUENTLY FLOODED	17	95	39	17	60	60	LN
LNN	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	24	158	102	39	60	60	LNN
MA	MANGUM CLAY, OCCASIONALLY FLOODED	109	284	229	166	60	60	MA
MG	MANGUM-DRUMMOND COMPLEX, RARELY FLOODED	79	255	199	136	60	60	MG
MN	MINCO SILT LOAM, 0 TO 2 PERCENT SLOPES	178	381	326	263	40	40	MN
NA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	156	344	288	226	40	40	NA
NB	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	146	311	255	192	40	40	NB
OS	OST CLAY LOAM, 0 TO 1 PERCENT SLOPES	138	344	288	226	40	40	OS
OT	OST CLAY LOAM, 1 TO 3 PERCENT SLOPES	126	311	255	192	40	40	OT
PA	POND CREEK SILT LOAM, 0 TO 1 PERCENT SLOPES	196	385	329	267	40	40	PA
PD	POND CREEK SILT LOAM, 1 TO 3 PERCENT SLOPES	184	378	322	260	40	40	PD
PH	DALE SILT LOAM, RARELY FLOODED	174	378	322	260	70	70	PH
PK	BUTTERMILK SILT LOAM, RARELY FLOODED	95	181	125	95	60	60	PK
PRAB	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	94	270	215	152	40	40	PRAB
PRAO	ALBION SANDY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	53	132	76	53	40	40	PRAO
PRAS	ALBION AND SHELLABARGER SOILS, 7 TO 15 PERCENT SLOPES	63	116	63	63	40	40	PRAS
PRBC	BLANKET SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES, ERODED	130	282	226	163	40	40	PRBC
PRCA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	63	97	63	63	40	40	PRCA
PRCK	CASE-CLARK COMPLEX, 7 TO 15 PERCENT SLOPES	34	82	34	34	40	40	PRCK

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
BARBER COUNTY (Page 3 of 3)								
PRCM	CLARK CLAY LOAM, 1 TO 4 PERCENT SLOPES	81	285	230	167	40	40	PRCM
PRCN	CLARK FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	82	288	232	170	40	40	PRCN
PRCO	CLARK-OST CLAY LOAMS, 0 TO 1 PERCENT SLOPES	121	341	286	223	40	40	PRCO
PRFA	FARNUM CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	144	308	252	190	40	40	PRFA
PRKP	KANZA-PLEVNA COMPLEX, FREQUENTLY FLOODED	37	98	43	37	79	79	PRKP
PROS	OST CLAY LOAM, 1 TO 4 PERCENT SLOPES	112	308	252	190	40	40	PROS
PRPM	PRATT LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	61	195	139	76	40	40	PRPM
PRPN	PRATT LOAMY FINE SAND, 8 TO 12 PERCENT SLOPES	57	177	121	58	40	40	PRPN
PRPO	PRATT-CARWILE COMPLEX, 0 TO 5 PERCENT SLOPES	52	129	74	52	40	40	PRPO
PRSA	ALBION-KASKI COMPLEX, 0 TO 15 PERCENT SLOPES	49	88	49	49	40	40	PRSA
PRSE	SHELLABARGER FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	138	289	233	170	40	40	PRSE
PS	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	59	184	129	66	40	40	PS
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	19	84	29	19	40	40	PT
QN	QUINLAN LOAM, 1 TO 3 PERCENT SLOPES	10	10	10	10	40	40	QN
QW	QUINLAN-WOODWARD COMPLEX, 5 TO 15 PERCENT SLOPES	10	10	10	10	40	40	QW
RB	KNOCO-SHALE OUTCROP COMPLEX, 15 TO 80 PERCENT SLOPES	10	10	10	10	10	10	RB
SB	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	139	281	225	162	40	40	SB
SBB	SHELLABARGER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	155	341	286	223	40	40	SBB
SC	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	112	212	157	112	40	40	SC
TV	TIVOLI FINE SAND, 5 TO 20 PERCENT SLOPES	10	14	10	10	40	40	TV
VN	VERNON CLAY LOAM, 3 TO 5 PERCENT SLOPES	64	102	64	64	40	40	VN
VR	VERNON CLAY LOAM, 5 TO 15 PERCENT SLOPES	10	10	10	10	40	40	VR
VS	VERNON-KNOCO COMPLEX, 1 TO 5 PERCENT SLOPES	10	10	10	10	30	30	VS
WA	WALDECK SANDY LOAM, OCCASIONALLY FLOODED	85	241	185	122	79	79	WA
WO	WOODWARD-QUINLAN LOAMS, 0 TO 3 PERCENT SLOPES	53	181	125	63	40	40	WO
WS	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	42	107	51	42	40	40	WS
WST	WASTE	10	10	10	10	10	10	WST
YA	YAHOLA SANDY LOAM, OCCASIONALLY FLOODED	94	263	208	145	79	79	YA
ZE	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	127	360	304	242	79	79	ZE

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
COMANCHE COUNTY (Page 1 of 3)								
AB	ABILENE SILT LOAM, 0 TO 1 PERCENT SLOPES	111	388	332	269	40	40	AB
AC	ABILENE SILT LOAM, 1 TO 3 PERCENT SLOPES	102	356	300	236	40	40	AC
AN	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	46	241	184	121	40	40	AN
AS	ALBION-SHELLABARGER SANDY LOAMS, 4 TO 15 PERCENT SLOPES	30	112	55	30	40	40	AS
BABB	BLANKET SILT LOAM, 1 TO 3 PERCENT SLOPES	109	356	300	236	40	40	BABB
BABC	BLANKET SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	103	348	292	229	40	40	BABC
BAGB	GRANT SILT LOAM, 1 TO 3 PERCENT SLOPES	116	356	300	236	40	40	BAGB
BAPA	POND CREEK SILT LOAM, 0 TO 1 PERCENT SLOPES	118	351	295	232	40	40	BAPA
BAPD	POND CREEK SILT LOAM, 1 TO 3 PERCENT SLOPES	117	346	290	227	40	40	BAPD
BB	BLANKET SILT LOAM 1 TO 3 % SLOPES	39	39	39	39	40	40	BB
BC	BLANKET SILTY LOAM 1 TO 3 % SLOPES	23	23	23	23	40	40	BC
BT	BUTTERMILK SILT LOAM, RARELY FLOODED	73	241	185	122	50	50	BT
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	86	329	273	210	60	60	CA
CACS	CAREY SILT LOAM, 1 TO 3 PERCENT SLOPES	106	346	290	227	40	40	CACS
CACY	CAREY SILT LOAM, 3 TO 6 PERCENT SLOPES	89	280	223	160	40	40	CACY
CAMS	MISSLER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	84	350	293	230	40	40	CAMS
CARF	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	107	366	310	247	70	70	CARF
CASH	SHELLABARGER LOAM, 2 TO 5 PERCENT SLOPES	84	267	211	148	40	40	CASH
CC	CAREY SILT LOAM, 0 TO 2 PERCENT SLOPES	107	349	292	229	40	40	CC
CD	CAREY SILT LOAM, 2 TO 5 PERCENT SLOPES	92	285	229	166	40	40	CD
CF	CASE CLAY LOAM 7 TO 15 PERCENT SLOPES	10	10	10	10	40	40	CF
CH	CASE CLAY LOAM, 1 TO 3 PERCENT SLOPES	74	329	273	210	40	40	CH
CK	CASE CLAY LOAM, 3 TO 7 PERCENT SLOPES	59	257	200	137	40	40	CK
CM	CASE CLAY LOAM, 7 TO 15 PERCENT SLOPES	28	126	69	28	40	40	CM
CO	CLAIREMONT SILT LOAM, OCCASIONALLY FLOODED	90	340	284	220	70	70	CO
CP	CLAIREMONT LOAM, CHANNELED	44	147	91	44	70	70	CP
CR	CLARK CLAY LOAM, 0 TO 1 PERCENT SLOPES	60	352	296	233	40	40	CR
CS	CLARK CLAY LOAM, 1 TO 3 PERCENT SLOPES	53	319	262	199	40	40	CS
CT	CLARK CLAY LOAM, 3 TO 6 PERCENT SLOPES	37	246	190	127	40	40	CT
CW	CLARK-KINGSDOWN COMPLEX, 5 TO 12 PERCENT SLOPES	38	196	140	77	40	40	CW
CY	CAREY SILT LOAM 3 TO 6 % SLOPES	40	40	40	40	40	40	CY
DC	DALE SILT LOAM, RARELY FLOODED	122	381	325	262	60	60	DC
ED	ELANDCO SILT LOAM, OCCASIONALLY FLOODED	105	353	297	233	70	70	ED
EF	ELANDCO SILT LOAM, CHANNELED	55	165	109	55	70	70	EF

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
COMANCHE COUNTY (Page 2 of 3)								
FE	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	135	388	332	269	40	40	FE
FF	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	125	381	325	262	40	40	FF
GB	GRANT SILT LOAM 1 TO 3 % SLOPES	63	63	63	63	40	40	GB
HB	HARNEY SILT LOAM 1 TO 3 % SLOPES	57	57	57	57	40	40	HB
HE	HEDVILLE-ROCK OUTCROP COMPLEX, 8 TO 30 PERCENT SLOPES	10	10	10	10	30	30	HE
HR	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	109	335	278	215	40	40	HR
KA	KINGSDOWN FINE SANDY LOAM 0 TO 2 % LOAM	38	38	38	38	40	40	KA
KC	KANZA LOAMY FINE SAND, FREQUENTLY FLOODED	13	115	59	13	70	70	KC
KF	KASKI LOAM, RARELY FLOODED	136	381	325	262	60	60	KF
KN	KINGSDOWN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	74	296	239	176	40	40	KN
KO	KINGSDOWN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	60	237	181	118	40	40	KO
KR	KRIER LOAM, OCCASIONALLY FLOODED	10	48	10	10	50	50	KR
KWHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	114	356	300	236	40	40	KWHB
KWLH	LANCASTER-HEDVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	10	38	10	10	35	35	KWLH
LB	LESHO CLAY LOAM	39	39	39	39	70	70	LB
LD	LANCASTER-HEDVILLE FINE SANDY LOAMS, 4 TO 12 PERCENT SLOPES	20	99	43	20	35	35	LD
LE	LESHO CLAY LOAM, OCCASIONALLY FLOODED	72	294	238	174	70	70	LE
LH	LANCASTER-HEDVILLE COMPLEX 4 TO 20 PERCENT SLOPES	10	10	10	10	35	35	LH
LN	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	10	143	87	24	60	60	LN
LO	LINCOLN SANDY LOAM, OCCASIONALLY FLOODED	10	181	124	61	60	60	LO
LR	LINCOLN-KRIER COMPLEX, OCCASIONALLY FLOODED	10	101	45	10	50	50	LR
MS	OBARO SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	98	98	98	98	40	40	MS
OA	OBARO-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	31	124	68	31	40	40	OA
OB	OST CLAY LOAM, 2 TO 6 PERCENT SLOPES	12	50	12	12	40	40	OB
OC	OST CLAY LOAM, 2 TO 6 PERCENT SLOPES	51	280	223	160	40	40	OC
OE	OWENS CLAY, 6 TO 25 PERCENT SLOPES	10	10	10	10	30	30	OE
PA	PENDEN CLAY LOAM 0 TO 7 PERCENT SLOPES	31	31	31	31	40	40	PA
PD	POND CREEDK SILT LOAM 1 TO 3 PERCENT SLOPES	81	81	81	81	40	40	PD
PH	PORT SILT LOAM, OCCASIONALLY FLOODED	127	353	297	233	70	70	PH
PO	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	31	186	130	67	40	40	PO
PR	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	41	241	184	121	40	40	PR
PS	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	10	10	10	10	40	40	PS
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	14	117	61	14	40	40	PT
QR	QUINLAN-WOODWARD LOAMS, 6 TO 15 PERCENT SLOPES	10	10	10	10	40	40	QR

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
COMANCHE COUNTY (Page 3 of 3)								
QT	QUINLAN-WOODWARD LOAMS, 15 TO 30 PERCENT SLOPES	10	10	10	10	40	40	QT
QW	QUINLAN-WOODWARD LOAMS 6 TO 15 PERCENT SLOPES	10	10	10	10	40	40	QW
RF	ROXBURY SILT LOAM OCCASIONALLY FLOODED	108	108	108	108	70	70	RF
SB	ST. PAUL SILT LOAM, 0 TO 1 PERCENT SLOPES	126	388	332	269	40	40	SB
SC	ST. PAUL SILT LOAM, 1 TO 3 PERCENT SLOPES	117	356	300	236	40	40	SC
SG	SHELLABARGER SANDY LOAM, 0 TO 1 PERCENT SLOPES	115	373	317	254	40	40	SG
SH	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	106	335	278	215	40	40	SH
SM	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	89	262	206	143	40	40	SM
TV	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	10	10	10	10	30	30	TV
VE	VERNON CLAY LOAM 3 TO 5 PERCENT SLOPES	10	10	10	10	40	40	VE
WA	WALDECK FINE SANDY LOAM	26	26	26	26	70	70	WA
WD	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	59	243	186	123	70	70	WD
WE	WESTVIEW SILT LOAM, 0 TO 1 PERCENT SLOPES	114	388	332	269	40	40	WE
WF	WELLSFORD CLAY, 6 TO 25 PERCENT SLOPES	10	10	10	10	30	30	WF
WO	WOODWARD LOAM, 1 TO 3 PERCENT SLOPES	56	255	199	136	40	40	WO
WR	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	10	10	10	10	35	35	WR
WS	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	17	92	36	17	35	35	WS
WST	WASTE	10	10	10	10	10	10	WST
YE	YAHOLA FINE SANDY LOAM, OCCASIONALLY FLOODED	59	260	204	141	60	60	YE
ZE	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	104	363	307	244	70	70	ZE

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land	Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	
EDWARDS COUNTY (Page 1 of 2)							
AA	ATTICA FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	88	338	282	219	40	40 AA
AB	ATTICA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	75	308	252	189	40	40 AB
AC	ATTICA-CARWILE FINE SANDY LOAMS, 0 TO 3 PERCENT SLOPES	65	243	186	123	40	40 AC
BD	BLOWN-OUT LAND	10	23	10	10	30	30 BD
BK	COLY-TOBIN SILT LOAMS, 0 TO 15 PERCENT SLOPES	82	283	227	164	55	55 BK
CC	CAMPUS-CANLON COMPLEX, 6 TO 15 PERCENT SLOPES	10	-10	10	10	45	45 CC
CD	CANADIAN FINE SANDY LOAM, RARELY FLOODED	85	340	284	220	60	60 CD
CF	DARR FINE SANDY LOAM, RARELY FLOODED	56	329	273	210	60	60 CF
CR	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	47	130	73	47	40	40 CR
CS	CARWILE-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	46	114	57	46	35	35 CS
FA	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	131	385	328	265	40	40 FA
FOAN	ROXBURY SILT LOAM, CHANNELED	71	241	185	122	55	55 FOAN
FOLA	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	50	245	189	126	60	60 FOLA
FOLC	LAS ANIMAS-LINCOLN COMPLEX, OCCASIONALLY FLOODED	47	245	189	126	60	60 FOLC
FR	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	117	381	325	262	40	40 FR
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	104	338	282	219	40	40 HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	98	308	252	189	40	40 HB
HC	HARNEY SILT LOAM, 3 TO 6 PERCENT SLOPES	88	267	211	148	40	40 HC
HD	HARNEY-ULY COMPLEX, 1 TO 3 PERCENT SLOPES	98	319	262	199	40	40 HD
HE	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES	90	283	227	164	40	40 HE
HG	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	110	366	310	247	40	40 HG
HH	HOLDREGE SILT LOAM, 3 TO 6 PERCENT SLOPES	97	320	264	201	40	40 HH
HO	HORD SILT LOAM, RARELY FLOODED	130	381	325	262	50	50 HO
KWAT	ATTICA LOAMY FINE SAND, 1 TO 4 PERCENT SLOPES	72	305	249	186	40	40 KWAT
KWAX	ATTICA-CARWILE COMPLEX, 0 TO 4 PERCENT SLOPES	57	213	157	94	40	40 KWAX
KWTH	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	10	10	10	10	50	50 KWTH
LA	LAS ANIMAS LOAMY FINE SAND, OCCASIONALLY FLOODED	49	205	149	86	60	60 LA
LH	LESHO CLAY LOAM, OCCASIONALLY FLOODED	56	177	121	58	70	70 LH
LK	LUBBOCK SILT LOAM, 0 TO 1 PERCENT SLOPES	119	385	328	265	40	40 LK
NA	NARON LOAMY FINE SAND, 0 TO 1 PERCENT SLOPES	112	385	328	265	40	40 NA
NF	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	120	385	328	265	40	40 NF
NG	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	111	377	321	258	40	40 NG
NS	NESS CLAY	10	10	10	10	30	30 NS
PA	PLATTE SOILS, OCCASIONALLY FLOODED	10	89	32	10	70	70 PA

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
EDWARDS COUNTY (Page 2 of 2)								
PE	PLEVNA FINE SANDY LOAM, FREQUENTLY FLOODED	31	119	63	31	70	70	PE
PF	PRATT LOAMY FINE SAND, 4 TO 10 PERCENT SLOPES	40	220	163	100	40	40	PF
PG	PRATT LOAMY FINE SAND, 1 TO 4 PERCENT SLOPES	51	262	206	143	40	40	PG
PNHC	HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	96	287	231	167	40	40	PNHC
PNHD	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED	82	273	216	153	40	40	PNHD
PNRO	ROXBURY SILT LOAM, FREQUENTLY FLOODED	71	241	185	122	55	55	PNRO
PNUC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	89	283	227	164	40	40	PNUC
PR	PRATT-LINCOLN LOAMY FINE SANDS, 0 TO 4 PERCENT SLOPES	32	223	167	104	40	40	PR
PRKP	KANZA-PLEVNA COMPLEX, FREQUENTLY FLOODED	29	132	76	29	70	70	PRKP
PRR	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	48	262	206	143	40	40	PRR
PSS	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	39	214	158	95	40	40	PSS
PT1	PRATT-TIVOLI LOAMY FINE SANDS	10	113	57	10	40	40	PT1
PT2	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	10	113	57	10	40	40	PT2
SFPR	PRATT-CARWILE COMPLEX, 0 TO 8 PERCENT SLOPES	41	188	132	69	40	40	SFPR
TA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	114	385	328	265	40	40	TA
TB	TABLER-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	71	380	324	260	40	40	TB
TF	TIVOLI FINE SAND, 10 TO 20 PERCENT SLOPES	10	23	10	10	50	50	TF
TO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	112	370	314	251	70	70	TO
WA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	46	243	186	123	70	70	WA
WC	WALDECK LOAM, OCCASIONALLY FLOODED	47	243	186	123	70	70	WC
WST	WASTE	10	10	10	10	10	10	WST
ZA	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	98	363	307	244	70	70	ZA
ZE	LESHO CLAY LOAM, SALINE, OCCASIONALLY FLOODED	48	172	116	53	30	30	ZE
ZS	ZENDA-DRUMMOND COMPLEX, OCCASIONALLY FLOODED	88	301	245	182	65	65	ZS

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
HARPER COUNTY (Page 1 of 3)								
1439	CRISFIELD SANDY LOAM, RARELY FLOODED	90	258	203	141	69	69	1439
AN	KASKI LOAM, FREQUENTLY FLOODED	143	279	224	162	78	78	AN
AT	ATTICA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	114	301	246	185	49	49	AT
BAAE	ALBION AND SHELLABARGER SOILS, 4 TO 15 PERCENT SLOPES	65	123	68	65	49	49	BAAE
BAAS	CLAIREMONT SOILS, SALINE, CHANNELED	38	42	38	38	69	69	BAAS
BAFU	FARNUM CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	168	365	310	248	59	59	BAFU
BAKA	KANZA SOILS, FREQUENTLY FLOODED	34	113	58	34	78	78	BAKA
BE	BETHANY SILT LOAM, 0 TO 1 PERCENT SLOPES	189	380	325	263	59	59	BE
BH	BETHANY SILT LOAM, 1 TO 3 PERCENT SLOPES	177	372	317	255	59	59	BH
BM	LINCOLN LOAMY FINE SAND, OCCASIONALLY FLOODED	37	191	136	74	49	49	BM
BO	GERLANE VARIANT LOAMY FINE SAND, OCCASIONALLY FLOODED	24	130	75	24	49	49	BO
BP	WOODWARD-PORT COMPLEX, 0 TO 20 PERCENT SLOPES	64	151	96	64	74	74	BP
BR	FLUVENTS, FREQUENTLY FLOODED	10	10	10	10	69	69	BR
CA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	81	127	81	81	49	49	CA
CC	CASE-CLARK COMPLEX, 2 TO 6 PERCENT SLOPES	95	279	224	162	49	49	CC
CE	CORBIN SILT LOAM, 0 TO 1 PERCENT SLOPES	189	380	325	263	59	59	CE
CF	CORBIN SILT LOAM, 1 TO 3 PERCENT SLOPES	177	369	314	252	59	59	CF
CH	CRISFIELD FINE SANDY LOAM	90	343	288	226	69	69	CH
FA	FARNUM CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	115	230	175	115	59	59	FA
FM	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	192	380	325	263	59	59	FM
FN	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	179	373	318	256	59	59	FN
FU	FARNUM LOAM, 3 TO 6 PERCENT SLOPES	155	303	248	186	59	59	FU
GE	GERLANE FINE SANDY LOAM, OCCASIONALLY FLOODED	132	307	252	190	78	78	GE
GN	GRANT SILT LOAM, 0 TO 1 PERCENT SLOPES	160	329	274	212	59	59	GN
GR	GRANT SILT LOAM, 1 TO 3 PERCENT SLOPES	150	296	241	179	59	59	GR
GS	GRANT SILT LOAM, 3 TO 6 PERCENT SLOPES	128	230	175	128	59	59	GS
KA	KANZA LOAMY FINE SAND, FREQUENTLY FLOODED	36	113	58	36	78	78	KA
KK	KASKI LOAM, OCCASIONALLY FLOODED	188	362	307	246	78	78	KK
KM	KIRKLAND SILT LOAM, 0 TO 1 PERCENT SLOPES	144	339	284	223	49	49	KM
KMAD	ALBION SANDY LOAM, 6 TO 15 PERCENT SLOPES	51	118	63	51	49	49	KMAD
KMDA	DILLWYN-PLEVNA COMPLEX, OCCASIONALLY FLOODED	41	139	84	41	78	78	KMDA
KMLA	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	10	47	10	10	69	69	KMLA
KMNB	NASHVILLE-QUINLAN COMPLEX, 5 TO 15 PERCENT SLOPES	51	96	51	51	74	74	KMNB
KMSA	SHELLABARGER LOAMY SAND, 0 TO 3 PERCENT SLOPES	144	322	267	205	49	49	KMSA

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
HARPER COUNTY (Page 2 of 3)								
KMSC	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	133	256	201	140	49	49	KMSC
KMSD	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	104	190	136	104	49	49	KMSD
KMZA	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	117	329	274	212	78	78	KMZA
KR	KIRKLAND-RENFROW CLAY LOAMS, 1 TO 3 PERCENT SLOPES	125	281	226	164	49	49	KR
KW	KIRKLAND-RENFROW SOILS, 1 TO 3 PERCENT SLOPES, ERODED	115	249	194	133	49	49	KW
MC	MINCO SILT LOAM, 0 TO 1 PERCENT SLOPES	181	380	325	263	59	59	MC
MN	MINCO SILT LOAM, 1 TO 3 PERCENT SLOPES	168	373	318	256	59	59	MN
MO	MINCO SILT LOAM, 3 TO 6 PERCENT SLOPES	142	298	243	181	59	59	MO
NA	NASHVILLE SILT LOAM, 0 TO 1 PERCENT SLOPES	131	312	257	195	59	59	NA
NE	NASHVILLE SILT LOAM, 1 TO 3 PERCENT SLOPES	119	281	226	164	59	59	NE
NH	NASHVILLE SILT LOAM, 3 TO 6 PERCENT SLOPES	97	223	168	107	59	59	NH
NN	NASHVILLE SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	69	173	118	69	59	59	NN
NO	MILAN LOAM, 1 TO 3 PERCENT SLOPES	177	353	298	237	59	59	NO
PC	POND CREEK SILT LOAM, 0 TO 1 PERCENT SLOPES	197	380	325	263	59	59	PC
PD	POND CREEK SILT LOAM, 1 TO 3 PERCENT SLOPES	186	373	318	256	59	59	PD
PE	POND CREEK SILT LOAM, 3 TO 6 PERCENT SLOPES	158	308	253	191	59	59	PE
PG	POND CREEK SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	130	230	175	130	59	59	PG
PH	DALE SILT LOAM, RARELY FLOODED	176	373	318	256	78	78	PH
PK	BUTTERMILK SILT LOAM, RARELY FLOODED	97	179	123	97	69	69	PK
PM	PRATT LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	62	196	141	79	49	49	PM
PN	PRATT LOAMY FINE SAND, SILTSTONE SUBSTRATUM, 3 TO 8 PERCENT SLOPES	25	146	90	29	49	49	PN
PO	PRATT-CARWILE COMPLEX, 0 TO 8 PERCENT SLOPES	63	156	101	63	49	49	PO
PT	PRATT-TIVOLI LOAMY FINE SANDS, 8 TO 15 PERCENT SLOPES	14	69	14	14	49	49	PT
QA	QUINLAN LOAM, 0 TO 1 PERCENT SLOPES	10	10	10	10	49	49	QA
QN	QUINLAN LOAM, 1 TO 3 PERCENT SLOPES	10	10	10	10	49	49	QN
QU	QUINLAN LOAM, 3 TO 6 PERCENT SLOPES	10	10	10	10	49	49	QU
RC	RENFROW-VERNON CLAY LOAMS, 1 TO 3 PERCENT SLOPES	59	154	99	59	49	49	RC
RE	RUELLA LOAM, 0 TO 1 PERCENT SLOPES	50	52	50	50	59	59	RE
RH	RUELLA LOAM, 1 TO 3 PERCENT SLOPES	42	42	42	42	59	59	RH
RU	RUELLA LOAM, 3 TO 6 PERCENT SLOPES	23	23	23	23	59	59	RU
SA	LESHO CLAY LOAM, SALINE, OCCASIONALLY FLOODED	43	78	43	43	69	69	SA
SB	SHELLABARGER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	166	365	310	249	49	49	SB
SE	SHELLABARGER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	155	327	272	211	49	49	SE
SF	SHELLABARGER FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES	131	256	201	140	49	49	SF

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
HARPER COUNTY (Page 3 of 3)								
SG	SHELLABARGER FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	105	180	125	105	49	49	SG
SH	ZELLMONT SANDY LOAM, 1 TO 3 PERCENT SLOPES	98	274	219	157	49	49	SH
SHH	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	134	287	232	170	49	49	SHH
SK	ZELLMONT SANDY LOAM, 3 TO 6 PERCENT SLOPES	80	222	167	105	49	49	SK
SM	ZELLMONT SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	61	154	99	61	49	49	SM
SN	SHELLABARGER LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	142	322	267	205	49	49	SN
SO	SHELLABARGER AND ALBION SOILS, 7 TO 15 PERCENT SLOPES	72	118	72	72	49	49	SO
SP	DRUMMOND LOAM, 0 TO 2 PERCENT SLOPES	17	62	17	17	69	69	SP
SUEA	ELANDCO SILTY CLAY LOAM, RARELY FLOODED	168	352	297	235	78	78	SUEA
SUEC	ELANDCO SILT LOAM, FREQUENTLY FLOODED	131	269	214	152	78	78	SUEC
SULS	LINCOLN SOILS, FREQUENTLY FLOODED	10	10	10	10	69	69	SULS
SUOP	WELLSFORD-ELANDCO COMPLEX, 0 TO 25 PERCENT SLOPES	40	58	40	40	74	74	SUOP
SUPD	POND CREEK SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	130	236	180	130	59	59	SUPD
SURA	RENFROW-GRAINOLA COMPLEX, 1 TO 3 PERCENT SLOPES	66	183	128	66	49	49	SURA
SUTA	TABLER SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	165	365	310	249	49	49	SUTA
SUUS	USTIFLUVENTS, CHANNELED	108	282	227	165	78	78	SUUS
TA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	159	365	310	249	49	49	TA
TH	TIVOLI FINE SAND, 8 TO 15 PERCENT SLOPES	10	43	10	10	39	39	TH
VR	VERNON-RENFROW COMPLEX, 2 TO 6 PERCENT SLOPES, ERODED	34	75	34	34	49	49	VR
WA	KINGMAN CLAY LOAM, OCCASIONALLY FLOODED	93	256	201	140	78	78	WA
WD	WOODWARD-QUINLAN LOAMS, 0 TO 1 PERCENT SLOPES	48	66	48	48	59	59	WD
WE	WOODWARD-QUINLAN LOAMS, 1 TO 3 PERCENT SLOPES	42	42	42	42	49	49	WE
WST	WASTE	10	10	10	10	10	10	WST
WW	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	34	34	34	34	49	49	WW
ZA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	130	322	267	205	78	78	ZA
ZF	ZENDA FINE SANDY LOAM, OCCASIONALLY FLOODED	117	329	274	212	78	78	ZF

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
HARVEY COUNTY (Page 1 of 3)								
1191	BLAZEFORK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPE, RARELY FLOODED	205	307	248	205	63	63	1191
1324	CARWAY AND CARBIKA SOILS, 0 TO 1 PERCENT SLOPE	69	69	69	69	74	74	1324
1357	CARWAY-DILLHUT-SOLVAY COMPLEX, 0 TO 2 PERCENT SLOPES	126	160	126	126	74	74	1357
1553	DARLOW-ELMER COMPLEX, 0 TO 2 PERCENT SLOPES	133	180	133	133	63	63	1553
1554	DILLHUT FINE SAND, 1 TO 3 PERCENT SLOPES	65	127	68	65	63	72	1554
1556	DILLHUT-SOLVAY COMPLEX, 0 TO 3 PERCENT SLOPES	109	164	109	109	84	102	1556
2391	KASKAN SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPE, FREQUENTLY FLOODED, CHANNELED	215	270	215	215	84	84	2391
2395	KISIWA LOAM, 0 TO 1 PERCENT SLOPES	22	22	22	22	74	74	2395
2556	LANGDON FINE SAND, 0 TO 15 PERCENT SLOPES	10	10	10	10	42	42	2556
2812	MAHONE LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	208	304	245	208	87	87	2812
2957	NICKERSON-PUNKIN FINE SANDY LOAMS, 0 TO 2 PERCENT SLOPES	131	173	131	131	74	74	2957
3181	PRATT-TURON FINE SANDS, 1 TO 5 PERCENT SLOPES	115	184	125	115	63	63	3181
3190	PUNKIN SILT LOAM, 0 TO 1 PERCENT SLOPE	101	118	101	101	84	84	3190
3191	PUNKIN-TAVER COMPLEX, 0 TO 1 PERCENT SLOPE	115	140	115	115	84	84	3191
3511	SALTCREEK AND NARON FINE SANDY LOAMS, 0 TO 1 PERCENT SLOPE	197	279	220	197	74	74	3511
3540	SOLVAY LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	89	104	89	89	74	74	3540
3639	TAVER LOAM, 0 TO 1 PERCENT SLOPE	223	313	254	223	63	63	3639
3641	TIVIN-DILLHUT FINE SANDS, 0 TO 15 PERCENT SLOPES	12	12	12	12	42	42	3641
3900	WALNUT FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	89	89	89	89	74	74	3900
3966	WILLOWBROOK FINE SANDY LOAM, 0 TO 1 PERCENT SLOPE, OCCASIONALLY FLOODED	142	215	156	142	84	102	3966
AD	FLUVENTS, FREQUENTLY FLOODED	10	10	10	10	63	63	AD
BA	CLIME-HOBBS COMPLEX, 0 TO 20 PERCENT SLOPES	85	173	114	85	79	79	BA
BUVE	VERDIGRIS SOILS, FREQUENTLY FLOODED	90	90	90	90	63	63	BUVE
CA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	101	114	101	101	74	74	CA
CC	CLARK CLAY LOAM, 1 TO 3 PERCENT SLOPES	122	334	275	209	63	63	CC
CD	CLIME SILTY CLAY, 1 TO 3 PERCENT SLOPES	102	258	199	133	63	63	CD
CE	CLIME SILTY CLAY, 3 TO 6 PERCENT SLOPES	80	210	151	85	63	63	CE
CF	CLIME SILTY CLAY, 2 TO 6 PERCENT SLOPES, ERODED	35	113	54	35	63	63	CF
CM	CLIME COMPLEX, 6 TO 12 PERCENT SLOPES	41	121	62	41	63	63	CM
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	236	403	344	278	63	63	CR
CT	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	221	395	336	270	63	63	CT
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	247	399	341	274	84	84	DE
DP	DILLWYN-PLEVNA COMPLEX, 0 TO 2 PERCENT SLOPES	94	243	184	118	84	102	DP
DT	DILLWYN-TIVOLI COMPLEX, 0 TO 15 PERCENT SLOPES	59	204	145	79	63	72	DT

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land	Symbol	
			100 ft	200 ft	300 ft	Native \$/Acre		Tame \$/Acre
HARVEY COUNTY (Page 2 of 3)								
DU	DRUMMOND LOAM, 0 TO 1 PERCENT SLOPES	65	117	65	65	74	74	DU
FA	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	245	403	344	278	74	74	FA
FC	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	256	403	344	278	63	63	FC
FD	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	241	399	341	274	63	63	FD
FE	FARNUM LOAM, 3 TO 6 PERCENT SLOPES	221	358	299	233	63	63	FE
FS	FARNUM-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	182	371	312	246	63	63	FS
GC	GEARY SILT LOAM, 0 TO 1 PERCENT SLOPES	263	403	344	278	63	63	GC
GD	GEARY SILT LOAM, 1 TO 3 PERCENT SLOPES	239	395	336	270	63	63	GD
GE	GEARY SILT LOAM, 3 TO 6 PERCENT SLOPES	217	342	283	217	63	63	GE
GO	GOESSEL SILTY CLAY, 0 TO 1 PERCENT SLOPES	178	371	312	246	63	63	GO
GS	GOESSEL SILTY CLAY, 1 TO 2 PERCENT SLOPES	165	334	275	209	63	63	GS
HO	HOBBS SILT LOAM, OCCASIONALLY FLOODED	231	370	311	245	84	84	HO
IR	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	203	384	325	259	63	63	IR
IS	IRWIN SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	187	336	277	211	63	63	IS
IT	IRWIN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	151	243	184	151	63	63	IT
KA	KASKI LOAM, OCCASIONALLY FLOODED	256	388	329	263	87	87	KA
LA	LADYSMITH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	227	403	344	278	63	63	LA
LB	LADYSMITH SILTY CLAY LOAM, 1 TO 2 PERCENT SLOPES	212	384	325	259	63	63	LB
LD	LELA-DRUMMOND COMPLEX, OCCASIONALLY FLOODED	113	299	240	174	84	84	LD
LE	LESHO LOAM, OCCASIONALLY FLOODED	159	308	249	183	84	102	LE
MNCM	CLIME SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	113	261	202	136	63	63	MNCM
MNCP	CLIME SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	99	232	173	107	63	63	MNCP
MNWB	WELLS LOAM, 1 TO 3 PERCENT SLOPES	244	399	341	274	63	63	MNWB
MNWC	WELLS LOAM, 3 TO 7 PERCENT SLOPES	224	358	299	233	63	63	MNWC
MPCB	CASS FINE SANDY LOAM, RARELY FLOODED	245	383	324	258	87	87	MPCB
MPTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	224	384	325	259	84	84	MPTO
NA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPE	219	371	312	246	74	74	NA
NB	NARON FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	194	347	288	222	74	74	NB
PA	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	112	275	216	149	63	63	PA
PC	PRATT-CARWILE COMPLEX, 0 TO 5 PERCENT SLOPES	100	191	132	100	63	63	PC
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	42	111	52	42	63	63	PT
RO	ROSEHILL SILTY CLAY, 1 TO 3 PERCENT SLOPES	116	293	234	168	63	63	RO
RS	ROSEHILL SILTY CLAY, 3 TO 6 PERCENT SLOPES	103	262	203	137	63	63	RS
SGEA	ELANDCO SILT LOAM, RARELY FLOODED	235	397	338	272	87	87	SGEA

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
HARVEY COUNTY (Page 3 of 3)								
SGEB	ELANDCO SILT LOAM, OCCASIONALLY FLOODED	213	370	311	245	84	84	SGEB
SGEC	ELANDCO SILT LOAM, FREQUENTLY FLOODED	58	58	58	58	63	63	SGEC
SGTB	TABLER-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPE	117	304	245	179	84	84	SGTB
SGVB	VANOSS SILT LOAM, 1 TO 3 PERCENT SLOPES	175	286	227	175	63	63	SGVB
SM	SMOLAN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	245	399	341	274	63	63	SM
TV	TIVOLI FINE SAND, 15 TO 25 PERCENT SLOPES	10	10	10	10	42	42	TV
WST	WASTE	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
KINGMAN COUNTY (Page 1 of 3)								
5318	Kanza loamy fine sand, frequently flooded	75	229	172	107	82	82	5318
5324	Kaski loam, occasionally flooded	209	377	320	255	82	82	5324
5419	Case-Clark clay loams, 3 to 7 percent slopes	103	290	233	169	51	51	5419
5420	Case-Clark clay loams, 7 to 15 percent slopes	65	171	114	65	51	51	5420
5443	Quinlan loam, 1 to 3 percent slopes	10	10	10	10	51	51	5443
5444	Quinlan loam, 3 to 6 percent slopes	10	10	10	10	51	51	5444
5480	Wellsford clay loam, 1 to 3 percent slopes	10	10	10	10	51	51	5480
5505	Abbyville-Kisiwa complex, occasionally flooded	132	321	263	199	51	51	5505
5560	Kanza-Ninnescah sandy loams, frequently flooded	74	229	172	107	82	82	5560
5561	Kanza-Plevna complex, frequently flooded	74	229	172	107	82	82	5561
5570	Kingman silty clay loam, occasionally flooded	97	250	193	129	82	82	5570
5633	Plevna fine sandy loam, frequently flooded	74	229	172	107	82	82	5633
5670	Waldeck fine sandy loam, occasionally flooded	95	247	190	125	82	82	5670
5675	Willowbrook fine sandy loam, occasionally flooded	95	247	190	125	82	82	5675
5680	Yaggy-Saxman complex, occasionally flooded	75	229	172	107	82	82	5680
5690	Zenda clay loam, occasionally flooded	138	369	312	248	82	82	5690
5693	Zenda-Drummond complex, occasionally flooded	138	369	312	248	82	82	5693
5710	Abbyville loam, 0 to 1 percent slopes	132	321	263	199	51	51	5710
5740	Dillwyn-Plevna complex, occasionally flooded	75	229	172	107	82	82	5740
5750	Kaskan loam, rarely flooded	132	243	186	132	71	71	5750
5800	Mahone loamy fine sand, rarely flooded	142	335	278	214	71	71	5800
5850	Albion and Shellabarger sandy loams, 6 to 15 percent slopes	39	96	39	39	51	51	5850
5852	Albion sandy loam, 0 to 1 percent slopes	103	304	247	183	51	51	5852
5853	Albion sandy loam, 1 to 3 percent slopes	93	270	213	149	51	51	5853
5854	Albion sandy loam, 3 to 6 percent slopes	75	207	150	86	51	51	5854
5855	Albion sandy loam, 3 to 6 percent slopes, eroded	75	207	150	86	51	51	5855
5856	Albion sandy loam, 6 to 15 percent slopes	39	96	39	39	51	51	5856
5858	Albion-Shellabarger sandy loams, 1 to 3 percent slopes	93	270	213	149	51	51	5858
5872	Clark clay loam, 0 to 1 percent slopes	111	358	301	237	51	51	5872
5873	Clark clay loam, 1 to 3 percent slopes	88	288	231	167	51	51	5873
5875	Clark fine sandy loam, 1 to 3 percent slopes	88	288	231	167	51	51	5875
5878	Clark-Ost clay loams, 0 to 1 percent slopes	111	358	301	237	51	51	5878
5880	Clark-Ost loams, 3 to 7 percent slopes	103	290	233	169	51	51	5880
5882	Dillhut-Plev complex, 0 to 2 percent slopes	75	229	172	107	82	82	5882

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
KINGMAN COUNTY (Page 2 of 3)								
5888	Farnum and Funmar loams, 3 to 6 percent slopes	169	315	258	194	51	51	5888
5890	Farnum clay loam, 3 to 6 percent slopes, eroded	138	272	215	150	51	51	5890
5891	Farnum fine sandy loam, 0 to 1 percent slopes	199	391	334	270	51	51	5891
5892	Farnum loam, 0 to 1 percent slopes	212	395	338	273	51	51	5892
5893	Farnum loam, 1 to 3 percent slopes	197	388	330	266	51	51	5893
5894	Farnum loam, 3 to 6 percent slopes	169	315	258	194	51	51	5894
5897	Farnum sandy loam, 0 to 1 percent slopes	199	391	334	270	51	51	5897
5900	Farnum-Natrustolls complex, 0 to 1 percent slopes	132	321	263	199	51	51	5900
5907	Langdon fine sand, 0 to 15 percent slopes	10	10	10	10	41	41	5907
5908	Nalim loam, 0 to 1 percent slopes	212	395	338	273	51	51	5908
5909	Naron fine sandy loam, 0 to 1 percent slopes	199	391	334	270	51	51	5909
5910	Naron fine sandy loam, 1 to 3 percent slopes	199	391	334	270	51	51	5910
5918	Ost clay loam, 0 to 1 percent slopes	111	358	301	237	51	51	5918
5919	Ost clay loam, 1 to 3 percent slopes	88	288	231	167	51	51	5919
5921	Ost loam, 0 to 1 percent slopes	110	358	301	237	51	51	5921
5924	Ost-Clark loams, 1 to 3 percent slopes	88	288	231	167	51	51	5924
5925	Penalosa silt loam, 0 to 1 percent slopes	198	395	338	273	51	51	5925
5926	Penalosa silt loam, 1 to 3 percent slopes	185	386	329	265	51	51	5926
5927	Pratt fine sand, 5 to 10 percent slopes	69	204	146	82	51	51	5927
5928	Pratt loamy fine sand, 1 to 5 percent slopes	69	204	146	82	51	51	5928
5929	Pratt loamy fine sand, 5 to 12 percent slopes	69	204	146	82	51	51	5929
5935	Pratt-Carwile complex, 0 to 5 percent slopes	84	196	139	84	51	51	5935
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	34	128	71	34	51	51	5941
5942	Pratt-Turon fine sands, 1 to 5 percent slopes	34	128	71	34	51	51	5942
5945	Saltcreek-Funmar-Farnum complex, 1 to 3 percent slopes	199	391	334	270	51	51	5945
5947	Shellabarger and Nalim soils, 3 to 6 percent slopes	153	288	231	167	51	51	5947
5948	Shellabarger fine sandy loam, 0 to 1 percent slopes	181	367	310	246	51	51	5948
5949	Shellabarger fine sandy loam, 1 to 3 percent slopes	181	367	310	246	51	51	5949
5950	Shellabarger fine sandy loam, 3 to 6 percent slopes	153	288	231	167	51	51	5950
5951	Shellabarger fine sandy loam, 3 to 6 percent slopes, eroded	117	218	161	117	51	51	5951
5954	Shellabarger loamy sand, 0 to 3 percent slopes	156	335	278	214	51	51	5954
5955	Shellabarger sandy loam, 0 to 1 percent slopes	181	367	310	246	51	51	5955
5956	Shellabarger sandy loam, 1 to 3 percent slopes	181	367	310	246	51	51	5956
5957	Shellabarger sandy loam, 3 to 6 percent slopes	153	288	231	167	51	51	5957

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
KINGMAN COUNTY (Page 3 of 3)								
5958	Shellabarger sandy loam, 3 to 6 percent slopes, eroded	117	218	161	117	51	51	5958
5959	Shellabarger, eroded, and Albion soils, 6 to 15 percent slopes	39	96	39	39	51	51	5959
5960	Shellabarger-Nalim complex, 1 to 3 percent slopes	181	367	310	246	51	51	5960
5967	Tabler silty clay loam, 0 to 1 percent slopes	198	395	338	273	51	51	5967
5971	Tivin fine sand, 10 to 30 percent slopes	10	10	10	10	41	41	5971
6057	Lincoln loamy sand, occasionally flooded	32	184	126	62	82	82	6057
6224	Canadian fine sandy loam, rarely flooded	142	335	278	214	71	71	6224
6248	McLain silt loam, rarely flooded	132	243	186	132	71	71	6248
6322	Blanket silt loam, 0 to 1 percent slopes	198	395	338	273	51	51	6322
6323	Blanket silt loam, 1 to 3 percent slopes	185	386	329	265	51	51	6323
6324	Blanket silty clay loam, 1 to 3 percent slopes, eroded	136	283	226	161	51	51	6324
6330	Carwile fine sandy loam, 0 to 1 percent slopes	92	132	92	92	51	51	6330
6348	Jamash-Piedmont clay loams, 1 to 3 percent slopes	73	194	137	73	51	51	6348
6360	Kirkland-Renfrow clay loams, 1 to 3 percent slopes	73	194	137	73	51	51	6360
6369	Milan loam, 1 to 3 percent slopes	201	388	330	266	51	51	6369
6391	Nashville silt loam, 1 to 3 percent slopes	133	292	235	170	51	51	6391
6393	Nashville silt loam, 3 to 6 percent slopes, eroded	133	292	235	170	51	51	6393
6394	Nashville-Quinlan complex, 6 to 15 percent slopes	47	65	47	47	51	51	6394
6408	Pond Creek silt loam, 0 to 1 percent slopes	201	388	330	266	51	51	6408
6409	Pond Creek silt loam, 1 to 3 percent slopes	201	388	330	266	51	51	6409
6418	Renfrow clay loam, 1 to 3 percent slopes	73	194	137	73	51	51	6418
6419	Renfrow silty clay loam, 1 to 3 percent slopes	73	194	137	73	51	51	6419
6421	Renfrow-Grainola complex, 1 to 3 percent slopes	73	194	137	73	51	51	6421
6422	Renfrow-Vernon clay loams, 1 to 3 percent slopes	73	194	137	73	51	51	6422
6423	Renfrow-Wellsford clay loams, 1 to 4 percent slopes	73	194	137	73	51	51	6423
6430	Ruella clay loam, 1 to 4 percent slopes	44	44	44	44	51	51	6430
6438	Ruella-Rock outcrop complex, 3 to 40 percent slopes	24	27	24	24	51	51	6438
6490	Zellmont and Poxmash sandy loams, 0 to 3 percent slopes	73	194	137	73	51	51	6490
6491	Zellmont sandy loam, 1 to 3 percent slopes	181	367	310	246	51	51	6491
WST	WASTE	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
KIOWA COUNTY (Page 1 of 3)								
1324	CARWAY AND CARBIKA SOILS, 0 TO 1 PERCENT SLOPES	65	154	97	65	41	41	1324
1725	FARNUM AND FUNMAR LOAMS, 0 TO 1 PERCENT SLOPES	142	304	247	183	41	41	1725
1726	FUNMAR AND FARNUM LOAMS, 1 TO 3 PERCENT SLOPES	130	300	243	178	41	41	1726
1985	HAYES FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES	71	179	122	71	41	41	1985
1986	HAYES-SOLVAY LOAMY FINE SANDS, 0 TO 5 PERCENT SLOPES	66	163	106	66	41	41	1986
1988	HAYES LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	50	114	57	50	41	41	1988
2556	LANGDON FINE SAND, 0 TO 15 PERCENT SLOPES	10	10	10	10	31	31	2556
3512	SALTCREEK AND NARON FINE SANDY LOAMS, 1 TO 3 PERCENT SLOPES	107	252	195	131	41	41	3512
3540	SOLVAY LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	77	228	171	106	41	41	3540
3640	TIVIN FINE SAND, 10 TO 30 PERCENT SLOPES	10	10	10	10	31	31	3640
AN	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	54	256	199	135	41	41	AN
AS	ALBION-SHELLABARGER SANDY LOAMS, 4 TO 15 PERCENT SLOPES	36	125	67	36	41	41	AS
AT	ATTICA LOAMY FINE SAND, 1 TO 4 PERCENT SLOPES	74	305	248	183	41	41	AT
AX	ATTICA-CARWILE COMPLEX, 0 TO 4 PERCENT SLOPES	65	235	177	113	41	41	AX
BACF	CLAIREMONT SOILS, CHANNELED	58	182	125	61	72	72	BACF
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	87	336	278	214	61	61	CA
CAAB	ALBION-SHELLABARGER SANDY LOAMS, 6 TO 12 PERCENT SLOPES	34	130	73	34	41	41	CAAB
CAPG	PENDEN CLAY LOAM, 7 TO 15 PERCENT SLOPES	35	175	118	53	51	51	CAPG
CASH	SHELLABARGER LOAM, 2 TO 5 PERCENT SLOPES	101	339	282	218	41	41	CASH
CC	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	52	132	75	52	41	41	CC
CE	CASE CLAY LOAM, 2 TO 7 PERCENT SLOPES	60	262	204	140	41	41	CE
CF	CASE CLAY LOAM, 7 TO 15 PERCENT SLOPES	30	128	71	30	41	41	CF
CG	CASE-CANLON COMPLEX, 7 TO 20 PERCENT SLOPES	10	18	10	10	36	36	CG
CK	CLARK LOAM, 1 TO 3 PERCENT SLOPES	55	319	262	198	41	41	CK
CM	CLARK LOAM, 3 TO 7 PERCENT SLOPES	41	251	194	129	41	41	CM
CMAC	ABILENE SILT LOAM, 1 TO 3 PERCENT SLOPES	95	314	257	192	41	41	CMAC
CMCK	CASE CLAY LOAM, 3 TO 7 PERCENT SLOPES	61	262	204	140	41	41	CMCK
CMCS	CLARK CLAY LOAM, 1 TO 3 PERCENT SLOPES	56	319	262	198	41	41	CMCS
CMCT	CLARK CLAY LOAM, 3 TO 6 PERCENT SLOPES	42	251	194	129	41	41	CMCT
CMED	ELANDCO SILT LOAM, OCCASIONALLY FLOODED	111	364	307	243	72	72	CMED
CMEF	ELANDCO SILT LOAM, CHANNELED	60	172	114	60	72	72	CMEF
CMKC	KANZA LOAMY FINE SAND, FREQUENTLY FLOODED	33	156	99	34	72	72	CMKC
CMLN	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	12	184	127	62	61	61	CMLN
CMQR	QUINLAN - WOODWARD LOAMS, 6 TO 15 PERCENT SLOPES	10	10	10	10	36	36	CMQR

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
KIOWA COUNTY (Page 2 of 3)								
CMSH	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	109	345	287	223	41	41	CMSH
CMSM	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	107	334	277	212	41	41	CMSM
CO	COLY SILT LOAM, 4 TO 9 PERCENT SLOPES	85	289	231	167	41	41	CO
CP	COLY SILT LOAM, 20 TO 40 PERCENT SLOPES	10	10	10	10	21	21	CP
CT	COLY-TOBIN SILT LOAMS, 0 TO 20 PERCENT SLOPES	54	154	96	54	51	51	CT
DA	DALE SILT LOAM, RARELY FLOODED	122	389	331	267	61	61	DA
EDPA	PLATTE SOILS, OCCASIONALLY FLOODED	14	171	113	49	61	61	EDPA
EDWA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	52	247	190	126	72	72	EDWA
FA	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	134	392	335	270	41	41	FA
FB	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	124	389	331	267	41	41	FB
FOHD	HOLDREGE FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	124	389	331	267	41	41	FOHD
FOPR	PRATT LOAMY FINE SAND, 3 TO 10 PERCENT SLOPES	45	251	194	129	41	41	FOPR
FOPT	PRATT-TIVOLI LOAMY FINE SANDS, 4 TO 15 PERCENT SLOPES	10	108	51	10	41	41	FOPT
FOTV	TIVOLI FINE SAND, 5 TO 20 PERCENT SLOPES	10	10	10	10	31	31	FOTV
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	114	345	287	223	41	41	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	106	314	257	192	41	41	HB
HE	HEDVILLE-ROCK OUTCROP COMPLEX, 15 TO 30 PERCENT SLOPES	10	10	10	10	31	31	HE
HO	HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES	124	377	320	256	41	41	HO
HP	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	110	341	284	219	41	41	HP
KR	KRIER SANDY LOAM, OCCASIONALLY FLOODED	10	38	10	10	61	61	KR
LH	LANCASTER-HEDVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	10	10	10	10	36	36	LH
LN	LINCOLN SANDY LOAM, OCCASIONALLY FLOODED	13	184	127	62	61	61	LN
NA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	116	377	320	256	41	41	NA
NB	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	107	341	284	219	41	41	NB
NE	NESS SILTY CLAY	10	10	10	10	31	31	NE
NW	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	88	374	316	252	51	51	NW
OE	WELLSFORD CLAY, 6 TO 25 PERCENT SLOPES	10	10	10	10	31	31	OE
PE	PLEVNA LOAM, FREQUENTLY FLOODED	43	127	69	43	72	72	PE
PR	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	51	267	210	145	41	41	PR
PRBC	BLANKET SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES, ERODED	96	303	246	182	41	41	PRBC
PRBH	BLANKET SILT LOAM, 1 TO 3 PERCENT SLOPES	103	314	257	192	41	41	PRBH
PRFE	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	133	392	335	270	41	41	PRFE
PRNM	NARON LOAM, 1 TO 3 PERCENT SLOPES	124	389	331	267	41	41	PRNM
PRSE	SHELLABARGER FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	108	342	285	220	41	41	PRSE

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
KIOWA COUNTY (Page 3 of 3)								
PS	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	35	190	132	68	41	41	PS
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	10	108	51	10	41	41	PT
QW	QUINLAN-WOODWARD LOAMS, 6 TO 25 PERCENT SLOPES	10	10	10	10	36	36	QW
SH	SHELLABARGER LOAM, 2 TO 6 PERCENT SLOPES	111	339	282	218	41	41	SH
TH	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	10	10	10	10	31	31	TH
TO	TOBIN SILT LOAM, CHANNELED	66	182	125	66	72	72	TO
TS	TOBIN SILT LOAM, OCCASIONALLY FLOODED	118	378	320	256	72	72	TS
UC	ULY SILT LOAM, 3 TO 7 PERCENT SLOPES	104	310	253	189	72	72	UC
WA	WALDECK LOAM, OCCASIONALLY FLOODED	60	247	190	126	72	72	WA
WST	WASTE	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
PAWNEE COUNTY (Page 1 of 2)								
AT	ATTICA SANDY LOAM, 1 TO 4 PERCENT SLOPES	104	297	242	180	39	39	AT
BR	BRIDGEPORT SILT LOAM, RARELY FLOODED	145	372	317	255	49	49	BR
BTNW	NIBSON-WAKEEN SILT LOAMS, 3 TO 15 PERCENT SLOPES	10	21	10	10	39	39	BTNW
BTPA	PLATTE FINE SANDY LOAM, OCCASIONALLY FLOODED	10	71	16	10	68	68	BTPA
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	116	326	271	210	59	59	CA
CV	DARR FINE SANDY LOAM, RARELY FLOODED	73	285	230	168	59	59	CV
CW	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	73	126	73	73	39	39	CW
EDAB	ATTICA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	105	299	245	183	39	39	EDAB
EDAC	ATTICA-CARWILE FINE SANDY LOAMS, 0 TO 3 PERCENT SLOPES	97	256	201	139	39	39	EDAC
EDBK	COLY-TOBIN SILT LOAMS, 0 TO 15 PERCENT SLOPES	97	218	164	102	39	39	EDBK
EDHE	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES	108	231	176	115	39	39	EDHE
EDNF	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	139	329	274	212	39	39	EDNF
EDNG	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	138	326	271	210	39	39	EDNG
EDZA	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	126	328	273	212	68	68	EDZA
FA	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	164	375	320	259	39	39	FA
FR	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	152	372	317	255	39	39	FR
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	140	330	275	213	39	39	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	131	300	245	184	39	39	HB
HC	HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	125	257	202	141	39	39	HC
HD	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED	97	221	166	105	39	39	HD
HGBR	FLUVENTS, FREQUENTLY FLOODED	51	53	51	51	68	68	HGBR
HGPN	PENDEN-HUMBARGER COMPLEX, 0 TO 12 PERCENT SLOPES	66	203	148	86	39	39	HGPN
HGRX	ROXBURY SILT LOAM, RARELY FLOODED	164	372	317	255	49	49	HGRX
HO	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	148	357	302	241	39	39	HO
HR	HORD SILT LOAM, RARELY FLOODED	182	372	317	255	49	49	HR
KA	KASKI LOAM, RARELY FLOODED	167	372	317	255	68	68	KA
LH	LESHO CLAY LOAM, OCCASIONALLY FLOODED	87	261	206	144	68	68	LH
LU	LUBBOCK SILT LOAM, 0 TO 1 PERCENT SLOPES	143	371	316	255	39	39	LU
NA	NARON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	140	326	271	210	39	39	NA
NE	NESS CLAY	10	10	10	10	30	30	NE
NSPC	PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES	89	297	242	180	39	39	NSPC
NW	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	125	370	315	254	68	68	NW
PA	PLATTE SOILS, OCCASIONALLY FLOODED	10	71	16	10	68	68	PA
PH	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	54	181	126	65	39	39	PH

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
PAWNEE COUNTY (Page 2 of 2)								
PO	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	72	255	201	139	39	39	PO
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	26	110	56	26	39	39	PT
RBB	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	119	299	244	182	68	68	RBB
RO	ROXBURY SILT LOAM, FREQUENTLY FLOODED	104	247	192	131	68	68	RO
SFAT	ATTICA FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	103	297	242	180	39	39	SFAT
SFPC	PLEVNA SOILS, CHANNELED	84	212	157	95	39	39	SFPC
TA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	143	361	306	244	39	39	TA
TV	TIVOLI FINE SAND, 10 TO 20 PERCENT SLOPES	10	40	10	10	30	30	TV
UB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	137	337	282	220	39	39	UB
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	128	297	242	180	39	39	UC
UE	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	96	216	161	99	39	39	UE
WB	WAKEEN SILT LOAM, 1 TO 3 PERCENT SLOPES	36	199	144	82	39	39	WB
WC	WAKEEN SILT LOAM, 3 TO 6 PERCENT SLOPES	32	193	138	77	39	39	WC
WH	WAKEEN-NIBSON SILT LOAMS, 5 TO 15 PERCENT SLOPES	10	26	10	10	39	39	WH
WK	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	70	236	182	120	68	68	WK
WST	WASTE	10	10	10	10	10	10	WST
ZA	ZENDA LOAM, OCCASIONALLY FLOODED	129	328	273	212	68	68	ZA

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
PRATT COUNTY (Page 1 of 4)								
1005	ALBION SANDY LOAM, 1 TO 3 PERCENT SLOPES	89	152	96	89	39	39	1005
1006	ALBION SANDY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	60	61	60	60	39	39	1006
1017	ALBION AND SHELLABARGER SOILS, 7 TO 15 PERCENT SLOPES	80	80	80	80	39	39	1017
1324	CARWAY AND CARBIKA SOILS, 0 TO 1 PERCENT SLOPES	103	148	103	103	39	39	1324
1340	CASE-CLARK COMPLEX, 3 TO 7 PERCENT SLOPES	90	158	103	90	39	39	1340
1341	CASE-CLARK COMPLEX, 7 TO 15 PERCENT SLOPES	54	54	54	54	39	39	1341
1725	FUNMAR AND FARNUM LOAMS, 0 TO 1 PERCENT SLOPES	212	292	237	212	39	39	1725
1726	FUNMAR AND FARNUM LOAMS, 1 TO 3 PERCENT SLOPES	196	288	233	196	39	39	1726
1985	HAYES LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	109	148	109	109	39	39	1985
1986	HAYES-SOLVAY LOAMY FINE SANDS, 0 TO 5 PERCENT SLOPES	113	158	113	113	39	39	1986
1987	HAYES-TURON COMPLEX, 0 TO 5 PERCENT SLOPES	105	150	105	105	39	39	1987
1988	HAYES LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	71	71	71	71	39	39	1988
2556	LANGDON FINE SAND, 0 TO 15 PERCENT SLOPES	10	10	10	10	39	39	2556
2948	NALIM LOAM, 0 TO 1 PERCENT SLOPES	214	292	237	214	39	39	2948
3051	OST LOAM, 0 TO 1 PERCENT SLOPE	154	252	197	154	79	79	3051
3053	OST LOAM, 1 TO 3 PERCENT SLOPES	127	195	140	127	39	39	3053
3180	PRATT FINE SAND, 5 TO 10 PERCENT SLOPES	45	55	45	45	39	39	3180
3181	PRATT-TURON FINE SANDS, 1 TO 5 PERCENT SLOPES	54	54	54	54	39	39	3181
3445	SHELLABARGER FINE SANDY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	121	121	121	121	39	39	3445
3510	SALTCREEK-FUNMAR-FARNUM COMPLEX, 1 TO 3 PERCENT SLOPES	175	270	215	175	59	59	3510
3512	SALTCREEK AND NARON FINE SANDY LOAMS, 1 TO 3 PERCENT SLOPES	174	269	214	174	59	59	3512
3533	SHELLABARGER SANDY LOAM, 0 TO 1 PERCENT SLOPES	181	278	223	181	39	39	3533
3534	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	156	216	161	156	39	39	3534
3540	SOLVAY LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	121	219	164	121	39	39	3540
3639	TAYER LOAM, 0 TO 1 PERCENT SLOPES	174	278	223	174	39	39	3639
3640	TIVIN FINE SAND, 10 TO 30 PERCENT SLOPES	10	10	10	10	39	39	3640
3644	TURON-CARWAY COMPLEX, 0 TO 5 PERCENT SLOPES	95	149	95	95	39	39	3644
4005	YAGGY-SAXMAN LOAMY SAND, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	62	99	62	62	79	79	4005
AB	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	89	236	181	119	39	39	AB
AO	ALBION SANDY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	60	139	84	60	39	39	AO
AS	ALBION AND SHELLABARGER SOILS, 7 TO 15 PERCENT SLOPES	72	113	72	72	39	39	AS
BAAE	ALBION AND SHELLABARGER SOILS, 4 TO 15 PERCENT SLOPES	69	118	69	69	39	39	BAAE
BACC	CASE-CLARK CLAY LOAMS, 2 TO 6 PERCENT SLOPES	89	246	191	129	39	39	BACC
BALN	LINCOLN SOILS, FREQUENTLY FLOODED	50	193	137	76	69	69	BALN

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land	Symbol	
			100 ft	200 ft	300 ft	Native \$/Acre		Tame \$/Acre
PRATT COUNTY (Page 2 of 4)								
BASB	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	124	191	136	124	39	39	BASB
BC	BLANKET SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES, ERODED	140	272	217	155	39	39	BC
BE	BLANKET SILT LOAM, 0 TO 1 PERCENT SLOPES	197	377	322	260	39	39	BE
BH	BLANKET SILT LOAM, 1 TO 3 PERCENT SLOPES	187	373	318	256	39	39	BH
BR	FLUVENTS, FREQUENTLY FLOODED	10	10	10	10	39	39	BR
CA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	85	127	85	85	39	39	CA
CC	CASE-CLARK COMPLEX, 3 TO 7 PERCENT SLOPES	90	241	186	124	39	39	CC
CK	CASE-CLARK COMPLEX, 7 TO 15 PERCENT SLOPES	54	127	72	54	39	39	CK
CM	CLARK CLAY LOAM, 1 TO 4 PERCENT SLOPES	94	309	254	192	39	39	CM
CN	CLARK FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	93	302	247	185	39	39	CN
CO	CLARK-OST CLAY LOAMS, 0 TO 1 PERCENT SLOPES	127	342	287	225	39	39	CO
CS	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	59	255	200	138	69	69	CS
EDPG	PRATT LOAMY FINE SAND, 1 TO 4 PERCENT SLOPES	84	232	177	115	39	39	EDPG
FA	FARNUM CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	141	262	207	145	39	39	FA
FE	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	194	377	322	260	39	39	FE
FM	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	207	377	322	260	39	39	FM
FN	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	192	373	318	256	39	39	FN
FU	FARNUM LOAM, 3 TO 6 PERCENT SLOPES	176	335	280	218	39	39	FU
FW	FARNUM-CARWILE COMPLEX, 0 TO 1 PERCENT SLOPES	157	283	228	166	39	39	FW
KMAB	ALBION SANDY LOAM, 1 TO 3 PERCENT SLOPES	89	238	183	122	39	39	KMAB
KMDA	DILLWYN-PLEVNA COMPLEX, OCCASIONALLY FLOODED	59	160	104	59	79	79	KMDA
KP	KANZA-PLEVNA COMPLEX, FREQUENTLY FLOODED	53	118	63	53	79	79	KP
KS	ELANDCO SILT LOAM, OCCASIONALLY FLOODED	163	346	291	229	79	79	KS
KW	ELANDCO SILT LOAM, FREQUENTLY FLOODED	123	239	184	123	79	79	KW
KWAS	ALBION-SHELLABARGER SANDY LOAMS, 4 TO 15 PERCENT SLOPES	69	118	69	69	39	39	KWAS
KWCE	CASE CLAY LOAM, 2 TO 7 PERCENT SLOPES	95	241	186	124	39	39	KWCE
KWCK	CLARK LOAM, 1 TO 3 PERCENT SLOPES	93	311	256	194	39	39	KWCK
KWCM	CLARK LOAM, 3 TO 7 PERCENT SLOPES	77	241	186	124	39	39	KWCM
ND	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	169	336	281	219	39	39	ND
NF	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	161	307	252	190	39	39	NF
NG	NARON FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES	147	267	212	150	39	39	NG
NK	NARON LOAM, 0 TO 1 PERCENT SLOPES	176	347	292	230	39	39	NK
NM	NARON LOAM, 1 TO 3 PERCENT SLOPES	166	317	262	200	39	39	NM
NN	NARON-FARNUM COMPLEX, 0 TO 3 PERCENT SLOPES	180	354	299	237	59	59	NN

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
PRATT COUNTY (Page 3 of 4)								
OC	OST CLAY LOAM, 0 TO 1 PERCENT SLOPES	149	336	281	219	79	79	OC
OS	OST CLAY LOAM, 1 TO 4 PERCENT SLOPES	108	277	222	161	39	39	OS
PM	PRATT LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	79	222	167	105	39	39	PM
PN	PRATT LOAMY FINE SAND, 8 TO 12 PERCENT SLOPES	48	120	65	48	39	39	PN
PO	PRATT-CARWILE COMPLEX, 0 TO 8 PERCENT SLOPES	80	182	127	80	39	39	PO
PRR	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	79	232	177	115	39	39	PRR
PSS	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	48	127	72	48	39	39	PSS
PT	PRATT-TIVOLI LOAMY FINE SANDS, 8 TO 15 PERCENT SLOPES	31	97	42	31	39	39	PT
PTT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	30	102	47	30	39	39	PTT
SA	ALBION-KASKI COMPLEX, 0 TO 15 PERCENT SLOPES	97	201	146	97	59	59	SA
SB	SHELLABARGER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	175	362	307	246	39	39	SB
SE	SHELLABARGER FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	153	298	243	181	39	39	SE
SF	SHELLABARGER FINE SANDY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	121	180	125	121	39	39	SF
TA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	171	362	307	246	39	39	TA
TF	TIVOLI FINE SAND, 12 TO 25 PERCENT SLOPES	10	10	10	10	39	39	TF
WA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	103	238	183	121	79	79	WA
WD	KINGMAN CLAY LOAM, OCCASIONALLY FLOODED	107	262	207	145	79	79	WD
WST	WASTE	10	10	10	10	10	10	WST
ZE	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	136	356	300	239	79	79	ZE
ZS	ZENDA-DRUMMOND COMPLEX, OCCASIONALLY FLOODED	91	210	155	93	69	69	ZS

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	Symbol
PRATT COUNTY (Page 4 of 4)								
KMAD	ALBION SANDY LOAM, 6 TO 15 PERCENT SLOPES	72	113	72	72	39	39	KMAD
KMSB	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	153	298	243	181	39	39	KMSB
KWTH	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	10	10	10	10	39	39	KWTH
2956	SHELLABARGER FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	153	298	243	181	39	39	2956

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
RENO COUNTY (Page 1 of 3)								
2266	Tobin silt loam, occasionally flooded	255	371	314	255	66	66	2266
3405	Longford silty clay loam, 3 to 7 percent slopes, moderately eroded	165	275	218	165	54	54	3405
3824	Crete silt loam, 0 to 1 percent slopes	233	385	329	265	54	54	3824
3825	Crete silt loam, 1 to 3 percent slopes	219	361	305	242	50	50	3825
3843	Geary silt loam, 1 to 3 percent slopes	247	381	325	262	50	50	3843
3847	Geary silty clay loam, 3 to 7 percent slopes, moderately eroded	186	246	190	186	24	24	3847
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	216	385	329	265	54	54	3890
3921	Smolan silty clay loam, 1 to 3 percent slopes	249	381	325	262	50	50	3921
5505	Abbyville-Kisiwa complex, occasionally flooded	24	24	24	24	72	72	5505
5550	Imano clay loam, occasionally flooded	63	294	238	175	76	76	5550
5560	Kanza-Ninnescah sandy loams, frequently flooded	94	167	110	94	76	76	5560
5562	Kaskan silty clay loam, frequently flooded, channeled	133	154	133	133	70	70	5562
5675	Willowbrook fine sandy loam, occasionally flooded	119	230	174	119	80	80	5675
5680	Yaggy-Saxman complex, occasionally flooded	89	227	171	107	76	76	5680
5710	Abbyville loam, 0 to 1 percent slopes	52	52	52	52	72	72	5710
5720	Blazefork silty clay loam, rarely flooded	188	363	307	244	54	54	5720
5722	Blazefork-Kaskan complex, rarely flooded	199	367	310	247	50	50	5722
5728	Buhler-Blazefork silty clay loams, rarely flooded	166	268	211	166	24	24	5728
5730	Darlow-Elmer complex, 0 to 2 percent slopes	63	63	63	63	70	70	5730
5750	Kaskan loam, rarely flooded	262	378	321	262	73	73	5750
5751	Kisiwa loam, 0 to 1 percent slopes	10	10	10	10	68	68	5751
5800	Mahone loamy fine sand, rarely flooded	136	358	302	238	72	72	5800
5820	Nickerson fine sandy loam, 0 to 2 percent slopes	99	374	317	254	50	50	5820
5821	Nickerson loamy fine sand, 0 to 2 percent slopes	169	275	218	169	50	50	5821
5822	Nickerson-Punkin fine sandy loams, 0 to 2 percent slopes	128	299	243	180	50	50	5822
5830	Ninnescah fine sandy loam, occasionally flooded	143	170	143	143	76	76	5830
5831	Punkin silt loam, 0 to 1 percent slopes	75	75	75	75	51	51	5831
5832	Punkin-Taver complex, 0 to 1 percent slopes	94	94	94	94	51	51	5832
5833	Saxman loamy sand, 0 to 1 percent slopes	82	248	192	129	75	75	5833
5834	Urban land-Blazefork-Kaskan complex, 0 to 1 percent slopes, protected	133	197	141	133	25	25	5834
5835	Urban land-Darlow-Elmer complex, 0 to 1 percent slopes	34	34	34	34	27	27	5835
5837	Urban land-Imano complex, 0 to 1 percent slopes, protected	92	131	92	92	37	42	5837
5838	Urban land-Mahone complex, 0 to 1 percent slopes, protected	101	156	101	101	33	33	5838
5839	Urban land-Saltcreek-Naron complex, 0 to 1 percent slopes	129	197	141	129	24	24	5839

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land	Symbol	
			100 ft	200 ft	300 ft	Native \$/Acre		Tame \$/Acre
RENO COUNTY (Page 2 of 3)								
5840	Urban land-Saxman complex, 0 to 1 percent slopes, protected	10	10	10	10	38	43	5840
5842	Urban land-Willowbrook complex, 0 to 1 percent slopes, protected	72	85	72	72	38	43	5842
5843	Urban land-Yaggy complex, 0 to 1 percent slopes, protected	10	10	10	10	38	43	5843
5844	Warnut fine sandy loam, 0 to 1 percent slopes	85	108	85	85	62	62	5844
5845	Yaggy fine sandy loam, 0 to 1 percent slopes	43	94	43	43	76	76	5845
5846	Ninnescah fine sandy loam, occasionally flooded, saline	82	87	82	82	76	76	5846
5852	Albion sandy loam, 0 to 1 percent slopes	141	328	271	208	50	50	5852
5858	Albion-Shellabarger sandy loams, 1 to 3 percent slopes	165	273	217	165	53	53	5858
5867	Avans loam, 0 to 1 percent slopes	253	385	329	265	53	53	5867
5868	Avans loam, 1 to 3 percent slopes	229	380	324	261	50	50	5868
5869	Avans loam, 3 to 7 percent slopes	167	225	169	167	54	54	5869
5870	Carway and Carbika soils, 0 to 1 percent slopes	57	57	57	57	68	68	5870
5871	Carway-Dillhut-Solvay complex, 0 to 2 percent slopes	145	275	218	155	50	50	5871
5880	Clark-Ost loams, 3 to 7 percent slopes	95	250	194	130	50	50	5880
5881	Dillhut fine sand, 1 to 3 percent slopes	95	271	215	152	80	80	5881
5882	Dillhut-Plev complex, 0 to 2 percent slopes	90	244	188	125	80	80	5882
5883	Dillhut-Solvay complex, 0 to 3 percent slopes	116	230	174	116	69	69	5883
5886	Farnum and Funmar loams, 0 to 1 percent slopes	259	388	332	269	24	24	5886
5901	Funmar-Taver loams, 0 to 2 percent slopes	243	385	329	265	50	50	5901
5902	Hayes fine sandy loam, 1 to 5 percent slopes	154	262	206	154	52	52	5902
5905	Hayes-Solvay loamy fine sands, 0 to 5 percent slopes	154	262	206	154	52	52	5905
5906	Hayes-Turon complex, 0 to 5 percent slopes	165	314	257	194	50	50	5906
5907	Langdon fine sand, 0 to 15 percent slopes	129	129	129	129	42	42	5907
5908	Nalim loam, 0 to 1 percent slopes	237	388	332	269	54	54	5908
5912	Naron fine sandy loam, 3 to 7 percent slopes, moderately eroded	222	222	222	222	66	66	5912
5913	Naron fine sandy loam, 7 to 15 percent slopes, moderately eroded	140	186	140	140	66	66	5913
5921	Ost loam, 0 to 1 percent slopes	135	347	291	228	50	50	5921
5924	Ost-Clark loams, 1 to 3 percent slopes	154	314	257	194	50	50	5924
5925	Penalosa silt loam, 0 to 1 percent slopes	214	388	332	269	24	24	5925
5926	Penalosa silt loam, 1 to 3 percent slopes	245	365	309	245	50	50	5926
5927	Pratt fine sand, 5 to 10 percent slopes	95	244	188	125	50	50	5927
5942	Pratt-Turon fine sands, 1 to 5 percent slopes	103	214	158	103	50	50	5942
5943	Saltcreek and Naron fine sandy loams, 0 to 1 percent slopes	199	370	314	251	50	50	5943
5944	Saltcreek and Naron fine sandy loams, 1 to 3 percent slopes	199	335	279	215	50	50	5944

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
RENO COUNTY (Page 3 of 3)								
5945	Saltcreek-Funmar-Farnum complex, 1 to 3 percent slopes	215	375	319	256	50	50	5945
5947	Shellabarger and Nalim soils, 3 to 6 percent slopes	172	227	172	172	53	53	5947
5954	Shellabarger loamy sand, 0 to 3 percent slopes	182	303	247	183	53	53	5954
5955	Shellabarger sandy loam, 0 to 1 percent slopes	223	374	317	254	53	53	5955
5956	Shellabarger sandy loam, 1 to 3 percent slopes	201	335	279	215	50	50	5956
5959	Shellabarger, eroded, and Albion soils, 6 to 15 percent slopes	101	122	101	101	53	53	5959
5960	Shellabarger-Nalim complex, 1 to 3 percent slopes	223	361	305	242	50	50	5960
5961	Solvay loamy fine sand, 0 to 2 percent slopes	85	166	110	85	71	71	5961
5962	Spelvin loamy sand, 0 to 1 percent slopes	163	310	254	191	50	50	5962
5970	Taver loam, 0 to 1 percent slopes	213	374	317	254	50	50	5970
5971	Tivin fine sand, 10 to 30 percent slopes	10	23	10	10	42	42	5971
5973	Tivin-Dillhut fine sands, 0 to 15 percent slopes	43	101	45	43	50	50	5973
5974	Tivin-Willowbrook, occasionally flooded, complex, 0 to 12 percent slopes	85	250	194	130	69	69	5974
5975	Turon-Carway complex, 0 to 5 percent slopes	126	244	188	126	55	55	5975
6346	Jamash clay loam, 0 to 8 percent slopes	10	10	10	10	50	50	6346
6347	Jamash-Piedmont clay loams, 0 to 1 percent slopes	100	172	116	100	50	50	6347
6348	Jamash-Piedmont clay loams, 1 to 3 percent slopes	80	121	80	80	54	54	6348
6349	Jamash-Piedmont clay loams, 3 to 12 percent slopes	10	10	10	10	54	54	6349
6384	Nash silt loam, 1 to 3 percent slopes	95	213	156	95	54	54	6384
6385	Nash-Lucien silt loams, 3 to 7 percent slopes	96	110	96	96	50	50	6385
6386	Nash-Lucien silt loams, 7 to 15 percent slopes, moderately eroded	69	69	69	69	27	27	6386
6490	Zellmont and Poxmash sandy loams, 0 to 3 percent slopes	138	287	231	168	54	54	6490
9969	Aquents, frequently ponded	10	10	10	10	80	80	9969
WST	WASTE	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
SEDGWICK COUNTY (Page 1 of 3)								
1011	ALBION-SHELLABARGER SANDY LOAMS, 1 TO 3 PERCENT SLOPES	142	181	142	142	72	72	1011
1070	AVANS LOAM, 0 TO 1 PERCENT SLOPES	244	306	248	244	62	62	1070
1071	AVANS LOAM, 1 TO 3 PERCENT SLOPES	224	303	245	224	62	62	1071
1072	AVANS LOAM, 3 TO 7 PERCENT SLOPES	190	239	190	190	62	62	1072
2204	JAMASH-PIEDMONT CLAY LOAMS, 0 TO 1 PERCENT SLOPES	65	65	65	65	52	52	2204
2205	JAMASH-PIEDMONT CLAY LOAMS, 1 TO 3 PERCENT SLOPES	58	58	58	58	52	52	2205
2207	JAMASH CLAY LOAM, 0 TO 8 PERCENT SLOPES	10	10	10	10	52	52	2207
2381	KANZA-NINNESCAH SANDY LOAMS, 0 TO 2 PERCENT SLOPES, COMMONLY FLOODED	80	86	80	80	83	100	2381
2587	IMANO CLAY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	133	217	159	133	83	100	2587
2948	NALIM LOAM, 0 TO 1 PERCENT SLOPES	245	308	250	245	62	62	2948
3052	OST-CLARK LOAMS, 1 TO 3 PERCENT SLOPES	123	205	147	123	62	62	3052
3170	PENALOSA SILT LOAM, 0 TO 1 PERCENT SLOPES	226	308	250	226	62	62	3170
3171	PENALOSA SILT LOAM, 1 TO 3 PERCENT SLOPES	213	285	227	213	62	62	3171
3535	SHELLABARGER-NALIM COMPLEX, 1 TO 3 PERCENT SLOPES	201	266	208	201	72	72	3535
3639	TAVER LOAM, 0 TO 1 PERCENT SLOPES	199	293	235	199	62	62	3639
3966	WILLOWBROOK FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	111	170	112	111	83	100	3966
4004	YAGGY FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	52	68	52	52	83	83	4004
AA	ALBION-SHELLABARGER SANDY LOAMS, 1 TO 4 PERCENT SLOPES	128	270	212	147	72	72	AA
AB	ALBION AND SHELLABARGER SANDY LOAMS, 7 TO 15 PERCENT SLOPES	84	119	84	84	72	72	AB
BA	BLANKET SILT LOAM, 0 TO 1 PERCENT SLOPES	218	397	339	274	62	62	BA
BB	BLANKET SILT LOAM, 1 TO 3 PERCENT SLOPES	203	372	314	249	62	62	BB
BRR	BREWER SILTY CLAY LOAM, RARELY FLOODED	210	388	330	265	62	62	BRR
BULS	LADYSMITH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	204	381	324	258	62	62	BULS
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	163	340	282	216	72	72	CA
CB	CANADIAN-WALDECK FINE SANDY LOAMS, RARELY FLOODED	144	312	254	189	83	83	CB
CC	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	96	112	96	96	72	72	CC
CD	CLARK-OST CLAY LOAMS, 1 TO 4 PERCENT SLOPES	123	292	234	169	62	62	CD
CE	CLIME SILTY CLAY, 3 TO 6 PERCENT SLOPES	76	206	148	83	62	62	CE
EA	ELANDCO SILT LOAM, RARELY FLOODED	229	393	335	270	83	83	EA
EB	ELANDCO SILT LOAM, OCCASIONALLY FLOODED	210	364	306	241	83	84	EB
EC	ELANDCO SILT LOAM, FREQUENTLY FLOODED	160	290	232	167	83	84	EC
FA	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	243	397	339	274	62	62	FA
FB	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	226	393	335	270	62	62	FB
FC	FARNUM LOAM, SANDY SUBSTRATUM, 0 TO 1 PERCENT SLOPES	218	381	324	258	62	62	FC

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
SEDGWICK COUNTY (Page 2 of 3)								
GA	GOESSEL SILTY CLAY, 0 TO 1 PERCENT SLOPES	165	365	307	242	62	62	GA
GB	GOESSEL SILTY CLAY, 1 TO 2 PERCENT SLOPES	152	329	271	205	62	62	GB
HVCR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	218	397	339	274	62	62	HVCR
HVCT	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	203	372	314	249	62	62	HVCT
HVDE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	245	393	335	270	83	83	HVDE
HVDU	DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	103	236	178	113	72	72	HVDU
HVFA	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	238	397	339	274	62	62	HVFA
HVFE	FARNUM LOAM, 3 TO 6 PERCENT SLOPES	223	382	324	259	62	62	HVFE
HVGD	GEARY SILT LOAM, 1 TO 3 PERCENT SLOPES	227	372	314	249	62	62	HVGD
HVKA	KASKI LOAM, OCCASIONALLY FLOODED	193	331	273	208	72	72	HVKA
HVLA	LADYSMITH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	203	381	324	258	62	62	HVLA
HVLB	LADYSMITH SILTY CLAY LOAM, 1 TO 2 PERCENT SLOPES	201	379	321	256	62	62	HVLB
HVSM	SMOLAN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	195	303	245	195	62	62	HVSM
IA	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	192	378	320	255	62	62	IA
IB	IRWIN SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	176	330	272	207	62	62	IB
IC	IRWIN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	143	261	203	143	62	62	IC
KA	KASKI LOAM, OCCASIONALLY FLOODED	193	331	273	208	72	72	KA
KMAD	ALBION SANDY LOAM, 6 TO 15 PERCENT SLOPES	63	119	63	63	72	72	KMAD
KMLA	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	36	164	106	41	83	83	KMLA
KMWA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	112	250	192	127	83	100	KMWA
LA	LESHO LOAM, OCCASIONALLY FLOODED	140	303	245	180	83	100	LA
LB	LINCOLN SOILS, FREQUENTLY FLOODED	28	99	41	28	83	83	LB
MA	MILAN LOAM, 1 TO 3 PERCENT SLOPES	223	372	314	249	62	62	MA
MB	MILAN LOAM, 3 TO 6 PERCENT SLOPES	192	292	234	192	62	62	MB
MC	MILAN CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	166	261	203	166	62	62	MC
NA	NARON FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	199	381	324	258	72	72	NA
OC	WELLSFORD CLAY LOAM, 1 TO 3 PERCENT SLOPES	10	10	10	10	52	52	OC
OD	WELLSFORD-ROCK OUTCROP COMPLEX, 3 TO 10 PERCENT SLOPES	10	10	10	10	52	52	OD
PB	PLEVNA FINE SANDY LOAM, FREQUENTLY FLOODED	72	122	72	72	83	100	PB
PC	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	96	245	187	121	62	62	PC
PD	PRATT-TIVOLI COMPLEX, 5 TO 30 PERCENT SLOPES	47	115	57	47	62	62	PD
RA	RENFROW SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	92	214	156	92	52	52	RA
RB	RENFROW SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	73	184	126	73	52	52	RB
RC	RENFROW-WELLSFORD CLAY LOAMS, 1 TO 4 PERCENT SLOPES	73	101	73	73	52	52	RC

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
SEDGWICK COUNTY (Page 3 of 3)								
RD	ROSEHILL SILTY CLAY, 1 TO 3 PERCENT SLOPES	97	263	205	140	62	62	RD
SA	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	199	356	298	233	72	72	SA
SB	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	170	281	223	170	72	72	SB
SC	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	133	210	152	133	72	72	SC
SUBA	BETHANY SILT LOAM, 0 TO 1 PERCENT SLOPES	232	397	339	274	62	62	SUBA
SUBB	BETHANY SILT LOAM, 1 TO 3 PERCENT SLOPES	216	372	314	249	62	62	SUBB
SUDR	DALE AND REINACH SILT LOAMS, RARELY FLOODED	245	393	335	270	83	83	SUDR
SUEA	ELANDCO SILTY CLAY LOAM, RARELY FLOODED	229	393	335	270	83	83	SUEA
SULO	LESHO CLAY LOAM, OCCASIONALLY FLOODED	146	303	245	180	83	100	SULO
TA	TABLER SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	201	381	324	258	62	62	TA
TB	TABLER-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	114	301	243	178	72	72	TB
UA	URBAN LAND-CANADIAN COMPLEX, 0 TO 3 PERCENT SLOPES	10	10	10	10	72	72	UA
UB	URBAN LAND-ELANDCO COMPLEX, 0 TO 1 PERCENT SLOPES	10	10	10	10	83	84	UB
UC	URBAN LAND-FARNUM COMPLEX, 0 TO 3 PERCENT SLOPES	12	12	12	12	62	62	UC
UD	URBAN LAND-IRWIN COMPLEX, 1 TO 3 PERCENT SLOPES	10	10	10	10	62	62	UD
UE	URBAN LAND-TABLER COMPLEX, 0 TO 1 PERCENT SLOPES	10	10	10	10	62	62	UE
VA	VANOSS SILT LOAM, 0 TO 1 PERCENT SLOPES	249	397	339	274	62	62	VA
VB	VANOSS SILT LOAM, 1 TO 3 PERCENT SLOPES	235	393	335	270	62	62	VB
VC	VANOSS SILT LOAM, 3 TO 6 PERCENT SLOPES	202	325	267	202	62	62	VC
VD	VANOSS SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	171	228	171	171	62	62	VD
VE	VERNON SANDY LOAM, 1 TO 3 PERCENT SLOPES	81	241	183	118	52	52	VE
VF	VERNON SANDY LOAM, 3 TO 6 PERCENT SLOPES	66	188	130	66	52	52	VF
WA	WALDECK SANDY LOAM, OCCASIONALLY FLOODED	99	250	192	127	69	89	WA
WB	WAURIKA SILT LOAM, 0 TO 1 PERCENT SLOPES	189	332	274	209	52	52	WB
WST	WASTE	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land	Symbol	
			100 ft	200 ft	300 ft	Native \$/Acre		Tame \$/Acre
STAFFORD COUNTY (Page 1 of 2)								
990	ABBYVILLE LOAM, 0 TO 1 PERCENT SLOPES	41	41	41	41	58	58	990
991	ABBYVILLE-KISIWA COMPLEX, 0 TO 2 PERCENT SLOPES, FLOODED	17	17	17	17	58	58	991
1005	ALBION SANDY LOAM, 1 TO 3 PERCENT SLOPES	121	170	121	121	39	39	1005
1011	ALBION-SHELLABARGER SANDY LOAMS, 1 TO 3 PERCENT SLOPES	157	170	157	157	39	39	1011
1324	CARWAY AND CARBIKA SOILS, 0 TO 1 PERCENT SLOPES	122	146	122	122	39	39	1324
1359	CLARK-OST LOAMS, 3 TO 7 PERCENT SLOPES	113	214	159	113	39	39	1359
1553	DARLOW-ELMER COMPLEX, 0 TO 2 PERCENT SLOPES	31	31	31	31	58	58	1553
1555	DILLHUT-PLEV COMPLEX, 0 TO 2 PERCENT SLOPES	90	158	104	90	68	68	1555
1556	DILLHUT-SOLVAY COMPLEX, 0 TO 3 PERCENT SLOPES	112	112	112	112	68	68	1556
1725	FARNUM AND FUNMAR LOAMS, 0 TO 1 PERCENT SLOPES	260	288	260	260	39	39	1725
1726	FUNMAR AND FARNUM LOAMS, 1 TO 3 PERCENT SLOPES	250	285	250	250	39	39	1726
1985	HAYES FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES	148	170	148	148	39	39	1985
1986	HAYES-SOLVAY LOAMY FINE SANDS, 0 TO 5 PERCENT SLOPES	142	156	142	142	39	39	1986
1987	HAYES-TURON COMPLEX, 0 TO 5 PERCENT SLOPES	142	172	142	142	39	39	1987
1988	HAYES LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	115	115	115	115	39	39	1988
2381	KANZA-NINESCAH SANDY LOAMS, 0 TO 2 PERCENT SLOPES, COMMONLY FLOODED	90	90	90	90	68	68	2381
2556	LANGDON FINE SAND, 0 TO 15 PERCENT SLOPES	32	32	32	32	39	39	2556
2958	NINNESCAH FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	92	92	92	92	68	68	2958
3053	OST LOAM, 1 TO 3 PERCENT SLOPES	161	219	164	161	39	39	3053
3180	PRATT FINE SAND, 5 TO 10 PERCENT SLOPES	114	114	114	114	39	39	3180
3181	PRATT-TURON FINE SANDS, 1 TO 5 PERCENT SLOPES	89	89	89	89	39	39	3181
3511	SALTCREEK AND NARON FINE SANDY LOAMS, 0 TO 1 PERCENT SLOPES	220	282	228	220	39	39	3511
3512	SALTCREEK AND NARON FINE SANDY LOAMS, 1 TO 3 PERCENT SLOPES	220	280	226	220	39	39	3512
3520	SAXMAN LOAMY SAND, 0 TO 1 PERCENT SLOPES	140	167	140	140	68	68	3520
3540	SOLVAY LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	146	216	162	146	39	39	3540
3639	TAVER LOAM, 0 TO 1 PERCENT SLOPES	225	288	234	225	39	39	3639
3640	TIVIN FINE SAND, 10 TO 30 PERCENT SLOPES	67	67	67	67	39	39	3640
3641	TIVIN-DILLHUT FINE SANDS, 0 TO 15 PERCENT SLOPES	34	34	34	34	39	39	3641
3644	TURON-CARWAY COMPLEX, 0 TO 5 PERCENT SLOPES	83	83	83	83	39	39	3644
AN	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	121	253	199	138	39	39	AN
AT	ATTICA FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	154	294	240	179	39	39	AT
BA	BLANKET SILT LOAM, 0 TO 1 PERCENT SLOPES	235	371	317	256	39	39	BA
BTDT	DILLWYN-TIVOLI COMPLEX, 0 TO 15 PERCENT SLOPES	65	207	153	92	58	58	BTDT
BTTV	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	10	10	10	10	39	39	BTTV

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
STAFFORD COUNTY (Page 2 of 2)								
CA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	98	125	98	98	39	39	CA
CW	CARWILE COMPLEX, 0 TO 1 PERCENT SLOPES	95	125	95	95	39	39	CW
CX	CLARK LOAM, 1 TO 3 PERCENT SLOPES	113	303	248	187	39	39	CX
DP	DILLWYN-PLEVNA COMPLEX, 0 TO 5 PERCENT SLOPES	88	224	170	109	68	68	DP
DT	DILLWYN-TIVOLI LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	67	207	153	92	58	58	DT
EDCS	CARWILE-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	21	21	21	21	58	58	EDCS
FA	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	236	371	317	256	39	39	FA
FR	FARNUM LOAM, 0 TO 2 PERCENT SLOPES	250	371	317	256	39	39	FR
KG	KINGMAN SILTY CLAY LOAM, OCCASIONALLY FLOODED	129	243	189	129	68	68	KG
NA	NARON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	226	364	310	249	39	39	NA
NAA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	228	367	312	251	39	39	NAA
NBB	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	226	364	310	249	39	39	NBB
NU	NATRUSTOLLS, OCCASIONALLY FLOODED	17	36	17	17	58	58	NU
PA	PLEVNA SOILS, FREQUENTLY FLOODED	78	115	78	78	68	68	PA
PC	PLEVNA SOILS, CHANNELED	59	59	59	59	68	68	PC
PH	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	84	180	125	84	39	39	PH
PO	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	108	253	199	138	39	39	PO
PR	PRATT-CARWILE COMPLEX, 0 TO 8 PERCENT SLOPES	98	183	129	98	39	39	PR
PRKP	KANZA-PLEVNA COMPLEX, FREQUENTLY FLOODED	74	128	74	74	68	68	PRKP
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	61	145	91	61	39	39	PT
RCDP	DILLWYN-PLEVNA LOAMY FINE SANDS, 0 TO 1 PERCENT SLOPES	88	219	165	104	68	68	RCDP
RCDT	DILLWYN-TIVOLI COMPLEX, 0 TO 20 PERCENT SLOPES	67	202	147	86	58	58	RCDT
RCDU	DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	53	85	53	53	58	58	RCDU
RCPE	PLEVNA FINE SANDY LOAM, FREQUENTLY FLOODED	78	115	78	78	68	68	RCPE
TA	TABLER LOAM, 0 TO 1 PERCENT SLOPES	217	371	317	256	39	39	TA
TAA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	221	371	317	256	39	39	TAA
TV	TIVOLI FINE SAND, 5 TO 20 PERCENT SLOPES	10	39	10	10	39	39	TV
WA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	107	234	180	119	69	69	WA
WST	WASTE	10	10	10	10	10	10	WST
ZA	ZENDA-NATRUSTOLLS COMPLEX, OCCASIONALLY FLOODED	118	272	218	157	57	57	ZA
ZSS	ZENDA-DRUMMOND COMPLEX, OCCASIONALLY FLOODED	126	254	200	139	57	57	ZSS

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
SUMNER COUNTY (Page 1 of 3)								
1439	CRISFIELD SANDY LOAM, RARELY FLOODED	76	173	118	76	69	69	1439
BA	BETHANY SILT LOAM, 0 TO 1 PERCENT SLOPES	175	381	325	263	59	59	BA
BB	BETHANY SILT LOAM, 1 TO 3 PERCENT SLOPES	163	372	317	255	59	59	BB
BR	BREWER SILTY CLAY LOAM, RARELY FLOODED	138	338	283	221	79	79	BR
BS	BREWER-DRUMMOND SILTY CLAY LOAMS, RARELY FLOODED	88	252	197	135	79	79	BS
BULS	LADYSMITH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	162	375	320	258	59	59	BULS
CA	CANADIAN SANDY LOAM, RARELY FLOODED	122	333	278	216	69	69	CA
CAA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	118	320	265	203	69	69	CAA
CC	CARWILE SOILS, 0 TO 1 PERCENT SLOPES	69	127	72	69	69	69	CC
CLLG	LINCOLN-TIVOLI COMPLEX, 0 TO 10 PERCENT SLOPES	24	151	96	34	79	79	CLLG
CLVD	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	144	299	243	181	59	59	CLVD
CLVC	VANOSS SILT LOAM, 3 TO 7 PERCENT SLOPES	187	359	304	242	79	80	CLVC
CR	CORBIN SILT LOAM, 0 TO 2 PERCENT SLOPES	167	377	322	260	59	59	CR
CS	CRISFIELD SANDY LOAM	76	76	76	76	69	69	CS
DA	DALE SILT LOAM, 2 TO 8 PERCENT SLOPES	127	293	238	176	79	79	DA
DR	DALE AND REINACH SILT LOAMS, RARELY FLOODED	172	374	318	257	79	79	DR
EA	ELANDCO SILTY CLAY LOAM, RARELY FLOODED	163	346	291	229	79	80	EA
EC	ELANDCO SILT LOAM, FREQUENTLY FLOODED	113	276	221	159	79	80	EC
FA	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	182	381	325	263	59	59	FA
FB	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	167	374	318	257	59	59	FB
FC	FARNUM LOAM, 3 TO 6 PERCENT SLOPES	144	304	249	187	59	59	FC
FD	FARNUM LOAM, 2 TO 6 PERCENT SLOPES, ERODED	113	269	214	152	59	59	FD
HPAN	KASKI LOAM, FREQUENTLY FLOODED	118	273	218	156	69	69	HPAN
HPBM	LINCOLN LOAMY FINE SAND, OCCASIONALLY FLOODED	15	143	88	26	79	79	HPBM
HPBP	WOODWARD-PORT COMPLEX, 0 TO 20 PERCENT SLOPES	41	109	54	41	79	79	HPBP
HPCE	CORBIN SILT LOAM, 0 TO 1 PERCENT SLOPES	172	381	325	263	59	59	HPCE
HPCF	CORBIN SILT LOAM, 1 TO 3 PERCENT SLOPES	160	372	317	255	59	59	HPCF
HPGN	GRANT SILT LOAM, 0 TO 1 PERCENT SLOPES	173	381	325	263	59	59	HPGN
HPGS	GRANT SILT LOAM, 3 TO 6 PERCENT SLOPES	136	309	254	192	59	59	HPGS
HPKR	KIRKLAND-RENFROW CLAY LOAMS, 1 TO 3 PERCENT SLOPES	84	224	169	107	59	59	HPKR
HPKW	KIRKLAND-RENFROW SOILS, 1 TO 3 PERCENT SLOPES, ERODED	81	216	161	99	59	59	HPKW
HPPH	DALE SILT LOAM, RARELY FLOODED	164	374	318	257	79	79	HPPH
HPPT	PRATT-TIVOLI LOAMY FINE SANDS, 8 TO 15 PERCENT SLOPES	10	14	10	10	40	40	HPPT
HPSO	SHELLABARGER AND ALBION SOILS, 7 TO 15 PERCENT SLOPES	75	168	113	75	69	69	HPSO

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
SUMNER COUNTY (Page 2 of 3)								
HPTH	TIVOLI FINE SAND, 8 TO 15 PERCENT SLOPES	10	14	10	10	40	40	HPTH
IRR	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	149	364	309	247	59	59	IRR
KA	KIRKLAND SILT LOAM, 0 TO 1 PERCENT SLOPES	140	377	321	260	59	59	KA
KB	KIRKLAND SILT LOAM, 1 TO 3 PERCENT SLOPES	130	344	288	227	59	59	KB
KC	KIRKLAND SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	106	265	210	149	59	59	KC
KMDA	DILLWYN-PLEVNA COMPLEX, OCCASIONALLY FLOODED	30	135	79	30	59	59	KMDA
KMOA	WELLSFORD CLAY LOAM, 1 TO 4 PERCENT SLOPES	10	10	10	10	49	49	KMOA
KMRA	RENFROW CLAY LOAM, 1 TO 3 PERCENT SLOPES	64	224	169	107	59	59	KMRA
LO	LESHO CLAY LOAM, OCCASIONALLY FLOODED	101	288	233	171	79	96	LO
LS	LINCOLN SOILS, FREQUENTLY FLOODED	10	94	39	10	79	79	LS
MA	MILAN LOAM, 0 TO 1 PERCENT SLOPES	176	381	325	263	59	59	MA
MB	MILAN LOAM, 1 TO 3 PERCENT SLOPES	164	354	299	237	59	59	MB
MC	MILAN LOAM, 3 TO 6 PERCENT SLOPES	141	278	223	161	59	59	MC
MD	MILAN LOAM, 3 TO 6 PERCENT SLOPES, ERODED	105	210	155	105	59	59	MD
ON	WELLSFORD CLAY LOAM, 1 TO 3 PERCENT SLOPES	10	10	10	10	49	49	ON
OO	WELLSFORD CLAY LOAM, 3 TO 8 PERCENT SLOPES	10	10	10	10	49	49	OO
OP	WELLSFORD-ELANDCO COMPLEX, 0 TO 25 PERCENT SLOPES	18	18	18	18	79	79	OP
OR	WELLSFORD-RENFROW CLAY LOAMS, 2 TO 6 PERCENT SLOPES, ERODED	10	10	10	10	49	49	OR
OS	WELLSFORD-SHALE OUTCROP COMPLEX, 8 TO 25 PERCENT SLOPES	10	10	10	10	49	49	OS
PA	POND CREEK SILT LOAM, 0 TO 1 PERCENT SLOPES	182	381	325	263	59	59	PA
PB	POND CREEK SILT LOAM, 1 TO 3 PERCENT SLOPES	171	374	318	257	59	59	PB
PC	POND CREEK SILT LOAM, 3 TO 6 PERCENT SLOPES	145	309	254	192	59	59	PC
PD	POND CREEK SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	123	274	219	157	59	59	PD
PX	PRATT LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	54	196	141	79	59	59	PX
RA	RENFROW-GRAINOLA COMPLEX, 1 TO 3 PERCENT SLOPES	64	224	169	107	59	59	RA
RO	ROSEHILL CLAY LOAM, 1 TO 3 PERCENT SLOPES	78	276	221	159	59	59	RO
RS	ROSEHILL CLAY LOAM, 3 TO 6 PERCENT SLOPES	61	215	160	98	59	59	RS
RX	ROSEHILL CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	48	191	136	74	59	59	RX
SA	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	142	328	273	211	69	69	SA
SB	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	119	257	202	140	69	69	SB
SC	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	87	194	139	87	69	69	SC
SGEA	ELANDCO SILT LOAM, RARELY FLOODED	160	374	318	257	79	79	SGEA
SGLA	LESHO LOAM, OCCASIONALLY FLOODED	96	288	233	171	79	96	SGLA
SGPB	PLEVNA FINE SANDY LOAM, FREQUENTLY FLOODED	29	80	29	29	59	59	SGPB

Kansas Division of Property Valuation

2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
SUMNER COUNTY (Page 3 of 3)								
SGRA	RENFROW SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	64	224	169	107	59	59	SGRA
TA	TABLER SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	146	366	311	249	59	59	TA
TV	TIVOLI FINE SAND, 8 TO 20 PERCENT SLOPES	10	10	10	10	40	40	TV
US	USTIFLUVENTS, CHANNELED	30	111	56	30	59	59	US
VA	VANOSS SILT LOAM, 0 TO 1 PERCENT SLOPES	180	381	325	263	59	59	VA
VB	VANOSS SILT LOAM, 1 TO 3 PERCENT SLOPES	167	372	317	255	59	59	VB
VC	VANOSS SILT LOAM, 3 TO 6 PERCENT SLOPES	144	299	243	181	59	59	VC
WA	WAURIKA SILT LOAM, 0 TO 1 PERCENT SLOPES	137	319	264	202	49	49	WA
WST	WASTE	10	10	10	10	10	10	WST