

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>ATCHISON COUNTY (Page 1 of 2)</b>					
601GC	GOSPORT COMPLEX, 10 TO 30 PERCENT SLOPES	10	22	<b>22</b>	601GC
601GT	GRUNDY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	297	70	71	601GT
601KH	KNOX SILT LOAM, 7 TO 12 PERCENT SLOPES	200	22	<b>22</b>	601KH
601LA	LADOGA SILT LOAM, 4 TO 7 PERCENT SLOPES	343	70	71	601LA
601SH	SHELBY LOAM, 4 TO 8 PERCENT SLOPES	279	70	71	601SH
601SM	SHELBY LOAM, 8 TO 12 PERCENT SLOPES	263	70	71	601SM
AQ	FLUVAQUENTS, PONDED	10	58	59	AQ
AR	ARMSTER CLAY LOAM, 6 TO 12 PERCENT SLOPES	203	58	59	AR
AS	ARMSTER CLAY LOAM, 12 TO 20 PERCENT SLOPES	40	58	59	AS
BRPD	PADONIA-MARTIN SILTY CLAY LOAMS, 5 TO 9 PERCENT SLOPES	233	70	71	BRPD
BRSB	SHELBY CLAY LOAM, 6 TO 12 PERCENT SLOPES	254	70	71	BRSB
BRSM	SHELBY CLAY LOAM, 12 TO 18 PERCENT SLOPES, MODERATELY CHASE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	177	70	71	BRSM
CH	FLOODED	335	70	89	CH
GO	GOSPORT SILTY CLAY LOAM, 25 TO 45 PERCENT SLOPES	10	22	<b>22</b>	GO
GR	GRUNDY SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	302	70	71	GR
GU	GRUNDY SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	287	70	71	GU
GX	GRUNDY SILTY CLAY, 3 TO 7 PERCENT SLOPES, ERODED HAYNIE SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	198	70	71	GX
HN	FLOODED	259	70	95	HN
HO	HAYNIE-ONAWA COMPLEX, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	156	70	89	HO
HS	HAYNIE-SARPY COMPLEX	85	70	89	HS
JAWB	WYMORE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	321	70	71	JAWB
JAWC	WYMORE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	272	70	71	JAWC
JFMO	MARTIN-OSKA SILTY CLAY LOAMS, 3 TO 6 PERCENT SLOPES	258	70	71	JFMO
JFSC	SHELBY-PAWNEE COMPLEX, 3 TO 8 PERCENT SLOPES	254	70	71	JFSC
JU	JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES KENNEBEC SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	400	70	89	JU
KE	FLOODED	355	70	89	KE
KF	KENNEBEC SILT LOAM, CHANNELED, FREQUENTLY FLOODED KENNEBEC-COLO SILT LOAMS, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	181	70	89	KF
KG	OCCASIONALLY FLOODED	323	70	89	KG
KN	KNOX SILT LOAM, 4 TO 10 PERCENT SLOPES	145	22	<b>22</b>	KN
KX	KNOX SILTY CLAY LOAM, 10 TO 18 PERCENT SLOPES, ERODED	200	22	<b>22</b>	KX
KY	KNOX-GOSPORT COMPLEX, 10 TO 30 PERCENT SLOPES	24	22	<b>22</b>	KY
MC	MARTIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES ONAWA AND WALDRON SILTY CLAY LOAMS, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	286	70	71	MC
ON	OCCASIONALLY FLOODED	111	70	86	ON
PC	PAWNEE CLAY LOAM, 3 TO 7 PERCENT SLOPES	189	58	59	PC
PD	PAWNEE CLAY, 3 TO 7 PERCENT SLOPES, ERODED	97	58	59	PD
RE	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	371	70	89	RE
SB	SHARPSBURG SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	343	70	71	SB
SC	SHARPSBURG SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	340	70	71	SC
SH	SHELBY CLAY LOAM, 5 TO 10 PERCENT SLOPES	260	70	71	SH
SM	SHELBY CLAY LOAM, 7 TO 15 PERCENT SLOPES, ERODED	199	70	71	SM
SS	SHELBY-STEINAUER LOAMS, 12 TO 25 PERCENT SLOPES	10	70	71	SS

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>ATCHISON COUNTY (Page 2 of 2)</b>					
VS	VINLAND SILTY CLAY LOAM, 4 TO 15 PERCENT SLOPES WABASH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY	10	70	71	VS
WA	FLOODED WABASH SILTY CLAY, 0 TO 2 PERCENT SLOPES, OCCASIONALLY	235	70	86	WA
WB	FLOODED	178	70	86	WB
WST	WASTE	10	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>BROWN COUNTY (Page 1 of 2)</b>					
AC	AKSARBEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	461	68	69	AC
AD	AKSARBEN SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	441	68	69	AD
AE	AKSARBEN SILTY CLAY LOAM, 5 TO 11 PERCENT SLOPES	372	68	69	AE
BS	BURCHARD CLAY LOAM, 6 TO 12 PERCENT SLOPES	311	68	69	BS
BX	BURCHARD-STEINAUER CLAY LOAMS, 12 TO 18 PERCENT SLOPES	122	68	69	BX
CH	CHASE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	450	68	69	CH
CO	CONTRARY SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	345	68	69	CO
GA	GRUNDY SILT LOAM, 0 TO 2 PERCENT SLOPES	441	68	69	GA
JU	JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES	527	68	87	JU
KD	KENNEBEC SILT LOAM, CHANNELED, FREQUENTLY FLOODED KENNEBEC SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	277	68	87	KD
KE	FLOODED	488	68	87	KE
KP	KIPSON-SOGN SILTY CLAY LOAMS, 5 TO 30 PERCENT SLOPES	10	68	69	KP
MA	MARSHALL SILT LOAM, 2 TO 5 PERCENT SLOPES	505	68	69	MA
MB	MARSHALL SILTY CLAY LOAM, 5 TO 11 PERCENT SLOPES	418	68	69	MB
MD	MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	432	68	69	MD
MF	MARTIN SILTY CLAY LOAM, 4 TO 9 PERCENT SLOPES	342	68	69	MF
MH	MAYBERRY CLAY LOAM, 2 TO 6 PERCENT SLOPES	245	56	57	MH
MK	MONONA SILT LOAM, 2 TO 5 PERCENT SLOPES	509	68	69	MK
MN	MONONA SILT LOAM, 5 TO 11 PERCENT SLOPES, MODERATELY ERODED	334	68	69	MN
MT	MORRILL LOAM, 6 TO 12 PERCENT SLOPES	361	68	69	MT
MW	MUSCOTAH SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED, OVERWASH	421	68	87	MW
MY	MUSCOTAH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	422	68	87	MY
NO	NODAWAY SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	465	68	87	NO
OM	OLMITZ LOAM, 2 TO 5 PERCENT SLOPES	462	68	69	OM
PD	PADONIA-MARTIN SILTY CLAY LOAMS, 5 TO 9 PERCENT SLOPES	252	56	57	PD
PE	PADONIA-MARTIN SILTY CLAY LOAMS, 9 TO 25 PERCENT SLOPES	122	68	69	PE
PF	PADONIA-OSKA SILTY CLAY LOAMS, 5 TO 9 PERCENT SLOPES	215	68	69	PF
PM	PAWNEE CLAY LOAM, 2 TO 6 PERCENT SLOPES	260	68	69	PM
PN	PAWNEE CLAY LOAM, 6 TO 12 PERCENT SLOPES	205	68	69	PN
PO	PAWNEE CLAY, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	130	68	69	PO
PW	POHOCCO-NETAWAKA SILT LOAMS, 11 TO 17 PERCENT SLOPES	221	68	69	PW
PX	POHOCCO-NETAWAKA SILT LOAMS, 17 TO 30 PERCENT SLOPES	77	68	69	PX
RE	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, MODERATELY WET, RARELY FLOODED	486	68	69	RE
SG	SHELBY CLAY LOAM, 6 TO 12 PERCENT SLOPES	372	68	69	SG
SM	SHELBY CLAY LOAM, 12 TO 18 PERCENT SLOPES, MODERATELY WABASH SILTY CLAY, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	190	68	69	SM
WA	FLOODED	261	68	84	WA
WE	WAMEGO SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	112	68	84	WE
WG	WAMEGO-VINLAND SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	10	68	87	WG
WM	WYMORE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	401	68	84	WM

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>BROWN COUNTY (Page 2 of 2)</b>					
WN	WYMORE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	344	68	84	WN
WST	WASTE	10	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>DONIPHAN COUNTY</b>					
AB	ALBATON SILTY CLAY	264	70	86	AB
AT	AQUENTS	10	22	<b>22</b>	AT
CO	COLO SILT LOAM	538	70	89	CO
GB	GRUNDY SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	546	70	72	GB
GC	GRUNDY SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	530	70	72	GC
HA	HAMBURG SILT LOAM, 25 TO 50 PERCENT SLOPES	10	70	72	HA
HN	HAYNIE SILT LOAM	483	70	89	HN
HO	HAYNIE-ONAWA COMPLEX	376	70	88	HO
HS	HAYNIE-SARPY COMPLEX	290	70	88	HS
JU	JUDSON SILT LOAM, 1 TO 3 PERCENT SLOPES	701	70	89	JU
KE	KENNEBEC SILT LOAM	624	70	89	KE
KF	KENNEBEC SILT LOAM, CHANNELED	366	70	89	KF
KN	KNOX SILT LOAM, 4 TO 10 PERCENT SLOPES, ERODED	426	22	<b>22</b>	KN
KO	KNOX SILT LOAM, 10 TO 18 PERCENT SLOPES, ERODED	321	22	<b>22</b>	KO
KP	KNOX SILT LOAM, 18 TO 30 PERCENT SLOPES, ERODED	83	22	<b>22</b>	KP
MA	MARSHALL SILT LOAM, 1 TO 3 PERCENT SLOPES	679	70	72	MA
MB	MARSHALL SILT LOAM, 3 TO 7 PERCENT SLOPES	641	70	72	MB
MC	MARTIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	421	70	72	MC
MD	MONONA SILT LOAM, 3 TO 10 PERCENT SLOPES	645	70	72	MD
ME	MONONA SILT LOAM, 3 TO 10 PERCENT SLOPES, ERODED	523	70	72	ME
MF	MONONA SILT LOAM, 10 TO 18 PERCENT SLOPES, ERODED	368	70	72	MF
MH	MONONA-HAMBURG SILT LOAMS, 18 TO 30 PERCENT SLOPES, ERODED	77	70	72	MH
MO	MORRILL LOAM, 2 TO 7 PERCENT SLOPES, ERODED	414	70	72	MO
MP	MORRILL LOAM, 7 TO 12 PERCENT SLOPES, ERODED	328	70	72	MP
MS	MORRILL LOAM, 12 TO 18 PERCENT SLOPES, ERODED	121	70	72	MS
OD	ONAWA LOAM	225	70	86	OD
ON	ONAWA SILTY CLAY LOAM	198	70	86	ON
RE	READING SILT LOAM	648	70	89	RE
SA	SARPY LOAMY FINE SAND	54	70	86	SA
VR	VINLAND-ROCK OUTCROP COMPLEX, 20 TO 40 PERCENT SLOPES	10	70	72	VR
VS	VINLAND-SOIGN SILTY CLAY LOAMS, 4 TO 15 PERCENT SLOPES	10	52	<b>52</b>	VS
WST	WASTE	10	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
<b>JACKSON COUNTY (Page 1 of 2)</b>					
ATPD	PAWNEE CLAY, 3 TO 7 PERCENT SLOPES, ERODED	129	57	58	ATPD
ATSS	SHELBY-STEINAUER LOAMS, 12 TO 25 PERCENT SLOPES	62	68	70	ATSS
ATVS	VINLAND SILTY CLAY LOAM, 4 TO 15 PERCENT SLOPES	10	68	70	ATVS
BA	BURCHARD-SHELBY CLAY LOAMS, 7 TO 12 PERCENT SLOPES	251	68	70	BA
BB	BURCHARD-SHELBY CLAY LOAMS, 7 TO 12 PERCENT SLOPES, ERODED	190	68	70	BB
BC	BURCHARD-SHELBY CLAY LOAMS, 12 TO 25 PERCENT SLOPES	98	68	70	BC
BRBS	BURCHARD CLAY LOAM, 6 TO 12 PERCENT SLOPES	244	68	70	BRBS
BRBX	BURCHARD-STEINAUER CLAY LOAMS, 12 TO 18 PERCENT SLOPES	81	68	70	BRBX
BRMF	MARTIN SILTY CLAY LOAM, 4 TO 12 PERCENT SLOPES	303	68	70	BRMF
BRMY	MUSCOTAH SILTY CLAY LOAM, OCCASIONALLY FLOODED	335	68	87	BRMY
BRPN	PAWNEE CLAY LOAM, 6 TO 12 PERCENT SLOPES	157	57	58	BRPN
BRPO	PAWNEE CLAY, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	113	57	58	BRPO
BRWE	WAMEGO SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	210	68	70	BRWE
BRWG	WAMEGO-VINLAND SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	78	68	70	BRWG
BRWN	WYMORE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	257	57	58	BRWN
	CHASE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED				
CA	FLOODED	351	68	87	CA
CB	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	10	45	45	CB
JFMO	MARTIN-OSKA SILTY CLAY LOAMS, 3 TO 6 PERCENT SLOPES	194	68	70	JFMO
JFSS	SIBLEYVILLE COMPLEX, 3 TO 7 PERCENT SLOPES	29	68	70	JFSS
JFSW	SOIGN-VINLAND COMPLEX, 5 TO 20 PERCENT SLOPES	10	51	51	JFSW
JFVC	VINLAND COMPLEX, 3 TO 7 PERCENT SLOPES	10	68	70	JFVC
JFVO	VINLAND COMPLEX, 7 TO 15 PERCENT SLOPES	10	68	70	JFVO
	KENNEBEC SILT LOAM, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED				
KA	FLOODED	374	68	87	KA
KB	KENNEBEC SOILS, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	374	68	87	KB
KC	KENNEBEC SOILS, CHANNELED	196	68	87	KC
KD	KENNEBEC SILT LOAM, CHANNELED	196	68	87	KD
MA	MARTIN SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES	306	68	70	MA
MAA	MARTIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	348	57	58	MAA
MB	MARTIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	255	68	70	MB
MC	MARTIN-VINLAND SILTY CLAY LOAMS, 5 TO 10 PERCENT SLOPES	129	68	70	MC
NMBS	BURCHARD-STEINAUER CLAY LOAMS, 6 TO 12 PERCENT SLOPES	215	68	70	NMBS
NMOM	OLMITZ LOAM, 1 TO 5 PERCENT SLOPES	348	68	70	NMOM
NMST	STEINAUER CLAY LOAM, 12 TO 25 PERCENT SLOPES	24	68	70	NMST
OA	OLMITZ CLAY LOAM, 2 TO 5 PERCENT SLOPES	348	68	70	OA
PA	PAWNEE CLAY LOAM, 1 TO 3 PERCENT SLOPES	194	57	58	PA
PB	PAWNEE CLAY LOAM, 3 TO 7 PERCENT SLOPES	182	57	58	PB
PC	PAWNEE CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	142	57	58	PC
PTCE	CHASE SILTY CLAY LOAM, RARELY FLOODED	347	68	87	PTCE
PTCS	CLIME-SOIGN SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	10	45	45	PTCS
PTMO	MORRILL LOAM, 3 TO 7 PERCENT SLOPES	313	68	70	PTMO
RA	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	397	68	87	RA
	READING SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED				
RE	FLOODED	384	68	87	RE
SA	SHELBY CLAY LOAM, 4 TO 8 PERCENT SLOPES	313	68	70	SA

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>JACKSON COUNTY (Page 2 of 2)</b>					
SB	SHELBY CLAY LOAM, 4 TO 8 PERCENT SLOPES, ERODED	261	68	70	SB
SNEL	ELMONT SILT LOAM, 4 TO 7 PERCENT SLOPES	351	68	70	SNEL
SNKS	KIPSON-SOIGN COMPLEX, 3 TO 25 PERCENT SLOPES	10	45	<b>45</b>	SNKS
SNLM	LADYSMITH SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	328	57	58	SNLM
SNMF	MARTIN SILTY CLAY LOAM, 7 TO 11 PERCENT SLOPES	300	68	70	SNMF
SNMM	MORRILL CLAY LOAM, 3 TO 8 PERCENT SLOPES	313	68	70	SNMM
SNSK	SHELBY CLAY LOAM, 1 TO 3 PERCENT SLOPES	336	68	70	SNSK
SNST	SIBLEYVILLE LOAM, 3 TO 7 PERCENT SLOPES	29	68	70	SNST
SNSV	SOIGN-VINLAND COMPLEX, 3 TO 25 PERCENT SLOPES	10	51	<b>51</b>	SNSV
VA	VINLAND SILTY CLAY LOAM, 6 TO 14 PERCENT SLOPES	10	68	70	VA
VB	VINLAND-ROCK OUTCROP COMPLEX, 20 TO 40 PERCENT SLOPES	10	68	70	VB
VC	VINLAND-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	10	51	<b>51</b>	VC
WA	WABASH SILTY CLAY, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	196	68	84	WA
WAA	WABASH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	235	68	84	WAA
WB	WYMORE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	341	57	58	WB
WC	WYMORE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	247	57	58	WC
WST	WASTE	10	10	<b>10</b>	WST
ZA	ZOOK SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	263	68	84	ZA

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>JEFFERSON COUNTY (Page 1 of 2)</b>					
601GT	GRUNDY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	298	67	68	601GT
601SH	SHELBY LOAM, 4 TO 8 PERCENT SLOPES	292	67	68	601SH
601SM	SHELBY LOAM, 8 TO 12 PERCENT SLOPES	223	61	62	601SM
ATSH	SHELBY CLAY LOAM, 5 TO 10 PERCENT SLOPES	223	61	62	ATSH
ATSM	SHELBY CLAY LOAM, 7 TO 15 PERCENT SLOPES, ERODED	213	61	62	ATSM
ATVS	VINLAND SILTY CLAY LOAM, 4 TO 15 PERCENT SLOPES	10	67	68	ATVS
BE	BISMARCKGROVE-KIMO COMPLEX, 1 TO 3 PERCENT SLOPES, RARELY FLOODED	304	67	88	BE
BRWN	WYMORE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	283	67	68	BRWN
DGVM	VINLAND-MARTIN COMPLEX, 7 TO 15 PERCENT SLOPES	10	67	68	DGVM
EB	EUDORA-BISMARCKGROVE SILT LOAMS, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	299	67	85	EB
EC	EUDORA-BISMARCKGROVE FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES, OVERWASH, OCCASIONALLY FLOODED	318	67	85	EC
ED	EUDORA SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	327	67	88	ED
EG	EUDORA SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	358	67	88	EG
EH	EUDORA-BISMARCKGROVE SILT LOAM, RARELY FLOODED	333	67	88	EH
FU	FLUVAQUENTS	85	67	85	FU
GB	GRUNDY SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	303	67	68	GB
GC	GRUNDY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	289	67	68	GC
GY	GYMER SILT LOAM, 3 TO 7 PERCENT SLOPES	321	67	68	GY
HC	HAIG SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	262	55	56	HC
JAMC	MARTIN-VINLAND SILTY CLAY LOAMS, 5 TO 10 PERCENT SLOPES	190	67	68	JAMC
JAWB	WYMORE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	317	67	68	JAWB
JU	JUDSON SILT LOAM	426	67	85	JU
KB	KENNEBEC SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	356	67	85	KB
KC	KENNEBEC SOILS, 0 TO 5 PERCENT SLOPES, CHANNELED	185	67	85	KC
KI	KIMO SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	266	67	82	KI
KM	KIMO SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES, RARELY FLOODED	276	67	82	KM
KO	KIMO-EUDORA COMPLEX	320	67	84	KO
KV	KONAWA COMPLEX, 4 TO 10 PERCENT SLOPES	155	44	<b>44</b>	KV
MB	MARTIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	350	67	68	MB
MC	MARTIN SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES	310	67	68	MC
MH	MARTIN SOILS, 3 TO 8 PERCENT SLOPES, ERODED	235	67	68	MH
MO	MARTIN-OSKA SILTY CLAY LOAMS, 3 TO 6 PERCENT SLOPES	251	67	68	MO
MV	MORRILL LOAM, 3 TO 7 PERCENT SLOPES	281	67	68	MV
OC	OSKA SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	223	67	68	OC
PB	PAWNEE CLAY LOAM, 1 TO 3 PERCENT SLOPES	178	55	56	PB
PC	PAWNEE CLAY LOAM, 3 TO 7 PERCENT SLOPES	190	55	56	PC
PH	PAWNEE SOILS, 3 TO 7 PERCENT SLOPES, ERODED	95	55	56	PH
RE	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, VERY RARELY FLOODED, MODERATELY WET	368	67	85	RE
SB	SARPY-EUDORA COMPLEX, OVERWASH	162	67	82	SB
SC	SHELBY-PAWNEE COMPLEX, 3 TO 8 PERCENT SLOPES	267	67	68	SC

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>JEFFERSON COUNTY (Page 2 of 2)</b>					
SNSM	SHELBY CLAY LOAM, 3 TO 8 PERCENT SLOPES	280	67	68	SNSM
SO	SHELBY-PAWNEE COMPLEX, 8 TO 12 PERCENT SLOPES	210	61	62	SO
SS	SIBLEYVILLE COMPLEX, 3 TO 7 PERCENT SLOPES	134	67	68	SS
SV	SIBLEYVILLE COMPLEX, 7 TO 12 PERCENT SLOPES	49	67	68	SV
SW	SOGN-VINLAND COMPLEX, 5 TO 20 PERCENT SLOPES	10	44	<b>44</b>	SW
VC	VINLAND COMPLEX, 3 TO 7 PERCENT SLOPES	23	67	68	VC
VO	VINLAND COMPLEX, 7 TO 15 PERCENT SLOPES	10	67	68	VO
VX	VINLAND-ROCK OUTCROP COMPLEX, 20 TO 40 PERCENT SLOPES	10	67	68	VX
WC	WABASH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	227	67	82	WC
WH	WABASH SILTY CLAY, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	183	67	82	WH
WST	WASTE	10	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>LEAVENWORTH COUNTY (Page 1 of 3)</b>					
AA	KENNEBEC SILT LOAM, CHanneLED	210	70	89	AA
AC	ARMSTER LOAM, 3 TO 8 PERCENT SLOPES	243	58	59	AC
AD	ARMSTER LOAM, 8 TO 12 PERCENT SLOPES	201	58	59	AD
AE	ARMSTER CLAY LOAM, 8 TO 12 PERCENT SLOPES, ERODED	119	58	59	AE
ATAR	ARMSTER CLAY LOAM, 6 TO 12 PERCENT SLOPES	189	58	59	ATAR
ATGO	GOSPORT SILTY CLAY LOAM, 25 TO 45 PERCENT SLOPES	10	22	22	ATGO
ATHN	HAYNIE SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	241	70	89	ATHN
ATHO	HAYNIE-ONAWA COMPLEX, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	179	70	89	ATHO
ATKG	KENNEBEC-COLO SILT LOAMS, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	311	70	89	ATKG
ATKY	KNOX-GOSPORT COMPLEX, 10 TO 30 PERCENT SLOPES	87	22	22	ATKY
ATOD	ONAWA LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED, OVERWASH	102	58	59	ATOD
ATOW	ONAWET SILTY CLAY LOAM, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	67	58	59	ATOW
ATPA	PALERMO-KNOX COMPLEX, 10 TO 18 PERCENT SLOPES	153	22	22	ATPA
ATPB	PALERMO SILTY CLAY LOAM, 18 TO 30 PERCENT SLOPES	10	22	22	ATPB
ATSH	SHELBY CLAY LOAM, 5 TO 10 PERCENT SLOPES	286	70	71	ATSH
ATWA	WABASH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	177	70	86	ATWA
ATWH	WATHENA-HAYNIE COMPLEX, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	173	70	89	ATWH
BA	BASEHOR COMPLEX, 5 TO 30 PERCENT SLOPES	10	10	10	BA
BR	BREMER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY	235	70	89	BR
DGET	EUDORA SILT LOAM, RARELY FLOODED	317	70	89	DGET
DGEV	EUDORA-KIMO COMPLEX, RARELY FLOODED	296	70	89	DGEV
DGKM	KIMO SILTY CLAY LOAM, RARELY FLOODED	253	70	89	DGKM
DGMR	MORRILL CLAY LOAM, 3 TO 7 PERCENT SLOPES	283	70	71	DGMR
DGSB	SARPY-EUDORA COMPLEX, OVERWASH, OCCASIONALLY FLOODED	85	70	86	DGSB
DGVM	VINLAND-MARTIN COMPLEX, 7 TO 15 PERCENT SLOPES	10	70	71	DGVM
DGWC	WABASH SILTY CLAY LOAM, OCCASIONALLY FLOODED	194	70	86	DGWC
EC	ELMONT SILT LOAM, 3 TO 7 PERCENT SLOPES	207	70	71	EC
ED	ELMONT SILT LOAM, 7 TO 12 PERCENT SLOPES	155	70	71	ED
EU	EUDORA COMPLEX, 0 TO 1 PERCENT SLOPES, RARELY FLOODED, OVERWASH	296	70	89	EU
GC	GOSPORT COMPLEX, 10 TO 30 PERCENT SLOPES	10	22	22	GC
GS	GOSPORT-SOIGN COMPLEX, 7 TO 35 PERCENT SLOPES	10	22	22	GS
GT	GRUNDY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	287	70	71	GT
GU	GRUNDY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	270	70	71	GU
GY	GYMER SILT LOAM, 3 TO 7 PERCENT SLOPES	296	70	71	GY
HG	HAIG SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	237	58	59	HG
HY	HAYNIE SILT LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	241	70	89	HY
JFRE	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, VERY RARELY FLOODED, MODERATELY WET	355	70	89	JFRE

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
<b>LEAVENWORTH COUNTY (Page 2 of 3)</b>					
JFSS	SIBLEYVILLE COMPLEX, 3 TO 7 PERCENT SLOPES	112	70	71	JFSS
JFSV	SIBLEYVILLE COMPLEX, 7 TO 12 PERCENT SLOPES	35	70	71	JFSV
JFVO	VINLAND COMPLEX, 7 TO 15 PERCENT SLOPES	10	70	71	JFVO
JFWC	BR	170	70	89	JFWC
JOED	EUDORA-KIMO COMPLEX, OVERWASH, RARELY FLOODED	296	70	89	JOED
JOLB	LADOGA SILT LOAM, 8 TO 15 PERCENT SLOPES	227	22	22	JOLB
JORA	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	355	70	89	JORA
JOSB	SHARPSBURG-URBAN LAND COMPLEX, 3 TO 8 PERCENT SLOPES	206	70	71	JOSB
JU	JUDSON SILT LOAM, 0 TO 1 PERCENT SLOPES	355	70	89	JU
KE	KENNEBEC SILT LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	325	70	89	KE
KH	KNOX SILT LOAM, 7 TO 12 PERCENT SLOPES	248	22	22	KH
KK	KNOX SILT LOAM, 12 TO 18 PERCENT SLOPES	158	22	22	KK
KM	KNOX SILTY CLAY LOAM, 7 TO 12 PERCENT SLOPES, ERODED	198	22	22	KM
KN	KNOX COMPLEX, 18 TO 30 PERCENT SLOPES	10	22	22	KN
KO	KONAWA FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	175	10	10	KO
KW	KONAWA FINE SANDY LOAM, 8 TO 20 PERCENT SLOPES	40	10	10	KW
LA	LADOGA SILT LOAM, 4 TO 7 PERCENT SLOPES	293	70	71	LA
MB	MARSHALL SILT LOAM, 1 TO 4 PERCENT SLOPES	371	70	71	MB
MC	MARSHALL SILT LOAM, 4 TO 9 PERCENT SLOPES	353	70	71	MC
MD	MARSHALL SILT LOAM, 9 TO 15 PERCENT SLOPES	247	70	71	MD
MN	MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	299	70	71	MN
MR	MARTIN SILTY CLAY LOAM, 7 TO 12 PERCENT SLOPES	231	70	71	MR
MS	MARTIN SOILS, 6 TO 12 PERCENT SLOPES, ERODED	96	70	71	MS
ON	ONAWA SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	139	58	59	ON
OO	ONAWA SOILS, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED, OVERWASH	141	58	59	OO
OS	OSKA SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES	198	70	71	OS
PB	PAWNEE CLAY LOAM, 1 TO 4 PERCENT SLOPES	213	58	59	PB
PC	PAWNEE CLAY LOAM, 4 TO 8 PERCENT SLOPES	128	58	59	PC
PE	PAWNEE CLAY LOAM, 4 TO 8 PERCENT SLOPES, ERODED	91	58	59	PE
SA	SARPY-HAYNIE COMPLEX, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	88	70	86	SA
SB	SHARPSBURG SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	314	70	71	SB
SC	SHARPSBURG SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	307	70	71	SC
SE	SHELBY LOAM, 1 TO 4 PERCENT SLOPES	310	70	71	SE
SH	SHELBY LOAM, 4 TO 8 PERCENT SLOPES	295	70	71	SH
SM	SHELBY LOAM, 8 TO 12 PERCENT SLOPES	246	70	71	SM
SP	SHELBY-PAWNEE COMPLEX, 4 TO 8 PERCENT SLOPES	250	70	71	SP
SS	SHELBY-PAWNEE COMPLEX, 4 TO 8 PERCENT SLOPES, ERODED	201	70	71	SS
SY	SIBLEYVILLE LOAM, 4 TO 8 PERCENT SLOPES	127	70	71	SY
VR	VINLAND-ROCK OUTCROP COMPLEX, 20 TO 40 PERCENT SLOPES	10	70	71	VR
VS	VINLAND-SIBLEYVILLE COMPLEX, 5 TO 12 PERCENT SLOPES	17	70	71	VS
WA	WABASH SILTY CLAY, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	156	70	86	WA
WC	WELDA SILT LOAM, 4 TO 9 PERCENT SLOPES	252	10	10	WC
WD	WELDA SILT LOAM, 9 TO 15 PERCENT SLOPES	175	10	10	WD

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
<b>LEAVENWORTH COUNTY (Page 3 of 3)</b>					
WST	WASTE	10	10	<b>10</b>	WST
ZO	ZOOK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	231	70	86	ZO

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>MARSHALL COUNTY</b>					
3561	Hobbs silt loam, occasionally flooded	304	68	87	3561
3775	Muir silt loam, rarely flooded	316	68	70	3775
3828	Crete silty clay loam, 1 to 3 percent slopes	270	56	57	3828
3830	Crete silty clay loam, 3 to 7 percent slopes	205	56	57	3830
3831	Crete silty clay loam, 3 to 7 percent slopes, eroded	205	56	57	3831
3844	Gearly silt loam, 3 to 7 percent slopes	205	68	70	3844
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	227	56	57	3890
3904	Ortello sandy loam, 4 to 10 percent slopes	110	56	57	3904
4530	Benfield-Florence complex, 5 to 30 percent slopes	10	45	<b>45</b>	4530
4590	Clime-Sogn complex, 3 to 20 percent slopes	10	45	<b>45</b>	4590
4725	Kipson-Sogn complex, 5 to 30 percent slopes	10	45	<b>45</b>	4725
4783	Tully silty clay loam, 3 to 7 percent slopes	207	68	70	4783
4784	Tully silty clay loam, 3 to 7 percent slopes, eroded	148	68	70	4784
7030	Eudora loam, occasionally flooded	296	68	70	7030
7050	Kennebec silt loam, occasionally flooded	304	68	87	7050
7051	Kennebec silt loam, frequently flooded	168	68	87	7051
7070	Paxico silt loam, frequently flooded	311	68	87	7070
7090	Wabash silty clay loam, occasionally flooded	186	68	75	7090
7091	Wabash silty clay, occasionally flooded	186	68	75	7091
7123	Eudora silt loam, rarely flooded	296	68	70	7123
7224	Burchard-Steinauer clay loams, 6 to 12 percent slopes	123	45	<b>45</b>	7224
7415	Mayberry clay loam, 3 to 7 percent slopes	139	68	70	7415
7424	Morrill clay loam, 3 to 7 percent slopes, eroded	189	68	70	7424
7430	Morrill loam, 1 to 3 percent slopes	249	68	70	7430
7433	Morrill loam, 3 to 7 percent slopes	256	68	70	7433
7455	Olmitz loam, 1 to 5 percent slopes	302	68	70	7455
7500	Pawnee clay loam, 1 to 3 percent slopes	154	68	70	7500
7502	Pawnee clay loam, 3 to 7 percent slopes	139	68	70	7502
7510	Pawnee clay, 3 to 7 percent slopes, eroded	80	56	57	7510
7585	Shelby clay loam, 7 to 12 percent slopes	199	68	70	7585
7608	Steinauer clay loam, 12 to 25 percent slopes	10	45	<b>45</b>	7608
7609	Steinauer-Shelby clay loams, 10 to 14 percent slopes	123	45	<b>45</b>	7609
7681	Wymore silty clay loam, 1 to 3 percent slopes	270	56	57	7681
7684	Wymore silty clay loam, 3 to 6 percent slopes, eroded	205	56	57	7684
7688	Wymore-Baileyville complex, 3 to 6 percent slopes, eroded	270	56	57	7688
7750	Nodaway silt loam, occasionally flooded	299	68	87	7750
WST	WASTE	10	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>NEMAHA COUNTY</b>					
4020	CHASE SILTY CLAY LOAM, OCCASIONALLY FLOODED	359	68	87	4020
4525	BENFIELD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	48	68	70	4525
4590	CLIME-SOIGN COMPLEX, 3 TO 20 PERCENT SLOPES	<b>10</b>	68	70	4590
4710	KIPSON SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES	<b>10</b>	68	70	4710
4725	KIPSON-SOIGN COMPLEX, 5 TO 30 PERCENT SLOPES	<b>10</b>	68	70	4725
4830	WAMEGO SILT LOAM, 3 TO 7 PERCENT SLOPES	37	68	70	4830
4831	WAMEGO SILT LOAM, 7 TO 20 PERCENT SLOPES	<b>10</b>	68	70	4831
7010	CALCO SILTY CLAY LOAM, FREQUENTLY FLOODED	91	68	87	7010
7050	KENNEBEC SILT LOAM, OCCASIONALLY FLOODED	388	68	87	7050
7051	KENNEBEC SILT LOAM, FREQUENTLY FLOODED	199	68	87	7051
7090	WABASH SILTY CLAY LOAM, OCCASIONALLY FLOODED	263	68	84	7090
7170	READING SILT LOAM, RARELY FLOODED	409	68	87	7170
7171	READING SILT LOAM, MODERATELY WET, RARELY FLOODED	245	68	87	7171
7206	AKSARBEN SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	356	56	57	7206
7207	AKSARBEN SILTY CLAY LOAM, 5 TO 11 PERCENT SLOPES	336	56	57	7207
7220	BURCHARD CLAY LOAM, 6 TO 12 PERCENT SLOPES	229	68	70	7220
7224	BURCHARD-STEINAUER CLAY LOAMS, 6 TO 12 PERCENT SLOPES	206	68	70	7224
7225	BURCHARD-STEINAUER CLAY LOAMS, 12 TO 18 PERCENT SLOPES	183	68	70	7225
7233	ELMONT SILT LOAM, 3 TO 7 PERCENT SLOPES	311	68	70	7233
7301	MARTIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	318	68	70	7301
7424	MORRILL CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	233	68	70	7424
7433	MORRILL LOAM, 3 TO 7 PERCENT SLOPES	321	68	70	7433
7435	MORRILL LOAM, 7 TO 12 PERCENT SLOPES	314	68	70	7435
7436	MORRILL LOAM, 7 TO 12 PERCENT SLOPES, ERODED	316	68	70	7436
7455	OLMITZ LOAM, 1 TO 5 PERCENT SLOPES	378	68	70	7455
7470	PADONIA-MARTIN SILTY CLAY LOAMS, 5 TO 9 PERCENT SLOPES	84	68	70	7470
7500	PAWNEE CLAY LOAM, 1 TO 3 PERCENT SLOPES	186	68	70	7500
7502	PAWNEE CLAY LOAM, 3 TO 7 PERCENT SLOPES	177	68	70	7502
7510	PAWNEE CLAY, 3 TO 7 PERCENT SLOPES, ERODED	94	68	70	7510
7603	SIBLEYVILLE LOAM, 3 TO 7 PERCENT SLOPES	132	68	70	7603
7608	STEINAUER CLAY LOAM, 12 TO 25 PERCENT SLOPES	<b>10</b>	68	70	7608
7656	VINLAND VARIANT LOAM, 5 TO 25 PERCENT SLOPES	<b>10</b>	68	70	7656
7681	WYMORE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	339	56	57	7681
7684	WYMORE SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	322	56	57	7684
7688	WYMORE-BAILEYVILLE COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED	322	56	57	7688
7851	JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES	409	68	87	7851
WST	WASTE	10	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
<b>POTTAWATOMIE COUNTY (Page 1 of 2)</b>					
RLAD	IVAN SILT LOAM, CHANNELED	164	73	93	RLAD
RLCA	CARR-SARPY COMPLEX, OCCASIONALLY FLOODED	137	73	91	RLCA
RLCH	CHASE SILTY CLAY LOAM	268	73	93	RLCH
RLSA	SARPY LOAMY FINE SAND, 0 TO 4 PERCENT SLOPES, OCCASIONALLY FLOODED	10	73	90	RLSA
BD	BENFIELD SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	134	73	75	BD
BF	BENFIELD-FLORENCE COMPLEX, 3 TO 15 PERCENT SLOPES	52	73	75	BF
CE	CHASE SILTY CLAY LOAM, RARELY FLOODED	367	73	93	CE
CM	CLIME SILTY CLAY LOAM, 20 TO 40 PERCENT SLOPES, STONY	10	60	61	CM
CS	CLIME-SOIGN SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	10	48	48	CS
EM	ELMONT SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	312	73	75	EM
EO	ELMONT SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	256	73	75	EO
EU	EUDORA SILT LOAM, RARELY FLOODED	360	73	93	EU
EX	EUDORA-KIMO COMPLEX, RARELY FLOODED	334	73	90	EX
GM	GYMER SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES	333	73	75	GM
HN	HAYNIE VERY FINE SANDY LOAM, OCCASIONALLY FLOODED	195	73	93	HN
HS	HAYNIE-SARPY COMPLEX, OCCASIONALLY FLOODED	154	73	91	HS
JAMA	MARTIN SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES	276	73	75	JAMA
KC	KENNEBEC SILT LOAM, CHANNELED	216	73	93	KC
KF	KENNEBEC SILT LOAM, OCCASIONALLY FLOODED	373	73	93	KF
KM	KIMO SILTY CLAY, RARELY FLOODED	275	73	87	KM
MA	MORRILL LOAM, 1 TO 4 PERCENT SLOPE	309	73	75	MA
MB	MARTIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	163	73	75	MB
MM	MONONA SILT LOAM, 5 TO 10 PERCENT SLOPES	268	73	75	MM
MO	MORRILL LOAM, 3 TO 7 PERCENT SLOPES	309	73	75	MO
MR	MORRILL CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	262	73	75	MR
MSSA	SHELBY CLAY LOAM, 6 TO 10 PERCENT SLOPES	292	73	75	MSSA
MSSC	STEINAUER-SHELBY CLAY LOAMS, 10 TO 14 PERCENT SLOPES	103	73	75	MSSC
MT	MORRILL LOAM, 5 TO 20 PERCENT SLOPES, STONY	61	73	75	MT
MU	MUIR SILT LOAM, RARELY FLOODED	379	73	75	MU
NMBS	BURCHARD-STEINAUER CLAY LOAMS, 6 TO 12 PERCENT SLOPES	127	73	75	NMBS
NMCH	CHASE SILTY CLAY LOAM, OCCASIONALLY FLOODED	370	73	93	NMCH
OP	ORTELLO FINE SANDY LOAM, 3 TO 7 PERCENT SLOPES	149	60	61	OP
OT	ORTELLO FINE SANDY LOAM, 7 TO 12 PERCENT SLOPES	112	60	61	OT
PB	PAWNEE CLAY LOAM, 4 TO 8 PERCENT SLOPES	68	60	61	PB
PE	PAWNEE CLAY LOAM, 1 TO 3 PERCENT SLOPES	208	60	61	PE
PN	PAWNEE CLAY LOAM, 3 TO 6 PERCENT SLOPES	188	60	61	PN
PO	PAWNEE CLAY, 3 TO 6 PERCENT SLOPES, ERODED	123	60	61	PO
PS	PAXICO SILT LOAM, FREQUENTLY FLOODED	125	73	105	PS
RE	READING SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	362	73	93	RE
SF	SARPY SAND, FREQUENTLY FLOODED	10	73	90	SF
SG	SHARPSBURG SILT LOAM, 1 TO 4 PERCENT SLOPES	365	73	75	SG
SNKS	KIPSON-SOIGN COMPLEX, 3 TO 25 PERCENT SLOPES	10	48	48	SNKS
SNMC	MARTIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	282	73	75	SNMC
TH	THURMAN LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	105	60	61	TH
TU	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	248	73	75	TU
TX	TULLY SILTY CLAY, 3 TO 7 PERCENT SLOPES, ERODED	194	73	75	TX

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>POTTAWATOMIE COUNTY (Page 2 of 2)</b>					
	TUTTLE CHANNERY SILTY CLAY LOAM, 20 TO 40 PERCENT SLOPES,				
TZ	STONY	10	60	61	TZ
WB	WABASH SILTY CLAY, OCCASIONALLY FLOODED	199	73	87	WB
WBSA	SARPY LOAMY SAND, FREQUENTLY FLOODED	10	73	90	WBSA
WBSC	SARPY-HAYNIE COMPLEX, OCCASIONALLY FLOODED	144	73	91	WBSC
WD	WAMEGO SILT LOAM, 3 TO 7 PERCENT SLOPES	66	73	75	WD
WE	WAMEGO SILT LOAM, 7 TO 20 PERCENT SLOPES	10	73	75	WE
WG	WANN FINE SANDY LOAM, CHANNELED	57	73	105	WG
WK	WYMORE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	356	60	61	WK
WM	WYMORE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	341	60	61	WM
WN	WYMORE SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	316	60	61	WN
WS	WYMORE VARIANT FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	274	73	75	WS
WST	WASTE	10	10	<b>10</b>	WST
ZO	ZOOK SILTY CLAY LOAM, OCCASIONALLY FLOODED	256	73	87	ZO

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
<b>RILEY COUNTY (Page 1 of 2)</b>						
3391	Lancaster loam, 3 to 7 percent slopes	272	273	70	71	3391
3545	Hobbs silt loam, channeled	155	192	70	89	3545
3561	Hobbs silt loam, occasionally flooded	333	425	70	89	3561
3633	Sutphen silty clay, occasionally flooded	189	316	70	80	3633
3775	Muir silt loam, rarely flooded	349	439	70	89	3775
3825	Crete silt loam, 1 to 3 percent slopes	307	377	70	71	3825
3827	Crete silty clay loam, 0 to 1 percent slopes	351	448	70	71	3827
3828	Crete silty clay loam, 1 to 3 percent slopes	307	377	70	71	3828
3830	Crete silty clay loam, 3 to 7 percent slopes	275	319	70	71	3830
3831	Crete silty clay loam, 3 to 7 percent slopes, eroded	203	<b>203</b>	58	59	3831
3843	Geary silt loam, 1 to 3 percent slopes	286	359	70	71	3843
3844	Geary silt loam, 3 to 7 percent slopes	250	301	70	71	3844
3884	Kenesaw silt loam, 2 to 5 percent slopes	242	281	70	71	3884
3886	Kenesaw silt loam, 5 to 12 percent slopes	205	224	70	71	3886
3919	Smolan silt loam, 1 to 3 percent slopes	289	365	70	71	3919
3920	Smolan silt loam, 3 to 7 percent slopes	252	290	70	71	3920
3923	Smolan silty clay loam, 3 to 7 percent slopes, eroded	211	235	58	59	3923
4010	Carr-Sarpy complex, occasionally flooded	109	230	70	74	4010
4018	Chase silty clay loam, very rarely flooded	384	455	70	89	4018
4050	Ivan and Kennebec silt loams, occasionally flooded	333	425	70	89	4050
4051	Ivan silt loam, channeled	155	192	70	89	4051
4052	Ivan silt loam, occasionally flooded	333	425	70	89	4052
4053	Ivan silty clay loam, channeled	155	192	70	89	4053
4150	Kahola silt loam, channeled	155	192	70	89	4150
4151	Kahola silt loam, occasionally flooded	281	422	70	89	4151
4350	Chase silty clay loam, rarely flooded	354	427	70	89	4350
4400	Kahola silt loam, rarely flooded	281	422	70	89	4400
4525	Benfield silty clay loam, 3 to 7 percent slopes	36	53	70	71	4525
4530	Benfield-Florence complex, 5 to 30 percent slopes	36	53	70	71	4530
4545	Clime silty clay loam, 20 to 40 percent slopes, stony	10	<b>10</b>	46	<b>46</b>	4545
4550	Clime silty clay loam, 20 to 40 percent slopes, very stony	10	<b>10</b>	46	<b>46</b>	4550
4555	Clime silty clay loam, 3 to 7 percent slopes	122	<b>122</b>	58	59	4555
4590	Clime-Sogn complex, 3 to 20 percent slopes	10	<b>10</b>	34	<b>34</b>	4590
4625	Dwight-Irwin complex, 1 to 3 percent slopes	182	248	34	<b>34</b>	4625
4630	Dwight-Irwin complex, 1 to 3 percent slopes, eroded	142	179	34	<b>34</b>	4630
4655	Florence-Labette complex, 2 to 12 percent slopes	36	53	70	71	4655
4671	Irwin silty clay loam, 1 to 3 percent slopes	202	238	58	59	4671
4673	Irwin silty clay loam, 3 to 7 percent slopes	202	238	58	59	4673
4674	Irwin silty clay loam, 3 to 7 percent slopes, eroded	143	169	58	59	4674
4700	Ivan silty clay loam, 1 to 3 percent slopes	256	386	70	89	4700
4725	Kipson-Sogn complex, 5 to 30 percent slopes	10	<b>10</b>	34	<b>34</b>	4725
4781	Tully silty clay loam, 1 to 3 percent slopes	281	370	70	71	4781
4782	Tully silty clay loam, 1 to 3 percent slopes, eroded	223	236	58	59	4782
4783	Tully silty clay loam, 3 to 7 percent slopes	248	308	70	71	4783
4784	Tully silty clay loam, 3 to 7 percent slopes, eroded	187	209	58	59	4784

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
<b>RILEY COUNTY (Page 2 of 2)</b>						
4832	Wamego silty clay loam, 3 to 7 percent slopes	157	187	58	59	4832
7005	Bourbonais-Bismarckgrove complex, occasionally flooded	351	459	70	89	7005
7006	Bismarckgrove silt loam, occasionally flooded	351	459	70	89	7006
7028	Belvue silt loam, occasionally flooded	220	395	70	89	7028
7031	Eudora silt loam, occasionally flooded	351	459	70	89	7031
7036	Eudora-Bismarckgrove silt loams, occasionally flooded	281	422	70	89	7036
7040	Zeandale silt loam, occasionally flooded	220	395	70	89	7040
7050	Kennebec silt loam, occasionally flooded	333	425	70	89	7050
7055	Kimo silty clay loam, occasionally flooded	281	422	70	89	7055
7058	Stonehouse - Belvue complex, occasionally flooded	10	<b>10</b>	34	<b>34</b>	7058
7070	Paxico silt loam, frequently flooded	109	230	70	74	7070
7083	Sarpy loamy fine sand, occasionally flooded	10	137	58	59	7083
7088	Stonehouse sand, occasionally flooded	10	137	58	59	7088
7095	Kiro silty clay, depressional, occasionally flooded	189	316	70	80	7095
7104	Belvue silt loam, rarely flooded	220	395	70	89	7104
7105	Belvue silt loam, escarpment, 2 to 12 percent slopes	351	459	70	89	7105
7106	Eudora-Bismarckgrove silt loams, rarely flooded	351	459	70	89	7106
7107	Bismarckgrove-Kimo complex, rarely flooded	281	422	70	89	7107
7109	Bourbonais-Bismarckgrove complex, rarely flooded	351	459	70	89	7109
7119	Eudora-Urbanland complex, rarely flooded	351	459	70	89	7119
7123	Eudora silt loam, rarely flooded	351	459	70	89	7123
7132	Stonehouse-Eudora complex, rarely flooded	10	137	58	59	7132
7155	Kimo silty clay loam, rarely flooded	281	422	70	89	7155
7170	Reading silt loam, rarely flooded	384	455	70	89	7170
7171	Reading silt loam, moderately wet, rarely flooded	384	455	70	89	7171
7173	Reading silty clay loam, rarely flooded	384	455	70	89	7173
7174	Reading silt loam, 1 to 3 percent slopes	348	411	70	89	7174
7176	Rossville silt loam, very rarely flooded	349	439	70	89	7176
7209	Muscotah silty clay, very rarely flooded	189	316	70	80	7209
7213	Reading silt loam, moderately wet, very rarely flooded	384	455	70	89	7213
7214	Eudora silt loam, very rarely flooded	351	<b>459</b>	<b>70</b>	<b>89</b>	7214
7233	Elmont silt loam, 3 to 7 percent slopes	272	273	70	71	7233
7245	Elmont-Clime complex, 5 to 15 percent slopes	122	122	58	59	7245
7415	Mayberry clay loam, 3 to 7 percent slopes	157	187	58	59	7415
7416	Mayberry clay loam, 3 to 7 percent slopes, eroded	122	122	58	59	7416
7500	Pawnee clay loam, 1 to 3 percent slopes	157	187	58	59	7500
7502	Pawnee clay loam, 3 to 7 percent slopes	157	187	58	59	7502
7680	Wymore silty clay loam, 0 to 1 percent slopes	351	448	70	71	7680
7681	Wymore silty clay loam, 1 to 3 percent slopes	307	377	70	71	7681
7682	Wymore silty clay loam, 1 to 3 percent slopes, eroded	243	281	58	59	7682
7683	Wymore silty clay loam, 3 to 6 percent slopes	275	319	70	71	7683
7684	Wymore silty clay loam, 3 to 6 percent slopes, eroded	203	203	58	59	7684
7690	Wymore-Kennebec complex, 0 to 17 percent slopes	210	210	70	79	7690
7740	Haynie silt loam, frequently flooded	220	395	70	89	7740
7742	Haynie very fine sandy loam, occasionally flooded	220	395	70	89	7742
WST	WASTE	10	10	10	10	WST

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>WYANDOTTE COUNTY (Page 1 of 3)</b>					
AA	KENNEBEC SILT LOAM, CHanneLED	188	67	85	AA
AC	ARMSTER LOAM, 3 TO 8 PERCENT SLOPES	219	55	56	AC
AD	ARMSTER LOAM, 8 TO 12 PERCENT SLOPES	184	55	56	AD
AE	ARMSTER CLAY LOAM, 8 TO 12 PERCENT SLOPES, ERODED	114	55	56	AE
ATAR	ARMSTER CLAY LOAM, 6 TO 12 PERCENT SLOPES	173	55	56	ATAR
ATGO	GOSPORT SILTY CLAY LOAM, 25 TO 45 PERCENT SLOPES	10	21	21	ATGO
ATHN	HAYNIE SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	216	67	85	ATHN
ATHO	HAYNIE-ONAWA COMPLEX, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	158	67	85	ATHO
ATKG	KENNEBEC-COLO SILT LOAMS, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	276	67	85	ATKG
ATKY	KNOX-GOSPORT COMPLEX, 10 TO 30 PERCENT SLOPES	83	21	21	ATKY
ATOD	ONAWA LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED, OVERWASH	94	55	56	ATOD
ATOW	ONAWET SILTY CLAY LOAM, DEPRESSIONAL, 0 TO 1 PERCENT SLOPES, FREQUENTLY FLOODED	63	55	56	ATOW
ATPA	PALERMO-KNOX COMPLEX, 10 TO 18 PERCENT SLOPES	143	21	21	ATPA
ATPB	PALERMO SILTY CLAY LOAM, 18 TO 30 PERCENT SLOPES	10	21	21	ATPB
ATSH	SHELBY CLAY LOAM, 5 TO 10 PERCENT SLOPES	255	67	68	ATSH
ATWA	WABASH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	160	67	82	ATWA
ATWH	WATHENA-HAYNIE COMPLEX, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	153	67	85	ATWH
BA	BASEHOR COMPLEX, 5 TO 30 PERCENT SLOPES	10	10	10	BA
BR	BREMER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY	212	67	85	BR
DGET	EUDORA SILT LOAM, RARELY FLOODED	283	67	85	DGET
DGEV	EUDORA-KIMO COMPLEX, RARELY FLOODED	264	67	85	DGEV
DGKM	KIMO SILTY CLAY LOAM, RARELY FLOODED	227	67	85	DGKM
DGMR	MORRILL CLAY LOAM, 3 TO 7 PERCENT SLOPES	252	67	68	DGMR
DGSB	SARPY-EUDORA COMPLEX, OVERWASH, OCCASIONALLY FLOODED	81	67	82	DGSB
DGVM	VINLAND-MARTIN COMPLEX, 7 TO 15 PERCENT SLOPES	10	67	68	DGVM
DGWC	WABASH SILTY CLAY LOAM, OCCASIONALLY FLOODED	176	67	82	DGWC
EC	ELMONT SILT LOAM, 3 TO 7 PERCENT SLOPES	192	67	68	EC
ED	ELMONT SILT LOAM, 7 TO 12 PERCENT SLOPES	147	67	68	ED
EU	EUDORA COMPLEX, 0 TO 1 PERCENT SLOPES, RARELY FLOODED, OVERWASH	264	67	85	EU
GC	GOSPORT COMPLEX, 10 TO 30 PERCENT SLOPES	10	21	21	GC
GS	GOSPORT-SOIGN COMPLEX, 7 TO 35 PERCENT SLOPES	10	21	21	GS
GT	GRUNDY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	256	67	68	GT
GU	GRUNDY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	241	67	68	GU
GY	GYMER SILT LOAM, 3 TO 7 PERCENT SLOPES	266	67	68	GY
HG	HAIG SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	215	67	68	HG
HY	HAYNIE SILT LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	216	67	85	HY
JFRE	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, VERY RARELY FLOODED, MODERATELY WET	315	67	85	JFRE

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
<b>WYANDOTTE COUNTY (Page 2 of 3)</b>					
JFSS	SIBLEYVILLE COMPLEX, 3 TO 7 PERCENT SLOPES	102	67	68	JFSS
JFSV	SIBLEYVILLE COMPLEX, 7 TO 12 PERCENT SLOPES	38	67	68	JFSV
JFVO	VINLAND COMPLEX, 7 TO 15 PERCENT SLOPES	10	67	68	JFVO
JFWC	BR	87	67	85	JFWC
JOED	EUDORA-KIMO COMPLEX, OVERWASH, RARELY FLOODED	264	67	85	JOED
JOLB	LADOGA SILT LOAM, 8 TO 15 PERCENT SLOPES	206	21	<b>21</b>	JOLB
JORA	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	315	67	85	JORA
JOSB	SHARPSBURG-URBAN LAND COMPLEX, 3 TO 8 PERCENT SLOPES	179	67	68	JOSB
JU	JUDSON SILT LOAM, 0 TO 1 PERCENT SLOPES	315	67	85	JU
KE	KENNEBEC SILT LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	290	67	85	KE
KH	KNOX SILT LOAM, 7 TO 12 PERCENT SLOPES	225	21	<b>21</b>	KH
KK	KNOX SILT LOAM, 12 TO 18 PERCENT SLOPES	149	21	<b>21</b>	KK
KM	KNOX SILTY CLAY LOAM, 7 TO 12 PERCENT SLOPES, ERODED	184	21	<b>21</b>	KM
KN	KNOX COMPLEX, 18 TO 30 PERCENT SLOPES	10	21	<b>21</b>	KN
KO	KONAWA FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	161	10	<b>10</b>	KO
KW	KONAWA FINE SANDY LOAM, 8 TO 20 PERCENT SLOPES	46	10	<b>10</b>	KW
LA	LADOGA SILT LOAM, 4 TO 7 PERCENT SLOPES	262	67	68	LA
MB	MARSHALL SILT LOAM, 1 TO 4 PERCENT SLOPES	329	67	68	MB
MC	MARSHALL SILT LOAM, 4 TO 9 PERCENT SLOPES	312	67	68	MC
MD	MARSHALL SILT LOAM, 9 TO 15 PERCENT SLOPES	224	67	68	MD
MN	MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	267	67	68	MN
MR	MARTIN SILTY CLAY LOAM, 7 TO 12 PERCENT SLOPES	208	67	68	MR
MS	MARTIN SOILS, 6 TO 12 PERCENT SLOPES, ERODED	96	67	68	MS
ON	ONAWA SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	129	55	56	ON
OO	ONAWA SOILS, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED, OVERWASH	130	55	56	OO
OS	OSKA SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES	181	67	68	OS
PB	PAWNEE CLAY LOAM, 1 TO 4 PERCENT SLOPES	193	55	56	PB
PC	PAWNEE CLAY LOAM, 4 TO 8 PERCENT SLOPES	121	55	56	PC
PE	PAWNEE CLAY LOAM, 4 TO 8 PERCENT SLOPES, ERODED	89	55	56	PE
SA	SARPY-HAYNIE COMPLEX, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	83	67	82	SA
SB	SHARPSBURG SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	280	67	68	SB
SC	SHARPSBURG SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	273	67	68	SC
SE	SHELBY LOAM, 1 TO 4 PERCENT SLOPES	277	67	68	SE
SH	SHELBY LOAM, 4 TO 8 PERCENT SLOPES	263	67	68	SH
SM	SHELBY LOAM, 8 TO 12 PERCENT SLOPES	223	67	68	SM
SP	SHELBY-PAWNEE COMPLEX, 4 TO 8 PERCENT SLOPES	226	67	68	SP
SS	SHELBY-PAWNEE COMPLEX, 4 TO 8 PERCENT SLOPES, ERODED	186	67	68	SS
SY	SIBLEYVILLE LOAM, 4 TO 8 PERCENT SLOPES	116	67	68	SY
VR	VINLAND-ROCK OUTCROP COMPLEX, 20 TO 40 PERCENT SLOPES	10	67	68	VR
VS	VINLAND-SIBLEYVILLE COMPLEX, 5 TO 12 PERCENT SLOPES	22	67	68	VS
WA	WABASH SILTY CLAY, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	141	67	82	WA
WC	WELDA SILT LOAM, 4 TO 9 PERCENT SLOPES	227	10	<b>10</b>	WC
WD	WELDA SILT LOAM, 9 TO 15 PERCENT SLOPES	163	10	<b>10</b>	WD

## Kansas Division of Property Valuation

### 2006 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>WYANDOTTE COUNTY (Page 3 of 3)</b>					
WST	WASTE	10	10	<b>10</b>	WST
ZO	ZOOK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	207	67	82	ZO