

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
CLARK COUNTY (Page 1 of 3)											
AB	ALBION-SHELLABARGER SANDY LOAMS, 6 TO 12 PERCENT SLOPES	39	176	115	49	39	39	39	39	28	AB
AC	ABILENE SILT LOAM, 1 TO 3 PERCENT SLOPES	56	56	56	56	56	56	56	56	28	AC
ANC	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	22	22	22	22	22	22	22	22	28	ANC
ANF	ALLUVIAL LAND	39	39	39	39	39	39	39	39	38	ANF
ANM	ALLUVIAL LAND, LOAMY	40	40	40	40	40	40	40	40	38	ANM
BD	BADLAND-WOODWARD COMPLEX	10	10	10	10	10	10	10	10	28	BD
BP	BIPPUS CLAY LOAM, 0 TO 2 PERCENT SLOPES	80	332	271	206	134	80	80	80	38	BP
BU	BIPPUS CLAY LOAM, 2 TO 5 PERCENT SLOPES	68	319	258	193	122	68	68	68	38	BU
CC	CAMPUS-CANLON LOAMS, 5 TO 15 PERCENT SLOPES	10	10	10	10	10	10	10	10	18	CC
CE	CASE CLAY LOAM, 2 TO 7 PERCENT SLOPES	28	28	28	28	28	28	28	28	28	CE
CF	CASE CLAY LOAM , 7 TO 15 PERCENT SLOPES	32	149	89	32	32	32	32	32	28	CF
CH	CANLON-ROCK OUTCROP COMPLEX, 5 TO 30 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	CH
CKC	CASE CLAY LOAM, 3 TO 7 PERCENT SLOPES	29	29	29	29	29	29	29	29	28	CKC
CKK	CLARK LOAM, 1-3 PERCENT SLOPES	24	24	24	24	24	24	24	24	28	CKK
CM	CASE CLAY LOAM , 7 TO 15 PERCENT SLOPES	10	10	10	10	10	10	10	10	28	CM
CMAB	ABILENE SILT LOAM, 0 TO 1 PERCENT SLOPES	90	336	276	210	139	90	90	90	28	CMAB
CMAC	ABILENE SILT LOAM, 1 TO 3 PERCENT SLOPES	85	322	261	196	124	85	85	85	28	CMAC
CMCK	CASE CLAY LOAM, 3 TO 7 PERCENT SLOPES	51	283	222	157	86	51	51	51	28	CMCK
CMCS	CLARK CLAY LOAM, 1 TO 3 PERCENT SLOPES	43	323	262	197	126	52	43	43	28	CMCS
CMCT	CLARK CLAY LOAM, 3 TO 6 PERCENT SLOPES	37	283	222	157	86	37	37	37	28	CMCT
CMLN	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	15	224	163	98	26	15	15	15	38	CMLN
CMSH	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	90	322	261	195	124	90	90	90	28	CMSH
CMWF	WELLSFORD CLAY, 6 TO 25 PERCENT SLOPES	10	10	10	10	10	10	10	10	18	CMWF
CR	CAREY SILT LOAM, 0 TO 1 PERCENT SLOPES	98	336	276	210	139	98	98	98	28	CR
CS	CAREY SILT LOAM, 1 TO 3 PERCENT SLOPES	90	326	265	200	129	90	90	90	28	CS
CT	CLARK CLAY LOAM, 3 TO 6 PERCENT SLOPES	16	16	16	16	16	16	16	16	28	CT
CY	CAREY SILT LOAM, 3 TO 6 PERCENT SLOPES	78	270	209	143	78	78	78	78	28	CY
FB	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	69	69	69	69	69	69	69	69	28	FB
FOR A	NESS CLAY	10	10	10	10	10	10	10	10	38	FOR A
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	99	336	276	210	139	99	99	99	28	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	94	322	261	196	124	94	94	94	28	HB

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
CLARK COUNTY (Page 2 of 3)											
KA	KINGSDOWN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	63	314	253	188	116	63	63	63	28	KA
KB	KINGSDOWN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	53	260	199	134	62	53	53	53	28	KB
KR	KRIER LOAM, OCCASIONALLY FLOODED	10	63	10	10	10	10	10	10	57	KR
KWCE	CASE CLAY LOAM, 2 TO 7 PERCENT SLOPES	50	283	222	157	86	50	50	50	28	KWCE
KWCK	CLARK LOAM, 1 TO 3 PERCENT SLOPES	42	323	262	197	126	52	42	42	28	KWCK
KWFB	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	96	326	265	199	128	96	96	96	28	KWFB
KWLN	LINCOLN SANDY LOAM, OCCASIONALLY FLOODED	16	224	163	98	26	16	16	16	38	KWLN
KWTS	TOBIN SILT LOAM, OCCASIONALLY FLOODED	98	315	254	189	117	98	98	98	57	KWTS
KZ	KANZA SOILS	10	10	10	10	10	10	10	10	38	KZ
LB	LESHO CLAY LOAM, OCCASIONALLY FLOODED	50	305	244	178	107	50	50	50	38	LB
LE	LESHO CLAY LOAM, SALINE, OCCASIONALLY FLOODED	40	198	137	72	40	40	40	40	38	LE
LF	LIKES LOAMY SAND, 1 TO 8 PERCENT SLOPES	10	138	77	11	10	10	10	10	28	LF
LH	LIKES-QUINLAN COMPLEX, 3 TO 15 PERCENT SLOPES	10	17	10	10	10	10	10	10	28	LH
LK	LIKES LOAMY SAND	10	10	10	10	10	10	10	10	28	LK
LN	LINCOLN LOAMY FINE SAND, OCCASIONALLY FLOODED	27	224	163	98	27	27	27	27	38	LN
LR	LINCOLN-KRIER COMPLEX, OCCASIONALLY FLOODED	17	163	102	36	17	17	17	17	38	LR
MB	MANSIC CLAY LOAM, 1 TO 3 PERCENT SLOPES	22	22	22	22	22	22	22	22	18	MB
MECC	CAMPUS-CANLON COMPLEX, 5 TO 15 PERCENT SLOPES	10	24	10	10	10	10	10	10	18	MECC
MEKZ	KRIER SOILS, OCCASIONALLY FLOODED	10	128	67	10	10	10	10	10	57	MEKZ
MELE	LESHARA CLAY LOAM, OCCASIONALLY FLOODED	83	300	240	174	103	83	83	83	38	MELE
MEPR	PRATT SOILS, 0 TO 5 PERCENT SLOPES	34	263	203	137	66	34	34	34	28	MEPR
MEPT	PRATT SOILS, 5 TO 15 PERCENT SLOPES	12	115	54	12	12	12	12	12	28	MEPT
MESA	SATANTA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	90	329	268	203	131	90	90	90	28	MESA
MEWN	WANN LOAM, OCCASIONALLY FLOODED	57	253	192	126	57	57	57	57	38	MEWN
MS	MISSLER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	83	332	271	206	134	83	83	83	28	MS
NS	NESS SILTY CLAY	10	10	10	10	10	10	10	10	38	NS
OS	OWENS SILTY CLAY, 6 TO 25 PERCENT SLOPES	10	10	10	10	10	10	10	10	18	OS
PA	PENDEN CLAY LOAM, 0 TO 1 PERCENT SLOPES	45	332	271	206	134	61	45	45	28	PA
PB	PENDEN CLAY LOAM, 1 TO 3 PERCENT SLOPES	42	323	262	197	126	52	42	42	28	PB
PC	PENDEN CLAY LOAM, 3 TO 7 PERCENT SLOPES	34	283	222	157	86	34	34	34	28	PC
PF	PENDEN CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	17	233	172	107	36	17	17	17	28	PF

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
CLARK COUNTY (Page 3 of 3)											
PG	PENDEN CLAY LOAM, 7 TO 15 PERCENT SLOPES	17	163	102	37	17	17	17	17	28	PG
PR	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	41	260	199	134	62	41	41	41	28	PR
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	10	108	48	10	10	10	10	10	28	PT
QW	QUINLAN-WOODWARD LOAMS, 6 TO 15 PERCENT SLOPES	10	10	10	10	10	10	10	10	26	QW
RA	RANDALL CLAY	10	10	10	10	10	10	10	10	38	RA
RC	ROXBURY SILT LOAM, CHANNELED	53	188	127	62	53	53	53	53	38	RC
RF	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	91	315	254	189	117	91	91	91	57	RF
SA	SATANTA LOAM, 0 TO 2 PERCENT SLOPES	90	329	268	203	131	90	90	90	28	SA
SBC	ST. PAUL SILT LOAM, 0 TO 1 PERCENT SLOPES	73	73	73	73	73	73	73	73	28	SBC
SBM	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	56	56	56	56	56	56	56	56	18	SBM
SH	SHELLABARGER LOAM, 2 TO 5 PERCENT SLOPES	81	315	254	189	117	81	81	81	28	SH
TS	TOBIN SILT LOAM, OCCASIONALLY FLOODED	64	64	64	64	64	64	64	64	38	TS
TV	TIVOLI FINE SAND, HILLY	10	10	10	10	10	10	10	10	18	TV
UA	ULY SILT LOAM, 0 TO 1 PERCENT SLOPES	100	336	276	210	139	100	100	100	28	UA
UB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	94	328	267	202	130	94	94	94	28	UB
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	87	306	245	180	108	87	87	87	28	UC
WA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	50	253	192	126	55	50	50	50	38	WA
WF	WELLSFORD CLAY, 6 TO 25 PERCENT SLOPES	10	10	10	10	10	10	10	10	18	WF
WN	WANN LOAM	40	40	40	40	40	40	40	40	38	WN
WO	WOODWARD LOAM, 1 TO 3 PERCENT SLOPES	55	267	206	140	69	55	55	55	28	WO
WR	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	19	78	19	19	19	19	19	19	28	WR
WST	WASTE	10	10	10	10	10	10	10	10	10	WST
YH	YAHOLA LOAM, OCCASIONALLY FLOODED	48	269	208	143	72	48	48	48	38	YH
ZE	ZENDA LOAM, OCCASIONALLY FLOODED	68	242	181	116	68	68	68	68	38	ZE

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
FINNEY COUNTY (Page 1 of 3)											
AD	VALENT FINE SAND, 5 TO 30 PERCENT SLOPES, ERODED	10	10	10	10	10	10	10	10	10	AD
AN	BRIDGEPORT LOAM, CHanneLED	65	249	183	111	65	65	65	65	41	AN
BA	BAYARD FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	71	324	257	186	108	71	71	71	20	BA
BP	BRIDGEPORT CLAY LOAM, RARELY FLOODED	91	336	269	197	119	91	91	91	41	BP
BX	FLUVENTS, FREQUENTLY FLOODED	10	10	10	10	10	10	10	10	10	BX
CH	LEBSACK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	73	322	255	183	105	73	73	73	20	CH
CS	ULYSSES LOAM, SALINE, 0 TO 1 PERCENT SLOPES	66	320	253	182	103	66	66	66	20	CS
DR	DRUMMOND SILT LOAM, 0 TO 1 PERCENT SLOPES	62	202	135	63	62	62	62	62	20	DR
GylC	LAS ANIMAS SOILS, OCCASIONALLY FLOODED	42	280	213	141	63	42	42	42	41	GylC
GYLE	LAS CLAY LOAM, OCCASIONALLY FLOODED	58	307	241	169	91	58	58	58	20	GYLE
GylH	LESHO CLAY LOAM, OCCASIONALLY FLOODED	50	285	219	147	69	50	50	50	20	GylH
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	106	368	302	230	152	106	106	106	31	HA
HGUM	ULY-COLY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	62	213	147	75	62	62	62	62	25	HGUM
HU	BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED	95	345	278	207	128	95	95	95	41	HU
KA	KEITH LOAM, 0 TO 1 PERCENT SLOPES	95	364	297	225	147	95	95	95	31	KA
KELH	LAS ANIMAS LOAMY SAND, OCCASIONALLY FLOODED	41	267	200	128	50	41	41	41	41	KELH
KELN	LINCOLN SAND, OCCASIONALLY FLOODED	21	212	145	73	21	21	21	21	41	KELN
KELO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	10	10	10	10	10	10	10	41	KELO
LA	LAS CLAY LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED	49	285	219	147	69	49	49	49	20	LA
LB	LAS CLAY LOAM, DEEP, OCCASIONALLY FLOODED	72	334	267	195	117	72	72	72	20	LB
LC	LAS-BAYARD SANDY LOAMS, OCCASIONALLY FLOODED	62	295	228	156	78	62	62	62	20	LC
LD	LAS-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	47	272	205	134	56	47	47	47	41	LD
LECC	CANLON-CAMPUS COMPLEX, 1 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	LECC
LEOF	OTERO FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	20	121	54	20	20	20	20	20	20	LEOF
LK	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	49	267	200	128	50	49	49	49	41	LK
LL	LAS ANIMAS-LINCOLN LOAMY SANDS, OCCASIONALLY FLOODED	25	188	121	50	25	25	25	25	41	LL
LM	LINCOLN SOILS, OCCASIONALLY FLOODED	29	212	145	73	29	29	29	29	41	LM
LN	MIDWAY CLAY, 10 TO 20 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	LN
LO	LOFTON CLAY LOAM, 0 TO 2 PERCENT SLOPES	12	12	12	12	12	12	12	12	20	LO
MH	PENDEN-ROXBURY COMPLEX, 0 TO 15 PERCENT SLOPES	37	202	135	64	37	37	37	37	20	MH
MM	CAMPUS-CANLON COMPLEX, 5 TO 15 PERCENT SLOPES	10	25	10	10	10	10	10	10	10	MM

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
FINNEY COUNTY (Page 2 of 3)											
MN	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	62	319	252	181	102	62	62	62	20	MN
MR	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	63	294	227	156	78	63	63	63	20	MR
MT	MANTER-OTERO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES	52	265	198	127	52	52	52	52	20	MT
OT	OTERO FINE SANDY LOAM, 5 TO 15 PERCENT SLOPES	10	98	32	10	10	10	10	10	20	OT
OX	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	10	89	22	10	10	10	10	10	10	OX
OY	OTERO-ULYSSES COMPLEX, 0 TO 5 PERCENT SLOPES	49	245	178	107	49	49	49	49	20	OY
PC	LIMON CLAY, 1 TO 3 PERCENT SLOPES	32	192	125	54	32	32	32	32	20	PC
PEN	PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES	26	183	117	45	26	26	26	26	20	PEN
RA	NESS CLAY	10	10	10	10	10	10	10	10	41	RA
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	89	359	292	220	142	89	89	89	31	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	84	339	272	201	123	84	84	84	31	RN
RO	RICHFIELD SILT LOAM, SALINE, 0 TO 1 PERCENT SLOPES	77	312	245	173	95	77	77	77	41	RO
RS	RICHFIELD-SPEARVILLE COMPLEX, 0 TO 1 PERCENT SLOPES	90	362	295	224	146	90	90	90	25	RS
RU	RICHFIELD AND ULYSSES COMPLEXES, BENCH LEVELED	85	364	297	225	147	85	85	85	31	RU
RW	PENROSE-ROCK LAND COMPLEX, 10 TO 20 PERCENT SLOPES	10	10	10	10	10	10	10	10	20	RW
RX	ROXBURY SILT LOAM, RARELY FLOODED	104	359	292	221	143	104	104	104	41	RX
SCOH	OTERO SOILS, 5 TO 15 PERCENT SLOPES	12	83	17	12	12	12	12	12	20	SCOH
SCTS	VALENT LOAMY FINE SAND, 5 TO 20 PERCENT SLOPES	10	99	32	10	10	10	10	10	20	SCTS
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	94	364	297	225	147	94	94	94	20	SP
SR	SPEARVILLE COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	77	295	228	157	79	77	77	77	20	SR
SW	SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED	37	232	165	93	37	37	37	37	41	SW
TF	VALENT FINE SAND, 6 TO 20 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	TF
TV	VALENT-VONA LOAMY FINE SANDS, 3 TO 8 PERCENT SLOPES	15	137	70	15	15	15	15	15	20	TV
TX	VALENT-DUNE LAND COMPLEX, 5 TO 30 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	TX
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	81	364	297	225	147	81	81	81	31	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	75	354	287	216	138	75	75	75	31	UB
UC	ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES	68	320	253	181	103	68	68	68	31	UC
UCC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	85	312	245	174	96	85	85	85	31	UCC
UD	ULYSSES LOAM, 0 TO 3 PERCENT SLOPES	75	354	287	216	138	75	75	75	31	UD
UE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	54	260	193	122	54	54	54	54	31	UE
UM	ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED	48	221	154	83	48	48	48	48	25	UM

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
FINNEY COUNTY (Page 3 of 3)											
US	ULYSSES SILT LOAM, SALINE, 0 TO 1 PERCENT SLOPES	66	320	253	182	103	66	66	66	20	US
UT	ULYSSES SILT LOAM, SALINE, 1 TO 3 PERCENT SLOPES	59	302	235	164	85	59	59	59	20	UT
UV	ULYSSES AND RICHFIELD COMPLEXES, SALINE, BENCH LEVELED	79	317	250	178	100	79	79	79	20	UV
UX	RICHFIELD SOILS, SILTED, 0 TO 1 PERCENT SLOPES	89	361	294	222	144	89	89	89	20	UX
VO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	33	190	124	52	33	33	33	33	20	VO
WST	WASTE	10	10	10	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
FINNEY COUNTY (Page 1 of 2)			
AD	VALENT FINE SAND, 5 TO 30 PERCENT SLOPES, ERODED	10	AD
AN	BRIDGEPORT LOAM, CHANNELED	238	AN
BA	BAYARD FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	312	BA
BP	BRIDGEPORT CLAY LOAM, RARELY FLOODED	326	BP
BX	FLUVENTS, FREQUENTLY FLOODED	10	BX
CH	LEBSACK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	312	CH
CS	ULYSSES LOAM, SALINE, 0 TO 1 PERCENT SLOPES	308	CS
DR	DRUMMOND SILT LOAM, 0 TO 1 PERCENT SLOPES	190	DR
GYLC	LAS ANIMAS SOILS, OCCASIONALLY FLOODED	268	GYLC
GYLE	LAS CLAY LOAM, OCCASIONALLY FLOODED	296	GYLE
GYLH	LESHO CLAY LOAM, OCCASIONALLY FLOODED	274	GYLH
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	358	HA
HGUM	ULY-COLY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	202	HGUM
HU	BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED	336	HU
KA	KEITH LOAM, 0 TO 1 PERCENT SLOPES	352	KA
KELH	LAS ANIMAS LOAMY SAND, OCCASIONALLY FLOODED	255	KELH
KELN	LINCOLN SAND, OCCASIONALLY FLOODED	200	KELN
KELO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	KELO
LA	LAS CLAY LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED	274	LA
LB	LAS CLAY LOAM, DEEP, OCCASIONALLY FLOODED	322	LB
LC	LAS-BAYARD SANDY LOAMS, OCCASIONALLY FLOODED	283	LC
LD	LAS-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	260	LD
LECC	CANLON-CAMPUS COMPLEX, 1 TO 40 PERCENT SLOPES	10	LECC
LEOF	OTERO FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES	109	LEOF
LK	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	255	LK
LL	LAS ANIMAS-LINCOLN LOAMY SANDS, OCCASIONALLY FLOODED	176	LL
LM	LINCOLN SOILS, OCCASIONALLY FLOODED	200	LM
LN	MIDWAY CLAY, 10 TO 20 PERCENT SLOPES	10	LN
LO	LOFTON CLAY LOAM, 0 TO 2 PERCENT SLOPES	12	LO
MH	PENDEN-ROXBURY COMPLEX, 0 TO 15 PERCENT SLOPES	190	MH
MM	CAMPUS-CANLON COMPLEX, 5 TO 15 PERCENT SLOPES	10	MM
MN	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	307	MN
MR	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	282	MR
MT	MANTER-OTERO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES	253	MT
OT	OTERO FINE SANDY LOAM, 5 TO 15 PERCENT SLOPES	87	OT
OX	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	77	OX
OY	OTERO-ULYSSES COMPLEX, 0 TO 5 PERCENT SLOPES	233	OY
PC	PROMISE CLAY, 1 TO 3 PERCENT SLOPES	180	PC
PEN	PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES	172	PEN
RA	NESS CLAY	10	RA
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	347	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	327	RN
RO	RICHFIELD SILT LOAM, SALINE, 0 TO 1 PERCENT SLOPES	300	RO
RS	RICHFIELD-SPEARVILLE COMPLEX, 0 TO 1 PERCENT SLOPES	350	RS
RU	RICHFIELD AND ULYSSES COMPLEXES, BENCH LEVELED	352	RU
RW	PENROSE-ROCK LAND COMPLEX, 10 TO 20 PERCENT SLOPES	10	RW
RX	ROXBURY SILT LOAM, RARELY FLOODED	350	RX
SCOH	OTERO SOILS, 5 TO 15 PERCENT SLOPES	72	SCOH

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
FINNEY COUNTY (Page 2 of 2)			
SCTS	VALENT LOAMY FINE SAND, 5 TO 20 PERCENT SLOPES	87	SCTS
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	355	SP
SR	SPEARVILLE COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	283	SR
SW	SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED	220	SW
TF	VALENT FINE SAND, 6 TO 20 PERCENT SLOPES	10	TF
TV	VALENT-VONA LOAMY FINE SANDS, 3 TO 8 PERCENT SLOPES	125	TV
TX	VALENT-DUNE LAND COMPLEX, 5 TO 30 PERCENT SLOPES	10	TX
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	355	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	342	UB
UC	ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES	308	UC
UCC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	300	UCC
UD	ULYSSES LOAM, 0 TO 3 PERCENT SLOPES	342	UD
UE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	248	UE
UM	ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED	209	UM
US	ULYSSES SILT LOAM, SALINE, 0 TO 1 PERCENT SLOPES	308	US
UT	ULYSSES SILT LOAM, SALINE, 1 TO 3 PERCENT SLOPES	290	UT
UV	ULYSSES AND RICHFIELD COMPLEXES, SALINE, BENCH LEVELED	305	UV
UX	ULYSSES AND RICHFIELD SOILS, SILTED, 0 TO 1 PERCENT SLOPES	349	UX
VO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	179	VO
WST	WASTE	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
FORD COUNTY (Page 1 of 3)											
AD	TIVOLI FINE SAND, 4 TO 20 PERCENT SLOPES, ERODED	10	53	10	10	10	10	10	10	19	AD
AN	ROXBURY SILT LOAM, CHANNELED	61	233	171	105	61	61	61	61	29	AN
AS	LESHO-LESHO, SALINE CLAY LOAMS, OCCASIONALLY FLOODED	51	272	210	143	71	51	51	51	29	AS
BC	BIPPUS CLAY LOAM, 2 TO 5 PERCENT SLOPES	64	325	263	196	124	64	64	64	29	BC
BR	FLUVENTS	14	14	14	14	14	14	14	14	29	BR
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	72	334	272	205	133	72	72	72	29	CA
CAKB	KINGSDOWN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	30	166	104	37	30	30	30	30	29	CAKB
CAPF	PENDEN CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	28	284	222	155	83	28	28	28	29	CAPF
CAPG	PENDEN CLAY LOAM, 7 TO 15 PERCENT SLOPES	25	204	142	75	25	25	25	25	34	CAPG
CARF	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	72	303	241	175	102	72	72	72	29	CARF
CASA	SATANTA LOAM, 0 TO 2 PERCENT SLOPES	90	337	275	209	136	90	90	90	29	CASA
DA	DALE SILT LOAM, RARELY FLOODED	93	325	263	196	124	93	93	93	29	DA
DH	DALE AND HUMBARGER CLAY LOAMS, RARELY FLOODED	78	325	263	196	124	78	78	78	29	DH
DL	DALHART-LUBBOCK COMPLEX, 0 TO 5 PERCENT SLOPES	71	329	267	201	128	71	71	71	29	DL
EDBK	COLY-TOBIN SILT LOAMS, 0 TO 15 PERCENT SLOPES	77	306	244	177	105	77	77	77	38	EDBK
EDHD	HARNEY-ULY COMPLEX, 1 TO 3 PERCENT SLOPES	86	334	272	205	133	86	86	86	29	EDHD
EDHO	HORD SILT LOAM, RARELY FLOODED	105	332	270	203	131	105	105	105	29	EDHO
EDPA	PLATTE SOILS, OCCASIONALLY FLOODED	12	171	109	42	12	12	12	12	38	EDPA
EDZE	LESHO CLAY LOAM, SALINE, OCCASIONALLY FLOODED	43	192	130	63	43	43	43	43	29	EDZE
GYAN	BRIDGEPORT SILT LOAM, CHANNELED	58	233	171	105	58	58	58	58	29	GYAN
GYLA	LAS ANIMAS-LESHO COMPLEX, ALKALI, OCCASIONALLY FLOODED	41	216	154	87	41	41	41	41	29	GYLA
GYME	PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES	24	204	142	75	24	24	24	24	34	GYME
GYPA	PRATT LOAMY FINE SAND, 1 TO 6 PERCENT SLOPES	30	242	180	113	41	30	30	30	19	GYPA
GYRN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	77	328	266	199	126	77	77	77	29	GYRN
GYSA	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	91	337	275	209	136	91	91	91	29	GYSA
GYSB	SATANTA LOAM, 1 TO 3 PERCENT SLOPES	90	334	272	205	133	90	90	90	29	GYSB
GYUB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	76	334	272	205	133	76	76	76	29	GYUB
GYUC	ULYSSES SILT LOAM, 3 TO 6 PERCENT SLOPES	65	313	251	185	112	65	65	65	29	GYUC
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	86	338	276	210	137	86	86	86	29	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	84	328	266	199	126	84	84	84	29	HB
HD	HOLDREGE FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	95	334	272	205	133	95	95	95	29	HD

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
FORD COUNTY (Page 2 of 3)											
HG	HOLDREGE LOAM, 0 TO 1 PERCENT SLOPES	98	338	276	210	137	98	98	98	29	HG
HGHO	HORD SILTY CLAY LOAM, RARELY FLOODED	102	332	270	203	131	102	102	102	29	HGHO
HGKP	KIM-PENDEN SILTY CLAY LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	31	210	148	81	31	31	31	31	29	HGKP
HGRZ	BRIDGEPORT SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	73	325	263	196	124	73	73	73	29	HGRZ
HO	HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES	101	338	276	210	137	101	101	101	29	HO
HS	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	94	334	272	205	133	94	94	94	29	HS
KWAT	ATTICA LOAMY FINE SAND, 1 TO 4 PERCENT SLOPES	57	310	248	181	109	57	57	57	29	KWAT
KWCO	COLY SILT LOAM, 4 TO 9 PERCENT SLOPES	59	243	181	114	59	59	59	59	29	KWCO
KWCT	COLY-TOBIN SILT LOAMS, 0 TO 20 PERCENT SLOPES	67	254	191	125	67	67	67	67	38	KWCT
LA	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	41	266	204	138	65	41	41	41	38	LA
LC	LAS ANIMAS-LINCOLN COMPLEX, OCCASIONALLY FLOODED	28	211	149	82	28	28	28	28	38	LC
LN	LAS ANIMAS-TIVOLI COMPLEX, 0 TO 6 PERCENT SLOPES, OCCASIONALLY FLOODED	20	206	144	77	20	20	20	20	38	LN
LS	LESHARA CLAY LOAM, OCCASIONALLY FLOODED	91	321	259	192	119	91	91	91	38	LS
LT	LESHO CLAY LOAM, OCCASIONALLY FLOODED	38	261	199	132	59	38	38	38	38	LT
LU	LINCOLN SOILS, FREQUENTLY FLOODED	10	105	43	10	10	10	10	10	38	LU
MA	PENDEN CLAY LOAM, 0 TO 1 PERCENT SLOPES	42	337	275	208	135	60	42	42	29	MA
MB	PENDEN CLAY LOAM, 1 TO 3 PERCENT SLOPES	39	324	262	196	123	48	39	39	29	MB
MC	PENDEN CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	22	269	207	140	68	22	22	22	29	MC
MD	PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES	34	284	222	155	83	34	34	34	29	MD
MEOZ	OTERO-MANTER FINE SANDY LOAMS, 3 TO 6 PERCENT SLOPES	23	155	93	27	23	23	23	23	29	MEOZ
MEPR	PRATT SOILS, 0 TO 5 PERCENT SLOPES	28	245	183	117	44	28	28	28	19	MEPR
MERX	ROXBURY SILT LOAM, RARELY FLOODED	89	332	270	203	131	89	89	89	29	MERX
MF	PENDEN AND CAMPUS SOILS, 3 TO 6 PERCENT SLOPES, ERODED	22	206	144	78	22	22	22	22	29	MF
MH	PENDEN-TOBIN COMPLEX, 0 TO 15 PERCENT SLOPES	32	207	145	79	32	32	32	32	34	MH
MN	CAMPUS CLAY LOAM, 0 TO 3 PERCENT SLOPES	15	112	50	15	15	15	15	15	29	MN
MP	CAMPUS-CANLON COMPLEX, 3 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	19	MP
OF	ATTICA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	74	338	276	210	137	74	74	74	29	OF
OR	ATTICA FINE SANDY LOAM, 2 TO 8 PERCENT SLOPES	56	306	244	178	105	56	56	56	29	OR
OS	ATTICA-CARWILE COMPLEX, 0 TO 4 PERCENT SLOPES	49	216	154	87	49	49	49	49	29	OS
OT	OTERO FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	20	159	97	30	20	20	20	20	29	OT
PO	CANLON SOILS, 15 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	14	PO

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
FORD COUNTY (Page 3 of 3)											
PR	PRATT LOAMY FINE SAND, 3 TO 10 PERCENT SLOPES	28	224	162	96	28	28	28	28	19	PR
PT	PRATT-TIVOLI LOAMY FINE SANDS, 4 TO 15 PERCENT SLOPES	14	156	94	28	14	14	14	14	19	PT
RA	NESS CLAY	10	10	10	10	10	10	10	10	38	RA
SB	PRATT-HUMBARGER COMPLEX, 0 TO 15 PERCENT SLOPES	43	252	190	123	50	43	43	43	29	SB
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	81	338	276	210	137	81	81	81	29	SP
SR	SPEARVILLE COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	66	274	212	146	73	66	66	66	29	SR
TV	TIVOLI FINE SAND, 5 TO 20 PERCENT SLOPES	10	79	17	10	10	10	10	10	19	TV
UA	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	87	334	272	205	133	87	87	87	29	UA
UB	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	79	313	251	185	112	79	79	79	29	UB
UC	ULY-COLY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	60	243	181	114	60	60	60	60	29	UC
UH	ULY-HARNEY SILT LOAMS, 1 TO 3 PERCENT SLOPES	85	334	272	205	133	85	85	85	29	UH
UN	ULY-HARNEY COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	73	284	222	155	82	73	73	73	29	UN
UP	ULY-TOBIN COMPLEX, 0 TO 6 PERCENT SLOPES	82	316	254	188	115	82	82	82	38	UP
WST	WASTE	10	10	10	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
GRANT COUNTY (Page 1 of 2)											
1159	Glenberg soils, occasionally flooded	21	197	126	50	21	21	21	21	44	1159
1327	Bayard fine sandy loam, 0 to 3 percent slopes	26	229	158	81	26	26	26	26	44	1327
1344	Bridgeport fine sandy loam, rarely flooded	75	382	311	235	152	75	75	75	44	1344
1349	Bridgeport silty clay loam, rarely flooded	80	382	311	235	152	80	80	80	33	1349
1390	Church clay, dark variant, occasionally flooded	22	231	160	84	22	22	22	22	44	1390
1422	Goshen silt loam, rarely flooded	103	382	311	235	152	103	103	103	33	1422
1454	Ryus silty clay loam, 0 to 1 percent slopes	66	371	300	224	141	66	66	66	44	1454
1572	Colby loam, 5 to 12 percent slopes	23	146	75	23	23	23	23	23	21	1572
1579	Colby silt loam, 3 to 5 percent slopes	29	202	131	55	29	29	29	29	21	1579
1592	Colby-Ulysses complex, 3 to 5 percent slopes, eroded	29	202	131	55	29	29	29	29	21	1592
1667	Manter fine sandy loam, 0 to 1 percent slopes	61	377	306	229	146	61	61	61	21	1667
1668	Manter fine sandy loam, 1 to 3 percent slopes	58	350	279	203	120	58	58	58	21	1668
1706	Otero fine sandy loam, 7 to 15 percent slopes	13	120	49	13	13	13	13	13	21	1706
1709	Otero-Manter fine sandy loams, 1 to 3 percent slopes	40	255	184	108	40	40	40	40	21	1709
1712	Otero-Schamber complex, 5 to 20 percent slopes	10	59	10	10	10	10	10	10	10	1712
1741	Pleasant silty clay loam, ponded	10	10	10	10	10	10	10	10	21	1741
1761	Richfield silt loam, 0 to 1 percent slopes	78	387	316	240	157	78	78	78	21	1761
1808	Satanta fine sandy loam, 0 to 1 percent slopes	77	384	313	237	153	77	77	77	21	1808
1809	Satanta fine sandy loam, 1 to 3 percent slopes	71	361	290	214	130	71	71	71	21	1809
1810	Satanta loam, 0 to 1 percent slopes	83	387	316	240	157	83	83	83	21	1810
1854	Ulysses loam, 1 to 3 percent slopes	65	379	308	232	148	65	65	65	21	1854
1856	Ulysses silt loam, 0 to 1 percent slopes	70	387	316	240	157	71	70	70	21	1856
1857	Ulysses silt loam, 1 to 3 percent slopes	73	379	308	232	148	73	73	73	21	1857
1867	Ulysses-Colby silt loams, 1 to 3 percent slopes, eroded	45	272	201	124	45	45	45	45	21	1867
1982	Valent fine sand, 5 to 20 percent slopes	10	110	39	10	10	10	10	10	10	1982
1983	Valent fine sand, 20 to 40 percent slopes	10	69	10	10	10	10	10	10	10	1983
1986	Valent-Vona loamy fine sands, 0 to 15 percent slopes	10	115	44	10	10	10	10	10	21	1986
1987	Vona loamy fine sand, 0 to 5 percent slopes	34	203	132	55	34	34	34	34	21	1987
2155	Lesho, saline-Las Animas complex, occasionally flooded	42	220	149	73	42	42	42	42	33	2155
2714	Ness clay	10	10	10	10	10	10	10	10	21	2714

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
GRANT COUNTY (Page 2 of 2)											
3593	Humbarger loam, occasionally flooded	73	367	296	220	137	73	73	73	44	3593
5219	Dalhart loamy fine sand, 0 to 3 percent slopes	58	329	258	182	99	58	58	58	21	5219
6060	Lincoln soils, frequently flooded	22	146	75	22	22	22	22	22	44	6060
9976	Borrow pits	10	10	10	10	10	10	10	10	10	9976
9982	Fluvents, frequently flooded	73	367	296	220	137	73	73	73	44	9982
9983	Gravel pits and quarries	10	10	10	10	10	10	10	10	10	9983
9994	Rivers	10	10	10	10	10	10	10	10	10	9994
9999	Water	10	10	10	10	10	10	10	10	10	9999
WST	WASTE	10	10	10	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
GRAY COUNTY (Page 1 of 2)											
1124	Bridgeport silt loam, channeled	63	244	179	109	63	63	63	63	30	1124
1185	Las Animas sandy loam, occasionally flooded	40	261	196	126	49	40	40	40	30	1185
1186	Las Animas-Lesho complex, alkali, occasionally flooded	41	184	118	48	41	41	41	41	30	1186
1190	Las Animas soils, occasionally flooded	20	173	108	38	20	20	20	20	30	1190
1214	Las clay loam, deep, occasionally flooded	55	300	234	164	87	55	55	55	30	1214
1235	Las-Las Animas complex, occasionally flooded	55	300	237	164	87	55	55	55	30	1235
1258	Sweetwater clay loam, occasionally flooded	34	181	116	45	34	34	34	34	30	1258
1342	Bridgeport clay loam, rarely flooded	95	329	263	193	117	95	95	95	30	1342
1349	Bridgeport silty clay loam, rarely flooded	95	329	263	193	117	95	95	95	30	1349
1350	Bridgeport silty clay loam, 1 to 3 percent slopes	90	329	263	193	117	90	90	90	30	1350
1665	Lofton silty clay loam, 0 to 1 percent slopes	12	353	288	218	141	62	12	12	20	1665
1667	Manter fine sandy loam, 0 to 1 percent slopes	66	312	247	177	100	66	66	66	20	1667
1668	Manter fine sandy loam, 1 to 3 percent slopes	61	288	223	153	76	61	61	61	20	1668
1674	Manter-Ulysses complex, 1 to 6 percent slopes	66	304	238	168	92	66	66	66	20	1674
1675	Manter fine sandy loam, 3 to 5 percent slopes, eroded	42	207	142	72	42	42	42	42	20	1675
1761	Richfield silt loam, 0 to 1 percent slopes	86	356	291	221	144	86	86	86	20	1761
1762	Richfield silt loam, 1 to 3 percent slopes	84	332	267	197	120	84	84	84	20	1762
1765	Richfield silty clay loam, 1 to 5 percent slopes, eroded	67	283	218	148	71	67	67	67	20	1765
1768	Richfield-Spearville complex, 0 to 1 percent slopes	90	356	291	221	144	90	90	90	20	1768
1810	Satanta loam, 0 to 1 percent slopes	94	352	286	216	139	94	94	94	20	1810
1811	Satanta loam, 1 to 3 percent slopes	89	332	267	197	120	89	89	89	20	1811
1820	Schamber gravelly sandy loam, 5 to 25 percent slopes	10	10	10	10	10	10	10	10	10	1820
1859	Ulysses silt loam, 3 to 6 percent slopes	66	304	239	169	92	66	66	66	20	1859
1868	Ulysses-Colby silt loams, 3 to 6 percent slopes, eroded	42	216	151	81	42	42	42	42	20	1868
1982	Valent fine sand, 5 to 20 percent slopes	10	97	31	10	10	10	10	10	20	1982
1986	Valent-Vona loamy fine sands, 0 to 15 percent slopes	21	202	137	67	21	21	21	21	20	1986
1987	Vona loamy fine sand, 0 to 5 percent slopes	41	279	214	144	67	41	41	41	20	1987
2152	Lesho clay loam, occasionally flooded	57	329	263	193	116	57	57	57	30	2152
2157	Lesho-Sweetwater complex, occasionally flooded	36	199	133	63	36	36	36	36	30	2157
2375	Roxbury silt loam, rarely flooded	110	352	286	216	140	110	110	110	30	2375
2562	Campus-Canlon complex, 3 to 30 percent slopes	10	10	10	10	10	10	10	10	18	2562

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
GRAY COUNTY (Page 2 of 2)											
2612	Harney silt loam, 0 to 1 percent slopes	103	356	291	221	144	103	103	103	20	2612
2613	Harney silt loam, 1 to 3 percent slopes	90	332	267	197	120	90	90	90	20	2613
2615	Harney silty clay loam, 1 to 3 percent slopes, eroded	67	283	218	148	71	67	67	67	20	2615
2682	Lubbock loam, 0 to 1 percent slopes	100	356	291	221	144	100	100	100	20	2682
2686	Lubbock silty clay loam, 0 to 1 percent slopes	100	356	291	221	144	100	100	100	20	2686
2714	Ness clay	10	10	10	10	10	10	10	10	20	2714
2747	Penden clay loam, 3 to 7 percent slopes	41	299	234	164	87	41	41	41	20	2747
2748	Penden clay loam, 3 to 7 percent slopes, eroded	25	255	189	119	42	25	25	25	20	2748
2750	Penden clay loam, 7 to 15 percent slopes	21	170	105	35	21	21	21	21	20	2750
2751	Penden complex, 7 to 15 percent slopes, eroded	10	116	51	10	10	10	10	10	20	2751
2800	Spearville complex, 1 to 3 percent slopes, eroded	77	289	224	154	77	77	77	77	20	2800
2801	Spearville silty clay loam, 0 to 1 percent slopes	94	356	291	221	144	94	94	94	20	2801
2814	Uly silt loam, 0 to 1 percent slopes	82	356	291	221	144	82	82	82	20	2814
2815	Uly silt loam, 1 to 3 percent slopes	76	347	282	211	135	76	76	76	20	2815
2817	Uly silt loam, 3 to 6 percent slopes	66	304	239	169	92	66	66	66	20	2817
2818	Uly silt loam, 3 to 6 percent slopes, eroded	42	216	151	81	42	42	42	42	20	2818
2822	Uly-Coly silt loams, 3 to 6 percent slopes, eroded	42	216	151	81	42	42	42	42	20	2822
5248	Optima fine sand, 0 to 5 percent slopes	10	167	101	31	10	10	10	10	20	5248
5928	Pratt loamy fine sand, 1 to 5 percent slopes	41	279	212	144	67	41	41	41	20	5928
5930	Pratt loamy fine sand, gravel substratum, 0 to 1 percent slopes	55	322	257	187	110	55	55	55	20	5930
5941	Pratt-Tivoli Loamy Fine Sands, 5 TO 15 Percent Slopes	21	202	137	67	21	21	21	21	20	5941
6060	Lincoln soils, frequently flooded	24	115	50	24	24	24	24	24	20	6060
6240	Dale silt loam, rarely flooded	110	352	286	216	140	110	110	110	30	6240
9983	Gravel pits and quarries	10	10	10	10	10	10	10	10	10	9983
9994	Rivers	10	10	10	10	10	10	10	10	10	9994
9995	Sand pits	10	10	10	10	10	10	10	10	10	9995
9999	Water	10	10	10	10	10	10	10	10	10	9999
WST	WASTE	10	10	10	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
HAMILTON COUNTY (Page 1 of 2)											
AD	VALENT FINE SAND, 20 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	AD
AN	BRIDGEPORT SILT LOAM, CHANNELED	54	236	172	104	54	54	54	54	29	AN
BA	BAYARD FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	58	294	231	163	88	58	58	58	19	BA
BC	LAS VARIANT CLAY, OCCASIONALLY FLOODED	30	174	110	42	30	30	30	30	19	BC
BD	LAS VARIANT CLAY LOAM, OCCASIONALLY FLOODED	55	269	205	137	63	55	55	55	19	BD
BF	LAS VARIANT LOAMY FINE SAND, OCCASIONALLY FLOODED	37	217	153	85	37	37	37	37	19	BF
BX	LAS VARIANT-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	43	240	177	109	43	43	43	43	19	BX
BY	BRIDGEPORT CLAY LOAM, RARELY FLOODED	51	230	167	99	51	51	51	51	29	BY
CA	COLBY SILT LOAM, 0 TO 1 PERCENT SLOPES	46	266	202	134	59	46	46	46	19	CA
CB	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES	43	247	183	115	43	43	43	43	19	CB
CC	COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES	38	219	155	87	38	38	38	38	19	CC
CD	COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES	24	122	59	24	24	24	24	24	19	CD
GO	GOSHEN SILT LOAM, RARELY FLOODED	92	342	278	210	136	92	92	92	29	GO
KELO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	10	10	10	10	10	10	10	19	KELO
KEPO	CANLON SOILS, 5 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	KEPO
KETV	VALENT-VONA LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	10	102	38	10	10	10	10	10	19	KETV
KEVO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	30	181	118	50	30	30	30	30	19	KEVO
LA	LAS CLAY LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED	36	272	208	140	66	36	36	36	19	LA
LB	LAS CLAY LOAM, DEEP, OCCASIONALLY FLOODED	49	277	213	145	70	49	49	49	19	LB
LC	LAS ANIMAS LOAMY SAND, OCCASIONALLY FLOODED	15	168	105	37	15	15	15	15	19	LC
LD	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	27	216	152	84	27	27	27	27	19	LD
LF	LINCOLN SAND, OCCASIONALLY FLOODED	15	202	138	70	15	15	15	15	29	LF
LO	PLEASANT CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	10	10	10	10	10	10	10	19	LO
MA	MANter FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	62	340	277	208	134	62	62	62	19	MA
MB	MANter FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	52	280	217	148	74	52	52	52	19	MB
OT	OTERO FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	31	200	136	68	31	31	31	31	19	OT
OX	OTERO-VONA COMPLEX, 5 TO 15 PERCENT SLOPES	14	94	30	14	14	14	14	14	19	OX
PO	CANLON SOILS, 5 TO 25 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	PO
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	75	346	283	214	140	75	75	75	19	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	71	323	259	191	117	71	71	71	19	RN

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
HAMILTON COUNTY (Page 2 of 2)											
STOX	OTERO-MANTER FINE SANDY LOAMS, 1 TO 5 PERCENT SLOPES	35	200	136	68	35	35	35	35	19	STOX
STVO	VONA LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	23	146	82	23	23	23	23	23	19	STVO
SW	SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED	33	216	152	84	33	33	33	33	29	SW
TF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	10	62	10	10	10	10	10	10	10	TF
TS	VALENT LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	10	98	35	10	10	10	10	10	19	TS
TX	VALENT-DUNE LAND COMPLEX, 10 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	TX
UA	ULYSSES LOAM, 0 TO 1 PERCENT SLOPES	63	345	281	213	139	63	63	63	19	UA
UB	ULYSSES LOAM, 1 TO 3 PERCENT SLOPES	59	328	264	196	121	59	59	59	19	UB
UC	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	63	345	281	213	139	63	63	63	19	UC
UD	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	68	328	264	196	121	68	68	68	19	UD
UE	ULYSSES-COLBY COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	45	238	175	107	45	45	45	45	19	UE
VO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	27	181	118	50	27	27	27	27	19	VO
WST	WASTE	10	10	10	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
HAMILTON COUNTY			
AD	VALENT FINE SAND, 20 TO 40 PERCENT SLOPES	10	AD
AN	BRIDGEPORT SILT LOAM, CHANNELED	225	AN
BA	BAYARD FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	283	BA
BC	LAS VARIANT CLAY, OCCASIONALLY FLOODED	163	BC
BD	LAS VARIANT CLAY LOAM, OCCASIONALLY FLOODED	258	BD
BF	LAS VARIANT LOAMY FINE SAND, OCCASIONALLY FLOODED	206	BF
BX	LAS VARIANT-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	229	BX
BY	BRIDGEPORT CLAY LOAM, RARELY FLOODED	221	BY
CA	COLBY SILT LOAM, 0 TO 1 PERCENT SLOPES	254	CA
CB	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES	236	CB
CC	COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES	208	CC
CD	COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES	111	CD
GO	GOSHEN SILT LOAM, RARELY FLOODED	333	GO
KELO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	KELO
KEPO	CANLON SOILS, 5 TO 40 PERCENT SLOPES	10	KEPO
KETV	VALENT-VONA LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	91	KETV
KEVO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	170	KEVO
LA	LAS CLAY LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED	261	LA
LB	LAS CLAY LOAM, DEEP, OCCASIONALLY FLOODED	265	LB
LC	LAS ANIMAS LOAMY SAND, OCCASIONALLY FLOODED	157	LC
LD	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	205	LD
LF	LINCOLN SAND, OCCASIONALLY FLOODED	190	LF
LO	PLEASANT CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	LO
MA	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	329	MA
MB	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	269	MB
OT	OTERO FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	189	OT
OX	OTERO-VONA COMPLEX, 5 TO 15 PERCENT SLOPES	83	OX
PO	CANLON SOILS, 5 TO 25 PERCENT SLOPES	10	PO
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	335	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	312	RN
STOX	OTERO-MANTER FINE SANDY LOAMS, 1 TO 5 PERCENT SLOPES	189	STOX
STVO	VONA LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	134	STVO
SW	SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED	205	SW
TF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	50	TF
TS	VALENT LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	87	TS
TX	VALENT-DUNE LAND COMPLEX, 10 TO 40 PERCENT SLOPES	10	TX
UA	ULYSSES LOAM, 0 TO 1 PERCENT SLOPES	334	UA
UB	ULYSSES LOAM, 1 TO 3 PERCENT SLOPES	316	UB
UC	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	334	UC
UD	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	316	UD
UE	ULYSSES-COLBY COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	227	UE
VO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	170	VO
WST	WASTE	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
HASKELL COUNTY											
AD	VALENT FINE SAND, 5 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	AD
CO	COLBY LOAM, 5 TO 12 PERCENT SLOPES	28	144	74	28	28	28	28	28	21	CO
GB	GLENBERG SOILS, OCCASIONALLY FLOODED	25	194	124	49	25	25	25	25	32	GB
LK	LIKES LOAMY SAND, 0 TO 3 PERCENT SLOPES	10	204	134	59	10	10	10	10	21	LK
LO	LOFTON SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	10	10	10	10	10	10	10	21	LO
LU	LUBBOCK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	107	381	311	236	154	107	107	107	21	LU
MA	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	68	370	301	226	144	68	68	68	21	MA
MB	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	62	345	275	200	118	62	62	62	21	MB
MEHA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	94	380	310	235	153	94	94	94	32	MEHA
MENS	NESS SILTY CLAY	10	10	10	10	10	10	10	10	21	MENS
OG	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	10	88	18	10	10	10	10	10	15	OG
OU	OTERO-ULYSSES COMPLEX, 1 TO 3 PERCENT SLOPES	54	287	218	143	61	54	54	54	21	OU
RA	NESS CLAY	10	10	10	10	10	10	10	10	21	RA
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	86	376	306	231	149	86	86	86	32	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	82	355	285	210	128	82	82	82	32	RN
RU	RICHFIELD AND ULYSSES COMPLEXES, BENCH LEVELED	86	381	311	236	154	86	86	86	32	RU
SA	SATANTA FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	85	378	308	233	151	85	85	85	21	SA
SB	SATANTA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	79	355	285	210	128	79	79	79	21	SB
SN	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	93	381	311	236	154	93	93	93	21	SN
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	87	381	311	236	154	87	87	87	21	SP
SWBB	BAYARD FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	52	341	271	196	114	52	52	52	21	SWBB
SWVX	VONA-VALENT LOAMY FINE SANDS, 5 TO 20 PERCENT SLOPES	14	98	28	14	14	14	14	14	21	SWVX
TF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	10	68	10	10	10	10	10	10	10	TF
TV	VALENT-VONA LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	10	118	48	10	10	10	10	10	21	TV
TX	VALENT-DUNE LAND COMPLEX, 5 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	TX
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	84	381	311	236	154	84	84	84	32	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	77	373	303	228	146	77	77	77	32	UB
UD	ULYSSES LOAM, 1 TO 3 PERCENT SLOPES	79	371	301	226	144	79	79	79	32	UD
UE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	48	267	197	122	48	48	48	48	27	UE
UM	ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED	40	210	141	66	40	40	40	40	27	UM
VO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	29	199	129	55	29	29	29	29	21	VO
WST	WASTE	10	10	10	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
HODGEMAN COUNTY (Page 1 of 2)											
BE	BRIDGEPORT SILT LOAM, 0 TO 1 PERCENT SLOPES, RARELY FLOODED	69	325	265	200	129	69	69	69	28	BE
BR	FLUVENTS, FREQUENTLY FLOODED	10	10	10	10	10	10	10	10	28	BR
CC	CAMPUS-CANLON COMPLEX, 3 TO 30 PERCENT SLOPES	10	10	10	10	10	10	10	10	23	CC
CN	CANLON SOILS, 3 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	CN
DT	DETROIT SILTY CLAY LOAM, RARELY FLOODED	87	325	265	200	129	87	87	87	28	DT
EDBK	COLY-TOBIN SILT LOAMS, 0 TO 15 PERCENT SLOPES	43	209	149	84	43	43	43	43	28	EDBK
EDHD	HARNEY-ULY COMPLEX, 1 TO 3 PERCENT SLOPES	78	325	265	200	129	78	78	78	28	EDHD
EDHE	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES	72	310	250	185	114	72	72	72	28	EDHE
EDTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	79	315	255	190	119	79	79	79	28	EDTO
FIAN	BRIDGEPORT LOAM, CHANNELED	45	239	178	113	45	45	45	45	47	FIAN
FIMH	PENDEN-ROXBURY COMPLEX, 0 TO 15 PERCENT SLOPES	24	202	142	77	24	24	24	24	28	FIMH
FOAN	ROXBURY SILT LOAM, CHANNELED	50	239	178	113	50	50	50	50	47	FOAN
FOMF	PENDEN AND CAMPUS SOILS, 3 TO 6 PERCENT SLOPES, ERODED	26	269	208	143	73	26	26	26	28	FOMF
FOMH	PENDEN-TOBIN COMPLEX, 0 TO 15 PERCENT SLOPES	23	189	128	63	23	23	23	23	28	FOMH
GYME	PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES	16	185	125	60	16	16	16	16	28	GYME
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	82	334	273	209	138	82	82	82	28	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	77	325	265	200	129	77	77	77	28	HB
HC	HARNEY SILT LOAM, 3 TO 5 PERCENT SLOPES	72	317	256	192	121	72	72	72	28	HC
HD	HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	68	273	213	148	77	68	68	68	28	HD
HE	HARNEY SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES, ERODED	62	246	186	121	62	62	62	62	28	HE
HO	HORD SILTY CLAY LOAM, RARELY FLOODED	89	325	265	200	129	89	89	89	28	HO
KP	KIM-PENDEN SILTY CLAY LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	22	174	113	48	22	22	22	22	28	KP
KW	NIBSON-WAKEEN COMPLEX, 3 TO 25 PERCENT SLOPES	10	10	10	10	10	10	10	10	18	KW
NE	NESS CLAY	10	10	10	10	10	10	10	10	18	NE
NSCU	COLY-ULY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	48	232	172	107	48	48	48	48	28	NSCU
NSPD	PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	13	187	127	62	13	13	13	13	28	NSPD
NSPX	PENDEN-COLY COMPLEX, 3 TO 30 PERCENT SLOPES	20	175	115	50	20	20	20	20	28	NSPX
OM	OST SILT LOAM, 0 TO 1 PERCENT SLOPES	67	334	273	209	138	67	67	67	28	OM
OX	OTERO-SCHAMBER COMPLEX, 6 TO 12 PERCENT SLOPES	10	89	28	10	10	10	10	10	23	OX
PD	PENDEN SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	37	334	273	209	138	65	37	37	28	PD
PE	PENDEN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	33	319	259	194	123	50	33	33	28	PE
PF	PENDEN SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	29	281	221	156	85	29	29	29	28	PF

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
HODGEMAN COUNTY (Page 2 of 2)											
PN	PENDEN-HUMBARGER COMPLEX, 0 TO 12 PERCENT SLOPES	20	189	128	63	20	20	20	20	28	PN
PNNW	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	74	325	265	200	129	74	74	74	28	PNNW
PNUE	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	51	229	168	104	51	51	51	51	28	PNUE
PNWH	WAKEEN-NIBSON SILT LOAMS, 5 TO 15 PERCENT SLOPES	10	21	10	10	10	10	10	10	18	PNWH
PU	PENDEN-CAMPUS CLAY LOAMS, 1 TO 4 PERCENT SLOPES	27	286	225	160	90	27	27	27	28	PU
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	64	329	269	204	133	64	64	64	28	RM
RN	RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES	61	307	247	182	111	61	61	61	28	RN
RO	RICHFIELD SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	49	254	193	128	57	49	49	49	28	RO
RR	NIBSON-ROCK OUTCROP COMPLEX, 10 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	RR
RS	ROXBURY SILT LOAM, FREQUENTLY FLOODED	50	239	178	113	50	50	50	50	47	RS
RX	ROXBURY SILT LOAM, RARELY FLOODED	73	325	265	200	129	73	73	73	28	RX
RY	ROXBURY AND BRIDGEPORT SOILS, CHANNELED	58	307	246	181	110	58	58	58	47	RY
RZ	BRIDGEPORT SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	67	317	256	192	121	67	67	67	28	RZ
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	69	334	273	209	138	69	69	69	28	SP
SR	SPEARVILLE COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	56	267	207	142	71	56	56	56	28	SR
UB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	75	325	265	200	129	75	75	75	28	UB
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	67	304	243	178	108	67	67	67	28	UC
UM	ULY-COLY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED	51	232	172	107	51	51	51	51	28	UM
WA	WAKEEN SILT LOAM, 1 TO 3 PERCENT SLOPES	10	214	154	89	18	10	10	10	28	WA
WB	WAKEEN SILT LOAM, 3 TO 6 PERCENT SLOPES	10	209	148	84	13	10	10	10	28	WB
WST	WASTE	10	10	10	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
KEARNY COUNTY (Page 1 of 2)											
AD	VALENT FINE SAND, 20 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	AD
AN	BRIDGEPORT LOAM, CHanneLED	60	263	192	116	60	60	60	60	21	AN
BA	BAYARD FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	67	338	267	192	108	67	67	67	21	BA
BD	LAS VARIANT CLAY LOAM, OCCASIONALLY FLOODED	56	294	224	148	65	56	56	56	21	BD
BP	BRIDGEPORT CLAY LOAM, RARELY FLOODED	56	256	186	110	56	56	56	56	21	BP
BX	FLUVENTS, FREQUENTLY FLOODED	44	44	44	44	44	44	44	44	10	BX
CA	CHURCH CLAY, DARK VARIANT, OCCASIONALLY FLOODED	22	105	35	22	22	22	22	22	21	CA
CB	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES	50	275	204	128	50	50	50	50	21	CB
CC	COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES	45	244	173	97	45	45	45	45	21	CC
CD	COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES	30	136	65	30	30	30	30	30	21	CD
DX	DALHART-VONA LOAMY FINE SANDS, 0 TO 1 PERCENT SLOPES	60	312	241	165	82	60	60	60	21	DX
FIMH	PENDEN-ROXBURY COMPLEX, 0 TO 15 PERCENT SLOPES	26	148	77	26	26	26	26	26	21	FIMH
GO	GOSHEN SILT LOAM, RARELY FLOODED	112	381	310	234	151	112	112	112	33	GO
GR	SCHAMBER GRAVELLY SANDY LOAM, 5 TO 15 PERCENT SLOPES	10	62	10	10	10	10	10	10	10	GR
GTBR	BRIDGEPORT SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	81	356	285	209	126	81	81	81	21	GTBR
HMOX	OTERO-VONA COMPLEX, 5 TO 15 PERCENT SLOPES	10	89	18	10	10	10	10	10	21	HMOX
LA	LAS CLAY LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED	41	276	205	130	47	41	41	41	21	LA
LB	LAS CLAY LOAM, DEEP, OCCASIONALLY FLOODED	61	308	237	161	78	61	61	61	21	LB
LD	LAS-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	40	277	206	130	47	40	40	40	21	LD
LG	LAS CLAY LOAM, OCCASIONALLY FLOODED	31	276	205	130	47	31	31	31	21	LG
LH	LAS ANIMAS LOAMY SAND, OCCASIONALLY FLOODED	24	203	133	57	24	24	24	24	21	LH
LK	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	37	256	186	110	37	37	37	37	21	LK
LN	LINCOLN SAND, OCCASIONALLY FLOODED	17	225	154	78	17	17	17	17	21	LN
LO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	10	10	10	10	10	10	10	21	LO
MA	PENDEN CLAY LOAM, 0 TO 1 PERCENT SLOPES	46	384	313	237	154	69	46	46	21	MA
MB	PENDEN LOAM, 0 TO 3 PERCENT SLOPES	52	360	289	213	130	52	52	52	21	MB
MF	MANter FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	62	338	267	192	108	62	62	62	21	MF
MH	MANter FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	59	312	241	165	82	59	59	59	21	MH
MK	MANter FINE SANDY LOAM, 3 TO 5 PERCENT SLOPES	54	276	205	129	54	54	54	54	21	MK
OX	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	10	89	18	10	10	10	10	10	21	OX
PO	CANLON SOILS, 5 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	PO
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	83	380	309	233	151	83	83	83	21	RM

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
KEARNY COUNTY (Page 2 of 2)											
RX	RICHFIELD-PENDEN COMPLEX, 1 TO 3 PERCENT SLOPES	64	354	284	208	125	64	64	64	21	RX
SW	SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED	38	246	175	99	38	38	38	38	21	SW
TF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	10	69	10	10	10	10	10	10	10	TF
TV	VALENT-VONA LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	10	114	44	10	10	10	10	10	21	TV
TX	VALENT-DUNE LAND COMPLEX, 10 TO 40 PERCENT SLOPES	10	54	10	10	10	10	10	10	10	TX
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	83	386	315	239	156	83	83	83	10	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	79	376	305	229	146	79	79	79	21	UB
UC	ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES	72	339	268	192	109	72	72	72	21	UC
UE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	52	271	200	124	52	52	52	52	21	UE
UM	ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED	43	208	137	61	43	43	43	43	21	UM
UX	ULYSSES AND RICHFIELD SOILS, SILTED, 0 TO 1 PERCENT SLOPES	82	386	315	239	156	82	82	82	21	UX
VO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	40	228	158	82	40	40	40	40	21	VO
WST	WASTE	10	10	10	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
KEARNY COUNTY (Page 1of 2)			
AD	VALENT FINE SAND, 20 TO 40 PERCENT SLOPES	10	AD
AN	BRIDGEPORT LOAM, CHANNELED	250	AN
BA	BAYARD FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	326	BA
BD	LAS VARIANT CLAY LOAM, OCCASIONALLY FLOODED	282	BD
BP	BRIDGEPORT CLAY LOAM, RARELY FLOODED	247	BP
BX	FLUVENTS, FREQUENTLY FLOODED	44	BX
CA	CHURCH CLAY, DARK VARIANT, OCCASIONALLY FLOODED	93	CA
CB	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES	263	CB
CC	COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES	231	CC
CD	COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES	123	CD
DX	DALHART-VONA LOAMY FINE SANDS, 0 TO 1 PERCENT SLOPES	300	DX
FIMH	PENDEN-ROXBURY COMPLEX, 0 TO 15 PERCENT SLOPES	135	FIMH
GO	GOSHEN SILT LOAM, RARELY FLOODED	371	GO
GR	SCHAMBER GRAVELLY SANDY LOAM, 5 TO 15 PERCENT SLOPES	49	GR
GTBR	BRIDGEPORT SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	346	GTBR
HMOX	OTERO-VONA COMPLEX, 5 TO 15 PERCENT SLOPES	76	HMOX
LA	LAS CLAY LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED	264	LA
LB	LAS CLAY LOAM, DEEP, OCCASIONALLY FLOODED	296	LB
LD	LAS-LAS ANIMAS COMPLEX, OCCASIONALLY FLOODED	264	LD
LG	LAS CLAY LOAM, OCCASIONALLY FLOODED	264	LG
LH	LAS ANIMAS LOAMY SAND, OCCASIONALLY FLOODED	191	LH
LK	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	244	LK
LN	LINCOLN SAND, OCCASIONALLY FLOODED	212	LN
LO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	LO
MA	MANSIC CLAY LOAM, 0 TO 1 PERCENT SLOPES	372	MA
MB	MANSKER LOAM, 0 TO 3 PERCENT SLOPES	347	MB
MF	MANter FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	326	MF
MH	MANter FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	300	MH
MK	MANter FINE SANDY LOAM, 3 TO 5 PERCENT SLOPES	263	MK
OX	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	76	OX
PO	CANLON SOILS, 5 TO 40 PERCENT SLOPES	10	PO
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	368	RM

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
KEARNY COUNTY (Page 2of 2)			
RX	RICHFIELD-MANSIC COMPLEX, 1 TO 3 PERCENT SLOPES	342	RX
SW	SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED	233	SW
TF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	56	TF
TV	VALENT-VONA LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	102	TV
TX	VALENT-DUNE LAND COMPLEX, 10 TO 40 PERCENT SLOPES	41	TX
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	376	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	363	UB
UC	ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES	327	UC
UE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	258	UE
UM	ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED	195	UM
UX	ULYSSES AND RICHFIELD SOILS, SILTED, 0 TO 1 PERCENT SLOPES	373	UX
VO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	216	VO
WST	WASTE	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
MEADE COUNTY (Page 1 of 2)											
AN	ROXBURY SILT LOAM, CHANNELED	60	252	185	113	60	60	60	60	31	AN
BO	TIVOLI FINE SAND, 5 TO 15 PERCENT SLOPES	10	88	22	10	10	10	10	10	20	BO
CAKA	KINGSDOWN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	50	298	232	160	82	50	50	50	20	CAKA
CAKB	KINGSDOWN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	50	285	218	147	68	50	50	50	20	CAKB
CALN	LINCOLN LOAMY FINE SAND, OCCASIONALLY FLOODED	19	203	136	64	19	19	19	19	31	CALN
CC	CAMPUS-CANLON COMPLEX, 5 TO 15 PERCENT SLOPES	10	53	10	10	10	10	10	10	15	CC
FOMA	PENDEN CLAY LOAM, 0 TO 1 PERCENT SLOPES	42	365	298	227	148	68	42	42	20	FOMA
GYAN	BRIDGEPORT SILT LOAM, CHANNELED	58	252	185	113	58	58	58	58	31	GYAN
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	87	369	302	231	152	87	87	87	20	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	83	353	286	214	136	83	83	83	20	HB
HC	HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	72	262	195	123	72	72	72	72	20	HC
KZ	KRIER SOILS, OCCASIONALLY FLOODED	10	163	96	24	10	10	10	10	31	KZ
LE	LESHARA CLAY LOAM, OCCASIONALLY FLOODED	84	345	279	207	129	84	84	84	31	LE
LH	LESHO CLAY LOAM, OCCASIONALLY FLOODED	42	296	229	157	79	42	42	42	31	LH
LK	LIKES LOAMY SAND, 0 TO 3 PERCENT SLOPES	10	175	108	37	10	10	10	10	20	LK
LN	LINCOLN SOILS, FREQUENTLY FLOODED	13	113	46	13	13	13	13	13	31	LN
MA	MANSIC CLAY LOAM, 0 TO 1 PERCENT SLOPES	49	369	302	231	152	71	49	49	20	MA
MB	MANSIC CLAY LOAM, 1 TO 3 PERCENT SLOPES	43	350	283	211	133	52	43	43	20	MB
MC	MANSIC CLAY LOAM, 3 TO 6 PERCENT SLOPES	38	306	239	167	89	38	38	38	20	MC
MF	MANSIC CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	23	232	165	94	23	23	23	23	20	MF
MG	MANSIC CLAY LOAM, 6 TO 15 PERCENT SLOPES	20	174	107	35	20	20	20	20	20	MG
MM	MANSIC-MANTER COMPLEX, 1 TO 4 PERCENT SLOPES	42	295	228	157	78	42	42	42	20	MM
MR	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	50	319	253	181	102	50	50	50	20	MR
MS	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	47	295	228	156	78	47	47	47	20	MS
MT	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	33	236	169	97	33	33	33	33	20	MT
MU	MANTER-SATANTA FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES	56	285	218	147	68	56	56	56	20	MU
MX	MISSLER SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	79	369	302	231	152	79	79	79	20	MX
MZ	MISSLER SILTY CLAY LOAM, 1 TO 6 PERCENT SLOPES	70	350	283	212	133	70	70	70	20	MZ
NS	NESS SILTY CLAY	10	10	10	10	10	10	10	10	20	NS
OT	OTERO FINE SANDY LOAM, 6 TO 15 PERCENT SLOPES	10	84	17	10	10	10	10	10	20	OT
OV	OTERO-MANSIC COMPLEX, 5 TO 25 PERCENT SLOPES	13	105	38	13	13	13	13	13	20	OV
OZ	OTERO-MANTER FINE SANDY LOAMS, 3 TO 6 PERCENT SLOPES	30	211	144	73	30	30	30	30	20	OZ

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
MEADE COUNTY (Page 2 of 2)											
PB	PENDEN CLAY LOAM, 1 TO 3 PERCENT SLOPES	39	350	283	211	133	52	39	39	20	PB
PC	PENDEN CLAY LOAM, 3 TO 7 PERCENT SLOPES	33	306	239	167	89	33	33	33	20	PC
PD	PENDEN CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	23	247	180	109	30	23	23	23	20	PD
PE	PENDEN CLAY LOAM, 7 TO 15 PERCENT SLOPES	15	174	107	35	15	15	15	15	20	PE
PR	PRATT SOILS, 0 TO 5 PERCENT SLOPES	26	270	203	131	53	26	26	26	20	PR
PT	PRATT SOILS, 5 TO 15 PERCENT SLOPES	10	103	37	10	10	10	10	10	20	PT
RB	CAMPUS-CANLON COMPLEX, 10 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	RB
RX	ROXBURY SILT LOAM, RARELY FLOODED	86	360	293	221	143	86	86	86	31	RX
SA	SATANTA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	81	359	293	221	142	81	81	81	20	SA
SB	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	83	369	302	231	152	83	83	83	20	SB
SC	SATANTA LOAM, 1 TO 3 PERCENT SLOPES	78	350	283	211	133	78	78	78	20	SC
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	78	369	302	231	152	78	78	78	20	SP
TV	TIVOLI FINE SAND, 10 TO 25 PERCENT SLOPES	10	10	10	10	10	10	10	10	20	TV
UA	ULY SILT LOAM, 0 TO 1 PERCENT SLOPES	93	369	302	231	152	93	93	93	20	UA
UB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	84	360	293	221	143	84	84	84	20	UB
UC	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES, ERODED	72	315	249	177	99	72	72	72	20	UC
US	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	76	337	271	199	121	76	76	76	20	US
UT	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	61	262	195	123	61	61	61	61	20	UT
WN	WANN LOAM, OCCASIONALLY FLOODED	62	319	252	180	102	62	62	62	31	WN
WST	WASTE	10	10	10	10	10	10	10	10	10	WST
YO	YAHOLA SANDY LOAM, RARELY FLOODED	48	335	268	196	118	48	48	48	31	YO

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
MORTON COUNTY (Page 1 of 2)											
1044	ATCHISON CLAY LOAM, 3 TO 6 PERCENT SLOPES	33	263	194	120	39	33	33	33	32	1044
1045	ATCHISON LOAM, 6 TO 9 PERCENT SLOPES	22	191	122	48	22	22	22	22	32	1045
1046	ATCHISON LOAM, 1 TO 3 PERCENT SLOPES	35	282	213	139	58	35	35	35	32	1046
1047	ATCHISON-ROCK OUTCROP COMPLEX, 6 TO 20 PERCENT SLOPES	10	21	10	10	10	10	10	10	21	1047
1052	ATCHISON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	30	267	198	123	42	30	30	30	32	1052
1182	BELFON LOAM, 0 TO 1 PERCENT SLOPES	63	348	279	205	124	63	63	63	32	1182
1184	BIGBOW FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	48	299	230	156	75	48	48	48	32	1184
1185	BIGBOW LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	46	289	219	145	64	46	46	46	21	1185
1186	BIGBOW LOAMY FINE SAND, 2 TO 4 PERCENT SLOPES	34	237	168	94	34	34	34	34	21	1186
1189	BELFON CLAY LOAM, 0 TO 1 PERCENT SLOPES	61	343	274	200	119	61	61	61	32	1189
1504	DALHART FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	53	333	263	189	108	53	53	53	21	1504
1505	DALHART FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	41	286	217	142	61	41	41	41	21	1505
1506	DALHART LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	44	260	191	117	44	44	44	44	21	1506
1558	DALHART LOAMY FINE SAND, 2 TO 4 PERCENT SLOPES	39	235	166	91	39	39	39	39	21	1558
1559	DALHART-EVA LOAMY FINE SANDS, 3 TO 9 PERCENT SLOPES	18	163	93	19	18	18	18	18	21	1559
1670	EVA LOAMY FINE SAND, 1 TO 3 PERCENT SLOPES	25	306	236	162	81	25	25	25	21	1670
1671	EVA-OPTIMA LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	10	133	64	10	10	10	10	10	21	1671
1672	EVA LOAMY FINE SAND, 3 TO 9 PERCENT SLOPES	10	173	104	29	10	10	10	10	21	1672
1723	FETERITA CLAY, 0 TO 1 PERCENT SLOPES	10	10	10	10	10	10	10	10	21	1723
1819	GLENBERG FINE SANDY LOAM, RARELY FLOODED	10	223	154	79	10	10	10	10	43	1819
1846	GLENBERG FINE SANDY LOAM, OCCASIONALLY FLOODED	10	208	139	65	10	10	10	10	43	1846
1979	HAVERSON FINE SANDY LOAM, OCCASIONALLY FLOODED	35	278	209	135	54	35	35	35	43	1979
1980	HAPPYDITCH LOAMY SAND, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	10	209	140	65	10	10	10	10	43	1980
1981	HAPPYDITCH SAND, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODED	10	10	10	10	10	10	10	10	43	1981
1984	HAPPYDITCH LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	10	158	88	14	10	10	10	10	43	1984
3037	OTERO SANDY LOAM, 4 TO 15 PERCENT SLOPES	10	165	95	21	10	10	10	10	21	3037
3047	OPTIMA LOAMY FINE SAND, 2 TO 6 PERCENT SLOPES	10	192	123	49	10	10	10	10	21	3047
3048	OPTIMA LOAMY FINE SAND, 6 TO 15 PERCENT SLOPES	10	107	38	10	10	10	10	10	21	3048
3316	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	58	358	289	215	133	58	58	58	32	3316
3319	RICHFIELD SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	60	355	285	211	130	60	60	60	32	3319
3413	SATANTA FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	65	364	295	221	140	65	65	65	21	3413
3415	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	76	373	303	229	148	76	76	76	32	3415

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
MORTON COUNTY (Page 2 of 2)											
3506	SHORE LOAM, RARELY FLOODED	45	275	206	132	51	45	45	45	43	3506
3638	TWO BUTTE LOAM, 2 TO 6 PERCENT SLOPES	13	215	146	71	13	13	13	13	21	3638
3725	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	53	339	269	195	114	53	53	53	32	3725
3969	WAGONBED SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	48	314	245	171	90	48	48	48	21	3969
3970	WAGONBED SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	42	304	235	161	80	42	42	42	21	3970
WST	WASTE	10	10	10	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
SEWARD COUNTY (Page 1 of 2)											
AN	BRIDGEPORT LOAM, CHanneLED	51	252	184	112	51	51	51	51	31	AN
BB	BAYARD FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	36	307	240	168	89	36	36	36	20	BB
BO	VALENT FINE SAND, 5 TO 15 PERCENT SLOPES	10	74	10	10	10	10	10	10	10	BO
CC	COLBY LOAM, 3 TO 5 PERCENT SLOPES	28	192	124	52	28	28	28	28	20	CC
CM	COLBY LOAM, 5 TO 12 PERCENT SLOPES	20	139	71	20	20	20	20	20	20	CM
DA	DALHART FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	59	346	279	207	128	59	59	59	20	DA
DB	DALHART FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	54	317	250	177	98	54	54	54	20	DB
DF	DALHART LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	53	312	245	172	93	53	53	53	20	DF
GR	SCHAMBER GRAVELLY SANDY LOAM, 15 TO 30 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	GR
HSSA	SATANTA FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	53	276	208	136	57	53	53	53	20	HSSA
HSSB	SATANTA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	52	272	205	132	53	52	52	52	20	HSSB
HSVO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	27	212	145	73	27	27	27	27	20	HSVO
LD	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	26	234	166	94	26	26	26	26	42	LD
LK	LIKES LOAMY SAND, 1 TO 5 PERCENT SLOPES	10	176	109	37	10	10	10	10	20	LK
LKK	LIKES LOAMY SAND, 0 TO 3 PERCENT SLOPES	10	180	113	41	10	10	10	10	20	LKK
LL	LINCOLN SOILS, OCCASIONALLY FLOODED	10	209	141	69	10	10	10	10	42	LL
MD	MANter-DALHART FINE SANDY LOAMS, 1 TO 3 PERCENT SLOPES	46	297	230	158	79	46	46	46	20	MD
MEHA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	80	367	299	227	148	80	80	80	20	MEHA
MEKZ	KRIER SOILS, OCCASIONALLY FLOODED	14	222	155	83	14	14	14	14	42	MEKZ
MEMM	MANSIC-MANter COMPLEX, 1 TO 4 PERCENT SLOPES	34	267	200	128	49	34	34	34	20	MEMM
MEMU	MANter-SATANTA FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES	48	264	197	125	48	48	48	48	20	MEMU
MENS	NESS SILTY CLAY	10	10	10	10	10	10	10	10	20	MENS
MEOV	OTERO-MANSIC COMPLEX, 5 TO 25 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	MEOV
MEOZ	OTERO-MANter FINE SANDY LOAMS, 3 TO 6 PERCENT SLOPES	35	253	186	113	35	35	35	35	20	MEOZ
MEPR	PRATT SOILS, 0 TO 5 PERCENT SLOPES	21	220	152	80	21	21	21	21	20	MEPR
MERB	CAMPUS-CANLON COMPLEX, 10 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	MERB
MESA	SATANTA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	59	276	208	136	59	59	59	59	20	MESA
MEUA	ULY SILT LOAM, 0 TO 1 PERCENT SLOPES	81	372	304	232	153	81	81	81	20	MEUA
MEWN	WANN LOAM, OCCASIONALLY FLOODED	41	234	166	94	41	41	41	41	42	MEWN
MH	MANter FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES	37	253	186	113	37	37	37	37	20	MH
OX	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	10	89	22	10	10	10	10	10	10	OX
OY	OTERO-PENDEN COMPLEX, 1 TO 4 PERCENT SLOPES	29	267	200	128	49	29	29	29	20	OY

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol	
SEWARD COUNTY (Page 2 of 2)												
RA	NESS CLAY	10	10	10	10	10	10	10	10	10	20	RA
RB	RICHFIELD AND ULYSSES COMPLEXES, BENCH LEVELED	67	372	304	232	153	72	67	67	67	20	RB
RF	RICHFIELD FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	51	261	194	121	51	51	51	51	51	20	RF
RH	RICHFIELD LOAM, THICK SURFACE, 0 TO 1 PERCENT SLOPES	76	367	299	227	148	76	76	76	76	20	RH
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	71	367	299	227	148	71	71	71	71	20	RM
RO	CANLON SOILS, 25 TO 40 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	10	RO
SP	SPEARVILLE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	80	372	304	232	153	80	80	80	80	10	SP
SVRA	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	56	279	212	140	61	56	56	56	56	20	SVRA
SVRB	HAXTUN LOAMY FINE SAND, 0 TO 1 PERCENT SLOPES	51	316	248	176	97	51	51	51	51	20	SVRB
SVVX	VONA-VALENT LOAMY FINE SANDS, 3 TO 20 PERCENT SLOPES	10	87	20	10	10	10	10	10	10	15	SVVX
TF	VALENT FINE SAND, 10 TO 25 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	10	TF
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	62	372	304	232	153	72	62	62	62	20	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	58	357	290	218	139	58	58	58	58	20	UB
UE	ULYSSES-COLBY COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	37	247	180	108	37	37	37	37	37	20	UE
VO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	36	212	145	73	36	36	36	36	36	20	VO
VX	VONA-VALENT LOAMY FINE SANDS, 5 TO 20 PERCENT SLOPES	10	80	13	10	10	10	10	10	10	15	VX
WST	WASTE	10	10	10	10	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth							Native Grass	
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
STANTON COUNTY											
1044	ATCHISON CLAY LOAM, 3 TO 6 PERCENT SLOPES	29	185	117	44	29	29	29	29	20	1044
1046	ATCHISON LOAM, 1 TO 3 PERCENT SLOPES	31	204	136	63	31	31	31	31	20	1046
1189	BELFON CLAY LOAM, 0 TO 1 PERCENT SLOPES	65	340	272	199	119	65	65	65	20	1189
3415	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	68	341	273	200	120	68	68	68	20	3415
3969	WAGONBED SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	56	321	253	180	100	56	56	56	20	3969
3970	WAGONBED SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	37	228	160	87	37	37	37	37	20	3970
BA	GLENBERG FINE SANDY LOAM, RARELY FLOODED	29	224	156	83	29	29	29	29	20	BA
BO	VALENT LOAMY FINE SAND	10	10	10	10	10	10	10	10	10	BO
BP	BRIDGEPORT CLAY LOAM, RARELY FLOODED	78	366	298	225	145	78	78	78	31	BP
BX	FLUVENTS, FREQUENTLY FLOODED	34	34	34	34	34	34	34	34	10	BX
CB	COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES	42	264	196	123	44	42	42	42	20	CB
CC	COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES	38	235	166	93	38	38	38	38	20	CC
CD	COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES	23	131	63	23	23	23	23	23	20	CD
DA	DALHART FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	64	346	277	204	125	64	64	64	20	DA
DB	DALHART FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	60	320	252	179	100	60	60	60	20	DB
GO	GOSHEN SILT LOAM, RARELY FLOODED	90	371	303	230	150	90	90	90	31	GO
GTBR	BRIDGEPORT SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	73	366	298	225	145	73	73	73	31	GTBR
GTCO	COLBY LOAM, 5 TO 12 PERCENT SLOPES	21	138	70	21	21	21	21	21	20	GTCO
LF	LINCOLN SOILS, OCCASIONALLY FLOODED	18	201	133	60	18	18	18	18	42	LF
LO	PLEASANT CLAY LOAM, 0 TO 1 PERCENT SLOPES	27	27	27	27	27	27	27	27	20	LO
MB	CAMPUS CLAY LOAM, 0 TO 3 PERCENT SLOPES	13	185	117	44	13	13	13	13	20	MB
MC	CAMPUS CLAY LOAM, 3 TO 5 PERCENT SLOPES	10	165	97	24	10	10	10	10	20	MC
MF	MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	60	366	298	225	145	63	60	60	20	MF
MH	MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	56	341	273	200	120	56	56	56	20	MH
MK	MANTER FINE SANDY LOAM, 3 TO 5 PERCENT SLOPES	52	311	243	170	90	52	52	52	20	MK
OX	OTERO-MANTER FINE SANDY LOAMS, 1 TO 5 PERCENT SLOPES	39	260	192	119	39	39	39	39	20	OX
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	71	371	303	230	150	71	71	71	20	RM
TS	VALENT LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	10	105	37	10	10	10	10	10	20	TS
TY	TRAVESSILLA SOILS, 6 TO 30 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	TY
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	65	371	303	230	150	68	65	65	20	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	61	361	293	220	140	61	61	61	20	UB
UC	ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES	55	326	258	185	105	55	55	55	20	UC
UE	ULYSSES-COLBY COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	42	270	202	129	50	42	42	42	20	UE
VO	VONA LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	10	95	27	10	10	10	10	10	20	VO
WST	WASTE	10	10	10	10	10	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
STEVENS COUNTY (1 of 2)											
1044	ATCHISON CLAY LOAM, 3 TO 6 PERCENT SLOPES	18	123	51	18	18	18	18	18	22	1044
1046	ATCHISON LOAM, 1 TO 3 PERCENT SLOPES	42	248	176	98	42	42	42	42	22	1046
1182	BELFON LOAM, 0 TO 1 PERCENT SLOPES	87	371	299	221	136	87	87	87	22	1182
1184	BIGBOW FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	73	333	261	183	99	73	73	73	22	1184
1185	BIGBOW LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	73	338	265	188	103	73	73	73	22	1185
1504	DALHART FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	70	333	261	183	98	70	70	70	22	1504
1505	DALHART FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	61	314	241	164	79	61	61	61	22	1505
1506	DALHART LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	64	310	237	160	75	64	64	64	22	1506
1558	DALHART LOAMY FINE SAND, 2 TO 4 PERCENT SLOPES	62	301	229	151	67	62	62	62	22	1558
1559	DALHART-EVA LOAMY FINE SANDS, 3 TO 9 PERCENT SLOPES	45	268	196	118	45	45	45	45	22	1559
1670	EVA LOAMY FINE SAND, 1 TO 3 PERCENT SLOPES	18	204	131	54	18	18	18	18	22	1670
1671	EVA-OPTIMA LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	10	100	28	10	10	10	10	10	22	1671
1672	EVA LOAMY FINE SAND, 3 TO 9 PERCENT SLOPES	14	179	107	29	14	14	14	14	22	1672
1723	FETERITA CLAY, 0 TO 1 PERCENT SLOPES	10	10	10	10	10	10	10	10	22	1723
1979	HAVERSON FINE SANDY LOAM, OCCASIONALLY FLOODED	27	27	27	27	27	27	27	27	22	1979
1980	HAPPYDITCH LOAMY SAND, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	10	222	149	72	10	10	10	10	45	1980
1981	HAPPYDITCH SAND, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODED	10	112	39	10	10	10	10	10	45	1981
1984	HAPPYDITCH LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	10	213	141	63	10	10	10	10	45	1984
3047	OPTIMA LOAMY FINE SAND, 2 TO 6 PERCENT SLOPES	10	10	10	10	10	10	10	10	22	3047
3048	OPTIMA LOAMY FINE SAND, 6 TO 15 PERCENT SLOPES	10	44	10	10	10	10	10	10	10	3048
3415	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	70	70	70	70	70	70	70	70	22	3415
3506	SHORE LOAM, RARELY FLOODED	82	308	236	158	82	82	82	82	33	3506
3725	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	73	361	289	211	126	73	73	73	22	3725
3969	WAGONBED SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	44	240	168	90	44	44	44	44	22	3969
BO	VALENT FINE SAND, 5 TO 15 PERCENT SLOPES	10	80	10	10	10	10	10	10	10	BO
BX	BROKEN LAND	66	66	66	66	66	66	66	66	22	BX
CM	COLBY LOAM, 5 TO 12 PERCENT SLOPES	21	144	71	21	21	21	21	21	22	CM
DA	DALHART FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	76	362	289	212	127	76	76	76	22	DA
DB	DALHART FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	70	330	258	180	95	70	70	70	22	DB
DF	DALHART LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	64	330	258	180	95	64	64	64	22	DF
DX	DALHART-OTERO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES	56	292	220	142	58	56	56	56	22	DX
GO	GOSHEN SILT LOAM, RARELY FLOODED	98	389	317	239	155	98	98	98	33	GO
GTLO	PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	10	10	10	10	10	10	10	22	GTLO
GTOF	OTERO FINE SANDY LOAM, 4 TO 12 PERCENT SLOPES	10	115	42	10	10	10	10	10	22	GTOF
GTOG	OTERO-SCHAMBER COMPLEX, 5 TO 20 PERCENT SLOPES	38	216	144	66	38	38	38	38	22	GTOG

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth						Native Grass		
			100 ft	200 ft	300 ft	400 ft	500 ft	600 ft	700 ft	\$/Acre	Symbol
STEVENS COUNTY (2 of 2)											
G TSA	SATANTA FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	66	323	251	173	88	66	66	66	22	G TSA
G TSB	SATANTA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	65	319	247	169	84	65	65	65	22	G TSB
G TTF	VALENT FINE SAND, 5 TO 20 PERCENT SLOPES	10	28	10	10	10	10	10	10	10	G TTF
G TVV	VALENT-VONA LOAMY FINE SANDS, 3 TO 15 PERCENT SLOPES	10	104	32	10	10	10	10	10	22	G TVV
G TUE	ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED	48	277	204	127	48	48	48	48	22	G TUE
G TVO	VONA LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES	30	196	123	46	30	30	30	30	22	G TVO
H SOG	OTERO-SCHAMBER COMPLEX, 5 TO 15 PERCENT SLOPES	45	228	156	78	45	45	45	45	22	H SOG
LF	LINCOLN SOILS, OCCASIONALLY FLOODED	16	213	141	63	16	16	16	16	45	LF
LO	PLEASANT CLAY LOAM, 0 TO 1 PERCENT SLOPES	10	10	10	10	10	10	10	10	22	LO
LP	PLEASANT FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	10	10	10	10	10	10	10	10	22	LP
MA	PENDEN CLAY LOAM, 0 TO 1 PERCENT SLOPES	53	400	327	250	165	77	53	53	22	MA
MB	PENDEN CLAY LOAM, 1 TO 3 PERCENT SLOPES	47	382	310	232	147	60	47	47	22	MB
MX	PENDEN-OTERO COMPLEX, 1 TO 6 PERCENT SLOPES	31	288	215	138	53	31	31	31	22	MX
MY	MANTER FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	53	319	247	169	84	53	53	53	22	MY
OT	OTERO FINE SANDY LOAM, 5 TO 12 PERCENT SLOPES	10	107	34	10	10	10	10	10	22	OT
RA	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	96	400	327	250	165	96	96	96	22	RA
RB	HAXTUN LOAMY FINE SAND, 0 TO 1 PERCENT SLOPES	77	395	322	245	160	77	77	77	22	RB
RM	RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES	88	389	316	239	154	88	88	88	22	RM
RX	RICHFIELD-ULYSSES LOAMS, 0 TO 1 PERCENT SLOPES	91	396	324	246	161	91	91	91	22	RX
TF	VALENT FINE SAND, 10 TO 25 PERCENT SLOPES	10	10	10	10	10	10	10	10	10	TF
UA	ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES	83	398	325	248	163	83	83	83	22	UA
UB	ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES	78	373	301	223	138	78	78	78	22	UB
UC	ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES	41	341	269	191	107	41	41	41	22	UC
UE	ULYSSES-COLBY COMPLEX, 1 TO 3 PERCENT SLOPES, ERODED	48	277	204	127	48	48	48	48	22	UE
VO	VONA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	24	196	123	46	24	24	24	24	22	VO
VX	VONA-VALENT LOAMY FINE SANDS, 3 TO 20 PERCENT SLOPES	10	96	24	10	10	10	10	10	22	VX
WST	WASTE	10	10	10	10	10	10	10	10	10	WST