

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>BARTON COUNTY (Page 1 of 2)</b>							
2234	Roxbury silt loam, channeled	186	321	273	54	<b>54</b>	2234
2236	Roxbury silt loam, occasionally flooded	186	321	273	58	<b>58</b>	2236
2310	Bridgeport silt loam, rarely flooded	185	339	292	56	<b>56</b>	2310
2365	New Cambria silty clay loam, rarely flooded	155	329	281	44	<b>44</b>	2365
2375	Roxbury silt loam, rarely flooded	186	321	273	58	<b>58</b>	2375
2519	Armo loam, 3 to 7 percent slopes	36	198	150	35	<b>35</b>	2519
2612	Harney silt loam, 0 to 1 percent slopes	203	331	283	37	<b>37</b>	2612
2613	Harney silt loam, 1 to 3 percent slopes	186	275	228	37	<b>37</b>	2613
2633	Harney-Wakeen complex, 3 to 7 percent slopes	36	198	150	35	<b>35</b>	2633
2668	Holdrege silt loam, 1 to 3 percent slopes	194	298	250	35	<b>35</b>	2668
2715	Ness silty clay	10	<b>10</b>	<b>10</b>	47	<b>47</b>	2715
2726	Nibson-Wakeen silt loams, 3 to 20 percent slopes	10	<b>10</b>	<b>10</b>	35	<b>35</b>	2726
2728	Nuckolls silt loam, 3 to 7 percent slopes	203	281	233	35	<b>35</b>	2728
2817	Uly silt loam, 3 to 6 percent slopes	171	267	220	35	<b>35</b>	2817
2951	Wakeen silt loam, 1 to 3 percent slopes	38	193	146	37	<b>37</b>	2951
2953	Wakeen silt loam, 3 to 7 percent slopes	36	198	150	35	<b>35</b>	2953
3390	Lancaster loam, 1 to 3 percent slopes	66	<b>66</b>	<b>66</b>	37	<b>37</b>	3390
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	66	<b>66</b>	<b>66</b>	37	<b>37</b>	3396
3755	Hord silt loam, rarely flooded	219	346	298	54	<b>54</b>	3755
3824	Crete silt loam, 0 to 1 percent slopes	203	331	283	35	<b>35</b>	3824
3843	Geary silt loam, 1 to 3 percent slopes	223	326	278	37	<b>37</b>	3843
3844	Geary silt loam, 3 to 7 percent slopes	203	281	233	37	<b>37</b>	3844
5324	Kaski loam, occasionally flooded	214	360	312	54	<b>54</b>	5324
5355	Kaski loam, rarely flooded	214	360	312	54	<b>54</b>	5355
5550	Imano clay loam, occasionally flooded	136	295	247	63	<b>63</b>	5550
5632	Platte soils, occasionally flooded	21	112	64	63	<b>63</b>	5632
5670	Waldeck fine sandy loam, occasionally flooded	86	216	168	63	<b>63</b>	5670
5710	Abbyville loam, 0 to 1 percent slopes	77	165	117	54	<b>54</b>	5710
5742	Dillwyn-Plevna loamy fine sands, 0 to 1 percent slopes	45	201	154	56	<b>56</b>	5742
5745	Elmer loam, 0 to 1 percent slopes	201	329	281	37	<b>37</b>	5745
5752	Kisiwa loam, depressional	77	165	117	54	<b>54</b>	5752
5831	Punkin silt loam, 0 to 1 percent slopes	104	289	241	56	<b>56</b>	5831
5861	Attica fine sandy loam, 1 to 3 percent slopes	125	272	224	35	<b>35</b>	5861
5863	Attica loamy fine sand, 1 to 3 percent slopes	125	272	224	36	<b>36</b>	5863
5884	Dillwyn-Tivin complex, 0 to 20 percent slopes	45	201	154	55	<b>55</b>	5884
5886	Farnum and Funmar loams, 0 to 1 percent slopes	226	362	314	35	<b>35</b>	5886
5928	Pratt loamy fine sand, 1 to 5 percent slopes	89	248	200	39	<b>39</b>	5928

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>BARTON COUNTY (Page 2 of 2)</b>							
5929	Pratt loamy fine sand, 5 to 12 percent slopes	69	171	123	35	<b>35</b>	5929
5935	Pratt-Carwile complex, 0 to 5 percent slopes	84	165	117	35	<b>35</b>	5935
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	47	146	98	35	<b>35</b>	5941
5944	Saltcreek and Naron fine sandy loams, 1 to 3 percent slopes	188	298	250	35	<b>35</b>	5944
5970	Taver loam, 0 to 1 percent slopes	188	320	272	37	<b>37</b>	5970
5971	Tivin fine sand, 10 to 30 percent slopes	10	<b>10</b>	<b>10</b>	35	<b>35</b>	5971
6224	Canadian fine sandy loam, rarely flooded	145	287	240	56	<b>56</b>	6224
6330	Carwile fine sandy loam, 0 to 1 percent slopes	75	<b>75</b>	<b>75</b>	35	<b>35</b>	6330
9986	Miscellaneous water	10	<b>10</b>	<b>10</b>	10	<b>10</b>	9986
9999	Water	10	<b>10</b>	<b>10</b>	10	<b>10</b>	9999
WST	WASTE	10	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>DICKINSON COUNTY (Page 1 of 2)</b>							
2177	McCook silt loam, occasionally flooded	232	307	256	73	78	2177
2181	McCook-Smokyhill silt loams, occasionally flooded	232	307	256	73	78	2181
2266	Tobin silt loam, occasionally flooded	255	269	<b>255</b>	73	78	2266
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	69	<b>69</b>	<b>69</b>	61	<b>61</b>	3396
3492	Wells loam, 3 to 7 percent slopes	242	277	<b>242</b>	73	<b>73</b>	3492
3545	Hobbs silt loam, channeled	169	<b>169</b>	<b>169</b>	73	78	3545
3561	Hobbs silt loam, occasionally flooded	255	269	<b>255</b>	73	78	3561
3617	Solomon silty clay, occasionally flooded	128	259	209	73	<b>73</b>	3617
3625	Sutphen silty clay loam, occasionally flooded	221	300	249	73	<b>73</b>	3625
3633	Sutphen silty clay, occasionally flooded	200	296	246	73	<b>73</b>	3633
3720	Detroit silt loam, rarely flooded	274	366	315	73	<b>73</b>	3720
3725	Detroit silty clay loam, rarely flooded	274	366	315	73	<b>73</b>	3725
3735	Elsmere fine sandy loam, rarely flooded	141	260	209	73	88	3735
3775	Muir silt loam, rarely flooded	302	353	303	73	<b>73</b>	3775
3824	Crete silt loam, 0 to 1 percent slopes	246	319	268	61	<b>61</b>	3824
3826	Crete silt loam, 3 to 7 percent slopes	234	295	244	61	<b>61</b>	3826
3827	Crete silty clay loam, 0 to 1 percent slopes	246	319	268	61	<b>61</b>	3827
3828	Crete silty clay loam, 1 to 3 percent slopes	234	295	244	61	<b>61</b>	3828
3830	Crete silty clay loam, 3 to 7 percent slopes	211	251	<b>211</b>	61	<b>61</b>	3830
3844	Geary silt loam, 3 to 7 percent slopes	226	277	227	73	<b>73</b>	3844
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	246	319	268	61	<b>61</b>	3890
3900	Ortello fine sandy loam, 3 to 7 percent slopes	209	265	215	73	<b>73</b>	3900
3906	Ortello-Wells fine sandy loams, 1 to 6 percent slopes	209	265	215	73	<b>73</b>	3906
3932	Valentine loamy fine sand, 1 to 5 percent slopes	53	142	92	61	<b>61</b>	3932
3934	Valentine loamy fine sand, 5 to 15 percent slopes	30	60	<b>30</b>	61	<b>61</b>	3934
3936	Wells-Ortello complex, 1 to 4 percent slopes	209	265	215	73	<b>73</b>	3936
4540	Clime silty clay loam, 1 to 3 percent slopes	83	151	101	61	<b>61</b>	4540
4555	Clime silty clay loam, 3 to 7 percent slopes	83	151	101	61	<b>61</b>	4555
4560	Clime silty clay loam, 7 to 15 percent slopes	40	84	<b>40</b>	61	<b>61</b>	4560
4590	Clime-Sogn complex, 3 to 20 percent slopes	13	<b>13</b>	<b>13</b>	43	<b>43</b>	4590
4671	Irwin silty clay loam, 1 to 3 percent slopes	226	307	256	61	<b>61</b>	4671
4673	Irwin silty clay loam, 3 to 7 percent slopes	206	<b>206</b>	<b>206</b>	61	<b>61</b>	4673
4720	Kipson-Clime complex, 6 to 20 percent slopes	13	<b>13</b>	<b>13</b>	43	<b>43</b>	4720
4725	Kipson-Sogn complex, 5 to 30 percent slopes	13	<b>13</b>	<b>13</b>	43	<b>43</b>	4725
4735	Konza silty clay loam, 1 to 3 percent slopes	226	307	256	61	<b>61</b>	4735
4781	Tully silty clay loam, 1 to 3 percent slopes	226	307	256	61	<b>61</b>	4781
4783	Tully silty clay loam, 3 to 7 percent slopes	206	<b>206</b>	<b>206</b>	61	<b>61</b>	4783

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>DICKINSON COUNTY (Page 2 of 2)</b>							
6332	Carwile loam, 0 to 1 percent slopes	98	326	276	73	<b>73</b>	6332
7740	Haynie silt loam, frequently flooded	232	307	256	73	78	7740
9971	Arents, earthen dam	10	<b>10</b>	<b>10</b>	10	<b>10</b>	9971
9978	Fluvaquents, clayey, frequently flooded	46	<b>46</b>	<b>46</b>	61	<b>61</b>	9978
9983	Gravel pits and quarries	10	<b>10</b>	<b>10</b>	10	<b>10</b>	9983
9986	Miscellaneous water	10	<b>10</b>	<b>10</b>	10	<b>10</b>	9986
9999	Water	10	<b>10</b>	<b>10</b>	10	<b>10</b>	9999
WST	WASTE	10	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>ELLIS COUNTY (Page 1 of 3)</b>							
AB	FLUVENTS, FREQUENTLY FLOODED	10	<b>10</b>	<b>10</b>	38	<b>38</b>	AB
AC	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	41	163	111	38	<b>38</b>	AC
AD	FLUVAQUENTS, OCCASIONALLY FLOODED	29	316	264	62	<b>62</b>	AD
AE	ANSELMO FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	57	243	190	38	<b>38</b>	AE
AM	ARMO LOAM, 1 TO 3 PERCENT SLOPES	84	308	255	38	<b>38</b>	AM
AN	ARMO LOAM, 3 TO 7 PERCENT SLOPES	72	263	210	38	<b>38</b>	AN
AO	ARMO LOAM, 3 TO 7 PERCENT SLOPES, ERODED	54	195	142	38	<b>38</b>	AO
AR	ARMO LOAM, 7 TO 15 PERCENT SLOPES	49	143	91	38	<b>38</b>	AR
BF	BOEL FINE SANDY LOAM, OCCASIONALLY FLOODED	25	237	184	62	<b>62</b>	BF
BG	BOGUE CLAY, 3 TO 8 PERCENT SLOPES	10	150	98	26	<b>26</b>	BG
BO	BOGUE-ARMO COMPLEX, 5 TO 25 PERCENT SLOPES	10	80	27	32	<b>32</b>	BO
BR	BROWNELL GRAVELLY LOAM, 2 TO 10 PERCENT SLOPES	10	116	63	38	<b>38</b>	BR
CC	CAMPUS-CARLSON COMPLEX, 3 TO 7 PERCENT SLOPES	28	217	164	38	<b>38</b>	CC
CD	CAMPUS-PENDEN COMPLEX, 5 TO 15 PERCENT SLOPES	10	128	75	32	<b>32</b>	CD
CE	CANLON COMPLEX, 5 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	32	<b>32</b>	CE
CM	CORINTH SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	43	203	151	38	<b>38</b>	CM
CN	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	21	188	135	38	<b>38</b>	CN
CO	CORINTH SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	10	113	60	38	<b>38</b>	CO
CR	CRETE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	111	374	321	38	<b>38</b>	CR
CT	CRETE SILTY CLAY LOAM, THIN SURFACE VARIANT, 0 TO 1 PERCENT SLOPES	111	<b>111</b>	<b>111</b>	38	<b>38</b>	CT
DE	DETROIT SILT LOAM, RARELY FLOODED	113	369	316	50	<b>50</b>	DE
EE	ELTREE SILT LOAM, 0 TO 1 PERCENT SLOPES	98	370	318	38	<b>38</b>	EE
EF	ELTREE SILT LOAM, 1 TO 3 PERCENT SLOPES	91	342	289	38	<b>38</b>	EF
EG	ELTREE SILT LOAM, 3 TO 7 PERCENT SLOPES	82	297	244	38	<b>38</b>	EG
EH	ELTREE SILT LOAM, 7 TO 15 PERCENT SLOPES	52	163	110	38	<b>38</b>	EH
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	115	363	310	38	<b>38</b>	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	98	296	243	38	<b>38</b>	HB
HC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	97	290	237	38	<b>38</b>	HC
HD	HARNEY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	80	241	188	38	<b>38</b>	HD
HE	HARNEY-ARMO COMPLEX, 3 TO 7 PERCENT SLOPES, ERODED	63	207	154	38	<b>38</b>	HE
HF	HARNEY-CARLSON SILT LOAMS, 0 TO 1 PERCENT SLOPES	104	344	291	38	<b>38</b>	HF
HG	HARNEY-CARLSON SILT LOAMS, 1 TO 3 PERCENT SLOPES	96	315	262	38	<b>38</b>	HG
HGG	HARNEY-MENTO SILT LOAMS, 1 TO 3 PERCENT SLOPES	96	283	230	38	<b>38</b>	HGG
HH	HARNEY-WAKEEN SILT LOAMS, 0 TO 1 PERCENT SLOPES	84	332	279	38	<b>38</b>	HH
HK	HARNEY-WAKEEN SILT LOAMS, 1 TO 3 PERCENT SLOPES	68	296	243	38	<b>38</b>	HK
HL	HEIZER-ARMO COMPLEX, 8 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	32	<b>32</b>	HL
HMM	HEIZER-BROWNELL GRAVELLY LOAMS, 5 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	32	<b>32</b>	HMM

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>ELLIS COUNTY (Page 2 of 3)</b>							
HN	DORRANCE SANDY LOAM, 5 TO 20 PERCENT SLOPES	10	101	48	38	<b>38</b>	HN
HO	HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES	119	366	314	38	<b>38</b>	HO
HP	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	109	338	285	38	<b>38</b>	HP
HR	HORD SILT LOAM, RARELY FLOODED	134	402	349	50	<b>50</b>	HR
IN	INAVALE LOAMY SAND, OCCASIONALLY FLOODED	10	175	122	38	<b>38</b>	IN
MC	MCCOOK FINE SANDY LOAM, RARELY FLOODED	84	342	289	50	<b>50</b>	MC
MD	MCCOOK SILT LOAM, RARELY FLOODED	93	350	297	50	<b>50</b>	MD
ME	MENTO SILT LOAM, 0 TO 1 PERCENT SLOPES	87	268	215	38	<b>38</b>	ME
MF	MENTO SILT LOAM, 1 TO 3 PERCENT SLOPES	82	243	190	38	<b>38</b>	MF
MG	MENTO SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	58	180	127	38	<b>38</b>	MG
MO	MENTO SOILS, 3 TO 7 PERCENT SLOPES, ERODED	52	204	151	38	<b>38</b>	MO
MU	MUNJOR SANDY LOAM, FREQUENTLY FLOODED	33	140	88	62	<b>62</b>	MU
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	69	334	281	50	<b>50</b>	NC
NN	NIBSON SILT LOAM, 5 TO 12 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	38	<b>38</b>	NN
OBHM	HARNEY-MENTO COMPLEX, 3 TO 7 PERCENT SLOPES	94	290	237	38	<b>38</b>	OBHM
RB	ROXBURY SILT LOAM, RARELY FLOODED	100	365	312	50	<b>50</b>	RB
RF	ROXBURY SILT LOAM, FREQUENTLY FLOODED	76	341	288	62	<b>62</b>	RF
RHBO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	10	116	63	32	<b>32</b>	RHBO
RHNW	NIBSON-WAKEEN SILT LOAMS, 3 TO 20 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	38	<b>38</b>	RHNW
RHPE	PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES	41	263	210	38	<b>38</b>	RHPE
RHUB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	100	296	243	38	<b>38</b>	RHUB
RHUR	ULY-ROXBURY SILT LOAMS, 0 TO 15 PERCENT SLOPES	92	272	219	38	<b>38</b>	RHUR
RO	HEIZER-BROWNELL COMPLEX, 7 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	32	<b>32</b>	RO
ROAU	ARMO-BOGUE COMPLEX, 7 TO 15 PERCENT SLOPES	16	93	40	32	<b>32</b>	ROAU
ROHE	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	93	290	237	38	<b>38</b>	ROHE
ROIC	INAVALE FINE SAND, CHANNELED, OCCASIONALLY FLOODED	10	179	127	38	<b>38</b>	ROIC
ROO	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	94	341	288	62	<b>62</b>	ROO
ROWX	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	38	<b>38</b>	ROWX
ROWY	WAKEEN-HARNEY SILT LOAMS, 1 TO 3 PERCENT SLOPES	36	232	179	38	<b>38</b>	ROWY
RSCR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	118	363	310	38	<b>38</b>	RSCR
RSDR	DORRANCE GRAVELLY SANDY LOAM, 4 TO 15 PERCENT SLOPES	10	101	48	38	<b>38</b>	RSDR
RSRC	ROXBURY SILT LOAM, CHANNELED	58	163	111	38	<b>38</b>	RSRC
TRBD	BADLAND-MANVEL COMPLEX, 3 TO 20 PERCENT SLOPES	10	61	<b>10</b>	32	<b>32</b>	TRBD
TRCC	CAMPUS-CANLON LOAMS, 6 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	32	<b>32</b>	TRCC
TRCF	CARLSON SILT LOAM, 1 TO 3 PERCENT SLOPES	66	235	182	38	<b>38</b>	TRCF
TRHU	HUMBARGER LOAM, CHANNELED	19	<b>19</b>	<b>19</b>	38	<b>38</b>	TRHU
TRIF	INAVALE LOAMY SAND, CHANNELED	10	90	37	38	<b>38</b>	TRIF

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>ELLIS COUNTY (Page 3 of 3)</b>							
TRPF	PENDEN CLAY LOAM, 3 TO 7 PERCENT SLOPES	42	263	210	38	<b>38</b>	TRPF
TRPO	PENDEN LOAM, 7 TO 15 PERCENT SLOPES	10	56	<b>10</b>	38	<b>38</b>	TRPO
UCC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	98	290	237	38	<b>38</b>	UCC
WA	WAKEEN SILT LOAM, 1 TO 3 PERCENT SLOPES	10	201	148	38	<b>38</b>	WA
WE	WAKEEN SILT LOAM, 1 TO 3 PERCENT SLOPES, ERODED	10	154	101	38	<b>38</b>	WE
WH	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	10	173	120	38	<b>38</b>	WH
WK	WAKEEN SILT LOAM, 5 TO 15 PERCENT SLOPES, ERODED	10	<b>10</b>	<b>10</b>	38	<b>38</b>	WK
WN	WANN LOAM, OCCASIONALLY FLOODED	67	256	204	62	<b>62</b>	WN
WST	WASTE	10	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>ELLSWORTH COUNTY (Page 1 of 2)</b>							
AR	ARMO LOAM, 3 TO 7 PERCENT SLOPES	113	255	207	46	<b>46</b>	AR
AU	ARMO LOAM, 7 TO 15 PERCENT SLOPES	83	139	90	46	<b>46</b>	AU
CB	CASS FINE SANDY LOAM, OCCASIONALLY FLOODED	143	239	190	57	<b>57</b>	CB
CD	CRETE SILT LOAM, 0 TO 2 PERCENT SLOPES	164	322	274	46	<b>46</b>	CD
ED	EDALGO LOAM, 3 TO 7 PERCENT SLOPES	83	220	172	46	<b>46</b>	ED
EH	EDALGO-HEDVILLE LOAMS, 7 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	35	<b>35</b>	EH
EV	EDALGO-HEDVILLE LOAMS, 15 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	35	<b>35</b>	EV
GB	GEARY SILT LOAM, 1 TO 3 PERCENT SLOPES	182	317	269	46	<b>46</b>	GB
GC	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	164	273	224	46	<b>46</b>	GC
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	155	307	258	46	<b>46</b>	HB
HE	HARNEY-WAKEEN COMPLEX, 2 TO 6 PERCENT SLOPES	96	215	167	46	<b>46</b>	HE
HM	HARNEY-WELLS COMPLEX, 2 TO 6 PERCENT SLOPES	154	279	231	46	<b>46</b>	HM
HO	HORD SILT LOAM, NONFLOODED	194	364	316	57	<b>57</b>	HO
HR	HORD SILT LOAM, RARELY FLOODED	196	359	311	57	<b>57</b>	HR
JC	JANSEN SANDY LOAM, 1 TO 4 PERCENT SLOPES	109	239	190	46	<b>46</b>	JC
LH	LANCASTER-HEDVILLE LOAMS, 3 TO 20 PERCENT SLOPES	18	<b>18</b>	<b>18</b>	46	<b>46</b>	LH
LHH	LANCASTER-HEDVILLE COMPLEX, 3 TO 20 PERCENT SLOPES	20	<b>20</b>	<b>20</b>	46	<b>46</b>	LHH
MB	MCCOOK LOAM, OCCASIONALLY FLOODED	139	295	247	57	<b>57</b>	MB
MC	MCCOOK SILT LOAM, RARELY FLOODED	147	321	272	57	<b>57</b>	MC
MF	MCCOOK SILTY CLAY LOAM, FREQUENTLY FLOODED	78	125	<b>78</b>	57	<b>57</b>	MF
MN	MEADIN SANDY LOAM, 3 TO 15 PERCENT SLOPES	15	113	65	35	<b>35</b>	MN
MPLH	LANCASTER-HEDVILLE LOAMS, 6 TO 12 PERCENT SLOPES	24	<b>24</b>	<b>24</b>	46	<b>46</b>	MPLH
MPWB	WELLS LOAM, 1 TO 3 PERCENT SLOPES	182	317	269	46	<b>46</b>	MPWB
NW	NIBSON-WAKEEN SILT LOAMS, 5 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	46	<b>46</b>	NW
RB	ROXBURY SILT LOAM, RARELY FLOODED	147	335	286	57	<b>57</b>	RB
RCCS	CRETE SILT LOAM, 1 TO 2 PERCENT SLOPES	164	318	270	46	<b>46</b>	RCCS
RCCT	CRETE SOILS, 1 TO 3 PERCENT SLOPES, ERODED	155	285	237	46	<b>46</b>	RCCT

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>ELLSWORTH COUNTY (Page 2 of 2)</b>							
RCLA	LANCASTER LOAM, 1 TO 3 PERCENT SLOPES	153	317	269	46	<b>46</b>	RCLA
RCLC	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES, ERODED	104	236	187	46	<b>46</b>	RCLC
RCSM	SMOLAN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	182	317	269	46	<b>46</b>	RCSM
RF	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	147	313	264	57	<b>57</b>	RF
RSHC	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	155	290	242	46	<b>46</b>	RSHC
RSWC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	54	243	194	46	<b>46</b>	RSWC
SACX	CRETE-WELLS COMPLEX, 2 TO 7 PERCENT SLOPES	159	273	224	46	<b>46</b>	SACX
TO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	159	316	268	57	<b>57</b>	TO
WR	WELLS LOAM, 1 TO 3 PERCENT SLOPES	175	317	269	46	<b>46</b>	WR
WS	WELLS LOAM, 3 TO 7 PERCENT SLOPES	159	273	224	46	<b>46</b>	WS
WST	WASTE	10	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>LINCOLN COUNTY</b>							
AM	ARMO LOAM, 3 TO 7 PERCENT SLOPES	150	249	202	45	<b>45</b>	AM
AR	ARMO LOAM, 7 TO 15 PERCENT SLOPES	114	135	<b>114</b>	45	<b>45</b>	AR
CN	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	71	168	121	45	<b>45</b>	CN
CO	CORINTH SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	39	101	54	45	<b>45</b>	CO
CR	CRETE SILT LOAM, 0 TO 2 PERCENT SLOPES	217	328	281	45	<b>45</b>	CR
CSS	CRETE SILT LOAM, 2 TO 5 PERCENT SLOPES	196	271	223	45	<b>45</b>	CSS
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	224	333	286	56	<b>56</b>	DE
EWHM	HARNEY-WELLS COMPLEX, 2 TO 6 PERCENT SLOPES	198	271	223	45	<b>45</b>	EWHM
GC	GEARY SILT LOAM, 2 TO 7 PERCENT SLOPES	214	266	219	45	<b>45</b>	GC
GH	GEARY-LANCASTER COMPLEX, 5 TO 10 PERCENT SLOPES	170	207	<b>170</b>	45	<b>45</b>	GH
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	217	299	252	45	<b>45</b>	HB
HC	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	194	263	215	45	<b>45</b>	HC
HF	HARNEY-WAKEEN COMPLEX, 2 TO 7 PERCENT SLOPES	155	242	195	45	<b>45</b>	HF
HO	HORD SILT LOAM, RARELY FLOODED	251	357	310	56	<b>56</b>	HO
LH	LANCASTER-HEDVILLE COMPLEX, 3 TO 20 PERCENT SLOPES	49	<b>49</b>	<b>49</b>	34	<b>34</b>	LH
MC	MCCOOK SILT LOAM, RARELY FLOODED	194	313	266	56	<b>56</b>	MC
MCLA	LANCASTER-ARMO LOAMS, 3 TO 7 PERCENT SLOPES	124	179	132	45	<b>45</b>	MCLA
MCNC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	45	<b>45</b>	MCNC
NC	NEW CAMBRIA SILTY CLAY LOAM, OCCASIONALLY FLOODED	160	284	237	56	<b>56</b>	NC
NS	NIBSON-WAKEEN SILT LOAMS, 5 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	45	<b>45</b>	NS
OTGG	GEARY SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	206	250	<b>206</b>	45	<b>45</b>	OTGG
OTLA	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	133	203	156	45	<b>45</b>	OTLA
OTWF	WELLS LOAM, 3 TO 7 PERCENT SLOPES, ERODED	185	240	192	45	<b>45</b>	OTWF
RB	ROXBURY SILT LOAM, RARELY FLOODED	197	326	279	56	<b>56</b>	RB
RC	ROXBURY SILT LOAM, CHANNELED	123	<b>123</b>	<b>123</b>	56	<b>56</b>	RC
RF	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	196	305	258	56	<b>56</b>	RF
RSLC	LANCASTER LOAM, 3 TO 8 PERCENT SLOPES	154	223	176	45	<b>45</b>	RSLC
RSNS	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	45	<b>45</b>	RSNS
SA	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	59	<b>59</b>	<b>59</b>	45	<b>45</b>	SA
TO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	205	305	258	56	<b>56</b>	TO
WEE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	198	256	208	45	<b>45</b>	WEE
WG	WELLS-EDALGO COMPLEX, 3 TO 7 PERCENT SLOPES	185	256	208	45	<b>45</b>	WG
WST	WASTE	10	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>MARION COUNTY (Page 1 of 2)</b>							
CA	CASS FINE SANDY LOAM, OCCASIONALLY FLOODED	211	281	230	83	85	CA
CH	CHASE SILTY CLAY LOAM, OCCASIONALLY FLOODED	271	364	313	83	90	CH
CM	CLIME SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	109	215	165	60	<b>60</b>	CM
CP	CLIME SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	88	201	150	60	<b>60</b>	CP
CR	CLIME STONY SILTY CLAY LOAM, 15 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	60	<b>60</b>	CR
CS	CLIME-SOIGN SILTY CLAY LOAMS, 3 TO 20 PERCENT SLOPES	12	<b>12</b>	<b>12</b>	54	<b>54</b>	CS
CSCS	CLIME-SOIGN COMPLEX, 3 TO 25 PERCENT SLOPES	12	<b>12</b>	<b>12</b>	54	<b>54</b>	CSCS
CSIV	IVAN SILT LOAM, OCCASIONALLY FLOODED	249	369	318	71	<b>71</b>	CSIV
CSKA	KAHOLA SILT LOAM, OCCASIONALLY FLOODED	270	369	318	71	<b>71</b>	CSKA
DKCD	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	12	<b>12</b>	<b>12</b>	54	<b>54</b>	DKCD
DKHB	HOBBS SILT LOAM, CHANNELED	174	<b>174</b>	<b>174</b>	71	<b>71</b>	DKHB
DKSC	SUTPHEN SILTY CLAY LOAM, OCCASIONALLY FLOODED	141	217	167	83	<b>83</b>	DKSC
DW	DWIGHT SILT LOAM, 0 TO 2 PERCENT SLOPES	153	168	<b>153</b>	37	<b>37</b>	DW
ED	EDALGO SILTY CLAY LOAM, 3 TO 12 PERCENT SLOPES	80	153	103	60	<b>60</b>	ED
FC	FLORENCE SILT LOAM, 2 TO 15 PERCENT SLOPES	88	144	93	71	<b>71</b>	FC
GO	GOESSEL SILTY CLAY, 0 TO 2 PERCENT SLOPES	176	306	256	60	<b>60</b>	GO
HO	HOBBS SILT LOAM, OCCASIONALLY FLOODED	267	347	297	71	<b>71</b>	HO
HVCM	CLIME COMPLEX, 6 TO 12 PERCENT SLOPES	19	58	<b>19</b>	54	<b>54</b>	HVCM
HVRS	ROSEHILL SILTY CLAY, 3 TO 6 PERCENT SLOPES	120	245	194	60	<b>60</b>	HVRS
IB	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	211	314	263	60	<b>60</b>	IB
IC	IRWIN SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	186	282	231	60	<b>60</b>	IC
IV	IVAN SILT LOAM, CHANNELED	165	179	<b>165</b>	71	<b>71</b>	IV
KP	KIPSON SILTY CLAY LOAM, 10 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	60	<b>60</b>	KP
LA	LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	191	244	193	71	<b>71</b>	LA
LD	LABETTE-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	160	204	<b>160</b>	60	<b>60</b>	LD
LG	LABETTE-SOIGN SILTY CLAY LOAMS, 2 TO 15 PERCENT SLOPES	63	<b>63</b>	<b>63</b>	60	<b>60</b>	LG
LM	LADYSMITH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	219	322	272	60	<b>60</b>	LM
LS	LANCASTER LOAM, 1 TO 3 PERCENT SLOPES	178	261	211	71	<b>71</b>	LS
LT	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	163	222	171	71	<b>71</b>	LT
LV	LANCASTER-HEDVILLE COMPLEX, 3 TO 20 PERCENT SLOPES	58	<b>58</b>	<b>58</b>	60	<b>60</b>	LV
MPCB	CASS FINE SANDY LOAM, RARELY FLOODED	218	289	239	83	85	MPCB
MPED	EDALGO SILT LOAM, 5 TO 12 PERCENT SLOPES	80	158	107	60	<b>60</b>	MPED
OS	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	137	217	167	83	<b>83</b>	OS
RE	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	302	380	330	83	90	RE
RH	ROSEHILL SILTY CLAY, 1 TO 3 PERCENT SLOPES	124	202	151	60	<b>60</b>	RH
SO	SOIGN SILTY CLAY LOAM, 0 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	37	<b>37</b>	SO
TO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	265	369	318	71	<b>71</b>	TO

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>MARION COUNTY (Page 2 of 2)</b>							
TU	TULLY SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	215	293	242	71	<b>71</b>	TU
VB	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	284	369	318	71	<b>71</b>	VB
VC	VERDIGRIS SILT LOAM, CHANNELED	183	<b>183</b>	<b>183</b>	71	<b>71</b>	VC
WB	WELLS LOAM, 1 TO 3 PERCENT SLOPES	253	332	281	71	<b>71</b>	WB
WC	WELLS LOAM, 3 TO 7 PERCENT SLOPES	232	285	235	71	<b>71</b>	WC
WD	WELLS CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	181	217	<b>181</b>	71	<b>71</b>	WD
WST	WASTE	10	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>McPHERSON COUNTY (Page 1 of 2)</b>							
2176	McCook loam, occasionally flooded	207	337	285	84	<b>84</b>	2176
2266	Tobin silt loam, occasionally flooded	207	337	285	84	<b>84</b>	2266
2310	Bridgeport silt loam, rarely flooded	204	333	282	84	<b>84</b>	2310
2345	McCook fine sandy loam, rarely flooded	191	341	290	72	<b>72</b>	2345
2347	McCook silt loam, rarely flooded	203	364	312	84	<b>84</b>	2347
2366	New Cambria silty clay, rarely flooded	145	341	290	72	<b>72</b>	2366
2375	Roxbury silt loam, rarely flooded	203	364	312	84	<b>84</b>	2375
2376	Roxbury silty clay loam, rarely flooded	203	364	312	84	<b>84</b>	2376
2715	Ness silty clay	10	<b>10</b>	<b>10</b>	72	<b>72</b>	2715
3350	Edalgo clay loam, 3 to 7 percent slopes	81	180	128	61	<b>61</b>	3350
3352	Edalgo loam, 3 to 7 percent slopes	81	180	128	61	<b>61</b>	3352
3355	Edalgo silt loam, 7 to 12 percent slopes	81	180	128	61	<b>61</b>	3355
3361	Edalgo silty clay loam, 3 to 7 percent slopes, eroded	34	39	<b>34</b>	61	<b>61</b>	3361
3390	Lancaster loam, 1 to 3 percent slopes	133	236	185	61	<b>61</b>	3390
3391	Lancaster loam, 3 to 7 percent slopes	133	236	185	61	<b>61</b>	3391
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	40	<b>40</b>	<b>40</b>	49	<b>49</b>	3396
3403	Longford silty clay loam, 3 to 7 percent slopes	212	294	242	61	<b>61</b>	3403
3404	Longford silty clay loam, 3 to 7 percent slopes, eroded	174	228	176	61	<b>61</b>	3404
3405	Longford silty clay loam, 3 to 7 percent slopes, moderately eroded	174	228	176	61	<b>61</b>	3405
3491	Wells loam, 1 to 3 percent slopes	238	338	286	61	<b>61</b>	3491
3492	Wells loam, 3 to 7 percent slopes	219	290	239	61	<b>61</b>	3492
3710	Cass fine sandy loam, rarely flooded	202	285	233	72	<b>72</b>	3710
3725	Detroit silty clay loam, rarely flooded	238	386	335	84	<b>84</b>	3725
3755	Hord silt loam, rarely flooded	265	392	341	84	<b>84</b>	3755
3824	Crete silt loam, 0 to 1 percent slopes	224	365	314	61	<b>61</b>	3824
3825	Crete silt loam, 1 to 3 percent slopes	212	338	286	61	<b>61</b>	3825
3829	Crete silty clay loam, 1 to 3 percent slopes, eroded	168	247	196	61	<b>61</b>	3829
3843	Geary silt loam, 1 to 3 percent slopes	235	338	286	61	<b>61</b>	3843
3844	Geary silt loam, 3 to 7 percent slopes	235	338	286	61	<b>61</b>	3844
3849	Geary-Clark complex, 3 to 7 percent slopes, eroded	174	228	176	61	<b>61</b>	3849
3857	Goessel silty clay, 0 to 1 percent slopes	162	324	273	61	<b>61</b>	3857
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	210	358	306	61	<b>61</b>	3890
3891	Ladysmith silty clay loam, 1 to 3 percent slopes	210	358	306	61	<b>61</b>	3891
3921	Smolan silty clay loam, 1 to 3 percent slopes	238	345	294	61	<b>61</b>	3921

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>McPHERSON COUNTY (Page 2 of 2)</b>							
3923	Smolan silty clay loam, 3 to 7 percent slopes, eroded	174	228	176	61	<b>61</b>	3923
4555	Clime silty clay loam, 3 to 7 percent slopes	62	165	114	61	<b>61</b>	4555
4565	Clime silty clay, 1 to 3 percent slopes	85	180	129	61	<b>61</b>	4565
4570	Clime silty clay, 3 to 7 percent slopes	62	165	114	61	<b>61</b>	4570
4671	Irwin silty clay loam, 1 to 3 percent slopes	174	308	256	61	<b>61</b>	4671
4673	Irwin silty clay loam, 3 to 7 percent slopes	174	308	256	61	<b>61</b>	4673
5562	Kaskan silty clay loam, frequently flooded, channeled	207	337	285	84	<b>84</b>	5562
5633	Plevna fine sandy loam, frequently flooded	64	<b>64</b>	<b>64</b>	84	<b>84</b>	5633
5670	Waldeck fine sandy loam, occasionally flooded	202	285	233	72	<b>72</b>	5670
5720	Blazefork silty clay loam, rarely flooded	165	308	257	61	<b>61</b>	5720
5728	Buhler-Blazefork silty clay loams, rarely flooded	165	308	257	61	<b>61</b>	5728
5730	Darlow-Elmer complex, 0 to 2 percent slopes	165	308	257	61	<b>61</b>	5730
5742	Dillwyn-Plevna loamy fine sands, 0 to 1 percent slopes	64	<b>64</b>	<b>64</b>	84	<b>84</b>	5742
5745	Elmer loam, 0 to 1 percent slopes	76	198	147	72	<b>72</b>	5745
5863	Attica loamy fine sand, 1 to 3 percent slopes	128	280	229	72	<b>72</b>	5863
5870	Carway and Carbika soils, 0 to 1 percent slopes	76	198	147	72	<b>72</b>	5870
5882	Dillhut-Plev complex, 0 to 2 percent slopes	64	<b>64</b>	<b>64</b>	84	<b>84</b>	5882
5893	Farnum loam, 1 to 3 percent slopes	233	345	294	61	<b>61</b>	5893
5902	Hayes fine sandy loam, 1 to 5 percent slopes	75	173	121	61	<b>61</b>	5902
5910	Naron fine sandy loam, 1 to 3 percent slopes	128	280	229	72	<b>72</b>	5910
5928	Pratt loamy fine sand, 1 to 5 percent slopes	75	173	121	61	<b>61</b>	5928
5929	Pratt loamy fine sand, 5 to 12 percent slopes	75	173	121	61	<b>61</b>	5929
5935	Pratt-Carwile complex, 0 to 5 percent slopes	75	173	121	61	<b>61</b>	5935
5942	Pratt-Turon fine sands, 1 to 5 percent slopes	75	173	121	61	<b>61</b>	5942
5973	Tivin-Dillhut fine sands, 0 to 15 percent slopes	75	173	121	61	<b>61</b>	5973
6330	Carwile fine sandy loam, 0 to 1 percent slopes	75	<b>75</b>	<b>75</b>	72	<b>72</b>	6330
9970	Aquolls	10	<b>10</b>	<b>10</b>	10	<b>10</b>	9970
9971	Arents, earthen dam	10	<b>10</b>	<b>10</b>	10	<b>10</b>	9971
9999	Water	10	<b>10</b>	<b>10</b>	10	<b>10</b>	9999
WST	WASTE	10	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>RICE COUNTY (Page 1 of 3)</b>							
0991	ABBYVILLE-KISIWA COMPLEX, 0 TO 2 PERCENT SLOPES, FLOODED	38	<b>38</b>	<b>38</b>	68	<b>68</b>	0991
1071	AVANS LOAM, 1 TO 3 PERCENT SLOPES	218	319	270	46	<b>46</b>	1071
1192	BLAZEFORK-KASKAN COMPLEX, 0 TO 1 PERCENT SLOPES, RARELY FLOODED	195	337	289	46	<b>46</b>	1192
1200	BUHLER-BLAZEFORK SILTY CLAY LOAMS, 0 TO 1 PERCENT SLOPES, RARELY FLOODED	164	222	173	46	<b>46</b>	1200
1554	DILLHUT FINE SAND, 1 TO 3 PERCENT SLOPES	66	197	149	79	<b>79</b>	1554
1555	DILLHUT-PLEV COMPLEX, 0 TO 2 PERCENT SLOPES	70	205	156	79	<b>79</b>	1555
1556	DILLHUT-SOLVAY COMPLEX, 0 TO 3 PERCENT SLOPES	94	189	140	79	<b>79</b>	1556
1985	HAYES FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES	136	240	191	46	<b>46</b>	1985
1987	HAYES-TURON COMPLEX, 0 TO 5 PERCENT SLOPES	129	244	195	46	<b>46</b>	1987
2309	KASKI LOAM, OCCASIONALLY FLOODED	230	339	290	79	<b>79</b>	2309
2390	KASKAN LOAM, 0 TO 1 PERCENT SLOPES, RARELY FLOODED	231	339	291	68	<b>68</b>	2390
2391	KASKAN SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPE, FREQUENTLY FLOODED, CHANNELED	183	243	194	79	<b>79</b>	2391
2395	KISIWA LOAM, 0 TO 1 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	68	<b>68</b>	2395
2556	LANGDON FINE SAND, 0 TO 15 PERCENT SLOPES	10	43	<b>10</b>	35	<b>35</b>	2556
2587	IMANO CLAY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	124	250	201	79	<b>79</b>	2587
2812	MAHONE LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	141	283	234	68	<b>68</b>	2812
2949	NARON FINE SANDY LOAM, 3 TO 7 PERCENT SLOPES, MODERATELY ERODED	176	275	227	46	<b>46</b>	2949
2950	NARON FINE SANDY LOAM, 7 TO 15 PERCENT SLOPES, MODERATELY ERODED	149	185	<b>149</b>	46	<b>46</b>	2950
2955	NICKERSON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	187	346	297	46	<b>46</b>	2955
2956	NICKERSON LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	169	304	256	46	<b>46</b>	2956
2957	NICKERSON-PUNKIN FINE SANDY LOAMS, 0 TO 2 PERCENT SLOPES	154	259	210	46	<b>46</b>	2957
2958	NINNESCAH FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	83	143	94	79	<b>79</b>	2958
3180	PRATT FINE SAND, 5 TO 10 PERCENT SLOPES	65	180	132	46	<b>46</b>	3180
3181	PRATT-TURON FINE SANDS, 1 TO 5 PERCENT SLOPES	105	240	191	46	<b>46</b>	3181
3190	PUNKIN SILT LOAM, 0 TO 1 PERCENT SLOPES	93	<b>93</b>	<b>93</b>	57	<b>57</b>	3190
3511	SALTCREEK AND NARON FINE SANDY LOAMS, 0 TO 1 PERCENT SLOPES	195	306	258	46	<b>46</b>	3511
3512	SALTCREEK AND NARON FINE SANDY LOAMS, 1 TO 3 PERCENT SLOPES	187	284	235	46	<b>46</b>	3512
3520	SAXMAN LOAMY SAND, 0 TO 1 PERCENT SLOPES	77	233	184	79	<b>79</b>	3520
3640	TIVIN FINE SAND, 10 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	35	<b>35</b>	3640
3641	TIVIN-DILLHUT FINE SANDS, 0 TO 15 PERCENT SLOPES	17	51	<b>17</b>	35	<b>35</b>	3641
3644	TURON-CARWAY COMPLEX, 0 TO 5 PERCENT SLOPES	33	<b>33</b>	<b>33</b>	35	<b>35</b>	3644
3966	WILLOWBROOK FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	113	212	164	79	<b>79</b>	3966
4004	YAGGY FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	35	93	44	79	<b>79</b>	4004

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>RICE COUNTY (Page 2 of 3)</b>							
AT	ATTICA FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	139	275	226	46	<b>46</b>	AT
BTDW	DRUMMOND SILT LOAM, 0 TO 1 PERCENT SLOPES	74	148	100	68	<b>68</b>	BTDW
BTFB	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	225	330	281	46	<b>46</b>	BTFB
BTLA	LANCASTER-HEDVILLE COMPLEX, 3 TO 15 PERCENT SLOPES	35	<b>35</b>	<b>35</b>	41	<b>41</b>	BTLA
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	159	287	239	68	<b>68</b>	CA
CD	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	75	<b>75</b>	<b>75</b>	46	<b>46</b>	CD
CE	CLARK COMPLEX, 1 TO 4 PERCENT SLOPES	98	275	226	46	<b>46</b>	CE
CK	CLARK LOAM, 1 TO 4 PERCENT SLOPES	96	272	223	46	<b>46</b>	CK
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	222	345	296	46	<b>46</b>	CR
CS	CRETE SILT LOAM, 1 TO 2 PERCENT SLOPES	211	319	270	46	<b>46</b>	CS
CT	CRETE SOILS, 1 TO 3 PERCENT SLOPES, ERODED	179	237	188	46	<b>46</b>	CT
DE	DETROIT SILT LOAM, RARELY FLOODED	224	344	295	68	<b>68</b>	DE
DP	DILLWYN-PLEVNA LOAMY FINE SANDS, 0 TO 1 PERCENT SLOPES	68	176	127	79	<b>79</b>	DP
DT	DILLWYN-TIVOLI COMPLEX, 0 TO 20 PERCENT SLOPES	46	180	131	57	<b>57</b>	DT
DU	DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	78	173	124	68	<b>68</b>	DU
EWLH	LANCASTER-HEDVILLE LOAMS, 3 TO 20 PERCENT SLOPES	19	<b>19</b>	<b>19</b>	41	<b>41</b>	EWLH
FA	FARNUM FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	218	342	293	46	<b>46</b>	FA
FN	FARNUM LOAM, 0 TO 3 PERCENT SLOPES	225	326	277	46	<b>46</b>	FN
FS	FARNUM-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	176	330	281	46	<b>46</b>	FS
GA	GEARY SILT LOAM, 1 TO 3 PERCENT SLOPES	233	319	270	46	<b>46</b>	GA
GC	GEARY-CLARK COMPLEX, 3 TO 7 PERCENT SLOPES, ERODED	165	201	<b>165</b>	46	<b>46</b>	GC
GCC	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	185	218	<b>185</b>	46	<b>46</b>	GCC
HE	HEDVILLE-LANCASTER COMPLEX, 5 TO 20 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	41	<b>41</b>	HE
HO	HOBBS SILT LOAM, OCCASIONALLY FLOODED	207	296	248	79	<b>79</b>	HO
HS	HORD SILT LOAM, RARELY FLOODED	251	368	320	68	<b>68</b>	HS
KA	KASKI LOAM, RARELY FLOODED	226	339	290	79	<b>79</b>	KA
KC	KIPSON COMPLEX, 3 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	46	<b>46</b>	KC
LA	LANCASTER LOAM, 1 TO 3 PERCENT SLOPES	170	258	209	46	<b>46</b>	LA
LC	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES, ERODED	85	144	96	46	<b>46</b>	LC
LE	LESHO CLAY LOAM, OCCASIONALLY FLOODED	126	250	201	79	<b>79</b>	LE
MPCE	CLIME SILTY CLAY, 1 TO 3 PERCENT SLOPES	98	209	160	46	<b>46</b>	MPCE
MPCT	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	179	257	209	46	<b>46</b>	MPCT
MPDR	DRUMMOND LOAM, 0 TO 1 PERCENT SLOPES	74	173	124	68	<b>68</b>	MPDR
MPEE	EDALGO SILTY CLAY LOAM, 3 TO 9 PERCENT SLOPES, ERODED	49	62	<b>49</b>	46	<b>46</b>	MPEE
MPLA	LADYSMITH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	214	345	296	46	<b>46</b>	MPLA
MPLD	LADYSMITH-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	153	288	239	57	<b>57</b>	MPLD
MPLE	LANCASTER LOAM, 2 TO 6 PERCENT SLOPES	112	178	129	46	<b>46</b>	MPLE

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>RICE COUNTY (Page 3 of 3)</b>							
MPLH	LANCASTER-HEDVILLE LOAMS, 6 TO 12 PERCENT SLOPES	26	<b>26</b>	<b>26</b>	41	<b>41</b>	MPLH
NA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	204	306	258	46	<b>46</b>	NA
NF	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	193	284	235	46	<b>46</b>	NF
PC	PLATTE COMPLEX, FREQUENTLY FLOODED	13	14	<b>13</b>	79	<b>79</b>	PC
PE	PLEVNA FINE SANDY LOAM, FREQUENTLY FLOODED	62	<b>62</b>	<b>62</b>	79	<b>79</b>	PE
PF	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	91	240	191	46	<b>46</b>	PF
PG	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	70	168	119	46	<b>46</b>	PG
PR	PRATT-CARWILE COMPLEX, 0 TO 5 PERCENT SLOPES	90	149	100	46	<b>46</b>	PR
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	37	107	58	46	<b>46</b>	PT
SM	SMOLAN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	236	326	277	46	<b>46</b>	SM
SO	SMOLAN SOILS, 2 TO 7 PERCENT SLOPES, ERODED	179	222	<b>179</b>	46	<b>46</b>	SO
TA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	204	342	293	46	<b>46</b>	TA
TOO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	207	317	268	79	<b>79</b>	TOO
TS	TABLER-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	111	288	239	57	<b>57</b>	TS
TV	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	35	<b>35</b>	TV
WA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	115	208	160	79	<b>79</b>	WA
WST	WASTE	10	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>RUSH COUNTY</b>							
BO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	10	95	47	24	<b>24</b>	BO
BR	BRIDGEPORT SILT LOAM, RARELY FLOODED	75	330	282	46	<b>46</b>	BR
CA	CORINTH SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	14	197	149	35	<b>35</b>	CA
ELAM	ARMO LOAM, 1 TO 3 PERCENT SLOPES	36	212	164	35	<b>35</b>	ELAM
ELAN	ARMO LOAM, 3 TO 7 PERCENT SLOPES, DRY	29	187	139	35	<b>35</b>	ELAN
ELAR	ARMO LOAM, 7 TO 15 PERCENT SLOPES	10	58	<b>10</b>	35	<b>35</b>	ELAR
ELBR	BROWNELL GRAVELLY LOAM, 2 TO 10 PERCENT SLOPES	10	144	96	35	<b>35</b>	ELBR
ELHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	76	289	241	35	<b>35</b>	ELHC
ELHD	HARNEY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	76	273	225	35	<b>35</b>	ELHD
ELHE	HARNEY-ARMO COMPLEX, 3 TO 7 PERCENT SLOPES, ERODED	29	171	122	35	<b>35</b>	ELHE
ELHK	HARNEY-WAKEEN SILT LOAMS, 1 TO 3 PERCENT SLOPES	60	306	257	35	<b>35</b>	ELHK
ELHN	DORRANCE SANDY LOAM, 5 TO 20 PERCENT SLOPES	10	136	88	35	<b>35</b>	ELHN
ELIN	INAVALE LOAMY SAND, OCCASIONALLY FLOODED	41	308	259	57	<b>57</b>	ELIN
ELMD	MCCOOK SILT LOAM, RARELY FLOODED	71	330	282	46	<b>46</b>	ELMD
ELMF	MENTO SILT LOAM, 1 TO 3 PERCENT SLOPES	70	269	220	35	<b>35</b>	ELMF
ELMO	MENTO SOILS, 3 TO 7 PERCENT SLOPES, ERODED	60	285	237	35	<b>35</b>	ELMO
ELMU	MUNJOR SANDY LOAM, FREQUENTLY FLOODED	45	230	181	57	<b>57</b>	ELMU
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	85	332	283	35	<b>35</b>	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	80	306	257	35	<b>35</b>	HB
NC	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	58	316	268	46	<b>46</b>	NC
NW	NIBSON-WAKEEN SILT LOAMS, 3 TO 20 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	35	<b>35</b>	NW
PE	PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES	18	237	189	35	<b>35</b>	PE
PNHC	HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	78	273	225	35	<b>35</b>	PNHC
PNHD	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED	59	241	193	35	<b>35</b>	PNHD
PNRO	ROXBURY SILT LOAM, FREQUENTLY FLOODED	58	230	181	57	<b>57</b>	PNRO
PNWH	WAKEEN-NIBSON SILT LOAMS, 5 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	35	<b>35</b>	PNWH
PR	PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES	10	128	79	35	<b>35</b>	PR
RA	ROXBURY SILT LOAM, RARELY FLOODED	73	334	285	46	<b>46</b>	RA
RB	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	72	312	263	57	<b>57</b>	RB
RSAE	ARMO LOAM, 3 TO 7 PERCENT SLOPES, MOIST	39	187	139	35	<b>35</b>	RSAE
UB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	78	295	247	35	<b>35</b>	UB
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	70	258	210	35	<b>35</b>	UC
UR	ULY-ROXBURY SILT LOAMS, 0 TO 15 PERCENT SLOPES	64	241	193	46	<b>46</b>	UR
WB	WAKEEN SILT LOAM, 1 TO 3 PERCENT SLOPES	10	183	135	35	<b>35</b>	WB
WC	WAKEEN SILT LOAM, 3 TO 6 PERCENT SLOPES	10	183	135	35	<b>35</b>	WC
WST	WASTE	10	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>RUSSELL COUNTY (Page 1 of 2)</b>					
2113	Inavale loamy sand, occasionally flooded	45	34	<b>34</b>	2113
2201	Munjor sandy loam, frequently flooded	80	44	<b>44</b>	2201
2225	New Cambria silty clay, frequently flooded	74	65	<b>65</b>	2225
2234	Roxbury silt loam, channeled	74	65	<b>65</b>	2234
2236	Roxbury silt loam, occasionally flooded	127	65	<b>65</b>	2236
2264	Tobin and Roxbury silt loams, occasionally flooded	127	65	<b>65</b>	2264
2333	Inavale loamy sand, rarely flooded	45	34	<b>34</b>	2333
2347	McCook silt loam, rarely flooded	121	55	<b>55</b>	2347
2360	Munjor fine sandy loam, rarely flooded	80	44	<b>44</b>	2360
2375	Roxbury silt loam, rarely flooded	126	55	<b>55</b>	2375
2519	Armo loam, 3 to 7 percent slopes	94	34	<b>34</b>	2519
2521	Armo loam, 7 to 15 percent slopes	69	34	<b>34</b>	2521
2524	Armo-Bogue complex, 7 to 20 percent slopes	69	34	<b>34</b>	2524
2534	Balta complex, 3 to 7 percent slopes	116	34	<b>34</b>	2534
2536	Bogue clay, 3 to 15 percent slopes	10	23	<b>23</b>	2536
2540	Bogue-Armo complex, 5 to 25 percent slopes	10	23	<b>23</b>	2540
2592	Corinth silty clay loam, 3 to 7 percent slopes	38	34	<b>34</b>	2592
2594	Corinth silty clay loam, 7 to 15 percent slopes	13	34	<b>34</b>	2594
2598	Dorrance gravelly sandy loam, 4 to 15 percent slopes	10	23	<b>23</b>	2598
2600	Dorrance sandy loam, 1 to 4 percent slopes	17	34	<b>34</b>	2600
2605	Eltree silt loam, 1 to 3 percent slopes	113	34	<b>34</b>	2605
2606	Eltree silt loam, 3 to 7 percent slopes	113	34	<b>34</b>	2606
2612	Harney silt loam, 0 to 1 percent slopes	138	34	<b>34</b>	2612
2613	Harney silt loam, 1 to 3 percent slopes	130	34	<b>34</b>	2613
2614	Harney silt loam, 3 to 7 percent slopes	116	34	<b>34</b>	2614
2616	Harney silty clay loam, 3 to 7 percent slopes	116	34	<b>34</b>	2616
2617	Harney silty clay loam, 3 to 7 percent slopes, eroded	116	34	<b>34</b>	2617
2618	Harney-Armo complex, 3 to 7 percent slopes, eroded	116	34	<b>34</b>	2618
2625	Harney-Nuckolls complex, 3 to 7 percent slopes	116	34	<b>34</b>	2625
2632	Harney-Wakeen silt loams, 1 to 3 percent slopes	130	34	<b>34</b>	2632
2633	Harney-Wakeen complex, 3 to 7 percent slopes	116	34	<b>34</b>	2633
2660	Heizer-Brownell complex, 5 to 30 percent slopes	10	23	<b>23</b>	2660
2701	Mento silt loam, 1 to 3 percent slopes	130	34	<b>34</b>	2701
2720	Nibson silt loam, 5 to 25 percent slopes	10	34	<b>34</b>	2720
2726	Nibson-Wakeen silt loams, 3 to 20 percent slopes	10	34	<b>34</b>	2726

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>RUSSELL COUNTY (Page 2 of 2)</b>					
2728	Nuckolls silt loam, 3 to 7 percent slopes	124	34	<b>34</b>	2728
2736	Nuckolls silty clay loam, 7 to 12 percent slopes, eroded	82	34	<b>34</b>	2736
2817	Uly silt loam, 3 to 6 percent slopes	124	34	<b>34</b>	2817
2951	Wakeen silt loam, 1 to 3 percent slopes	18	34	<b>34</b>	2951
2953	Wakeen silt loam, 3 to 7 percent slopes	13	34	<b>34</b>	2953
3366	Edalgo-Hedville loams, 15 to 40 percent slopes	34	34	<b>34</b>	3366
3367	Edalgo-Rock outcrop complex, 10 to 30 percent slopes	10	34	<b>34</b>	3367
3391	Lancaster loam, 3 to 7 percent slopes	95	34	<b>34</b>	3391
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	34	34	<b>34</b>	3396
3491	Wells loam, 1 to 3 percent slopes	148	34	<b>34</b>	3491
3492	Wells loam, 3 to 7 percent slopes	148	34	<b>34</b>	3492
3593	Humbarger loam, occasionally flooded	109	65	<b>65</b>	3593
3720	Detroit silt loam, rarely flooded	148	55	<b>55</b>	3720
3755	Hord silt loam, rarely flooded	126	55	<b>55</b>	3755
3824	Crete silt loam, 0 to 1 percent slopes	138	34	<b>34</b>	3824
9971	Arents, earthen dam	10	10	<b>10</b>	9971
9999	Water	10	10	<b>10</b>	9999
WST	WASTE	10	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>SALINE COUNTY (Page 1 of 2)</b>							
2177	McCook silt loam, occasionally flooded	227	358	303	77	<b>77</b>	2177
2179	McCook soils, occasionally flooded	227	358	303	77	<b>77</b>	2179
2266	Tobin silt loam, occasionally flooded	227	358	303	77	<b>77</b>	2266
2310	Bridgeport silt loam, rarely flooded	218	373	319	90	<b>90</b>	2310
2347	McCook silt loam, rarely flooded	219	363	308	90	<b>90</b>	2347
2366	New Cambria silty clay, rarely flooded	170	351	296	90	<b>90</b>	2366
2375	Roxbury silt loam, rarely flooded	219	373	319	90	<b>90</b>	2375
3250	Bavaria-Detroit complex, rarely flooded	158	<b>158</b>	<b>158</b>	90	<b>90</b>	3250
3350	Edalgo clay loam, 3 to 7 percent slopes	101	221	166	65	<b>65</b>	3350
3391	Lancaster loam, 3 to 7 percent slopes	129	223	168	65	<b>65</b>	3391
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	34	<b>34</b>	<b>34</b>	52	<b>52</b>	3396
3401	Longford silt loam, 1 to 3 percent slopes	253	355	300	65	<b>65</b>	3401
3402	Longford silt loam, 3 to 7 percent slopes	237	309	254	65	<b>65</b>	3402
3403	Longford silty clay loam, 3 to 7 percent slopes	239	381	326	65	<b>65</b>	3403
3404	Longford silty clay loam, 3 to 7 percent slopes, eroded	237	309	254	65	<b>65</b>	3404
3491	Wells loam, 1 to 3 percent slopes	261	359	304	65	<b>65</b>	3491
3492	Wells loam, 3 to 7 percent slopes	228	309	254	65	<b>65</b>	3492
3521	Cass fine sandy loam, occasionally flooded	216	300	245	90	<b>90</b>	3521
3561	Hobbs silt loam, occasionally flooded	227	358	303	77	<b>77</b>	3561
3617	Solomon silty clay, occasionally flooded	95	223	169	77	<b>77</b>	3617
3633	Sutphen silty clay, occasionally flooded	164	306	251	77	<b>77</b>	3633
3715	Cozad silt loam, rarely flooded	252	391	336	90	<b>90</b>	3715
3725	Detroit silty clay loam, rarely flooded	250	387	332	90	<b>90</b>	3725
3755	Hord silt loam, rarely flooded	269	387	332	90	<b>90</b>	3755
3775	Muir silt loam, rarely flooded	269	387	332	90	<b>90</b>	3775
3824	Crete silt loam, 0 to 1 percent slopes	239	381	326	65	<b>65</b>	3824
3825	Crete silt loam, 1 to 3 percent slopes	230	348	293	65	<b>65</b>	3825
3826	Crete silt loam, 3 to 7 percent slopes	230	348	293	65	<b>65</b>	3826
3827	Crete silty clay loam, 0 to 1 percent slopes	239	381	326	65	<b>65</b>	3827
3830	Crete silty clay loam, 3 to 7 percent slopes	230	348	293	65	<b>65</b>	3830
3832	Crete-Wells complex, 3 to 7 percent slopes	228	309	254	65	<b>65</b>	3832
3843	Geary silt loam, 1 to 3 percent slopes	258	359	304	65	<b>65</b>	3843
3844	Geary silt loam, 3 to 7 percent slopes	234	309	254	65	<b>65</b>	3844
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	239	381	326	65	<b>65</b>	3890
3900	Ortello fine sandy loam, 3 to 7 percent slopes	137	265	210	77	<b>77</b>	3900
3918	Smolan silt loam, 0 to 1 percent slopes	267	389	334	65	<b>65</b>	3918
3921	Smolan silty clay loam, 1 to 3 percent slopes	267	389	334	65	<b>65</b>	3921

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>SALINE COUNTY (Page 2 of 2)</b>							
4555	Clime silty clay loam, 3 to 7 percent slopes	74	183	128	65	<b>65</b>	4555
4570	Clime silty clay, 3 to 7 percent slopes	74	183	128	65	<b>65</b>	4570
4671	Irwin silty clay loam, 1 to 3 percent slopes	217	340	285	65	<b>65</b>	4671
4673	Irwin silty clay loam, 3 to 7 percent slopes	195	305	250	65	<b>65</b>	4673
4720	Kipson-Clime complex, 6 to 20 percent slopes	10	<b>10</b>	<b>10</b>	65	<b>65</b>	4720
9986	Miscellaneous water	10	<b>10</b>	<b>10</b>	10	<b>10</b>	9986
9989	Orthents, clayey	107	157	<b>107</b>	52	<b>52</b>	9989
9999	Water	10	<b>10</b>	<b>10</b>	10	<b>10</b>	9999