

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>BARBER COUNTY (Page 1 of 3)</b>								
1439	CRISFIELD SANDY LOAM, RARELY FLOODED	61	273	215	151	76	<b>76</b>	1439
AD	ALBION-SHELLABARGER SANDY LOAMS, 2 TO 4 PERCENT SLOPES	103	272	213	150	36	<b>36</b>	AD
AE	ALBION AND SHELLABARGER SOILS, 4 TO 15 PERCENT SLOPES	67	140	81	<b>67</b>	36	<b>36</b>	AE
AN	ALBION-SHELLABARGER SANDY LOAMS, 4 TO 15 PERCENT SLOPES	60	140	81	<b>60</b>	36	<b>36</b>	AN
AS	CLAIREMONT SOILS, SALINE, CHANNELED	32	<b>32</b>	<b>32</b>	<b>32</b>	56	<b>56</b>	AS
AT	ATTICA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	92	272	213	150	36	<b>36</b>	AT
BA	BLANKET SILT LOAM, 0 TO 1 PERCENT SLOPES	166	362	303	240	36	<b>36</b>	BA
BB	BLANKET SILT LOAM, 1 TO 3 PERCENT SLOPES	156	340	281	218	36	<b>36</b>	BB
BC	BLANKET SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	129	279	220	157	36	<b>36</b>	BC
BF	QUINLAN-CLAIREMONT COMPLEX, 0 TO 50 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	BF
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	125	324	265	202	56	<b>56</b>	CA
CC	CASE-CLARK CLAY LOAMS, 2 TO 6 PERCENT SLOPES	79	279	220	157	36	<b>36</b>	CC
CD	CLAIREMONT SILT LOAM, OCCASIONALLY FLOODED	123	319	260	197	76	<b>76</b>	CD
CF	CLAIREMONT SOILS, CHANNELED	68	140	81	<b>68</b>	76	<b>76</b>	CF
CK	CLARK CLAY LOAM, 0 TO 2 PERCENT SLOPES	80	332	273	210	36	<b>36</b>	CK
CMCP	CLAIREMONT LOAM, CHANNELED	68	140	81	<b>68</b>	76	<b>76</b>	CMCP
CMOA	OBARO SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	38	105	46	<b>38</b>	36	<b>36</b>	CMOA
CMOB	OBARO-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	26	56	<b>26</b>	<b>26</b>	26	<b>26</b>	CMOB
CMQR	QUINLAN-WOODWARD LOAMS, 6 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	CMQR
CMQT	QUINLAN-WOODWARD LOAMS, 15 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	CMQT
CMYE	YAHOLA FINE SANDY LOAM, OCCASIONALLY FLOODED	87	263	204	141	76	<b>76</b>	CMYE
FA	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	177	362	303	240	36	<b>36</b>	FA
FM	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	189	362	303	240	36	<b>36</b>	FM
FR	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	176	353	294	231	36	<b>36</b>	FR
FU	FARNUM CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	147	299	240	177	36	<b>36</b>	FU
GA	GRANT SILT LOAM, 0 TO 1 PERCENT SLOPES	166	352	294	231	36	<b>36</b>	GA
GB	GRANT SILT LOAM, 1 TO 3 PERCENT SLOPES	156	320	261	198	36	<b>36</b>	GB
GC	GRANT SILT LOAM, 3 TO 6 PERCENT SLOPES	138	258	200	<b>138</b>	36	<b>36</b>	GC
HPBP	WOODWARD-PORT COMPLEX, 0 TO 20 PERCENT SLOPES	39	83	<b>39</b>	<b>39</b>	36	<b>36</b>	HPBP
HPFU	FARNUM LOAM, 3 TO 6 PERCENT SLOPES	178	339	280	217	36	<b>36</b>	HPFU
HPGE	GERLANE FINE SANDY LOAM, OCCASIONALLY FLOODED	110	254	196	133	76	<b>76</b>	HPGE
HPMC	MINCO SILT LOAM, 0 TO 1 PERCENT SLOPES	177	361	302	239	36	<b>36</b>	HPMC
HPMN	MINCO SILT LOAM, 1 TO 3 PERCENT SLOPES	174	354	295	232	36	<b>36</b>	HPMN
HPMO	MINCO SILT LOAM, 3 TO 6 PERCENT SLOPES	136	258	200	137	36	<b>36</b>	HPMO

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>BARBER COUNTY (Page 2 of 3)</b>								
HPQU	QUINLAN LOAM, 3 TO 6 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	HPQU
HPSE	SHELLABARGER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	148	288	230	167	36	<b>36</b>	HPSE
HPWE	WOODWARD-QUINLAN LOAMS, 1 TO 3 PERCENT SLOPES	39	47	<b>39</b>	<b>39</b>	36	<b>36</b>	HPWE
KA	KANZA SOILS, FREQUENTLY FLOODED	26	116	57	<b>26</b>	76	<b>76</b>	KA
KF	KINGFISHER SILT LOAM, 1 TO 3 PERCENT SLOPES	86	231	172	109	36	<b>36</b>	KF
KMAC	ALBION SANDY LOAM, 3 TO 6 PERCENT SLOPES	85	261	202	139	36	<b>36</b>	KMAC
KMDA	DILLWYN-PLEVNA COMPLEX, OCCASIONALLY FLOODED	35	151	92	<b>35</b>	76	<b>76</b>	KMDA
KMFA	FARNUM SANDY LOAM, 0 TO 2 PERCENT SLOPES	183	358	300	237	36	<b>36</b>	KMFA
KMSB	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	152	288	230	167	36	<b>36</b>	KMSB
KMWA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	80	237	178	115	76	<b>76</b>	KMWA
KV	KINGFISHER-VERNON COMPLEX, 1 TO 3 PERCENT SLOPES	69	201	142	79	36	<b>36</b>	KV
KWLN	LINCOLN SANDY LOAM, OCCASIONALLY FLOODED	15	178	119	56	56	<b>56</b>	KWLN
KWQW	QUINLAN-WOODWARD LOAMS, 6 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	KWQW
KWWA	WALDECK LOAM, OCCASIONALLY FLOODED	82	237	178	115	76	<b>76</b>	KWWA
KZ	KINGFISHER-VERNON COMPLEX, 3 TO 6 PERCENT SLOPES	48	144	85	<b>48</b>	36	<b>36</b>	KZ
LN	LINCOLN SOILS, FREQUENTLY FLOODED	10	95	36	<b>10</b>	56	<b>56</b>	LN
LNN	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	13	178	119	56	56	<b>56</b>	LNN
MA	MANGUM CLAY, OCCASIONALLY FLOODED	99	269	210	147	56	<b>56</b>	MA
MG	MANGUM-DRUMMOND COMPLEX, RARELY FLOODED	67	249	191	128	56	<b>56</b>	MG
MN	MINCO SILT LOAM, 0 TO 2 PERCENT SLOPES	170	357	299	236	36	<b>36</b>	MN
NA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	155	332	274	211	36	<b>36</b>	NA
NB	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	147	304	245	182	36	<b>36</b>	NB
OS	OST CLAY LOAM, 0 TO 1 PERCENT SLOPES	132	332	274	211	36	<b>36</b>	OS
OT	OST CLAY LOAM, 1 TO 3 PERCENT SLOPES	121	304	245	182	36	<b>36</b>	OT
PA	POND CREEK SILT LOAM, 0 TO 1 PERCENT SLOPES	191	362	303	240	36	<b>36</b>	PA
PD	POND CREEK SILT LOAM, 1 TO 3 PERCENT SLOPES	181	353	294	231	36	<b>36</b>	PD
PH	DALE SILT LOAM, RARELY FLOODED	166	353	294	231	66	<b>66</b>	PH
PK	BUTTERMILK SILT LOAM, RARELY FLOODED	88	158	100	<b>88</b>	56	<b>56</b>	PK
PRAB	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	86	272	213	150	36	<b>36</b>	PRAB
PRAO	ALBION SANDY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	52	154	95	<b>52</b>	36	<b>36</b>	PRAO
PRAS	ALBION AND SHELLABARGER SOILS, 7 TO 15 PERCENT SLOPES	65	133	74	<b>65</b>	36	<b>36</b>	PRAS
PRBC	BLANKET SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES, ERODED	129	275	217	154	36	<b>36</b>	PRBC
PRCA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	45	<b>45</b>	<b>45</b>	<b>45</b>	36	<b>36</b>	PRCA
PRCK	CASE-CLARK COMPLEX, 7 TO 15 PERCENT SLOPES	31	100	42	<b>31</b>	36	<b>36</b>	PRCK

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>BARBER COUNTY (Page 3 of 3)</b>								
PRCM	CLARK CLAY LOAM, 1 TO 4 PERCENT SLOPES	68	283	224	161	36	<b>36</b>	PRCM
PRCN	CLARK FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	70	286	227	164	36	<b>36</b>	PRCN
PRCO	CLARK-OST CLAY LOAMS, 0 TO 1 PERCENT SLOPES	110	329	270	207	36	<b>36</b>	PRCO
PRFA	FARNUM CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	141	295	237	174	36	<b>36</b>	PRFA
PRKP	KANZA-PLEVNA COMPLEX, FREQUENTLY FLOODED	28	95	37	<b>28</b>	76	<b>76</b>	PRKP
PROS	OST CLAY LOAM, 1 TO 4 PERCENT SLOPES	103	300	242	179	36	<b>36</b>	PROS
PRPM	PRATT LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	56	207	148	85	36	<b>36</b>	PRPM
PRPN	PRATT LOAMY FINE SAND, 8 TO 12 PERCENT SLOPES	50	183	124	61	36	<b>36</b>	PRPN
PRPO	PRATT-CARWILE COMPLEX, 0 TO 5 PERCENT SLOPES	43	120	62	<b>43</b>	36	<b>36</b>	PRPO
PRSA	ALBION-KASKI COMPLEX, 0 TO 15 PERCENT SLOPES	52	107	<b>52</b>	<b>52</b>	36	<b>36</b>	PRSA
PRSE	SHELLABARGER FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	139	285	226	163	36	<b>36</b>	PRSE
PS	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	52	193	134	71	36	<b>36</b>	PS
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	16	112	53	<b>16</b>	36	<b>36</b>	PT
QN	QUINLAN LOAM, 1 TO 3 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	QN
QW	QUINLAN-WOODWARD COMPLEX, 5 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	QW
RB	KNOCO-SHALE OUTCROP COMPLEX, 15 TO 80 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	RB
SB	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	141	274	216	153	36	<b>36</b>	SB
SBB	SHELLABARGER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	154	329	270	207	36	<b>36</b>	SBB
SC	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	117	223	164	<b>117</b>	36	<b>36</b>	SC
TV	TIVOLI FINE SAND, 5 TO 20 PERCENT SLOPES	10	51	<b>10</b>	<b>10</b>	36	<b>36</b>	TV
VN	VERNON CLAY LOAM, 3 TO 5 PERCENT SLOPES	56	83	<b>56</b>	<b>56</b>	36	<b>36</b>	VN
VR	VERNON CLAY LOAM, 5 TO 15 PERCENT SLOPES	10	11	<b>10</b>	<b>10</b>	36	<b>36</b>	VR
VS	VERNON-KNOCO COMPLEX, 1 TO 5 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	26	<b>26</b>	VS
WA	WALDECK SANDY LOAM, OCCASIONALLY FLOODED	76	237	178	115	76	<b>76</b>	WA
WO	WOODWARD-QUINLAN LOAMS, 0 TO 3 PERCENT SLOPES	39	168	110	47	36	<b>36</b>	WO
WS	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	33	102	44	<b>33</b>	36	<b>36</b>	WS
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST
YA	YAHOLA SANDY LOAM, OCCASIONALLY FLOODED	87	263	204	141	76	<b>76</b>	YA
ZE	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	114	334	276	213	76	<b>76</b>	ZE

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>COMANCHE COUNTY (Page 1 of 3)</b>								
AB	ABILENE SILT LOAM, 0 TO 1 PERCENT SLOPES	107	365	306	242	36	<b>36</b>	AB
AC	ABILENE SILT LOAM, 1 TO 3 PERCENT SLOPES	99	339	280	216	36	<b>36</b>	AC
AN	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	42	250	191	127	36	<b>36</b>	AN
AS	ALBION-SHELLABARGER SANDY LOAMS, 4 TO 15 PERCENT SLOPES	32	133	74	<b>32</b>	36	<b>36</b>	AS
BABB	BLANKET SILT LOAM, 1 TO 3 PERCENT SLOPES	109	339	280	216	36	<b>36</b>	BABB
BABC	BLANKET SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	101	329	269	206	36	<b>36</b>	BABC
BAGB	GRANT SILT LOAM, 1 TO 3 PERCENT SLOPES	117	339	280	216	36	<b>36</b>	BAGB
BAPA	POND CREEK SILT LOAM, 0 TO 1 PERCENT SLOPES	122	339	280	216	36	<b>36</b>	BAPA
BAPD	POND CREEK SILT LOAM, 1 TO 3 PERCENT SLOPES	120	332	273	209	36	<b>36</b>	BAPD
BB	BLANKET SILT LOAM 1 TO 3 % SLOPES	66	<b>66</b>	<b>66</b>	<b>66</b>	36	<b>36</b>	BB
BC	BLANKET SILTY LOAM 1 TO 3 % SLOPES	53	<b>53</b>	<b>53</b>	<b>53</b>	36	<b>36</b>	BC
BT	BUTTERMILK SILT LOAM, RARELY FLOODED	65	204	145	81	47	<b>47</b>	BT
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	83	319	260	196	57	<b>57</b>	CA
CACS	CAREY SILT LOAM, 1 TO 3 PERCENT SLOPES	106	332	273	209	36	<b>36</b>	CACS
CACY	CAREY SILT LOAM, 3 TO 6 PERCENT SLOPES	91	275	216	152	36	<b>36</b>	CACY
CAMS	MISSLER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	80	336	277	213	36	<b>36</b>	CAMS
CARF	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	100	339	280	216	67	<b>67</b>	CARF
CASH	SHELLABARGER LOAM, 2 TO 5 PERCENT SLOPES	85	268	209	145	36	<b>36</b>	CASH
CC	CAREY SILT LOAM, 0 TO 2 PERCENT SLOPES	107	335	276	213	36	<b>36</b>	CC
CD	CAREY SILT LOAM, 2 TO 5 PERCENT SLOPES	94	282	223	159	36	<b>36</b>	CD
CF	CASE CLAY LOAM 7 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	CF
CH	CASE CLAY LOAM, 1 TO 3 PERCENT SLOPES	67	319	260	196	36	<b>36</b>	CH
CK	CASE CLAY LOAM, 3 TO 7 PERCENT SLOPES	54	257	198	134	36	<b>36</b>	CK
CM	CASE CLAY LOAM, 7 TO 15 PERCENT SLOPES	28	141	81	<b>28</b>	36	<b>36</b>	CM
CO	CLAIREMONT SILT LOAM, OCCASIONALLY FLOODED	84	322	263	199	67	<b>67</b>	CO
CP	CLAIREMONT LOAM, CHANNELED	41	142	82	<b>41</b>	67	<b>67</b>	CP
CR	CLARK CLAY LOAM, 0 TO 1 PERCENT SLOPES	48	340	281	217	36	<b>36</b>	CR
CS	CLARK CLAY LOAM, 1 TO 3 PERCENT SLOPES	41	311	252	188	36	<b>36</b>	CS
CT	CLARK CLAY LOAM, 3 TO 6 PERCENT SLOPES	29	249	190	126	36	<b>36</b>	CT
CW	CLARK-KINGSDOWN COMPLEX, 5 TO 12 PERCENT SLOPES	35	208	149	85	36	<b>36</b>	CW
CY	CAREY SILT LOAM 3 TO 6 % SLOPES	43	<b>43</b>	<b>43</b>	<b>43</b>	36	<b>36</b>	CY
DC	DALE SILT LOAM, RARELY FLOODED	117	357	297	234	57	<b>57</b>	DC
ED	ELANDCO SILT LOAM, OCCASIONALLY FLOODED	99	322	262	199	67	<b>67</b>	ED
EF	ELANDCO SILT LOAM, CHANNELED	51	148	89	<b>51</b>	67	<b>67</b>	EF

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land	Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	
<b>COMANCHE COUNTY (Page 2 of 3)</b>							
FE	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	133	365	306	242	36	<b>36</b> FE
FF	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	125	357	297	234	36	<b>36</b> FF
GB	GRANT SILT LOAM 1 TO 3 % SLOPES	65	<b>65</b>	<b>65</b>	<b>65</b>	36	<b>36</b> GB
HB	HARNEY SILT LOAM 1 TO 3 % SLOPES	62	<b>62</b>	<b>62</b>	<b>62</b>	36	<b>36</b> HB
HE	HEDVILLE-ROCK OUTCROP COMPLEX, 8 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	26	<b>26</b> HE
HR	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	111	323	264	200	36	<b>36</b> HR
KA	KINGSDOWN FINE SANDY LOAM 0 TO 2 % LOAM	36	<b>36</b>	<b>36</b>	<b>36</b>	36	<b>36</b> KA
KC	KANZA LOAMY FINE SAND, FREQUENTLY FLOODED	10	117	58	<b>10</b>	67	<b>67</b> KC
KF	KASKI LOAM, RARELY FLOODED	134	357	297	234	57	<b>57</b> KF
KN	KINGSDOWN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	72	295	236	172	36	<b>36</b> KN
KO	KINGSDOWN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	60	246	186	123	36	<b>36</b> KO
KR	KRIER LOAM, OCCASIONALLY FLOODED	10	54	<b>10</b>	<b>10</b>	47	<b>47</b> KR
KWHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	115	339	280	216	36	<b>36</b> KWHB
KWLH	LANCASTER-HEDVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	10	25	<b>10</b>	<b>10</b>	31	<b>31</b> KWLH
LB	LESHO CLAY LOAM	34	<b>34</b>	<b>34</b>	<b>34</b>	67	<b>67</b> LB
LD	LANCASTER-HEDVILLE FINE SANDY LOAMS, 4 TO 12 PERCENT SLOPES	17	105	46	<b>17</b>	31	<b>31</b> LD
LE	LESHO CLAY LOAM, OCCASIONALLY FLOODED	67	285	226	162	67	<b>67</b> LE
LH	LANCASTER-HEDVILLE COMPLEX 4 TO 20 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b> LH
LN	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	10	173	114	50	57	<b>57</b> LN
LO	LINCOLN SANDY LOAM, OCCASIONALLY FLOODED	10	201	142	78	57	<b>57</b> LO
LR	LINCOLN-KRIER COMPLEX, OCCASIONALLY FLOODED	10	120	61	<b>10</b>	47	<b>47</b> LR
MS	OBARO SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	92	<b>92</b>	<b>92</b>	<b>92</b>	36	<b>36</b> MS
OA	OBARO-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	33	146	87	<b>33</b>	36	<b>36</b> OA
OB	OST CLAY LOAM, 2 TO 6 PERCENT SLOPES	11	64	<b>11</b>	<b>11</b>	36	<b>36</b> OB
OC	OST CLAY LOAM, 2 TO 6 PERCENT SLOPES	43	278	219	155	36	<b>36</b> OC
OE	OWENS CLAY, 6 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	26	<b>26</b> OE
PA	PENDEN CLAY LOAM 0 TO 7 PERCENT SLOPES	17	<b>17</b>	<b>17</b>	<b>17</b>	36	<b>36</b> PA
PD	POND CREEK SILT LOAM 1 TO 3 PERCENT SLOPES	81	<b>81</b>	<b>81</b>	<b>81</b>	36	<b>36</b> PD
PH	PORT SILT LOAM, OCCASIONALLY FLOODED	122	322	262	199	67	<b>67</b> PH
PO	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	25	195	136	72	36	<b>36</b> PO
PR	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	36	250	191	127	36	<b>36</b> PR
PS	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b> PS
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	10	127	68	<b>10</b>	36	<b>36</b> PT
QR	QUINLAN-WOODWARD LOAMS, 6 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b> QR

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>COMANCHE COUNTY (Page 3 of 3)</b>								
QT	QUINLAN-WOODWARD LOAMS, 15 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	QT
QW	QUINLAN-WOODWARD LOAMS 6 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	QW
RF	ROXBURY SILT LOAM OCCASIONALLY FLOODED	102	<b>102</b>	<b>102</b>	<b>102</b>	67	<b>67</b>	RF
SB	ST. PAUL SILT LOAM, 0 TO 1 PERCENT SLOPES	127	365	306	242	36	<b>36</b>	SB
SC	ST. PAUL SILT LOAM, 1 TO 3 PERCENT SLOPES	119	339	280	216	36	<b>36</b>	SC
SG	SHELLABARGER SANDY LOAM, 0 TO 1 PERCENT SLOPES	115	356	297	233	36	<b>36</b>	SG
SH	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	107	323	264	200	36	<b>36</b>	SH
SM	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	93	261	202	138	36	<b>36</b>	SM
TV	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	26	<b>26</b>	TV
VE	VERNON CLAY LOAM 3 TO 5 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	VE
WA	WALDECK FINE SANDY LOAM	22	<b>22</b>	<b>22</b>	<b>22</b>	67	<b>67</b>	WA
WD	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	54	240	180	117	67	<b>67</b>	WD
WE	WESTVIEW SILT LOAM, 0 TO 1 PERCENT SLOPES	111	365	306	242	36	<b>36</b>	WE
WF	WELLSFORD CLAY, 6 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	26	<b>26</b>	WF
WO	WOODWARD LOAM, 1 TO 3 PERCENT SLOPES	49	247	188	124	36	<b>36</b>	WO
WR	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	WR
WS	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	11	86	27	<b>11</b>	31	<b>31</b>	WS
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST
YE	YAHOLA FINE SANDY LOAM, OCCASIONALLY FLOODED	54	262	202	139	57	<b>57</b>	YE
ZE	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	99	338	278	215	67	<b>67</b>	ZE

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>EDWARDS COUNTY (Page 1 of 2)</b>								
AA	ATTICA FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	82	326	267	204	36	<b>36</b>	AA
AB	ATTICA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	69	302	243	179	36	<b>36</b>	AB
AC	ATTICA-CARWILE FINE SANDY LOAMS, 0 TO 3 PERCENT SLOPES	57	224	164	101	36	<b>36</b>	AC
BD	BLOWN-OUT LAND	10	49	<b>10</b>	<b>10</b>	26	<b>26</b>	BD
BK	COLY-TOBIN SILT LOAMS, 0 TO 15 PERCENT SLOPES	78	271	212	149	52	<b>52</b>	BK
CC	CAMPUS-CANLON COMPLEX, 6 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	41	<b>41</b>	CC
CD	CANADIAN FINE SANDY LOAM, RARELY FLOODED	78	326	267	204	57	<b>57</b>	CD
CF	DARR FINE SANDY LOAM, RARELY FLOODED	44	318	259	196	57	<b>57</b>	CF
CR	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	29	53	<b>29</b>	<b>29</b>	36	<b>36</b>	CR
CS	CARWILE-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	29	41	<b>29</b>	<b>29</b>	31	<b>31</b>	CS
FA	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	126	360	301	237	36	<b>36</b>	FA
FOAN	ROXBURY SILT LOAM, CHANNELED	63	216	156	93	52	<b>52</b>	FOAN
FOLA	LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED	41	238	178	115	57	<b>57</b>	FOLA
FOLC	LAS ANIMAS-LINCOLN COMPLEX, OCCASIONALLY FLOODED	37	238	178	115	57	<b>57</b>	FOLC
FR	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	113	356	297	233	36	<b>36</b>	FR
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	102	326	267	204	36	<b>36</b>	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	97	302	243	179	36	<b>36</b>	HB
HC	HARNEY SILT LOAM, 3 TO 6 PERCENT SLOPES	88	264	205	142	36	<b>36</b>	HC
HD	HARNEY-ULY COMPLEX, 1 TO 3 PERCENT SLOPES	96	310	251	187	36	<b>36</b>	HD
HE	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES	89	276	217	154	36	<b>36</b>	HE
HG	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	106	346	287	224	36	<b>36</b>	HG
HH	HOLDREGE SILT LOAM, 3 TO 6 PERCENT SLOPES	94	305	246	182	36	<b>36</b>	HH
HO	HORD SILT LOAM, RARELY FLOODED	124	356	297	233	46	<b>46</b>	HO
KWAT	ATTICA LOAMY FINE SAND, 1 TO 4 PERCENT SLOPES	64	299	239	176	36	<b>36</b>	KWAT
KWAX	ATTICA-CARWILE COMPLEX, 0 TO 4 PERCENT SLOPES	47	185	126	63	36	<b>36</b>	KWAX
KWTH	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	46	<b>46</b>	KWTH
LA	LAS ANIMAS LOAMY FINE SAND, OCCASIONALLY FLOODED	39	185	126	63	57	<b>57</b>	LA
LH	LESHO CLAY LOAM, OCCASIONALLY FLOODED	52	171	112	<b>52</b>	67	<b>67</b>	LH
LK	LUBBOCK SILT LOAM, 0 TO 1 PERCENT SLOPES	110	360	301	237	36	<b>36</b>	LK
NA	NARON LOAMY FINE SAND, 0 TO 1 PERCENT SLOPES	104	360	301	237	36	<b>36</b>	NA
NF	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	113	360	301	237	36	<b>36</b>	NF
NG	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	106	354	295	232	36	<b>36</b>	NG
NS	NESS CLAY	10	<b>10</b>	<b>10</b>	<b>10</b>	26	<b>26</b>	NS
PA	PLATTE SOILS, OCCASIONALLY FLOODED	10	122	63	<b>10</b>	67	<b>67</b>	PA

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>EDWARDS COUNTY (Page 2 of 2)</b>								
PE	PLEVNA FINE SANDY LOAM, FREQUENTLY FLOODED	21	101	42	<b>21</b>	67	<b>67</b>	PE
PF	PRATT LOAMY FINE SAND, 4 TO 10 PERCENT SLOPES	32	223	164	101	36	<b>36</b>	PF
PG	PRATT LOAMY FINE SAND, 1 TO 4 PERCENT SLOPES	44	266	206	143	36	<b>36</b>	PG
PNHC	HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	95	274	215	152	36	<b>36</b>	PNHC
PNHD	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED	77	263	203	140	36	<b>36</b>	PNHD
PNRO	ROXBURY SILT LOAM, FREQUENTLY FLOODED	63	216	156	93	52	<b>52</b>	PNRO
PNUC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	88	276	217	154	36	<b>36</b>	PNUC
PR	PRATT-LINCOLN LOAMY FINE SANDS, 0 TO 4 PERCENT SLOPES	24	233	174	110	36	<b>36</b>	PR
PRKP	KANZA-PLEVNA COMPLEX, FREQUENTLY FLOODED	19	118	59	<b>19</b>	67	<b>67</b>	PRKP
PRR	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	40	266	206	143	36	<b>36</b>	PRR
PSS	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	31	216	157	94	36	<b>36</b>	PSS
PT1	PRATT-TIVOLI LOAMY FINE SANDS	10	138	79	15	36	<b>36</b>	PT1
PT2	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	10	138	79	15	28	<b>28</b>	PT2
SFPR	PRATT-CARWILE COMPLEX, 0 TO 8 PERCENT SLOPES	31	168	109	45	36	<b>36</b>	SFPR
TA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	107	360	301	237	36	<b>36</b>	TA
TB	TABLER-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	56	356	297	233	36	<b>36</b>	TB
TF	TIVOLI FINE SAND, 10 TO 20 PERCENT SLOPES	10	49	<b>10</b>	<b>10</b>	46	<b>46</b>	TF
TO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	105	343	283	220	67	<b>67</b>	TO
WA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	37	239	180	116	67	<b>67</b>	WA
WC	WALDECK LOAM, OCCASIONALLY FLOODED	38	239	180	116	67	<b>67</b>	WC
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST
ZA	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	90	337	278	214	67	<b>67</b>	ZA
ZE	LESHO CLAY LOAM, SALINE, OCCASIONALLY FLOODED	37	141	82	<b>37</b>	26	<b>26</b>	ZE
ZS	ZENDA-DRUMMOND COMPLEX, OCCASIONALLY FLOODED	80	273	214	150	62	<b>62</b>	ZS

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land	Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	
<b>HARPER COUNTY (Page 1 of 3)</b>							
1439	CRISFIELD SANDY LOAM, RARELY FLOODED	70	240	182	121	65	<b>65</b> 1439
AN	KASKI LOAM, FREQUENTLY FLOODED	133	238	181	<b>133</b>	75	<b>75</b> AN
AT	ATTICA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	106	293	235	174	45	<b>45</b> AT
BAAE	ALBION AND SHELLABARGER SOILS, 4 TO 15 PERCENT SLOPES	66	139	82	<b>66</b>	45	<b>45</b> BAAE
BAAS	CLAIREMONT SOILS, SALINE, CHANNELED	30	<b>30</b>	<b>30</b>	<b>30</b>	65	<b>65</b> BAAS
BAFU	FARNUM CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	159	335	277	216	55	<b>55</b> BAFU
BAKA	KANZA SOILS, FREQUENTLY FLOODED	24	113	56	<b>24</b>	75	<b>75</b> BAKA
BE	BETHANY SILT LOAM, 0 TO 1 PERCENT SLOPES	182	353	296	234	55	<b>55</b> BE
BH	BETHANY SILT LOAM, 1 TO 3 PERCENT SLOPES	172	345	287	226	55	<b>55</b> BH
BM	LINCOLN LOAMY FINE SAND, OCCASIONALLY FLOODED	24	197	139	78	45	<b>45</b> BM
BO	GERLANE VARIANT LOAMY FINE SAND, OCCASIONALLY FLOODED	16	149	92	31	45	<b>45</b> BO
BP	WOODWARD-PORT COMPLEX, 0 TO 20 PERCENT SLOPES	58	150	93	<b>58</b>	70	<b>70</b> BP
BR	FLUVENTS, FREQUENTLY FLOODED	10	<b>10</b>	<b>10</b>	<b>10</b>	65	<b>65</b> BR
CA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	56	<b>56</b>	<b>56</b>	<b>56</b>	45	<b>45</b> CA
CC	CASE-CLARK COMPLEX, 2 TO 6 PERCENT SLOPES	84	273	215	154	45	<b>45</b> CC
CE	CORBIN SILT LOAM, 0 TO 1 PERCENT SLOPES	183	353	296	234	55	<b>55</b> CE
CF	CORBIN SILT LOAM, 1 TO 3 PERCENT SLOPES	173	343	286	225	55	<b>55</b> CF
CH	CRISFIELD FINE SANDY LOAM	70	324	267	205	65	<b>65</b> CH
FA	FARNUM CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	116	233	176	<b>116</b>	55	<b>55</b> FA
FM	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	185	353	296	234	55	<b>55</b> FM
FN	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	173	345	287	226	55	<b>55</b> FN
FU	FARNUM LOAM, 3 TO 6 PERCENT SLOPES	154	288	230	169	55	<b>55</b> FU
GE	GERLANE FINE SANDY LOAM, OCCASIONALLY FLOODED	125	292	234	173	75	<b>75</b> GE
GN	GRANT SILT LOAM, 0 TO 1 PERCENT SLOPES	159	317	259	198	55	<b>55</b> GN
GR	GRANT SILT LOAM, 1 TO 3 PERCENT SLOPES	151	289	232	170	55	<b>55</b> GR
GS	GRANT SILT LOAM, 3 TO 6 PERCENT SLOPES	131	233	176	<b>131</b>	55	<b>55</b> GS
KA	KANZA LOAMY FINE SAND, FREQUENTLY FLOODED	26	113	56	<b>26</b>	75	<b>75</b> KA
KK	KASKI LOAM, OCCASIONALLY FLOODED	179	332	275	213	75	<b>75</b> KK
KM	KIRKLAND SILT LOAM, 0 TO 1 PERCENT SLOPES	138	325	267	206	45	<b>45</b> KM
KMAD	ALBION SANDY LOAM, 6 TO 15 PERCENT SLOPES	47	132	75	<b>47</b>	45	<b>45</b> KMAD
KMDA	DILLWYN-PLEVNA COMPLEX, OCCASIONALLY FLOODED	33	147	90	<b>33</b>	75	<b>75</b> KMDA
KMLA	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	10	78	20	<b>10</b>	65	<b>65</b> KMLA
KMNB	NASHVILLE-QUINLAN COMPLEX, 5 TO 15 PERCENT SLOPES	40	79	<b>40</b>	<b>40</b>	70	<b>70</b> KMNB
KMSA	SHELLABARGER LOAMY SAND, 0 TO 3 PERCENT SLOPES	139	308	251	190	45	<b>45</b> KMSA

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>HARPER COUNTY (Page 2 of 3)</b>								
KMSC	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	135	252	195	<b>135</b>	45	<b>45</b>	KMSC
KMSD	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	108	202	145	<b>108</b>	45	<b>45</b>	KMSD
KMZA	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	103	307	250	188	75	<b>75</b>	KMZA
KR	KIRKLAND-RENFROW CLAY LOAMS, 1 TO 3 PERCENT SLOPES	123	277	220	158	45	<b>45</b>	KR
KW	KIRKLAND-RENFROW SOILS, 1 TO 3 PERCENT SLOPES, ERODED	113	249	192	130	45	<b>45</b>	KW
MC	MINCO SILT LOAM, 0 TO 1 PERCENT SLOPES	172	353	296	234	55	<b>55</b>	MC
MN	MINCO SILT LOAM, 1 TO 3 PERCENT SLOPES	160	345	287	226	55	<b>55</b>	MN
MO	MINCO SILT LOAM, 3 TO 6 PERCENT SLOPES	139	284	226	165	55	<b>55</b>	MO
NA	NASHVILLE SILT LOAM, 0 TO 1 PERCENT SLOPES	117	276	219	157	55	<b>55</b>	NA
NE	NASHVILLE SILT LOAM, 1 TO 3 PERCENT SLOPES	107	253	195	134	55	<b>55</b>	NE
NH	NASHVILLE SILT LOAM, 3 TO 6 PERCENT SLOPES	88	210	152	91	55	<b>55</b>	NH
NN	NASHVILLE SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	65	180	123	<b>65</b>	55	<b>55</b>	NN
NO	MILAN LOAM, 1 TO 3 PERCENT SLOPES	176	332	274	213	55	<b>55</b>	NO
PC	POND CREEK SILT LOAM, 0 TO 1 PERCENT SLOPES	190	353	296	234	55	<b>55</b>	PC
PD	POND CREEK SILT LOAM, 1 TO 3 PERCENT SLOPES	180	345	287	226	55	<b>55</b>	PD
PE	POND CREEK SILT LOAM, 3 TO 6 PERCENT SLOPES	157	291	234	173	55	<b>55</b>	PE
PG	POND CREEK SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	134	233	176	<b>134</b>	55	<b>55</b>	PG
PH	DALE SILT LOAM, RARELY FLOODED	167	345	287	226	75	<b>75</b>	PH
PK	BUTTERMILK SILT LOAM, RARELY FLOODED	88	155	97	<b>88</b>	65	<b>65</b>	PK
PM	PRATT LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	55	205	148	86	45	<b>45</b>	PM
PN	PRATT LOAMY FINE SAND, SILTSTONE SUBSTRATUM, 3 TO 8 PERCENT SLOPES	16	161	104	42	45	<b>45</b>	PN
PO	PRATT-CARWILE COMPLEX, 0 TO 8 PERCENT SLOPES	51	139	82	<b>51</b>	45	<b>45</b>	PO
PT	PRATT-TIVOLI LOAMY FINE SANDS, 8 TO 15 PERCENT SLOPES	10	93	35	<b>10</b>	45	<b>45</b>	PT
QA	QUINLAN LOAM, 0 TO 1 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	45	<b>45</b>	QA
QN	QUINLAN LOAM, 1 TO 3 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	45	<b>45</b>	QN
QU	QUINLAN LOAM, 3 TO 6 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	45	<b>45</b>	QU
RC	RENFROW-VERNON CLAY LOAMS, 1 TO 3 PERCENT SLOPES	55	164	107	<b>55</b>	45	<b>45</b>	RC
RE	RUELLA LOAM, 0 TO 1 PERCENT SLOPES	19	<b>19</b>	<b>19</b>	<b>19</b>	55	<b>55</b>	RE
RH	RUELLA LOAM, 1 TO 3 PERCENT SLOPES	13	<b>13</b>	<b>13</b>	<b>13</b>	55	<b>55</b>	RH
RU	RUELLA LOAM, 3 TO 6 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	55	<b>55</b>	RU
SA	LESHO CLAY LOAM, SALINE, OCCASIONALLY FLOODED	37	76	<b>37</b>	<b>37</b>	65	<b>65</b>	SA
SB	SHELLABARGER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	162	344	287	225	45	<b>45</b>	SB
SE	SHELLABARGER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	152	312	255	193	45	<b>45</b>	SE
SF	SHELLABARGER FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES	131	252	195	134	45	<b>45</b>	SF

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>HARPER COUNTY (Page 3 of 3)</b>								
SG	SHELLABARGER FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	109	189	131	<b>109</b>	45	<b>45</b>	SG
SH	ZELLMONT SANDY LOAM, 1 TO 3 PERCENT SLOPES	88	264	206	145	45	<b>45</b>	SH
SHH	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	135	281	223	162	45	<b>45</b>	SHH
SK	ZELLMONT SANDY LOAM, 3 TO 6 PERCENT SLOPES	73	225	168	106	45	<b>45</b>	SK
SM	ZELLMONT SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	59	169	112	<b>59</b>	45	<b>45</b>	SM
SN	SHELLABARGER LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	137	308	251	190	45	<b>45</b>	SN
SO	SHELLABARGER AND ALBION SOILS, 7 TO 15 PERCENT SLOPES	75	132	<b>75</b>	<b>75</b>	45	<b>45</b>	SO
SP	DRUMMOND LOAM, 0 TO 2 PERCENT SLOPES	10	69	12	<b>10</b>	65	<b>65</b>	SP
SUEA	ELANDCO SILTY CLAY LOAM, RARELY FLOODED	156	318	260	199	75	<b>75</b>	SUEA
SUEC	ELANDCO SILT LOAM, FREQUENTLY FLOODED	117	225	167	<b>117</b>	75	<b>75</b>	SUEC
SULS	LINCOLN SOILS, FREQUENTLY FLOODED	10	<b>10</b>	<b>10</b>	<b>10</b>	65	<b>65</b>	SULS
SUOP	WELLSFORD-ELANDCO COMPLEX, 0 TO 25 PERCENT SLOPES	26	29	<b>26</b>	<b>26</b>	70	<b>70</b>	SUOP
SUPD	POND CREEK SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	134	240	182	<b>134</b>	55	<b>55</b>	SUPD
SURA	RENFROW-GRAINOLA COMPLEX, 1 TO 3 PERCENT SLOPES	64	202	144	83	45	<b>45</b>	SURA
SUTA	TABLER SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	160	344	287	225	45	<b>45</b>	SUTA
SUUS	USTIFLUVENTS, CHANNELED	87	241	184	123	75	<b>75</b>	SUUS
TA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	153	344	287	225	45	<b>45</b>	TA
TH	TIVOLI FINE SAND, 8 TO 15 PERCENT SLOPES	10	73	16	<b>10</b>	35	<b>35</b>	TH
VR	VERNON-RENFROW COMPLEX, 2 TO 6 PERCENT SLOPES, ERODED	28	77	<b>28</b>	<b>28</b>	45	<b>45</b>	VR
WA	KINGMAN CLAY LOAM, OCCASIONALLY FLOODED	85	252	195	134	75	<b>75</b>	WA
WD	WOODWARD-QUINLAN LOAMS, 0 TO 1 PERCENT SLOPES	35	39	<b>35</b>	<b>35</b>	55	<b>55</b>	WD
WE	WOODWARD-QUINLAN LOAMS, 1 TO 3 PERCENT SLOPES	29	<b>29</b>	<b>29</b>	<b>29</b>	45	<b>45</b>	WE
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST
WW	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	25	<b>25</b>	<b>25</b>	<b>25</b>	45	<b>45</b>	WW
ZA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	122	308	251	190	75	<b>75</b>	ZA
ZF	ZENDA FINE SANDY LOAM, OCCASIONALLY FLOODED	103	307	250	188	75	<b>75</b>	ZF

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>HARVEY COUNTY (Page 1 of 3)</b>								
1191	BLAZEFORK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPE, RARELY FLOODED	185	280	218	<b>185</b>	59	<b>59</b>	1191
1324	CARWAY AND CARBIKA SOILS, 0 TO 1 PERCENT SLOPE	57	<b>57</b>	<b>57</b>	<b>57</b>	70	<b>70</b>	1324
1357	CARWAY-DILLHUT-SOLVAY COMPLEX, 0 TO 2 PERCENT SLOPES	102	122	<b>102</b>	<b>102</b>	70	<b>70</b>	1357
1553	DARLOW-ELMER COMPLEX, 0 TO 2 PERCENT SLOPES	102	110	<b>102</b>	<b>102</b>	59	<b>59</b>	1553
1554	DILLHUT FINE SAND, 1 TO 3 PERCENT SLOPES	51	145	83	<b>51</b>	59	60	1554
1556	DILLHUT-SOLVAY COMPLEX, 0 TO 3 PERCENT SLOPES	94	159	97	<b>94</b>	81	85	1556
2391	KASKAN SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPE, FREQUENTLY FLOODED, CHANNELED	192	225	<b>192</b>	<b>192</b>	81	<b>81</b>	2391
2395	KISIWA LOAM, 0 TO 1 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	70	<b>70</b>	2395
2556	LANGDON FINE SAND, 0 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	38	<b>38</b>	2556
2812	MAHONE LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	181	276	214	<b>181</b>	81	<b>81</b>	2812
2957	NICKERSON-PUNKIN FINE SANDY LOAMS, 0 TO 2 PERCENT SLOPES	109	141	<b>109</b>	<b>109</b>	70	<b>70</b>	2957
3181	PRATT-TURON FINE SANDS, 1 TO 5 PERCENT SLOPES	102	188	126	<b>102</b>	59	<b>59</b>	3181
3190	PUNKIN SILT LOAM, 0 TO 1 PERCENT SLOPE	77	<b>77</b>	<b>77</b>	<b>77</b>	81	<b>81</b>	3190
3191	PUNKIN-TAVER COMPLEX, 0 TO 1 PERCENT SLOPE	95	97	<b>95</b>	<b>95</b>	81	<b>81</b>	3191
3511	SALTCREEK AND NARON FINE SANDY LOAMS, 0 TO 1 PERCENT SLOPE	184	263	201	<b>184</b>	70	<b>70</b>	3511
3540	SOLVAY LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	83	126	<b>83</b>	<b>83</b>	70	<b>70</b>	3540
3639	TAVER LOAM, 0 TO 1 PERCENT SLOPE	209	288	226	<b>209</b>	59	<b>59</b>	3639
3641	TIVIN-DILLHUT FINE SANDS, 0 TO 15 PERCENT SLOPES	11	<b>11</b>	<b>11</b>	<b>11</b>	38	<b>38</b>	3641
3900	WALNUT FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	54	<b>54</b>	<b>54</b>	<b>54</b>	70	<b>70</b>	3900
3966	WILLOWBROOK FINE SANDY LOAM, 0 TO 1 PERCENT SLOPE, OCCASIONALLY FLOODED	125	203	141	<b>125</b>	81	85	3966
AD	FLUVENTS, FREQUENTLY FLOODED	10	<b>10</b>	<b>10</b>	<b>10</b>	59	<b>59</b>	AD
BA	CLIME-HOBBS COMPLEX, 0 TO 20 PERCENT SLOPES	73	171	109	<b>73</b>	75	<b>75</b>	BA
BUVE	VERDIGRIS SOILS, FREQUENTLY FLOODED	98	<b>98</b>	<b>98</b>	<b>98</b>	59	<b>59</b>	BUVE
CA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	69	<b>69</b>	<b>69</b>	<b>69</b>	70	<b>70</b>	CA
CC	CLARK CLAY LOAM, 1 TO 3 PERCENT SLOPES	100	325	263	197	59	<b>59</b>	CC
CD	CLIME SILTY CLAY, 1 TO 3 PERCENT SLOPES	83	250	188	121	59	<b>59</b>	CD
CE	CLIME SILTY CLAY, 3 TO 6 PERCENT SLOPES	60	201	139	72	59	<b>59</b>	CE
CF	CLIME SILTY CLAY, 2 TO 6 PERCENT SLOPES, ERODED	27	140	78	<b>27</b>	59	<b>59</b>	CF
CM	CLIME COMPLEX, 6 TO 12 PERCENT SLOPES	28	133	71	<b>28</b>	59	<b>59</b>	CM
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	223	378	316	249	59	<b>59</b>	CR
CT	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	210	371	309	243	59	<b>59</b>	CT
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	234	373	311	244	81	<b>81</b>	DE
DP	DILLWYN-PLEVNA COMPLEX, 0 TO 2 PERCENT SLOPES	74	237	175	108	81	85	DP
DT	DILLWYN-TIVOLI COMPLEX, 0 TO 15 PERCENT SLOPES	43	218	156	89	59	60	DT

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land	Symbol	
			100 ft	200 ft	300 ft	Native \$/Acre		Tame \$/Acre
<b>HARVEY COUNTY (Page 2 of 3)</b>								
DU	DRUMMOND LOAM, 0 TO 1 PERCENT SLOPES	52	113	<b>52</b>	<b>52</b>	70	<b>70</b>	DU
FA	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	233	378	316	249	70	<b>70</b>	FA
FC	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	244	378	316	249	59	<b>59</b>	FC
FD	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	233	373	311	244	59	<b>59</b>	FD
FE	FARNUM LOAM, 3 TO 6 PERCENT SLOPES	215	336	274	<b>215</b>	59	<b>59</b>	FE
FS	FARNUM-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	166	350	288	221	59	<b>59</b>	FS
GC	GEARY SILT LOAM, 0 TO 1 PERCENT SLOPES	256	378	316	<b>256</b>	59	<b>59</b>	GC
GD	GEARY SILT LOAM, 1 TO 3 PERCENT SLOPES	233	371	309	243	59	<b>59</b>	GD
GE	GEARY SILT LOAM, 3 TO 6 PERCENT SLOPES	213	324	262	<b>213</b>	59	<b>59</b>	GE
GO	GOESSEL SILTY CLAY, 0 TO 1 PERCENT SLOPES	163	355	293	226	59	<b>59</b>	GO
GS	GOESSEL SILTY CLAY, 1 TO 2 PERCENT SLOPES	153	325	263	197	59	<b>59</b>	GS
HO	HOBBS SILT LOAM, OCCASIONALLY FLOODED	218	336	274	<b>218</b>	81	<b>81</b>	HO
IR	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	190	363	301	234	59	<b>59</b>	IR
IS	IRWIN SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	178	319	257	191	59	<b>59</b>	IS
IT	IRWIN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	147	242	180	<b>147</b>	59	<b>59</b>	IT
KA	KASKI LOAM, OCCASIONALLY FLOODED	243	359	297	<b>243</b>	81	<b>81</b>	KA
LA	LADYSMITH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	214	378	316	249	59	<b>59</b>	LA
LB	LADYSMITH SILTY CLAY LOAM, 1 TO 2 PERCENT SLOPES	201	363	301	234	59	<b>59</b>	LB
LD	LELA-DRUMMOND COMPLEX, OCCASIONALLY FLOODED	92	290	228	161	81	<b>81</b>	LD
LE	LESHO LOAM, OCCASIONALLY FLOODED	147	298	236	170	81	85	LE
MNCM	CLIME SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	97	253	191	125	59	<b>59</b>	MNCM
MNCP	CLIME SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	84	230	168	101	59	<b>59</b>	MNCP
MNWB	WELLS LOAM, 1 TO 3 PERCENT SLOPES	237	373	311	244	59	<b>59</b>	MNWB
MNWC	WELLS LOAM, 3 TO 7 PERCENT SLOPES	219	336	274	<b>219</b>	59	<b>59</b>	MNWC
MPCB	CASS FINE SANDY LOAM, RARELY FLOODED	230	352	290	<b>230</b>	81	<b>81</b>	MPCB
MPTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	209	355	293	226	81	<b>81</b>	MPTO
NA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPE	213	355	293	226	70	<b>70</b>	NA
NB	NARON FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	186	333	271	205	70	<b>70</b>	NB
PA	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	98	278	216	150	59	<b>59</b>	PA
PC	PRATT-CARWILE COMPLEX, 0 TO 5 PERCENT SLOPES	80	167	105	<b>80</b>	59	<b>59</b>	PC
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	34	135	73	<b>34</b>	59	<b>59</b>	PT
RO	ROSEHILL SILTY CLAY, 1 TO 3 PERCENT SLOPES	99	291	229	162	59	<b>59</b>	RO
RS	ROSEHILL SILTY CLAY, 3 TO 6 PERCENT SLOPES	88	265	203	136	59	<b>59</b>	RS
SGEA	ELANDCO SILT LOAM, RARELY FLOODED	217	370	308	242	81	<b>81</b>	SGEA

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>HARVEY COUNTY (Page 3 of 3)</b>								
SGEB	ELANDCO SILT LOAM, OCCASIONALLY FLOODED	194	336	274	208	81	<b>81</b>	SGEB
SGEC	ELANDCO SILT LOAM, FREQUENTLY FLOODED	56	<b>56</b>	<b>56</b>	<b>56</b>	59	<b>59</b>	SGEC
SGTB	TABLER-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPE	97	297	235	168	81	<b>81</b>	SGTB
SGVB	VANOSS SILT LOAM, 1 TO 3 PERCENT SLOPES	179	286	224	<b>179</b>	59	<b>59</b>	SGVB
SM	SMOLAN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	237	373	311	244	59	<b>59</b>	SM
TV	TIVOLI FINE SAND, 15 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	38	<b>38</b>	TV
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>KINGMAN COUNTY (Page 1 of 3)</b>								
5318	Kanza loamy fine sand, frequently flooded	58	219	160	95	78	<b>78</b>	5318
5324	Kaski loam, occasionally flooded	194	346	286	222	78	<b>78</b>	5324
5419	Case-Clark clay loams, 3 to 7 percent slopes	88	284	224	160	47	<b>47</b>	5419
5420	Case-Clark clay loams, 7 to 15 percent slopes	56	179	120	<b>56</b>	47	<b>47</b>	5420
5443	Quinlan loam, 1 to 3 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	47	<b>47</b>	5443
5444	Quinlan loam, 3 to 6 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	47	<b>47</b>	5444
5480	Wellsford clay loam, 1 to 3 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	47	<b>47</b>	5480
5505	Abbyville-Kisiwa complex, occasionally flooded	121	314	254	190	47	<b>47</b>	5505
5560	Kanza-Ninnescah sandy loams, frequently flooded	57	219	160	95	78	<b>78</b>	5560
5561	Kanza-Plevna complex, frequently flooded	57	219	160	95	78	<b>78</b>	5561
5570	Kingman silty clay loam, occasionally flooded	86	251	191	127	78	<b>78</b>	5570
5633	Plevna fine sandy loam, frequently flooded	57	219	160	95	78	<b>78</b>	5633
5670	Waldeck fine sandy loam, occasionally flooded	82	241	182	117	78	<b>78</b>	5670
5675	Willowbrook fine sandy loam, occasionally flooded	82	241	182	117	78	<b>78</b>	5675
5680	Yaggy-Saxman complex, occasionally flooded	58	219	160	95	78	<b>78</b>	5680
5690	Zenda clay loam, occasionally flooded	118	340	281	216	78	<b>78</b>	5690
5693	Zenda-Drummond complex, occasionally flooded	118	340	281	216	78	<b>78</b>	5693
5710	Abbyville loam, 0 to 1 percent slopes	121	314	254	190	47	<b>47</b>	5710
5740	Dillwyn-Plevna complex, occasionally flooded	58	219	160	95	78	<b>78</b>	5740
5750	Kaskan loam, rarely flooded	132	252	193	<b>132</b>	68	<b>68</b>	5750
5800	Mahone loamy fine sand, rarely flooded	129	321	262	198	68	<b>68</b>	5800
5850	Albion and Shellabarger sandy loams, 6 to 15 percent slopes	35	117	58	<b>35</b>	47	<b>47</b>	5850
5852	Albion sandy loam, 0 to 1 percent slopes	88	302	242	178	47	<b>47</b>	5852
5853	Albion sandy loam, 1 to 3 percent slopes	81	273	213	149	47	<b>47</b>	5853
5854	Albion sandy loam, 3 to 6 percent slopes	66	219	159	95	47	<b>47</b>	5854
5855	Albion sandy loam, 3 to 6 percent slopes, eroded	66	219	159	95	47	<b>47</b>	5855
5856	Albion sandy loam, 6 to 15 percent slopes	35	117	58	<b>35</b>	47	<b>47</b>	5856
5858	Albion-Shellabarger sandy loams, 1 to 3 percent slopes	81	273	213	149	47	<b>47</b>	5858
5872	Clark clay loam, 0 to 1 percent slopes	89	342	283	219	47	<b>47</b>	5872
5873	Clark clay loam, 1 to 3 percent slopes	71	285	225	161	47	<b>47</b>	5873
5875	Clark fine sandy loam, 1 to 3 percent slopes	71	285	225	161	47	<b>47</b>	5875
5878	Clark-Ost clay loams, 0 to 1 percent slopes	89	342	283	219	47	<b>47</b>	5878
5880	Clark-Ost loams, 3 to 7 percent slopes	88	284	224	160	47	<b>47</b>	5880
5882	Dillhut-Plev complex, 0 to 2 percent slopes	58	219	160	95	78	<b>78</b>	5882

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>KINGMAN COUNTY (Page 2 of 3)</b>								
5888	Farnum and Funmar loams, 3 to 6 percent slopes	164	300	240	176	47	<b>47</b>	5888
5890	Farnum clay loam, 3 to 6 percent slopes, eroded	132	267	207	143	47	<b>47</b>	5890
5891	Farnum fine sandy loam, 0 to 1 percent slopes	186	364	304	240	47	<b>47</b>	5891
5892	Farnum loam, 0 to 1 percent slopes	200	368	309	244	47	<b>47</b>	5892
5893	Farnum loam, 1 to 3 percent slopes	187	359	300	236	47	<b>47</b>	5893
5894	Farnum loam, 3 to 6 percent slopes	164	300	240	176	47	<b>47</b>	5894
5897	Farnum sandy loam, 0 to 1 percent slopes	186	364	304	240	47	<b>47</b>	5897
5900	Farnum-Natrustolls complex, 0 to 1 percent slopes	121	314	254	190	47	<b>47</b>	5900
5907	Langdon fine sand, 0 to 15 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	37	<b>37</b>	5907
5908	Nalim loam, 0 to 1 percent slopes	200	368	309	244	47	<b>47</b>	5908
5909	Naron fine sandy loam, 0 to 1 percent slopes	186	364	304	240	47	<b>47</b>	5909
5910	Naron fine sandy loam, 1 to 3 percent slopes	186	364	304	240	47	<b>47</b>	5910
5918	Ost clay loam, 0 to 1 percent slopes	89	342	283	219	47	<b>47</b>	5918
5919	Ost clay loam, 1 to 3 percent slopes	71	285	225	161	47	<b>47</b>	5919
5921	Ost loam, 0 to 1 percent slopes	89	342	283	219	47	<b>47</b>	5921
5924	Ost-Clark loams, 1 to 3 percent slopes	71	285	225	161	47	<b>47</b>	5924
5925	Penalosa silt loam, 0 to 1 percent slopes	183	368	309	244	47	<b>47</b>	5925
5926	Penalosa silt loam, 1 to 3 percent slopes	173	359	300	236	47	<b>47</b>	5926
5927	Pratt fine sand, 5 to 10 percent slopes	59	214	154	90	47	<b>47</b>	5927
5928	Pratt loamy fine sand, 1 to 5 percent slopes	59	214	154	90	47	<b>47</b>	5928
5929	Pratt loamy fine sand, 5 to 12 percent slopes	59	214	154	90	47	<b>47</b>	5929
5935	Pratt-Carwile complex, 0 to 5 percent slopes	66	169	109	<b>66</b>	47	<b>47</b>	5935
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	25	147	87	<b>25</b>	47	<b>47</b>	5941
5942	Pratt-Turon fine sands, 1 to 5 percent slopes	25	147	87	<b>25</b>	47	<b>47</b>	5942
5945	Saltcreek-Funmar-Farnum complex, 1 to 3 percent slopes	186	364	304	240	47	<b>47</b>	5945
5947	Shellabarger and Nalim soils, 3 to 6 percent slopes	148	279	220	155	47	<b>47</b>	5947
5948	Shellabarger fine sandy loam, 0 to 1 percent slopes	171	346	286	222	47	<b>47</b>	5948
5949	Shellabarger fine sandy loam, 1 to 3 percent slopes	171	346	286	222	47	<b>47</b>	5949
5950	Shellabarger fine sandy loam, 3 to 6 percent slopes	148	279	220	155	47	<b>47</b>	5950
5951	Shellabarger fine sandy loam, 3 to 6 percent slopes, eroded	116	227	167	<b>116</b>	47	<b>47</b>	5951
5954	Shellabarger loamy sand, 0 to 3 percent slopes	147	321	262	198	47	<b>47</b>	5954
5955	Shellabarger sandy loam, 0 to 1 percent slopes	171	346	286	222	47	<b>47</b>	5955
5956	Shellabarger sandy loam, 1 to 3 percent slopes	171	346	286	222	47	<b>47</b>	5956
5957	Shellabarger sandy loam, 3 to 6 percent slopes	148	279	220	155	47	<b>47</b>	5957

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>KINGMAN COUNTY (Page 3 of 3)</b>								
5958	Shellabarger sandy loam, 3 to 6 percent slopes, eroded	116	227	167	<b>116</b>	47	<b>47</b>	5958
5959	Shellabarger, eroded, and Albion soils, 6 to 15 percent slopes	35	117	58	<b>35</b>	47	<b>47</b>	5959
5960	Shellabarger-Nalim complex, 1 to 3 percent slopes	171	346	286	222	47	<b>47</b>	5960
5967	Tabler silty clay loam, 0 to 1 percent slopes	183	368	309	244	47	<b>47</b>	5967
5971	Tivin fine sand, 10 to 30 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	37	<b>37</b>	5971
6057	Lincoln loamy sand, occasionally flooded	18	203	143	79	78	<b>78</b>	6057
6224	Canadian fine sandy loam, rarely flooded	129	321	262	198	68	<b>68</b>	6224
6248	McLain silt loam, rarely flooded	132	252	193	<b>132</b>	68	<b>68</b>	6248
6322	Blanket silt loam, 0 to 1 percent slopes	183	368	309	244	47	<b>47</b>	6322
6323	Blanket silt loam, 1 to 3 percent slopes	173	359	300	236	47	<b>47</b>	6323
6324	Blanket silty clay loam, 1 to 3 percent slopes, eroded	128	275	216	151	47	<b>47</b>	6324
6330	Carwile fine sandy loam, 0 to 1 percent slopes	63	<b>63</b>	<b>63</b>	<b>63</b>	47	<b>47</b>	6330
6348	Jamash-Piedmont clay loams, 1 to 3 percent slopes	68	216	156	92	47	<b>47</b>	6348
6360	Kirkland-Renfrow clay loams, 1 to 3 percent slopes	68	216	156	92	47	<b>47</b>	6360
6369	Milan loam, 1 to 3 percent slopes	190	359	300	236	47	<b>47</b>	6369
6391	Nashville silt loam, 1 to 3 percent slopes	116	263	203	139	47	<b>47</b>	6391
6393	Nashville silt loam, 3 to 6 percent slopes, eroded	116	263	203	139	47	<b>47</b>	6393
6394	Nashville-Quinlan complex, 6 to 15 percent slopes	35	52	<b>35</b>	<b>35</b>	47	<b>47</b>	6394
6408	Pond Creek silt loam, 0 to 1 percent slopes	190	359	300	236	47	<b>47</b>	6408
6409	Pond Creek silt loam, 1 to 3 percent slopes	190	359	300	236	47	<b>47</b>	6409
6418	Renfrow clay loam, 1 to 3 percent slopes	68	216	156	92	47	<b>47</b>	6418
6419	Renfrow silty clay loam, 1 to 3 percent slopes	68	216	156	92	47	<b>47</b>	6419
6421	Renfrow-Grainola complex, 1 to 3 percent slopes	68	216	156	92	47	<b>47</b>	6421
6422	Renfrow-Vernon clay loams, 1 to 3 percent slopes	68	216	156	92	47	<b>47</b>	6422
6423	Renfrow-Wellsford clay loams, 1 to 4 percent slopes	68	216	156	92	47	<b>47</b>	6423
6430	Ruella clay loam, 1 to 4 percent slopes	14	<b>14</b>	<b>14</b>	<b>14</b>	47	<b>47</b>	6430
6438	Ruella-Rock outcrop complex, 3 to 40 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	47	<b>47</b>	6438
6490	Zellmont and Poxmash sandy loams, 0 to 3 percent slopes	68	216	156	92	47	<b>47</b>	6490
6491	Zellmont sandy loam, 1 to 3 percent slopes	171	346	286	222	47	<b>47</b>	6491
9971	Arents, earthen dam	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9971
9999	Water	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9999
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>KIOWA COUNTY (Page 1 of 3)</b>								
1324	CARWAY AND CARBIKA SOILS, 0 TO 1 PERCENT SLOPES	49	100	<b>49</b>	<b>49</b>	37	<b>37</b>	1324
1725	FARNUM AND FUNMAR LOAMS, 0 TO 1 PERCENT SLOPES	138	281	220	155	37	<b>37</b>	1725
1726	FUNMAR AND FARNUM LOAMS, 1 TO 3 PERCENT SLOPES	127	275	214	149	37	<b>37</b>	1726
1985	HAYES FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES	69	183	123	<b>69</b>	37	<b>37</b>	1985
1986	HAYES-SOLVAY LOAMY FINE SANDS, 0 TO 5 PERCENT SLOPES	63	159	99	<b>63</b>	37	<b>37</b>	1986
1988	HAYES LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	48	126	65	<b>48</b>	37	<b>37</b>	1988
2556	LANGDON FINE SAND, 0 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	2556
3512	SALTCREEK AND NARON FINE SANDY LOAMS, 1 TO 3 PERCENT SLOPES	104	240	180	115	37	<b>37</b>	3512
3540	SOLVAY LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	66	209	149	84	37	<b>37</b>	3540
3640	TIVIN FINE SAND, 10 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	3640
AN	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	47	263	203	138	37	<b>37</b>	AN
AS	ALBION-SHELLABARGER SANDY LOAMS, 4 TO 15 PERCENT SLOPES	35	144	84	<b>35</b>	37	<b>37</b>	AS
AT	ATTICA LOAMY FINE SAND, 1 TO 4 PERCENT SLOPES	66	300	239	175	37	<b>37</b>	AT
AX	ATTICA-CARWILE COMPLEX, 0 TO 4 PERCENT SLOPES	52	200	139	75	37	<b>37</b>	AX
BACF	CLAIREMONT SOILS, CHANNELED	51	169	108	<b>51</b>	68	<b>68</b>	BACF
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	80	325	264	200	58	<b>58</b>	CA
CAAB	ALBION-SHELLABARGER SANDY LOAMS, 6 TO 12 PERCENT SLOPES	32	151	91	<b>32</b>	37	<b>37</b>	CAAB
CAPG	PENDEN CLAY LOAM, 7 TO 15 PERCENT SLOPES	24	177	117	52	47	<b>47</b>	CAPG
CASH	SHELLABARGER LOAM, 2 TO 5 PERCENT SLOPES	96	324	264	199	37	<b>37</b>	CASH
CC	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	31	54	<b>31</b>	<b>31</b>	37	<b>37</b>	CC
CE	CASE CLAY LOAM, 2 TO 7 PERCENT SLOPES	53	262	201	137	37	<b>37</b>	CE
CF	CASE CLAY LOAM, 7 TO 15 PERCENT SLOPES	26	143	83	<b>26</b>	37	<b>37</b>	CF
CG	CASE-CANLON COMPLEX, 7 TO 20 PERCENT SLOPES	10	25	<b>10</b>	<b>10</b>	32	<b>32</b>	CG
CK	CLARK LOAM, 1 TO 3 PERCENT SLOPES	42	313	252	187	37	<b>37</b>	CK
CM	CLARK LOAM, 3 TO 7 PERCENT SLOPES	30	254	193	128	37	<b>37</b>	CM
CMAC	ABILENE SILT LOAM, 1 TO 3 PERCENT SLOPES	92	308	248	183	37	<b>37</b>	CMAC
CMCK	CASE CLAY LOAM, 3 TO 7 PERCENT SLOPES	55	262	201	137	37	<b>37</b>	CMCK
CMCS	CLARK CLAY LOAM, 1 TO 3 PERCENT SLOPES	44	313	252	187	37	<b>37</b>	CMCS
CMCT	CLARK CLAY LOAM, 3 TO 6 PERCENT SLOPES	32	254	193	128	37	<b>37</b>	CMCT
CMED	ELANDCO SILT LOAM, OCCASIONALLY FLOODED	101	332	272	207	68	<b>68</b>	CMED
CMEF	ELANDCO SILT LOAM, CHANNELED	53	155	94	<b>53</b>	68	<b>68</b>	CMEF
CMKC	KANZA LOAMY FINE SAND, FREQUENTLY FLOODED	22	146	86	<b>22</b>	68	<b>68</b>	CMKC
CMLN	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	10	205	144	80	58	<b>58</b>	CMLN
CMQR	QUINLAN - WOODWARD LOAMS, 6 TO 15 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>32</b>	CMQR

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>KIOWA COUNTY (Page 2 of 3)</b>								
CMSH	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	106	331	271	206	37	<b>37</b>	CMSH
CMSM	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	103	317	257	192	37	<b>37</b>	CMSM
CO	COLY SILT LOAM, 4 TO 9 PERCENT SLOPES	80	277	217	152	37	<b>37</b>	CO
CP	COLY SILT LOAM, 20 TO 40 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	16	<b>16</b>	CP
CT	COLY-TOBIN SILT LOAMS, 0 TO 20 PERCENT SLOPES	50	149	88	<b>50</b>	47	<b>47</b>	CT
DA	DALE SILT LOAM, RARELY FLOODED	114	363	303	238	58	<b>58</b>	DA
EDPA	PLATTE SOILS, OCCASIONALLY FLOODED	10	187	127	62	58	<b>58</b>	EDPA
EDWA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	42	244	184	119	68	<b>68</b>	EDWA
FA	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	128	368	307	242	37	<b>37</b>	FA
FB	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	119	363	303	238	37	<b>37</b>	FB
FOHD	HOLDREGE FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	119	363	303	238	37	<b>37</b>	FOHD
FOPR	PRATT LOAMY FINE SAND, 3 TO 10 PERCENT SLOPES	35	250	189	125	37	<b>37</b>	FOPR
FOPT	PRATT-TIVOLI LOAMY FINE SANDS, 4 TO 15 PERCENT SLOPES	10	132	71	<b>10</b>	37	<b>37</b>	FOPT
FOTV	TIVOLI FINE SAND, 5 TO 20 PERCENT SLOPES	10	43	<b>10</b>	<b>10</b>	27	<b>27</b>	FOTV
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	113	333	273	208	37	<b>37</b>	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	106	308	248	183	37	<b>37</b>	HB
HE	HEDVILLE-ROCK OUTCROP COMPLEX, 15 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	HE
HO	HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES	122	358	298	233	37	<b>37</b>	HO
HP	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	107	329	269	204	37	<b>37</b>	HP
KR	KRIER SANDY LOAM, OCCASIONALLY FLOODED	10	47	<b>10</b>	<b>10</b>	58	<b>58</b>	KR
LH	LANCASTER-HEDVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>32</b>	LH
LN	LINCOLN SANDY LOAM, OCCASIONALLY FLOODED	10	205	144	80	58	<b>58</b>	LN
NA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	112	358	298	233	37	<b>37</b>	NA
NB	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	104	329	269	204	37	<b>37</b>	NB
NE	NESS SILTY CLAY	10	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	NE
NW	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	77	354	293	228	47	<b>47</b>	NW
OE	WELLSFORD CLAY, 6 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	OE
PE	PLEVNA LOAM, FREQUENTLY FLOODED	34	107	47	<b>34</b>	68	<b>68</b>	PE
PR	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	42	271	211	146	37	<b>37</b>	PR
PRBC	BLANKET SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES, ERODED	93	294	234	169	37	<b>37</b>	PRBC
PRBH	BLANKET SILT LOAM, 1 TO 3 PERCENT SLOPES	102	308	248	183	37	<b>37</b>	PRBH
PRFE	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	127	368	307	242	37	<b>37</b>	PRFE
PRNM	NARON LOAM, 1 TO 3 PERCENT SLOPES	119	363	303	238	37	<b>37</b>	PRNM
PRSE	SHELLABARGER FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	104	328	267	202	37	<b>37</b>	PRSE

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>KIOWA COUNTY (Page 3 of 3)</b>								
PS	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	28	198	138	73	37	<b>37</b>	PS
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	10	132	71	<b>10</b>	37	<b>37</b>	PT
QW	QUINLAN-WOODWARD LOAMS, 6 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>32</b>	QW
SH	SHELLABARGER LOAM, 2 TO 6 PERCENT SLOPES	108	324	264	199	37	<b>37</b>	SH
TH	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	TH
TO	TOBIN SILT LOAM, CHANNELED	62	169	108	<b>62</b>	68	<b>68</b>	TO
TS	TOBIN SILT LOAM, OCCASIONALLY FLOODED	111	350	289	225	68	<b>68</b>	TS
UC	ULY SILT LOAM, 3 TO 7 PERCENT SLOPES	102	299	238	174	68	<b>68</b>	UC
WA	WALDECK LOAM, OCCASIONALLY FLOODED	53	244	184	119	68	<b>68</b>	WA
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>PAWNEE COUNTY (Page 1 of 2)</b>								
AT	ATTICA SANDY LOAM, 1 TO 4 PERCENT SLOPES	94	289	231	170	35	<b>35</b>	AT
BR	BRIDGEPORT SILT LOAM, RARELY FLOODED	132	345	288	226	45	<b>45</b>	BR
BTNW	NIBSON-WAKEEN SILT LOAMS, 3 TO 15 PERCENT SLOPES	10	30	<b>10</b>	<b>10</b>	35	<b>35</b>	BTNW
BTPA	PLATTE FINE SANDY LOAM, OCCASIONALLY FLOODED	10	107	50	<b>10</b>	65	<b>65</b>	BTPA
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	105	312	255	194	55	<b>55</b>	CA
CV	DARR FINE SANDY LOAM, RARELY FLOODED	58	281	224	162	55	<b>55</b>	CV
CW	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	50	52	<b>50</b>	<b>50</b>	35	<b>35</b>	CW
EDAB	ATTICA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	95	292	235	173	35	<b>35</b>	EDAB
EDAC	ATTICA-CARWILE FINE SANDY LOAMS, 0 TO 3 PERCENT SLOPES	85	235	177	116	35	<b>35</b>	EDAC
EDBK	COLY-TOBIN SILT LOAMS, 0 TO 15 PERCENT SLOPES	92	220	162	101	35	<b>35</b>	EDBK
EDHE	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES	105	234	176	115	35	<b>35</b>	EDHE
EDNF	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	131	316	258	197	35	<b>35</b>	EDNF
EDNG	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	130	312	255	194	35	<b>35</b>	EDNG
EDZA	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	115	307	250	188	65	<b>65</b>	EDZA
FA	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	151	349	292	230	35	<b>35</b>	FA
FR	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	141	345	288	226	35	<b>35</b>	FR
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	133	317	259	198	35	<b>35</b>	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	125	293	236	174	35	<b>35</b>	HB
HC	HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	120	247	190	128	35	<b>35</b>	HC
HD	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED	91	220	163	101	35	<b>35</b>	HD
HGBR	FLUVENTS, FREQUENTLY FLOODED	24	<b>24</b>	<b>24</b>	<b>24</b>	65	<b>65</b>	HGBR
HGPN	PENDEN-HUMBARGER COMPLEX, 0 TO 12 PERCENT SLOPES	54	199	142	80	35	<b>35</b>	HGPN
HGRX	ROXBURY SILT LOAM, RARELY FLOODED	145	345	288	226	45	<b>45</b>	HGRX
HO	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	138	336	278	217	35	<b>35</b>	HO
HR	HORD SILT LOAM, RARELY FLOODED	168	345	288	226	45	<b>45</b>	HR
KA	KASKI LOAM, RARELY FLOODED	154	345	288	226	65	<b>65</b>	KA
LH	LESHO CLAY LOAM, OCCASIONALLY FLOODED	77	257	199	138	65	<b>65</b>	LH
LU	LUBBOCK SILT LOAM, 0 TO 1 PERCENT SLOPES	131	348	291	229	35	<b>35</b>	LU
NA	NARON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	133	312	255	194	35	<b>35</b>	NA
NE	NESS CLAY	10	<b>10</b>	<b>10</b>	<b>10</b>	25	<b>25</b>	NE
NSPC	PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES	72	284	226	165	35	<b>35</b>	NSPC
NW	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	110	345	288	226	65	<b>65</b>	NW
PA	PLATTE SOILS, OCCASIONALLY FLOODED	10	107	50	<b>10</b>	65	<b>65</b>	PA
PH	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	44	188	131	70	35	<b>35</b>	PH

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>PAWNEE COUNTY (Page 2 of 2)</b>								
PO	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	60	258	200	139	35	<b>35</b>	PO
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	20	134	76	<b>20</b>	35	<b>35</b>	PT
RBB	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	109	282	225	164	65	<b>65</b>	RBB
RO	ROXBURY SILT LOAM, FREQUENTLY FLOODED	90	215	157	96	65	<b>65</b>	RO
SFAT	ATTICA FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	92	289	231	170	35	<b>35</b>	SFAT
SFPC	PLEVNA SOILS, CHANNELED	63	163	106	<b>63</b>	35	<b>35</b>	SFPC
TA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	132	340	283	221	35	<b>35</b>	TA
TV	TIVOLI FINE SAND, 10 TO 20 PERCENT SLOPES	10	69	11	<b>10</b>	25	<b>25</b>	TV
UB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	128	320	263	201	35	<b>35</b>	UB
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	120	284	226	165	35	<b>35</b>	UC
UE	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	90	216	159	97	35	<b>35</b>	UE
WB	WAKEEN SILT LOAM, 1 TO 3 PERCENT SLOPES	22	205	147	86	35	<b>35</b>	WB
WC	WAKEEN SILT LOAM, 3 TO 6 PERCENT SLOPES	19	206	148	87	35	<b>35</b>	WC
WH	WAKEEN-NIBSON SILT LOAMS, 5 TO 15 PERCENT SLOPES	10	37	<b>10</b>	<b>10</b>	35	<b>35</b>	WH
WK	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	57	232	174	113	65	<b>65</b>	WK
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST
ZA	ZENDA LOAM, OCCASIONALLY FLOODED	118	307	250	188	65	<b>65</b>	ZA

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>PRATT COUNTY (Page 1 of 3)</b>								
5416	Case clay loam, 3 to 7 percent slopes	84	242	184	122	35	<b>35</b>	5416
5419	Case-Clark clay loams, 3 to 7 percent slopes	84	242	184	122	35	<b>35</b>	5419
5420	Case-Clark clay loams, 7 to 15 percent slopes	51	141	83	<b>51</b>	35	<b>35</b>	5420
5561	Kanza-Plevna complex, frequently flooded	42	108	50	<b>42</b>	75	<b>75</b>	5561
5563	Kingman clay loam, occasionally flooded	101	257	200	138	75	<b>75</b>	5563
5670	Waldeck fine sandy loam, occasionally flooded	99	232	175	113	75	<b>75</b>	5670
5680	Yaggy-Saxman complex, occasionally flooded	95	200	143	<b>95</b>	55	<b>55</b>	5680
5690	Zenda clay loam, occasionally flooded	124	327	270	208	75	<b>75</b>	5690
5693	Zenda-Drummond complex, occasionally flooded	84	198	141	<b>84</b>	65	<b>65</b>	5693
5740	Dillwyn-Plevna complex, occasionally flooded	42	108	50	<b>42</b>	75	<b>75</b>	5740
5850	Albion and Shellabarger sandy loams, 6 to 15 percent slopes	76	129	<b>76</b>	<b>76</b>	35	<b>35</b>	5850
5853	Albion sandy loam, 1 to 3 percent slopes	85	243	185	123	35	<b>35</b>	5853
5855	Albion sandy loam, 3 to 6 percent slopes, eroded	60	158	101	<b>60</b>	35	<b>35</b>	5855
5857	Albion-Kaski complex, 0 to 15 percent slopes	95	200	143	<b>95</b>	55	<b>55</b>	5857
5870	Carway and Carbika soils, 0 to 1 percent slopes	62	<b>62</b>	<b>62</b>	<b>62</b>	35	<b>35</b>	5870
5873	Clark clay loam, 1 to 3 percent slopes	80	297	240	178	35	<b>35</b>	5873
5875	Clark fine sandy loam, 1 to 3 percent slopes	80	294	236	175	35	<b>35</b>	5875
5876	Clark loam, 1 to 3 percent slopes	80	297	240	178	35	<b>35</b>	5876
5877	Clark loam, 3 to 7 percent slopes	84	242	184	122	35	<b>35</b>	5877
5878	Clark-Ost clay loams, 0 to 1 percent slopes	117	325	268	206	35	<b>35</b>	5878
5886	Farnum and Funmar loams, 0 to 1 percent slopes	205	350	293	231	35	<b>35</b>	5886
5887	Farnum and Funmar loams, 1 to 3 percent slopes	191	346	288	227	35	<b>35</b>	5887
5890	Farnum clay loam, 3 to 6 percent slopes, eroded	144	257	200	<b>144</b>	35	<b>35</b>	5890
5891	Farnum fine sandy loam, 0 to 1 percent slopes	190	350	293	231	35	<b>35</b>	5891
5892	Farnum loam, 0 to 1 percent slopes	205	350	293	231	35	<b>35</b>	5892
5893	Farnum loam, 1 to 3 percent slopes	191	346	288	227	35	<b>35</b>	5893
5894	Farnum loam, 3 to 6 percent slopes	176	312	254	193	35	<b>35</b>	5894
5898	Farnum-Carwile complex, 0 to 1 percent slopes	145	235	178	<b>145</b>	35	<b>35</b>	5898
5902	Hayes fine sandy loam, 1 to 5 percent slopes	72	226	168	106	35	<b>35</b>	5902
5904	Hayes loamy fine sand, 5 to 10 percent slopes	46	137	80	<b>46</b>	35	<b>35</b>	5904
5905	Hayes-Solvay loamy fine sands, 0 to 5 percent slopes	66	154	97	<b>66</b>	35	<b>35</b>	5905
5906	Hayes-Turon complex, 0 to 5 percent slopes	72	226	168	106	35	<b>35</b>	5906
5907	Langdon fine sand, 0 to 15 percent slopes	27	117	59	<b>27</b>	35	<b>35</b>	5907
5908	Nalim loam, 0 to 1 percent slopes	205	350	293	231	35	<b>35</b>	5908

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>PRATT COUNTY (Page 2 of 3)</b>								
5909	Naron fine sandy loam, 0 to 1 percent slopes	170	321	264	202	35	<b>35</b>	5909
5910	Naron fine sandy loam, 1 to 3 percent slopes	164	298	240	178	35	<b>35</b>	5910
5911	Naron fine sandy loam, 3 to 7 percent slopes	150	261	204	<b>150</b>	35	<b>35</b>	5911
5914	Naron loam, 0 to 1 percent slopes	178	329	272	210	35	<b>35</b>	5914
5915	Naron loam, 1 to 3 percent slopes	169	305	248	186	35	<b>35</b>	5915
5917	Naron-Farnum complex, 0 to 3 percent slopes	180	333	275	214	55	<b>55</b>	5917
5918	Ost clay loam, 0 to 1 percent slopes	145	321	264	202	75	<b>75</b>	5918
5919	Ost clay loam, 1 to 3 percent slopes	103	274	216	155	35	<b>35</b>	5919
5921	Ost loam, 0 to 1 percent slopes	117	325	268	206	35	<b>35</b>	5921
5922	Ost loam, 1 to 3 percent slopes	103	274	216	155	35	<b>35</b>	5922
5927	Pratt fine sand, 5 to 10 percent slopes	46	137	80	<b>46</b>	35	<b>35</b>	5927
5928	Pratt loamy fine sand, 1 to 5 percent slopes	72	226	168	106	35	<b>35</b>	5928
5929	Pratt loamy fine sand, 5 to 12 percent slopes	46	137	80	<b>46</b>	35	<b>35</b>	5929
5935	Pratt-Carwile complex, 0 to 5 percent slopes	66	154	97	<b>66</b>	35	<b>35</b>	5935
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	27	117	59	<b>27</b>	35	<b>35</b>	5941
5942	Pratt-Turon fine sands, 1 to 5 percent slopes	27	117	59	<b>27</b>	35	<b>35</b>	5942
5944	Saltcreek and Naron fine sandy loams, 1 to 3 percent slopes	169	305	248	186	35	<b>35</b>	5944
5945	Saltcreek-Funmar-Farnum complex, 1 to 3 percent slopes	180	333	275	214	55	<b>55</b>	5945
5948	Shellabarger fine sandy loam, 0 to 1 percent slopes	174	341	284	222	35	<b>35</b>	5948
5949	Shellabarger fine sandy loam, 1 to 3 percent slopes	155	289	232	170	35	<b>35</b>	5949
5951	Shellabarger fine sandy loam, 3 to 6 percent slopes, eroded	130	189	132	<b>130</b>	35	<b>35</b>	5951
5955	Shellabarger sandy loam, 0 to 1 percent slopes	174	341	284	222	35	<b>35</b>	5955
5956	Shellabarger sandy loam, 1 to 3 percent slopes	157	289	232	170	35	<b>35</b>	5956
5957	Shellabarger sandy loam, 3 to 6 percent slopes	130	189	132	<b>130</b>	35	<b>35</b>	5957
5961	Solvay loamy fine sand, 0 to 2 percent slopes	62	<b>62</b>	<b>62</b>	<b>62</b>	35	<b>35</b>	5961
5964	Tabler clay loam, 0 to 1 percent slopes	169	341	284	222	35	<b>35</b>	5964
5970	Taver loam, 0 to 1 percent slopes	169	341	284	222	35	<b>35</b>	5970
5971	Tivin fine sand, 10 to 30 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	35	<b>35</b>	5971
5975	Turon-Carway complex, 0 to 5 percent slopes	66	154	97	<b>66</b>	35	<b>35</b>	5975
6051	Elandco silt loam, frequently flooded	113	202	145	<b>113</b>	75	<b>75</b>	6051
6052	Elandco silt loam, occasionally flooded	154	312	254	193	75	<b>75</b>	6052
6057	Lincoln loamy sand, occasionally flooded	44	254	196	134	65	<b>65</b>	6057
6060	Lincoln soils, frequently flooded	44	254	195	134	65	<b>65</b>	6060
6322	Blanket silt loam, 0 to 1 percent slopes	190	350	293	231	35	<b>35</b>	6322

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>PRATT COUNTY (Page 3 of 3)</b>								
6323	Blanket silt loam, 1 to 3 percent slopes	183	346	288	227	35	<b>35</b>	6323
6324	Blanket silty clay loam, 1 to 3 percent slopes, eroded	141	265	208	146	35	<b>35</b>	6324
6330	Carwile fine sandy loam, 0 to 1 percent slopes	62	<b>62</b>	<b>62</b>	<b>62</b>	35	<b>35</b>	6330
9970	Aquolls	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9970
9982	Fluvents, frequently flooded	10	<b>10</b>	<b>10</b>	<b>10</b>	35	<b>35</b>	9982
9983	Gravel pits and quarries	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9983
9999	Water	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9999
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>RENO COUNTY (Page 1 of 3)</b>								
2266	Tobin silt loam, occasionally flooded	246	340	282	<b>246</b>	58	<b>58</b>	2266
3405	Longford silty clay loam, 3 to 7 percent slopes, moderately eroded	156	272	213	<b>156</b>	46	<b>46</b>	3405
3824	Crete silt loam, 0 to 1 percent slopes	223	358	299	236	54	<b>54</b>	3824
3825	Crete silt loam, 1 to 3 percent slopes	211	340	281	218	50	<b>50</b>	3825
3843	Geary silt loam, 1 to 3 percent slopes	240	353	295	<b>240</b>	46	<b>46</b>	3843
3847	Geary silty clay loam, 3 to 7 percent slopes, moderately eroded	185	237	<b>185</b>	<b>185</b>	20	<b>20</b>	3847
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	208	358	299	236	46	<b>46</b>	3890
3921	Smolan silty clay loam, 1 to 3 percent slopes	243	354	295	<b>243</b>	46	<b>46</b>	3921
5505	Abbyville-Kisiwa complex, occasionally flooded	11	<b>11</b>	<b>11</b>	<b>11</b>	69	<b>69</b>	5505
5550	Imano clay loam, occasionally flooded	68	283	224	161	69	<b>69</b>	5550
5560	Kanza-Ninnescah sandy loams, frequently flooded	81	157	98	<b>81</b>	69	<b>69</b>	5560
5562	Kaskan silty clay loam, frequently flooded, channeled	130	149	<b>130</b>	<b>130</b>	63	<b>63</b>	5562
5675	Willowbrook fine sandy loam, occasionally flooded	109	230	171	<b>109</b>	69	<b>69</b>	5675
5680	Yaggy-Saxman complex, occasionally flooded	75	231	172	109	73	<b>73</b>	5680
5710	Abbyville loam, 0 to 1 percent slopes	45	<b>45</b>	<b>45</b>	<b>45</b>	69	<b>69</b>	5710
5720	Blazefork silty clay loam, rarely flooded	172	340	281	218	50	<b>50</b>	5720
5722	Blazefork-Kaskan complex, rarely flooded	187	344	285	222	46	<b>46</b>	5722
5728	Buhler-Blazefork silty clay loams, rarely flooded	147	222	164	<b>147</b>	20	<b>20</b>	5728
5730	Darlow-Elmer complex, 0 to 2 percent slopes	48	<b>48</b>	<b>48</b>	<b>48</b>	69	<b>69</b>	5730
5750	Kaskan loam, rarely flooded	248	349	290	<b>248</b>	65	<b>65</b>	5750
5751	Kisiwa loam, 0 to 1 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	61	<b>61</b>	5751
5800	Mahone loamy fine sand, rarely flooded	125	336	277	214	69	<b>69</b>	5800
5820	Nickerson fine sandy loam, 0 to 2 percent slopes	106	353	294	231	46	<b>46</b>	5820
5821	Nickerson loamy fine sand, 0 to 2 percent slopes	150	261	203	<b>150</b>	46	<b>46</b>	5821
5822	Nickerson-Punkin fine sandy loams, 0 to 2 percent slopes	112	261	203	140	46	<b>46</b>	5822
5830	Ninnescah fine sandy loam, occasionally flooded	118	161	<b>118</b>	<b>118</b>	69	<b>69</b>	5830
5831	Punkin silt loam, 0 to 1 percent slopes	59	<b>59</b>	<b>59</b>	<b>59</b>	46	<b>46</b>	5831
5832	Punkin-Taver complex, 0 to 1 percent slopes	82	<b>82</b>	<b>82</b>	<b>82</b>	46	<b>46</b>	5832
5833	Saxman loamy sand, 0 to 1 percent slopes	64	252	193	130	70	<b>70</b>	5833
5834	Urban land-Blazefork-Kaskan complex, 0 to 1 percent slopes, protected	107	135	<b>107</b>	<b>107</b>	22	<b>22</b>	5834
5835	Urban land-Darlow-Elmer complex, 0 to 1 percent slopes	13	<b>13</b>	<b>13</b>	<b>13</b>	21	<b>21</b>	5835
5837	Urban land-Imano complex, 0 to 1 percent slopes, protected	68	83	<b>68</b>	<b>68</b>	28	<b>28</b>	5837
5838	Urban land-Mahone complex, 0 to 1 percent slopes, protected	68	88	<b>68</b>	<b>68</b>	27	<b>27</b>	5838
5839	Urban land-Saltcreek-Naron complex, 0 to 1 percent slopes	101	135	<b>101</b>	<b>101</b>	20	<b>20</b>	5839

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>RENO COUNTY (Page 2 of 3)</b>								
5840	Urban land-Saxman complex, 0 to 1 percent slopes, protected	10	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	5840
5842	Urban land-Willowbrook complex, 0 to 1 percent slopes, protected	52	<b>52</b>	<b>52</b>	<b>52</b>	31	<b>31</b>	5842
5843	Urban land-Yaggy complex, 0 to 1 percent slopes, protected	10	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	5843
5844	Warnut fine sandy loam, 0 to 1 percent slopes	53	<b>53</b>	<b>53</b>	<b>53</b>	58	<b>58</b>	5844
5845	Yaggy fine sandy loam, 0 to 1 percent slopes	40	126	67	<b>40</b>	73	<b>73</b>	5845
5846	Ninnescah fine sandy loam, occasionally flooded, saline	66	82	<b>66</b>	<b>66</b>	69	<b>69</b>	5846
5852	Albion sandy loam, 0 to 1 percent slopes	123	317	258	195	46	<b>46</b>	5852
5858	Albion-Shellabarger sandy loams, 1 to 3 percent slopes	161	272	213	<b>161</b>	53	<b>53</b>	5858
5867	Avans loam, 0 to 1 percent slopes	243	358	299	<b>243</b>	51	<b>51</b>	5867
5868	Avans loam, 1 to 3 percent slopes	220	354	295	232	46	<b>46</b>	5868
5869	Avans loam, 3 to 7 percent slopes	170	231	172	<b>170</b>	50	<b>50</b>	5869
5870	Carway and Carbika soils, 0 to 1 percent slopes	51	<b>51</b>	<b>51</b>	<b>51</b>	61	<b>61</b>	5870
5871	Carway-Dillhut-Solvay complex, 0 to 2 percent slopes	121	231	172	<b>121</b>	46	<b>46</b>	5871
5880	Clark-Ost loams, 3 to 7 percent slopes	80	251	192	129	46	<b>46</b>	5880
5881	Dillhut fine sand, 1 to 3 percent slopes	77	272	213	150	77	<b>77</b>	5881
5882	Dillhut-Plev complex, 0 to 2 percent slopes	73	242	183	120	77	<b>77</b>	5882
5883	Dillhut-Solvay complex, 0 to 3 percent slopes	104	225	166	<b>104</b>	65	<b>65</b>	5883
5886	Farnum and Funmar loams, 0 to 1 percent slopes	249	362	303	<b>249</b>	20	<b>20</b>	5886
5901	Funmar-Taver loams, 0 to 2 percent slopes	232	358	299	236	46	<b>46</b>	5901
5902	Hayes fine sandy loam, 1 to 5 percent slopes	149	264	205	<b>149</b>	49	<b>49</b>	5902
5905	Hayes-Solvay loamy fine sands, 0 to 5 percent slopes	144	249	190	<b>144</b>	49	<b>49</b>	5905
5906	Hayes-Turon complex, 0 to 5 percent slopes	155	304	245	182	46	<b>46</b>	5906
5907	Langdon fine sand, 0 to 15 percent slopes	97	110	<b>97</b>	<b>97</b>	39	<b>39</b>	5907
5908	Nalim loam, 0 to 1 percent slopes	234	362	303	240	54	<b>54</b>	5908
5912	Naron fine sandy loam, 3 to 7 percent slopes, moderately eroded	203	232	<b>203</b>	<b>203</b>	63	<b>63</b>	5912
5913	Naron fine sandy loam, 7 to 15 percent slopes, moderately eroded	139	188	<b>139</b>	<b>139</b>	63	<b>63</b>	5913
5921	Ost loam, 0 to 1 percent slopes	138	333	274	211	46	<b>46</b>	5921
5924	Ost-Clark loams, 1 to 3 percent slopes	136	304	245	182	46	<b>46</b>	5924
5925	Penalosa silt loam, 0 to 1 percent slopes	214	362	303	240	20	<b>20</b>	5925
5926	Penalosa silt loam, 1 to 3 percent slopes	237	344	286	<b>237</b>	46	<b>46</b>	5926
5927	Pratt fine sand, 5 to 10 percent slopes	78	242	183	120	46	<b>46</b>	5927
5942	Pratt-Turon fine sands, 1 to 5 percent slopes	96	228	169	106	46	<b>46</b>	5942
5943	Saltcreek and Naron fine sandy loams, 0 to 1 percent slopes	187	348	290	227	46	<b>46</b>	5943
5944	Saltcreek and Naron fine sandy loams, 1 to 3 percent slopes	192	320	261	198	46	<b>46</b>	5944

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>RENO COUNTY (Page 3 of 3)</b>								
5945	Saltcreek-Funmar-Farnum complex, 1 to 3 percent slopes	205	352	294	231	46	<b>46</b>	5945
5947	Shellabarger and Nalim soils, 3 to 6 percent slopes	177	236	<b>177</b>	<b>177</b>	51	<b>51</b>	5947
5954	Shellabarger loamy sand, 0 to 3 percent slopes	177	296	237	<b>177</b>	51	<b>51</b>	5954
5955	Shellabarger sandy loam, 0 to 1 percent slopes	215	353	294	231	51	<b>51</b>	5955
5956	Shellabarger sandy loam, 1 to 3 percent slopes	195	320	261	198	46	<b>46</b>	5956
5959	Shellabarger, eroded, and Albion soils, 6 to 15 percent slopes	104	140	<b>104</b>	<b>104</b>	51	<b>51</b>	5959
5960	Shellabarger-Nalim complex, 1 to 3 percent slopes	217	340	281	218	46	<b>46</b>	5960
5961	Solvay loamy fine sand, 0 to 2 percent slopes	85	197	138	<b>85</b>	65	<b>65</b>	5961
5962	Spelvin loamy sand, 0 to 1 percent slopes	154	305	246	183	46	<b>46</b>	5962
5970	Taver loam, 0 to 1 percent slopes	204	353	294	231	46	<b>46</b>	5970
5971	Tivin fine sand, 10 to 30 percent slopes	10	49	<b>10</b>	<b>10</b>	39	<b>39</b>	5971
5973	Tivin-Dillhut fine sands, 0 to 15 percent slopes	40	134	76	<b>40</b>	46	<b>46</b>	5973
5974	Tivin-Willowbrook, occasionally flooded, complex, 0 to 12 percent slopes	66	246	187	124	61	<b>61</b>	5974
5975	Turon-Carway complex, 0 to 5 percent slopes	110	227	168	<b>110</b>	53	<b>53</b>	5975
6346	Jamash clay loam, 0 to 8 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	50	<b>50</b>	6346
6347	Jamash-Piedmont clay loams, 0 to 1 percent slopes	77	135	<b>77</b>	<b>77</b>	46	<b>46</b>	6347
6348	Jamash-Piedmont clay loams, 1 to 3 percent slopes	59	85	<b>59</b>	<b>59</b>	54	<b>54</b>	6348
6349	Jamash-Piedmont clay loams, 3 to 12 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	54	<b>54</b>	6349
6384	Nash silt loam, 1 to 3 percent slopes	85	193	134	<b>85</b>	54	<b>54</b>	6384
6385	Nash-Lucien silt loams, 3 to 7 percent slopes	76	97	<b>76</b>	<b>76</b>	50	<b>50</b>	6385
6386	Nash-Lucien silt loams, 7 to 15 percent slopes, moderately eroded	55	<b>55</b>	<b>55</b>	<b>55</b>	27	<b>27</b>	6386
6490	Zellmont and Poxmash sandy loams, 0 to 3 percent slopes	124	279	220	157	54	<b>54</b>	6490
9969	Aquents, frequently ponded	10	<b>10</b>	<b>10</b>	<b>10</b>	75	<b>75</b>	9969
9971	Arents, earthen dam	10	<b>10</b>	<b>10</b>	<b>10</b>	35	<b>10</b>	9971
9972	Arents, loamy	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9972
9995	Sand Pits	10	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>10</b>	9995
9999	Water	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9999
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>SEDGWICK COUNTY (Page 1 of 3)</b>								
2152	Lesho clay loam, occasionally flooded	127	293	232	167	79	84	2152
3725	Detroit silty clay loam, rarely flooded	209	366	305	240	79	<b>79</b>	3725
3824	Crete silt loam, 0 to 1 percent slopes	207	371	310	244	58	<b>58</b>	3824
3825	Crete silt loam, 1 to 3 percent slopes	195	352	291	226	58	<b>58</b>	3825
3843	Geary silt loam, 1 to 3 percent slopes	219	352	291	226	58	<b>58</b>	3843
3857	Goessel silty clay, 0 to 1 percent slopes	150	348	288	222	58	<b>58</b>	3857
3858	Goessel silty clay, 1 to 3 percent slopes	140	319	258	193	58	<b>58</b>	3858
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	191	361	300	235	58	<b>58</b>	3890
3891	Ladysmith silty clay loam, 1 to 3 percent slopes	191	361	300	235	58	<b>58</b>	3891
3911	Rosehill silty clay, 1 to 3 percent slopes	78	254	193	128	58	<b>58</b>	3911
3921	Smolan silty clay loam, 1 to 3 percent slopes	192	285	224	<b>192</b>	58	<b>58</b>	3921
3930	Urban land-Irwin complex, 1 to 3 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	58	<b>58</b>	3930
4570	Clime silty clay, 3 to 7 percent slopes	57	197	136	71	58	<b>58</b>	4570
4671	Irwin silty clay loam, 1 to 3 percent slopes	181	356	295	230	58	<b>58</b>	4671
4673	Irwin silty clay loam, 3 to 7 percent slopes	166	313	253	187	58	<b>58</b>	4673
4674	Irwin silty clay loam, 3 to 7 percent slopes, eroded	139	265	204	<b>139</b>	58	<b>58</b>	4674
5324	Kaski loam, occasionally flooded	151	327	267	201	69	<b>69</b>	5324
5464	Wellsford-Rock outcrop complex, 3 to 10 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	48	<b>48</b>	5464
5480	Wellsford clay loam, 1 to 3 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	48	<b>48</b>	5480
5550	Imano clay loam, occasionally flooded	127	293	232	167	79	84	5550
5560	Kanza-Ninnescah sandy loams, frequently flooded	56	104	<b>56</b>	<b>56</b>	79	84	5560
5633	Plevna fine sandy loam, frequently flooded	56	104	<b>56</b>	<b>56</b>	79	84	5633
5670	Waldeck fine sandy loam, occasionally flooded	84	246	185	120	66	72	5670
5672	Waldeck sandy loam, occasionally flooded	84	246	185	120	66	72	5672
5675	Willowbrook fine sandy loam, occasionally flooded	84	246	185	120	66	72	5675
5832	Punkin-Taver complex, 0 to 1 percent slopes	96	293	232	167	69	<b>69</b>	5832
5836	Urban land-Farnum complex, 0 to 3 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	58	<b>58</b>	5836
5841	Urban land-Tabler complex, 0 to 1 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	58	<b>58</b>	5841
5845	Yaggy fine sandy loam, 0 to 1 percent slopes	11	98	37	<b>11</b>	79	<b>79</b>	5845
5850	Albion and Shellabarger sandy loams, 6 to 15 percent slopes	85	136	<b>85</b>	<b>85</b>	69	<b>69</b>	5850
5856	Albion sandy loam, 6 to 15 percent slopes	85	136	<b>85</b>	<b>85</b>	69	<b>69</b>	5856
5858	Albion-Shellabarger sandy loams, 1 to 3 percent slopes	120	273	212	147	69	<b>69</b>	5858
5867	Avans loam, 0 to 1 percent slopes	239	371	310	244	58	<b>58</b>	5867
5868	Avans loam, 1 to 3 percent slopes	227	366	305	240	58	<b>58</b>	5868

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>SEDGWICK COUNTY (Page 2 of 3)</b>								
5869	Avans loam, 3 to 7 percent slopes	199	309	249	<b>199</b>	58	<b>58</b>	5869
5879	Clark-Ost clay loams, 1 to 3 percent slopes	110	290	229	164	58	<b>58</b>	5879
5891	Farnum fine sandy loam, 0 to 1 percent slopes	232	371	310	244	58	<b>58</b>	5891
5892	Farnum loam, 0 to 1 percent slopes	233	371	310	244	58	<b>58</b>	5892
5893	Farnum loam, 1 to 3 percent slopes	219	366	305	240	58	<b>58</b>	5893
5894	Farnum loam, 3 to 6 percent slopes	219	366	305	240	58	<b>58</b>	5894
5896	Nalim-Shellabarger sandy loams, 0 to 1 percent slopes	212	361	300	235	58	<b>58</b>	5896
5908	Nalim loam, 0 to 1 percent slopes	232	371	310	244	58	<b>58</b>	5908
5909	Naron fine sandy loam, 0 to 1 percent slopes	189	361	300	235	69	<b>69</b>	5909
5924	Ost-Clark loams, 1 to 3 percent slopes	110	290	229	164	58	<b>58</b>	5924
5925	Penalosa silt loam, 0 to 1 percent slopes	207	371	310	244	58	<b>58</b>	5925
5926	Penalosa silt loam, 1 to 3 percent slopes	195	352	291	226	58	<b>58</b>	5926
5928	Pratt loamy fine sand, 1 to 5 percent slopes	84	252	191	126	58	<b>58</b>	5928
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	38	126	66	<b>38</b>	58	<b>58</b>	5941
5956	Shellabarger sandy loam, 1 to 3 percent slopes	193	340	279	214	69	<b>69</b>	5956
5957	Shellabarger sandy loam, 3 to 6 percent slopes	168	276	215	<b>168</b>	69	<b>69</b>	5957
5958	Shellabarger sandy loam, 3 to 6 percent slopes, eroded	135	223	162	<b>135</b>	69	<b>69</b>	5958
5960	Shellabarger-Nalim complex, 1 to 3 percent slopes	193	340	279	214	69	<b>69</b>	5960
5967	Tabler silty clay loam, 0 to 1 percent slopes	191	361	300	235	58	<b>58</b>	5967
5970	Taver loam, 0 to 1 percent slopes	191	361	300	234	58	<b>58</b>	5970
5976	Vanoss silt loam, 0 to 1 percent slopes	239	371	310	244	58	<b>58</b>	5976
5977	Vanoss silt loam, 1 to 3 percent slopes	227	366	305	240	58	<b>58</b>	5977
5978	Vanoss silt loam, 3 to 7 percent slopes	199	224	249	<b>199</b>	58	<b>58</b>	5978
5979	Vanoss silt loam, 3 to 7 percent slopes, eroded	176	229	<b>176</b>	<b>176</b>	58	<b>58</b>	5979
6051	Elandco silt loam, frequently flooded	139	243	182	<b>139</b>	79	<b>79</b>	6051
6052	Elandco silt loam, occasionally flooded	189	330	269	204	79	<b>79</b>	6052
6057	Lincoln loamy sand, occasionally flooded	11	98	37	<b>11</b>	79	<b>79</b>	6057
6060	Lincoln soils, frequently flooded	11	98	37	<b>11</b>	79	<b>79</b>	6060
6220	Brewer silty clay loam, rarely flooded	207	371	310	244	58	<b>58</b>	6220
6224	Canadian fine sandy loam, rarely flooded	151	327	267	201	69	<b>69</b>	6224
6228	Canadian-Waldeck fine sandy loams, rarely flooded	131	301	241	175	79	<b>79</b>	6228
6236	Dale and Reinach silt loams, rarely flooded	209	366	305	240	79	<b>79</b>	6236
6244	Elandco silt loam, rarely flooded	209	366	305	240	79	<b>79</b>	6244
6246	Elandco silty clay loam, rarely flooded	209	366	305	240	79	<b>79</b>	6246

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>SEDGWICK COUNTY (Page 3 of 3)</b>								
6250	Urban land-Canadian complex, 0 to 3 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	69	<b>69</b>	6250
6252	Urban land-Elandco complex, 0 to 1 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	79	<b>79</b>	6252
6254	Waurika silt loam, 0 to 1 percent slopes	181	313	252	187	48	<b>48</b>	6254
6320	Bethany silt loam, 0 to 1 percent slopes	207	371	310	244	58	<b>58</b>	6320
6321	Bethany silt loam, 1 to 3 percent slopes	195	352	291	226	58	<b>58</b>	6321
6322	Blanket silt loam, 0 to 1 percent slopes	207	371	310	244	58	<b>58</b>	6322
6323	Blanket silt loam, 1 to 3 percent slopes	195	352	291	226	58	<b>58</b>	6323
6330	Carwile fine sandy loam, 0 to 1 percent slopes	66	<b>66</b>	<b>66</b>	<b>66</b>	69	<b>69</b>	6330
6346	Jamash clay loam, 0 to 8 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	48	<b>48</b>	6346
6347	Jamash-Piedmont clay loams, 0 to 1 percent slopes	87	232	171	106	48	<b>48</b>	6347
6348	Jamash-Piedmont clay loams, 1 to 3 percent slopes	87	232	171	106	48	<b>48</b>	6348
6364	Milan clay loam, 3 to 6 percent slopes, eroded	168	265	204	<b>168</b>	58	<b>58</b>	6364
6369	Milan loam, 1 to 3 percent slopes	219	352	291	226	58	<b>58</b>	6369
6370	Milan loam, 3 to 6 percent slopes	192	285	224	<b>192</b>	58	<b>58</b>	6370
6419	Renfrow silty clay loam, 1 to 3 percent slopes	87	232	171	106	48	<b>48</b>	6419
6420	Renfrow silty clay loam, 3 to 6 percent slopes	67	207	146	81	48	<b>48</b>	6420
6423	Renfrow-Wellsford clay loams, 1 to 4 percent slopes	67	103	<b>67</b>	<b>67</b>	48	<b>48</b>	6423
6442	Vernon sandy loam, 1 to 3 percent slopes	68	253	192	127	48	<b>48</b>	6442
6443	Vernon sandy loam, 3 to 7 percent slopes	57	206	145	80	48	<b>48</b>	6443
9970	Aquolls	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9970
9971	Arents, earthen dam	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9971
9986	Miscellaneous water	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9986
9993	Pits	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9993
9999	Water	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9999
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>STAFFORD COUNTY (Page 1 of 2)</b>								
990	ABBYVILLE LOAM, 0 TO 1 PERCENT SLOPES	43	<b>43</b>	<b>43</b>	<b>43</b>	54	<b>54</b>	990
991	ABBYVILLE-KISIWA COMPLEX, 0 TO 2 PERCENT SLOPES, FLOODED	12	<b>12</b>	<b>12</b>	<b>12</b>	54	<b>54</b>	991
1005	ALBION SANDY LOAM, 1 TO 3 PERCENT SLOPES	121	172	<b>121</b>	<b>121</b>	35	<b>35</b>	1005
1011	ALBION-SHELLABARGER SANDY LOAMS, 1 TO 3 PERCENT SLOPES	169	172	<b>169</b>	<b>169</b>	35	<b>35</b>	1011
1324	CARWAY AND CARBIKA SOILS, 0 TO 1 PERCENT SLOPES	108	<b>108</b>	<b>108</b>	<b>108</b>	35	<b>35</b>	1324
1359	CLARK-OST LOAMS, 3 TO 7 PERCENT SLOPES	103	203	146	<b>103</b>	35	<b>35</b>	1359
1553	DARLOW-ELMER COMPLEX, 0 TO 2 PERCENT SLOPES	30	<b>30</b>	<b>30</b>	<b>30</b>	54	<b>54</b>	1553
1555	DILLHUT-PLEV COMPLEX, 0 TO 2 PERCENT SLOPES	82	155	98	<b>82</b>	64	<b>64</b>	1555
1556	DILLHUT-SOLVAY COMPLEX, 0 TO 3 PERCENT SLOPES	111	<b>111</b>	<b>111</b>	<b>111</b>	64	<b>64</b>	1556
1725	FARNUM AND FUNMAR LOAMS, 0 TO 1 PERCENT SLOPES	270	<b>270</b>	<b>270</b>	<b>270</b>	35	<b>35</b>	1725
1726	FUNMAR AND FARNUM LOAMS, 1 TO 3 PERCENT SLOPES	259	<b>259</b>	<b>259</b>	<b>259</b>	35	<b>35</b>	1726
1985	HAYES FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES	157	172	<b>157</b>	<b>157</b>	35	<b>35</b>	1985
1986	HAYES-SOLVAY LOAMY FINE SANDS, 0 TO 5 PERCENT SLOPES	146	<b>146</b>	<b>146</b>	<b>146</b>	35	<b>35</b>	1986
1987	HAYES-TURON COMPLEX, 0 TO 5 PERCENT SLOPES	149	175	<b>149</b>	<b>149</b>	35	<b>35</b>	1987
1988	HAYES LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	122	<b>122</b>	<b>122</b>	<b>122</b>	35	<b>35</b>	1988
2381	KANZA-NINESCAH SANDY LOAMS, 0 TO 2 PERCENT SLOPES, COMMONLY FLOODED	87	<b>87</b>	<b>87</b>	<b>87</b>	64	<b>64</b>	2381
2556	LANGDON FINE SAND, 0 TO 15 PERCENT SLOPES	22	<b>22</b>	<b>22</b>	<b>22</b>	35	<b>35</b>	2556
2958	NINNESCAH FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	90	<b>90</b>	<b>90</b>	<b>90</b>	64	<b>64</b>	2958
3053	OST LOAM, 1 TO 3 PERCENT SLOPES	167	210	<b>167</b>	<b>167</b>	35	<b>35</b>	3053
3180	PRATT FINE SAND, 5 TO 10 PERCENT SLOPES	77	118	<b>77</b>	<b>77</b>	35	<b>35</b>	3180
3181	PRATT-TURON FINE SANDS, 1 TO 5 PERCENT SLOPES	95	107	<b>95</b>	<b>95</b>	35	<b>35</b>	3181
3511	SALTCREEK AND NARON FINE SANDY LOAMS, 0 TO 1 PERCENT SLOPES	227	259	<b>227</b>	<b>227</b>	35	<b>35</b>	3511
3512	SALTCREEK AND NARON FINE SANDY LOAMS, 1 TO 3 PERCENT SLOPES	227	257	<b>227</b>	<b>227</b>	35	<b>35</b>	3512
3520	SAXMAN LOAMY SAND, 0 TO 1 PERCENT SLOPES	81	168	111	<b>81</b>	64	<b>64</b>	3520
3540	SOLVAY LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	140	197	<b>140</b>	<b>140</b>	35	<b>35</b>	3540
3639	TAVER LOAM, 0 TO 1 PERCENT SLOPES	231	264	<b>231</b>	<b>231</b>	35	<b>35</b>	3639
3640	TIVIN FINE SAND, 10 TO 30 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	<b>10</b>	35	<b>35</b>	3640
3641	TIVIN-DILLHUT FINE SANDS, 0 TO 15 PERCENT SLOPES	40	<b>40</b>	<b>40</b>	<b>40</b>	35	<b>35</b>	3641
3644	TURON-CARWAY COMPLEX, 0 TO 5 PERCENT SLOPES	87	<b>87</b>	<b>87</b>	<b>87</b>	35	<b>35</b>	3644
AN	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	121	255	198	137	35	<b>35</b>	AN
AT	ATTICA FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	155	286	229	168	35	<b>35</b>	AT
BA	BLANKET SILT LOAM, 0 TO 1 PERCENT SLOPES	236	346	289	<b>236</b>	35	<b>35</b>	BA
BTDT	DILLWYN-TIVOLI COMPLEX, 0 TO 15 PERCENT SLOPES	56	215	159	98	54	<b>54</b>	BTDT
BTTV	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	10	18	<b>10</b>	<b>10</b>	35	<b>35</b>	BTTV

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>STAFFORD COUNTY (Page 2 of 2)</b>								
CA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	77	77	77	77	35	35	CA
CW	CARWILE COMPLEX, 0 TO 1 PERCENT SLOPES	73	73	73	73	35	35	CW
CX	CLARK LOAM, 1 TO 3 PERCENT SLOPES	103	294	237	176	35	35	CX
DP	DILLWYN-PLEVNA COMPLEX, 0 TO 5 PERCENT SLOPES	79	217	160	99	64	64	DP
DT	DILLWYN-TIVOLI LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	59	215	159	98	54	54	DT
EDCS	CARWILE-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	17	17	17	17	54	54	EDCS
FA	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	241	346	289	241	35	35	FA
FR	FARNUM LOAM, 0 TO 2 PERCENT SLOPES	257	346	289	257	35	35	FR
KG	KINGMAN SILTY CLAY LOAM, OCCASIONALLY FLOODED	131	242	185	131	64	64	KG
NA	NARON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	235	340	283	235	35	35	NA
NAA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	237	343	287	237	35	35	NAA
NBB	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	235	340	283	235	35	35	NBB
NU	NATRUSTOLLS, OCCASIONALLY FLOODED	12	49	12	12	54	54	NU
PA	PLEVNA SOILS, FREQUENTLY FLOODED	71	97	71	71	64	64	PA
PC	PLEVNA SOILS, CHANNELED	57	57	57	57	64	64	PC
PH	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	82	186	130	82	35	35	PH
PO	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	104	255	198	137	35	35	PO
PR	PRATT-CARWILE COMPLEX, 0 TO 8 PERCENT SLOPES	88	157	100	88	35	35	PR
PRKP	KANZA-PLEVNA COMPLEX, FREQUENTLY FLOODED	66	114	66	66	64	64	PRKP
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	58	159	102	58	35	35	PT
RCDP	DILLWYN-PLEVNA LOAMY FINE SANDS, 0 TO 1 PERCENT SLOPES	79	210	153	92	64	64	RCDP
RCDT	DILLWYN-TIVOLI COMPLEX, 0 TO 20 PERCENT SLOPES	59	209	152	91	54	54	RCDT
RCDU	DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	59	113	59	59	54	54	RCDU
RCPE	PLEVNA FINE SANDY LOAM, FREQUENTLY FLOODED	71	97	71	71	64	64	RCPE
TA	TABLER LOAM, 0 TO 1 PERCENT SLOPES	220	346	289	228	35	35	TA
TAA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	225	346	289	228	35	35	TAA
TV	TIVOLI FINE SAND, 5 TO 20 PERCENT SLOPES	10	68	11	10	35	35	TV
WA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	102	229	173	112	65	65	WA
WST	WASTE	10	10	10	10	10	10	WST
ZA	ZENDA-NATRUSTOLLS COMPLEX, OCCASIONALLY FLOODED	110	256	199	138	53	53	ZA
ZSS	ZENDA-DRUMMOND COMPLEX, OCCASIONALLY FLOODED	120	232	176	120	53	53	ZSS

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>SUMNER COUNTY (Page 1 of 3)</b>								
2152	Lesho clay loam, occasionally flooded	91	277	219	158	75	79	2152
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	167	355	297	235	55	<b>55</b>	3890
3908	Rosehill clay loam, 1 to 3 percent slopes	67	274	217	155	55	<b>55</b>	3908
3909	Rosehill clay loam, 3 to 6 percent slopes	52	222	165	103	55	<b>55</b>	3909
3910	Rosehill clay loam, 3 to 6 percent slopes, eroded	41	207	150	88	55	<b>55</b>	3910
4671	Irwin silty clay loam, 1 to 3 percent slopes	156	346	289	227	55	<b>55</b>	4671
5322	Kaski loam, frequently flooded	112	317	260	198	65	<b>65</b>	5322
5456	Wellsford-Elandco complex, 0 to 25 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	75	<b>75</b>	5456
5465	Wellsford-Renfrow clay loams, 2 to 6 percent slopes, eroded	10	<b>10</b>	<b>10</b>	<b>10</b>	45	<b>45</b>	5465
5466	Wellsford-Shale outcrop complex, 8 to 25 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	45	<b>45</b>	5466
5480	Wellsford clay loam, 1 to 3 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	45	<b>45</b>	5480
5482	Wellsford clay loam, 3 to 8 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	45	<b>45</b>	5482
5492	Woodward-Port complex, 0 to 20 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	75	<b>75</b>	5492
5633	Plevna fine sandy loam, frequently flooded	20	114	57	<b>20</b>	55	<b>55</b>	5633
5740	Dillwyn-Plevna complex, occasionally flooded	54	<b>54</b>	<b>54</b>	<b>54</b>	65	<b>65</b>	5740
5892	Farnum loam, 0 to 1 percent slopes	173	355	297	235	55	<b>55</b>	5892
5893	Farnum loam, 1 to 3 percent slopes	161	346	289	227	55	<b>55</b>	5893
5894	Farnum loam, 3 to 6 percent slopes	140	289	231	169	55	<b>55</b>	5894
5895	Farnum loam, 3 to 6 percent slopes, eroded	109	266	208	147	55	<b>55</b>	5895
5929	Pratt loamy fine sand, 5 to 12 percent slopes	46	206	149	87	55	<b>55</b>	5929
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	35	<b>35</b>	5941
5946	Shellabarger and Albion soils, 7 to 15 percent slopes	87	207	149	<b>87</b>	65	<b>65</b>	5946
5956	Shellabarger sandy loam, 1 to 3 percent slopes	137	313	256	194	65	<b>65</b>	5956
5957	Shellabarger sandy loam, 3 to 6 percent slopes	118	253	196	134	65	<b>65</b>	5957
5958	Shellabarger sandy loam, 3 to 6 percent slopes, eroded	87	207	123	<b>87</b>	65	<b>65</b>	5958
5967	Tabler silty clay loam, 0 to 1 percent slopes	138	345	288	226	55	<b>55</b>	5967
5972	Tivoli fine sand, 10 to 30 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	35	<b>35</b>	5972
5976	Vanoss silt loam, 0 to 1 percent slopes	173	355	297	235	55	<b>55</b>	5976
5977	Vanoss silt loam, 1 to 3 percent slopes	162	346	289	227	55	<b>55</b>	5977
5978	Vanoss silt loam, 3 to 7 percent slopes	141	285	227	165	55	<b>55</b>	5978
6051	Elandco silt loam, frequently flooded	96	230	172	110	75	<b>75</b>	6051
6056	Lincoln loamy fine sand, occasionally flooded	10	93	35	<b>10</b>	75	<b>75</b>	6056
6060	Lincoln soils, frequently flooded	10	93	35	<b>10</b>	75	<b>75</b>	6060
6063	Lincoln-Tivoli complex, 0 to 10 percent slopes	10	93	35	<b>10</b>	75	<b>75</b>	6063

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>SUMNER COUNTY (Page 2 of 3)</b>								
6220	Brewer silty clay loam, rarely flooded	128	311	254	192	75	<b>75</b>	6220
6222	Brewer-Drummond silty clay loams, rarely flooded	79	245	187	125	75	<b>75</b>	6222
6224	Canadian fine sandy loam, rarely flooded	112	317	260	198	65	<b>65</b>	6224
6226	Canadian sandy loam, rarely flooded	112	317	260	198	65	<b>65</b>	6226
6230	Corbin silt loam, 0 to 1 percent slopes	158	350	293	231	55	<b>55</b>	6230
6232	Corbin silt loam, 1 to 3 percent slopes	158	350	293	231	55	<b>55</b>	6232
6234	Crisfield sandy loam, rarely flooded	54	<b>54</b>	<b>54</b>	<b>54</b>	65	<b>65</b>	6234
6236	Dale and Reinach silt loams, rarely flooded	160	346	289	227	75	<b>75</b>	6236
6238	Dale silt loam, 2 to 8 percent slopes	122	281	223	161	75	<b>75</b>	6238
6240	Dale silt loam, rarely flooded	160	346	289	227	75	<b>75</b>	6240
6244	Elandco silt loam, rarely flooded	160	346	289	227	75	<b>75</b>	6244
6246	Elandco silty clay loam, rarely flooded	144	312	255	193	75	<b>75</b>	6246
6254	Waurika silt loam, 0 to 1 percent slopes	130	300	243	181	45	<b>45</b>	6254
6320	Bethany silt loam, 0 to 1 percent slopes	167	355	297	235	55	<b>55</b>	6320
6321	Bethany silt loam, 1 to 3 percent slopes	156	346	289	227	55	<b>55</b>	6321
6330	Carwile fine sandy loam, 0 to 1 percent slopes	44	52	<b>44</b>	<b>44</b>	65	<b>65</b>	6330
6340	Grant silt loam, 0 to 1 percent slopes	172	355	297	235	55	<b>55</b>	6340
6342	Grant silt loam, 3 to 6 percent slopes	142	293	235	173	55	<b>55</b>	6342
6354	Kirkland silt loam, 0 to 1 percent slopes	128	353	296	234	55	<b>55</b>	6354
6356	Kirkland silt loam, 1 to 3 percent slopes	120	325	268	206	55	<b>55</b>	6356
6358	Kirkland silty clay loam, 1 to 3 percent slopes, eroded	101	262	204	142	55	<b>55</b>	6358
6360	Kirkland-Renfrow clay loams, 1 to 3 percent slopes	57	235	178	116	55	<b>55</b>	6360
6362	Kirkland-Renfrow soils, 1 to 3 percent slopes, eroded	57	235	178	116	55	<b>55</b>	6362
6368	Milan loam, 0 to 1 percent slopes	170	355	297	235	55	<b>55</b>	6368
6369	Milan loam, 1 to 3 percent slopes	161	333	276	214	55	<b>55</b>	6369
6370	Milan loam, 3 to 6 percent slopes	140	269	212	150	55	<b>55</b>	6370
6371	Milan loam, 3 to 6 percent slopes, eroded	107	218	161	<b>107</b>	55	<b>55</b>	6371
6408	Pond Creek silt loam, 0 to 1 percent slopes	172	355	297	235	55	<b>55</b>	6408
6409	Pond Creek silt loam, 1 to 3 percent slopes	163	346	289	227	55	<b>55</b>	6409
6410	Pond Creek silt loam, 3 to 6 percent slopes	142	293	235	173	55	<b>55</b>	6410
6412	Pond Creek silty clay loam, 3 to 6 percent slopes, eroded	120	270	212	150	55	<b>55</b>	6412
6418	Renfrow clay loam, 1 to 3 percent slopes	57	235	178	116	55	<b>55</b>	6418
6419	Renfrow silty clay loam, 1 to 3 percent slopes	57	235	178	116	55	<b>55</b>	6419
6421	Renfrow-Grainola complex, 1 to 3 percent slopes	57	235	178	116	55	<b>55</b>	6421

## Kansas Division of Property Valuation

### 2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>SUMNER COUNTY (Page 3 of 3)</b>								
8302	Verdigris silt loam, occasionally flooded	144	312	255	193	75	<b>75</b>	8302
9970	Aquolls	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9970
9971	Arents, earthen dam	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9971
9976	Borrow pits	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9976
9983	Gravel pits and quarries	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9983
9986	Miscellaneous water	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9986
9998	Ustifluvents, channeled	20	114	57	<b>20</b>	55	<b>55</b>	9998
9999	Water	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9999
WST	WASTE	10	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST