

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
ALLEN COUNTY					
ANCD	COLLINSVILLE COMPLEX, 2 TO 15 PERCENT SLOPES	12	58	58	ANCD
ANEK	ERAM-CLARESON COMPLEX, 1 TO 15 PERCENT SLOPES	75	52	52	ANEK
ANEO	ERAM-GULLIED LAND COMPLEX, 3 TO 7 PERCENT SLOPES	36	52	52	ANEO
ANEP	ERAM-TALIHINA SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	10	52	52	ANEP
ANOP	OLPE GRAVELLY SILT LOAM, 3 TO 15 PERCENT SLOPES	72	74	74	ANOP
ANSF	SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	162	52	52	ANSF
ANSH	SUMMIT SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	151	52	52	ANSH
ANWF	WOODSON SILT LOAM, 1 TO 3 PERCENT SLOPES	172	52	52	ANWF
BA	BATES LOAM, 1 TO 4 PERCENT SLOPES	143	74	74	BA
BB	BATES LOAM, 4 TO 7 PERCENT SLOPES	97	74	74	BB
BBPA	PARSONS SILT LOAM, 0 TO 2 PERCENT SLOPES	169	52	52	BBPA
BBRC	RINGO-CLARESON COMPLEX, 9 TO 15 PERCENT SLOPES	10	52	52	BBRC
BC	BATES LOAM, 2 TO 7 PERCENT SLOPES ERODED	68	74	74	BC
CA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	147	74	74	CA
CB	CATOOSA-ROCK OUTCROP COMPLEX, 1 TO 8 PERCENT SLOPES	47	74	74	CB
CC	COLLINSVILLE-BATES COMPLEX, 2 TO 15 PERCENT SLOPES	21	58	58	CC
DA	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	167	74	74	DA
DB	DENNIS SILT LOAM, 3 TO 7 PERCENT SLOPES	154	74	74	DB
DC	DENNIS-KENOMA SILT LOAMS, 0 TO 2 PERCENT SLOPES	179	66	66	DC
EA	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	85	52	52	EA
EB	ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	72	52	52	EB
EC	ERAM SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	47	52	52	EC
KA	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	180	52	52	KA
LA	LEANNA SILT LOAM	168	74	74	LA
MA	MASON SILT LOAM	237	74	78	MA
NA	NOWATA SILT LOAM 3 TO 7 PERCENT SLOPES	65	74	74	NA
NOBH	BATES-COLLINSVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	21	58	58	NOBH
NOLA	LANTON SILT LOAM, OCCASIONALLY FLOODED	187	74	74	NOLA
NOSC	SHIDLER-CATOOSA SILT LOAMS, 1 TO 8 PERCENT SLOPES	41	74	74	NOSC
OA	OLPE SOILS, 3 TO 15 PERCENT SLOPES	55	74	74	OA
OB	OSAGE SILTY CLAY LOAM	106	74	74	OB
OC	OSAGE SILTY CLAY	124	74	74	OC
PA	PARSONS SILT LOAM, 0 TO 1 PERCENT SLOPES (NEOSHO)	167	14	14	PA
SC	SHIDLER-CATOOSA SILT LOAMS, 1 TO 8 PERCENT SLOPES	10	74	74	SC
SD	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 3 TO 20 PERCENT SLOPES	10	74	74	SD
SF	SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES (ANDERSON)	187	52	52	SF
SH	SUMMIT SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES (ANDERSON)	76	52	52	SH
TA	TALIHINA SILTY CLAY LOAM, 5 TO 20 PERCENT SLOPES	10	52	52	TA
TB	TALIHINA STONY SILTY CLAY LOAM, 8 TO 25 PERCENT SLOPES	10	52	52	TB
VA	VERDIGRIS SILT LOAM	244	74	78	VA
VB	VERDIGRIS SILT LOAM, CHANNELED	139	74	78	VB
WA	WOODSON SILT LOAM	181	52	52	WA
WORD	RINGO-SOIGN COMPLEX, 4 TO 15 PERCENT SLOPES	60	74	74	WORD
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 1 TO 3 PERCENT SLOPES	155	52	52	ZA
ZB	ZAAR SILTY CLAY, 3 TO 7 PERCENT SLOPES	137	52	52	ZB

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
BOURBON COUNTY					
ALCB	CATOOSA-ROCK OUTCROP COMPLEX, 1 TO 8 PERCENT SLOPES	116	73	73	ALCB
ALCC	COLLINSVILLE-BATES COMPLEX, 2 TO 15 PERCENT SLOPES	10	19	19	ALCC
BA	BATES LOAM, 1 TO 4 PERCENT SLOPES	154	73	73	BA
BC	BATES LOAM, 4 TO 7 PERCENT SLOPES	105	73	73	BC
BD	BATES LOAM, 4 TO 7 PERCENT SLOPES, ERODED	76	73	73	BD
BH	BOLIVAR-HECTOR FINE SANDY LOAMS, 5 TO 15 PERCENT SLOPES	10	19	19	BH
CA	CATOOSA SILT LOAM	168	73	73	CA
CRMD	KANIMA SILTY CLAY LOAM, 3 TO 50 PERCENT SLOPES	66	73	73	CRMD
CS	CLARESON STONY SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	10	41	41	CS
DE	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	190	73	73	DE
DF	DENNIS SILT LOAM, 3 TO 6 PERCENT SLOPES	165	73	73	DF
EC	ERAM-COLLINSVILLE COMPLEX, 5 TO 12 PERCENT SLOPES	24	30	30	EC
KE	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	185	51	51	KE
LA	LANTON SILTY CLAY LOAM	211	73	74	LA
LE	LEANNA SILT LOAM	186	73	73	LE
LNCM	CLARESON-ROCK OUTCROP COMPLEX, 2 TO 15 PERCENT SLOPES	10	41	41	LNCM
LNEF	ERAM-LEBO SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	36	30	30	LNEF
LNSN	SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	185	51	51	LNSN
LNSO	SUMMIT SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	159	51	51	LNSO
LNVC	VERDIGRIS SILT LOAM, FREQUENTLY FLOODED	151	73	74	LNVC
MA	MASON SILT LOAM	266	73	74	MA
NO	NOWATA SILT LOAM, 3 TO 5 PERCENT SLOPES	92	73	73	NO
NOEC	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	39	30	30	NOEC
NOSC	SHIDLER-CATOOSA SILT LOAMS, 1 TO 8 PERCENT SLOPES	110	73	73	NOSC
OR	ORTHENTS, HILLY	23	73	73	OR
OS	OSAGE SILTY CLAY	135	73	73	OS
PA	PARSONS SILT LOAM	179	51	51	PA
RC	RINGO-CLARESON COMPLEX, 9 TO 15 PERCENT SLOPES	69	51	51	RC
TA	TAMAHA SILT LOAM, 1 TO 5 PERCENT SLOPES	175	30	30	TA
VE	VERDIGRIS SILT LOAM	267	73	74	VE
VF	VERDIGRIS SILT LOAM, CHANNELED	151	73	74	VF
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	179	51	51	ZA
ZB	ZAAR SILTY CLAY, 2 TO 6 PERCENT SLOPES	147	51	51	ZB

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
BUTLER COUNTY (Page 1 of 2)						
3491	Wells loam, 1 to 3 percent slopes	253	351	51	51	3491
3561	Hobbs silt loam, occasionally flooded	257	338	51	51	3561
3725	Detroit silty clay loam, rarely flooded	246	342	51	51	3725
3842	Geary silt loam, 0 to 1 percent slopes	264	355	51	51	3842
3843	Geary silt loam, 1 to 3 percent slopes	248	351	51	51	3843
3844	Geary silt loam, 3 to 7 percent slopes	221	317	51	51	3844
3857	Goessel silty clay, 0 to 1 percent slopes	170	334	41	41	3857
3858	Goessel silty clay, 1 to 3 percent slopes	154	305	41	41	3858
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	204	330	41	41	3890
3911	Rosehill silty clay, 1 to 3 percent slopes	112	282	41	41	3911
4020	Chase silty clay loam, occasionally flooded	246	342	51	51	4020
4051	Ivan silt loam, channeled	183	243	51	51	4051
4052	Ivan silt loam, occasionally flooded	257	338	51	51	4052
4535	Benfield-Labette cherty silty clay loams, 2 to 12 percent slopes	70	88	51	51	4535
4580	Clime stony silty clay loam, 15 to 30 percent slopes	10	9	24	24	4580
4590	Clime-Sogn complex, 3 to 20 percent slopes	10	9	24	24	4590
4600	Dwight silt loam, 0 to 1 percent slopes	137	194	10	10	4600
4620	Dwight soils, 1 to 3 percent slopes, eroded	63	98	10	10	4620
4645	Florence cherty silt loam, 5 to 15 percent slopes	39	87	51	51	4645
4655	Florence-Labette complex, 2 to 12 percent slopes	39	87	51	51	4655
4660	Florence-Martin complex, 2 to 12 percent slopes	39	87	51	51	4660
4670	Irwin silty clay loam, 0 to 1 percent slopes	219	355	41	41	4670
4671	Irwin silty clay loam, 1 to 3 percent slopes	201	337	41	41	4671
4673	Irwin silty clay loam, 3 to 7 percent slopes	173	300	41	41	4673
4674	Irwin silty clay loam, 3 to 7 percent slopes, eroded	156	251	41	41	4674
4740	Labette silty clay loam, 1 to 3 percent slopes	188	301	51	51	4740
4741	Labette silty clay loam, 1 to 3 percent slopes, eroded	153	223	51	51	4741
4742	Labette silty clay loam, 3 to 7 percent slopes	165	277	51	51	4742
4744	Labette-Dwight complex, 0 to 3 percent slopes	149	250	30	30	4744
4746	Labette-Sogn silty clay loams, 0 to 8 percent slopes	65	65	24	24	4746
4747	Labette-Sogn silty clay loams, 8 to 15 percent slopes	65	65	24	24	4747
4750	Sogn silty clay loam, 0 to 10 percent slopes	10	10	10	10	4750
4751	Sogn soils, 0 to 8 percent slopes	10	10	10	10	4751
4780	Tully cherty silty clay loam, 5 to 15 percent slopes	201	308	51	51	4780
4781	Tully silty clay loam, 1 to 3 percent slopes	222	347	51	51	4781
4783	Tully silty clay loam, 3 to 7 percent slopes	201	308	51	51	4783
4784	Tully silty clay loam, 3 to 7 percent slopes, eroded	160	217	51	51	4784
5976	Vanoss silt loam, 0 to 1 percent slopes	269	355	51	51	5976
5977	Vanoss silt loam, 1 to 3 percent slopes	253	351	51	51	5977
5978	Vanoss silt loam, 3 to 7 percent slopes	253	351	51	51	5978
6051	Elandco silt loam, frequently flooded	183	243	51	51	6051
6220	Brewer silty clay loam, rarely flooded	246	342	51	51	6220
6244	Elandco silt loam, rarely flooded	246	342	51	51	6244
6400	Norge silt loam, 0 to 1 percent slopes	264	355	51	51	6400
6401	Norge silt loam, 1 to 3 percent slopes	248	351	51	51	6401
6402	Norge silt loam, 3 to 7 percent slopes	221	317	51	51	6402
6403	Norge silty clay loam, 3 to 7 percent slopes, eroded	188	265	51	51	6403
7170	Reading silt loam, rarely flooded	246	344	51	51	7170
7301	Martin silty clay loam, 1 to 3 percent slopes	222	347	51	51	7301

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land	\$/Acre	Native	Tame	
		\$/Acre	100 ft	\$/Acre	\$/Acre	
BUTLER COUNTY (Page 2 of 2)						
7302	Martin silty clay loam, 3 to 7 percent slopes	201	308	51	51	7302
8203	Osage silty clay, occasionally flooded	123	229	51	51	8203
8300	Verdigris silt loam, channeled	183	243	51	51	8300
8302	Verdigris silt loam, occasionally flooded	257	338	51	51	8302
8303	Verdigris soils, frequently flooded	183	243	51	51	8303
8859	Olpe-Norge complex, 2 to 7 percent slopes	122	260	51	51	8859
9970	Aquolls	10	10	10	10	9970
9971	Arents, earthen dam	10	10	10	10	9971
9983	Gravel pits and quarries	10	10	10	10	9983
9986	Miscellaneous water	10	10	10	10	9986
9987	Oil waste land	10	10	10	10	9987
9993	Pits	10	10	10	10	9993
9999	Water	10	10	10	10	9999
WST	WASTE	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
CHAUTAUQUA COUNTY (Page 1 of 2)					
BA	BATES FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	104	51	51	BA
BUCS	CLIME-SOIGN COMPLEX, 3 TO 15 PERCENT SLOPES	10	24	24	BUCS
CA	CLARESON SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	72	40	40	CA
CLCC	CLIME-SOIGN COMPLEX, 2 TO 15 PERCENT SLOPES	10	24	24	CLCC
CLLA	LABETTE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	178	51	51	CLLA
CLMC	MARTIN SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	138	51	51	CLMC
CLRA	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	233	51	57	CLRA
CLSA	SMOLAN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	171	51	51	CLSA
CLSC	SMOLAN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	136	51	51	CLSC
CLSD	SOIGN SILTY CLAY LOAM, 0 TO 10 PERCENT SLOPES	10	10	10	CLSD
CLTA	TABLER SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	193	51	51	CLTA
CS	CLARESON-SOIGN COMPLEX	41	30	30	CS
CT	CLEORA FINE SANDY LOAM	164	52	58	CT
CX	CLIME-SOIGN COMPLEX	10	24	24	CX
DB	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	159	51	51	DB
DC	DENNIS SILT LOAM, 3 TO 7 PERCENT SLOPES	145	51	51	DC
DE	DENNIS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	104	51	51	DE
DEE	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	115	51	51	DEE
DS	DENNIS-SLICKSPOTS COMPLEX	142	10	10	DS
EA	ERAM SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	85	40	40	EA
EC	ERAM-COLLINSVILLE COMPLEX	45	30	30	EC
EKCD	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	159	51	51	EKCD
EKCF	CATOOSA-SOIGN COMPLEX, 0 TO 8 PERCENT SLOPES	10	24	24	EKCF
EKCK	CLIME STONY SILTY CLAY LOAM, 20 TO 30 PERCENT SLOPES	10	24	24	EKCK
EKCS	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	10	24	24	EKCS
EKEM	ERAM SILT LOAM, 1 TO 4 PERCENT SLOPES	85	40	40	EKEM
EKKD	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	174	40	40	EKKD
EKLA	LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	175	51	51	EKLA
EKLD	LABETTE-DWIGHT COMPLEX, 0 TO 3 PERCENT SLOPES	156	51	51	EKLD
ELME	MARTIN SILTY CLAY, 3 TO 7 PERCENT SLOPES, ERODED	132	51	51	ELME
EKSH	SOIGN SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES	10	10	10	EKSH
EKST	STEEDMAN STONY LOAM, 5 TO 20 PERCENT SLOPES	10	51	51	EKST
EKVD	VERDIGRIS SILT LOAM, CHanneled	163	51	57	EKVD
IV	IVAN SILT LOAM	171	51	57	IV
KE	KENOMA SILT LOAM	187	40	40	KE
LN	LONGFORD SILTY CLAY LOAM, BEDROCK SUBSTRATUM, 1-4 % SLOPES	129	51	51	LN
LO	LONGFORD SILTY CLAY LOAM, BEDROCK SUBSTRATUM, 1-4 % SLOPES, ERODED	98	51	51	LO
LU	LULA SILT LOAM, 0 TO 2 PERCENT SLOPES	196	51	51	LU
MA	MARTIN SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	216	51	51	MA
MB	MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	193	51	51	MB
MC	MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	170	51	51	MC
ME	MARTIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	134	51	51	ME
MGBG	BATES-COLLINSVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	66	51	51	MGBG
MGDB	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	159	51	51	MGDB
MGBE	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	80	40	40	MGBE
MGET	ERAM-TALIHINA SILTY CLAY LOAMS, 6 TO 20 PERCENT SLOPES	32	30	30	MGET
MGKA	KENOMA SILT LOAM, 0 TO 2 PERCENT SLOPES	187	40	40	MGKA
MGLA	LANTON SILTY CLAY LOAM, OCCASIONALLY FLOODED	220	51	57	MGLA

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
CHAUTAUQUA COUNTY (Page 2 of 2)					
MS	MARTIN-SLICKSPOTS COMPLEX	174	51	51	MS
MT	MASON SILT LOAM	233	51	57	MT
MX	MASON-SLICKSPOTS COMPLEX	178	51	54	MX
ND	NIOTAZE-DARNELL COMPLEX	10	19	19	ND
OA	OSAGE SILTY CLAY LOAM	137	51	53	OA
OC	OSAGE SILTY CLAY	107	51	53	OC
OS	OSAGE-SLICKSPOTS COMPLEX	104	51	53	OS
SO	SOGN SOILS	10	10	10	SO
ST	STEEDMAN STONY CLAY LOAM, 8 TO 20 PERCENT SLOPES	10	51	51	ST
SV	STEPHENVILLE FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	61	30	30	SV
SX	STEPHENVILLE-DARNELL FINE SANDY LOAMS	24	19	19	SX
VE	VERDIGRIS SILT LOAM	220	51	57	VE
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
CHEROKEE COUNTY					
BE	BATES LOAM, 1 TO 3 PERCENT SLOPES	204	79	79	BE
BF	BATES LOAM, 3 TO 6 PERCENT SLOPES	152	79	79	BF
BH	BATES-COLLINSVILLE COMPLEX, 4 TO 15 PERCENT SLOPES	42	56	56	BH
BO	BOLIVAR-HECTOR FINE SANDY LOAMS, 4 TO 15 PERCENT SLOPES	12	32	32	BO
BR	BRAZILTON SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	201	56	56	BR
CD	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	212	79	79	CD
CE	CHEROKEE SILT LOAM, 0 TO 1 PERCENT SLOPES	240	56	56	CE
CK	CLARKSVILLE VERY CHERTY SILT LOAM, 10 TO 30 PERCENT SLOPES	10	32	32	CK
CRZA	ZAAR SILTY CLAY, 1 TO 3 PERCENT SLOPES	235	56	56	CRZA
DB	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	243	79	79	DB
EN	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	109	56	56	EN
ES	ERAM-SHIDLER SILTY CLAY LOAMS, 4 TO 12 PERCENT SLOPES	25	32	32	ES
GE	GERALD SILT LOAM, 0 TO 2 PERCENT SLOPES	59	79	79	GE
HE	HEPLER SILT LOAM, OCCASIONALLY FLOODED	250	79	83	HE
HF	HEPLER SILT LOAM, FREQUENTLY FLOODED	176	79	83	HF
KA	KANIMA SILTY CLAY LOAM, 3 TO 10 PERCENT SLOPES	116	79	79	KA
KN	KANIMA SILTY CLAY LOAM, 15 TO 50 PERCENT SLOPES	10	79	79	KN
LN	LANTON SILT LOAM, OCCASIONALLY FLOODED	252	79	83	LN
NS	NIXA CHERTY SILT LOAM, 2 TO 9 PERCENT SLOPES	10	32	32	NS
OS	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	178	21	21	OS
PR	PARSONS SILT LOAM, 0 TO 2 PERCENT SLOPES	241	21	21	PR
SE	SECESH SILT LOAM	206	79	83	SE
SF	SECESH SILT LOAM, CHANNELED	11	79	83	SF
TO	TALOKA SILT LOAM, 0 TO 1 PERCENT SLOPES	252	79	79	TO
TT	TONTI SILT LOAM, 2 TO 5 PERCENT SLOPES	58	32	32	TT
VB	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	327	79	83	VB
WA	WABEN CHERTY SILT LOAM, 2 TO 5 PERCENT SLOPES	67	79	79	WA
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	242	56	56	ZA

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
COWLEY COUNTY (Page 1 of 2)						
AA	ATTICA LOAMY FINE SAND, 3 TO 6 PERCENT SLOPES	116	241	41	41	AA
AB	ATTICA-TIVOLI LOAMY FINE SANDS, 3 TO 15 PERCENT SLOPES	68	176	33	33	AB
BA	BETHANY SILT LOAM, 0 TO 1 PERCENT SLOPES	225	356	41	41	BA
BB	BETHANY SILT LOAM, 1 TO 3 PERCENT SLOPES	214	352	41	41	BB
BC	BREWER SILTY CLAY LOAM	218	326	41	41	BC
BUCS	CLIME-SOQN COMPLEX, 3 TO 15 PERCENT SLOPES	10	21	19	19	BUCS
BUFC	FLORENCE CHERTY SILT LOAM, 5 TO 10 PERCENT SLOPES	34	83	41	41	BUFC
BULC	LABETTE SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES	142	260	41	41	BULC
BULS	LADYSMITH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	196	356	41	41	BULS
BUNS	NORGE SILT LOAM, 3 TO 5 PERCENT SLOPES	188	293	41	41	BUNS
BUNT	NORGE SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES, ERODED	160	241	41	41	BUNT
BUON	OLPE-NORGE COMPLEX, 2 TO 7 PERCENT SLOPES	53	131	41	41	BUON
BUVE	VERDIGRIS SOILS, FREQUENTLY FLOODED	198	277	41	41	BUVE
CA	CANADIAN FINE SANDY LOAM	143	293	41	41	CA
CB	CLIME-ROCK OUTCROP COMPLEX, 15 TO 35 PERCENT SLOPES	10	10	30	30	CB
CC	CLIME-SOQN COMPLEX, 2 TO 15 PERCENT SLOPES	19	35	19	19	CC
CQMB	MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	211	345	41	41	CQMB
DA	DALE SILT LOAM	206	330	41	41	DA
DB	DWIGHT SILT LOAM	123	123	10	10	DB
EKFM	FLORENCE-MARTIN COMPLEX, 2 TO 12 PERCENT SLOPES	108	280	41	41	EKFM
EKIV	IVAN SILT LOAM, CHANNELED	163	280	41	41	EKIV
FA	FLORENCE CHERTY SILT LOAM, 5 TO 15 PERCENT SLOPES	32	69	41	41	FA
IA	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	175	329	41	41	IA
IB	IVAN SILT LOAM	185	339	41	41	IB
LA	LABETTE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	163	277	41	41	LA
LB	LABETTE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	142	240	41	41	LB
LC	LABETTE SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	99	191	41	41	LC
LD	LABETTE-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	129	186	19	19	LD
LE	LABETTE-SOQN SILTY CLAY LOAMS, 2 TO 8 PERCENT SLOPES	58	58	19	19	LE
LF	LESHO CLAY LOAM	132	132	41	41	LF
LG	LINCOLN-TIVOLI COMPLEX, 0 TO 10 PERCENT SLOPES	29	176	41	41	LG
MA	MARTIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	211	352	41	41	MA
MB	MARTIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	195	335	41	41	MB
MC	MARTIN SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	165	260	41	41	MC
MCC	MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	195	331	41	41	MCC
MD	MARTIN-FLORENCE COMPLEX, 2 TO 12 PERCENT SLOPES	122	267	41	41	MD
ME	MILAN FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES	198	306	41	41	ME
MF	MINCO SILT LOAM, 3 TO 7 PERCENT SLOPES	162	293	41	41	MF
MG	MINCO SILT LOAM, 7 TO 15 PERCENT SLOPES	115	148	41	41	MG
NA	NORGE SILT LOAM, 1 TO 3 PERCENT SLOPES	222	352	41	41	NA
NB	NORGE SILT LOAM, 3 TO 7 PERCENT SLOPES	186	293	41	41	NB
NC	NORGE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	158	237	41	41	NC
OA	OLPE GRAVELLY SILT LOAM, 2 TO 12 PERCENT SLOPES	25	124	41	41	OA
OB	OSAGE SILTY CLAY	109	229	41	41	OB
RA	READING SILT LOAM	254	348	41	41	RA
RB	ROSEHILL SILTY CLAY, 1 TO 3 PERCENT SLOPES	97	282	41	41	RB
RC	ROSEHILL SILTY CLAY, 3 TO 6 PERCENT SLOPES	84	249	41	41	RC
SA	SMOLAN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	213	352	41	41	SA
SB	SMOLAN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	193	317	41	41	SB

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
COWLEY COUNTY (Page 2 of 2)						
SC	SMOLAN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	164	240	41	41	SC
SD	SOGN SILTY CLAY LOAM, 0 TO 10 PERCENT SLOPES	10	10	10	10	SD
SUMB	MILAN LOAM, 1 TO 3 PERCENT SLOPES	207	309	41	41	SUMB
SUMC	MILAN LOAM, 3 TO 6 PERCENT SLOPES	200	296	41	41	SUMC
SUPX	PRATT LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	85	234	41	41	SUPX
SURO	ROSEHILL CLAY LOAM, 1 TO 3 PERCENT SLOPES	97	282	41	41	SURO
SURS	ROSEHILL CLAY LOAM, 3 TO 6 PERCENT SLOPES	84	246	41	41	SURS
SUTV	TIVOLI FINE SAND, 8 TO 20 PERCENT SLOPES	10	86	33	33	SUTV
SUUS	USTIFLUVENTS, CHANNELED	110	273	41	41	SUUS
TA	TABLER SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	198	356	41	41	TA
TB	TABLER SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	184	346	41	41	TB
VA	VANOSS SILT LOAM, 0 TO 1 PERCENT SLOPES	240	356	41	41	VA
VB	VANOSS SILT LOAM, 1 TO 3 PERCENT SLOPES	226	352	41	41	VB
VC	VANOSS SILT LOAM, 3 TO 7 PERCENT SLOPES	197	297	41	41	VC
VD	VERDIGRIS SILT LOAM	240	339	41	41	VD
WA	WAURIKA SILT LOAM	176	301	41	41	WA
WST	WASTE	10	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
CRAWFORD COUNTY					
BA	BATES LOAM, 1 TO 4 PERCENT SLOPES	167	79	79	BA
BB	BATES LOAM, 1 TO 4 PERCENT SLOPES, ERODED	130	79	79	BB
BBBH	BOLIVAR-HECTOR FINE SANDY LOAMS, 5 TO 15 PERCENT SLOPES	10	21	21	BBBH
BBEC	ERAM-COLLINSVILLE COMPLEX, 5 TO 12 PERCENT SLOPES	38	56	56	BBEC
BBLE	LEANNA SILT LOAM, OCCASIONALLY FLOODED	221	79	83	BBLE
BBMA	MASON SILT LOAM, RARELY FLOODED	296	79	83	BBMA
BBRC	RINGO-CLARESON COMPLEX, 9 TO 15 PERCENT SLOPES	59	56	56	BBRC
BBZB	ZAAR SILTY CLAY, 2 TO 6 PERCENT SLOPES	172	56	56	BBZB
BC	BATES LOAM, 4 TO 7 PERCENT SLOPES	116	79	79	BC
BD	BATES LOAM, 4 TO 7 PERCENT SLOPES, ERODED	86	79	79	BD
BE	BOLIVAR-HECTOR COMPLEX, 5 TO 12 PERCENT SLOPES	15	21	21	BE
BK	BREAKS-ALLUVIAL LAND COMPLEX	157	79	83	BK
CE	CHEROKEE SILT LOAM	204	56	56	CE
CF	CLARESON FLAGGY SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES	59	44	44	CF
CKES	ERAM-SHIDLER SILTY CLAY LOAMS, 4 TO 12 PERCENT SLOPES	92	61	61	CKES
CKOS	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	150	79	79	CKOS
DE	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	194	79	79	DE
DF	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES, ERODED	154	79	79	DF
DG	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	179	79	79	DG
DH	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES, ERODED	112	79	79	DH
DP	DENNIS-PARSONS SILT LOAMS, 1 TO 4 PERCENT SLOPES	198	67	67	DP
ER	ERODED LAND, 3 TO 10 PERCENT SLOPES	94	56	56	ER
GD	GIRARD SILTY CLAY LOAM	87	79	79	GD
HE	HEPLER SILT LOAM	231	79	83	HE
LS	LULA SILT LOAM, 1 TO 3 PERCENT SLOPES	223	79	79	LS
LT	LULA SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	186	79	79	LT
LU	LULA-CLARESON COMPLEX, 1 TO 3 PERCENT SLOPES	152	61	61	LU
MC	MCCUNE SILT LOAM	231	79	83	MC
MD	MINE PITS AND DUMPS	80	10	10	MD
NOEB	ERAM SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	116	56	56	NOEB
NOET	ERAM-LEBO SILTY CLAY LOAMS, 4 TO 15 PERCENT SLOPES	51	56	56	NOET
OS	OSAGE CLAY	156	79	79	OS
PA	PARSONS SILT LOAM, 0 TO 1 PERCENT SLOPES	200	79	79	PA
PB	PARSONS SILT LOAM, 1 TO 3 PERCENT SLOPES	189	79	79	PB
PC	PARSONS SILT LOAM, 1 TO 3 PERCENT SLOPES, ERODED	157	56	56	PC
RA	RADLEY SILT LOAM	287	79	83	RA
RH	RADLEY-HEPLER SILT LOAMS	167	79	83	RH
RN	RINGO SILTY CLAY, 3 TO 9 PERCENT SLOPES	86	56	56	RN
RO	RINGO SILTY CLAY, 3 TO 9 PERCENT SLOPES, ERODED	25	56	56	RO
RP	RINGO COMPLEX, 9 TO 15 PERCENT SLOPES	10	56	56	RP
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 1 TO 3 PERCENT SLOPES	188	56	56	ZA
ZAA	ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	184	56	56	ZAA

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
ELK COUNTY (Page 1 of 2)					
BA	BATES FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	154	51	51	BA
BB	BATES LOAM, 4 TO 7 PERCENT SLOPES	125	51	51	BB
BF	BENFIELD CHERTY SILT LOAM, 4 TO 10 PERCENT SLOPES	27	51	51	BF
BUCS	CLIME-SOIGN COMPLEX, 3 TO 15 PERCENT SLOPES	17	24	24	BUCS
BULA	LABETTE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	201	51	51	BULA
BULD	LABETTE-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	165	24	24	BULD
BULS	LADYSMITH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	213	40	40	BULS
CD	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	200	51	51	CD
CF	CATOOSA-SOIGN COMPLEX, 0 TO 8 PERCENT SLOPES	45	35	35	CF
CK	CLIME STONY SILTY CLAY LOAM, 20 TO 30 PERCENT SLOPES	10	30	30	CK
CLFA	FLORENCE CHERTY SILT LOAM, 5 TO 15 PERCENT SLOPES	105	51	51	CLFA
CLSD	SOIGN SILTY CLAY LOAM, 0 TO 10 PERCENT SLOPES	10	10	10	CLSD
CM	CLIME SILTY CLAY, 3 TO 7 PERCENT SLOPES	70	30	30	CM
CS	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	14	24	24	CS
CV	COLLINSVILLE-BATES FINE SANDY LOAMS, 2 TO 8 PERCENT SLOPES	14	40	40	CV
DE	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	216	51	51	DE
DF	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	197	51	51	DF
DG	DENNIS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	150	51	51	DG
DW	DWIGHT SILT LOAM, 0 TO 2 PERCENT SLOPES	155	10	10	DW
EM	ERAM SILT LOAM, 1 TO 4 PERCENT SLOPES	128	40	40	EM
EN	ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	103	40	40	EN
EO	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	55	40	40	EO
ES	ERAM-DWIGHT SILT LOAMS, 1 TO 4 PERCENT SLOPES	106	40	40	ES
FE	FIAT SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	102	40	40	FE
FM	FLORENCE-MARTIN COMPLEX, 2 TO 12 PERCENT SLOPES	110	51	51	FM
GWCA	CHASE SILTY CLAY LOAM, OCCASIONALLY FLOODED	225	51	54	GWCA
GWEB	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	120	40	40	GWEB
GWRE	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	307	51	57	GWRE
IV	IVAN SILT LOAM, CHANNELED	152	51	57	IV
IW	IVAN SILT LOAM, OCCASIONALLY FLOODED	231	51	57	IW
KD	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	218	40	40	KD
LA	LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	196	51	51	LA
LD	LABETTE-DWIGHT COMPLEX, 0 TO 3 PERCENT SLOPES	165	24	24	LD
LG	LABETTE-SOIGN SILTY CLAY LOAMS, 0 TO 8 PERCENT SLOPES	96	35	35	LG
LN	LANTON SILTY CLAY LOAM, OCCASIONALLY FLOODED	248	51	57	LN
MB	MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	259	51	51	MB
MC	MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	241	51	51	MC
ME	MARTIN SILTY CLAY, 3 TO 7 PERCENT SLOPES, ERODED	189	51	51	ME
MGBF	BATES-COLLINSVILLE COMPLEX, 1 TO 4 PERCENT SLOPES	47	40	40	MGBF
MGET	ERAM-TALIHINA SILTY CLAY LOAMS, 6 TO 20 PERCENT SLOPES	10	51	51	MGET
MGOS	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	170	51	54	MGOS
MN	MASON SILT LOAM	307	51	57	MN
NC	NEWTONIA SILT LOAM, 1 TO 3 PERCENT SLOPES	266	51	51	NC
ND	NIOTAZE-DARNELL COMPLEX, 6 TO 35 PERCENT SLOPES	10	24	24	ND
NDD	NIOTAZE-DARNELL COMPLEX, 8 TO 20 PERCENT SLOPES	10	24	24	NDD
OS	OSAGE SILTY CLAY LOAM, OCCASIONALLY FLOODED	189	51	54	OS
PR	PRUE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	225	51	51	PR
SH	SOIGN SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES	10	10	10	SH

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
ELK COUNTY (Page 2 of 2)					
ST	STEEDMAN STONY LOAM, 5 TO 20 PERCENT SLOPES	10	51	51	ST
SV	STEPHENVILLE FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	96	30	30	SV
SW	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 1 TO 6 PERCENT SLOPES	52	14	14	SW
SXX	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 1 TO 5 PERCENT SLOPES	52	14	14	SXX
VD	VERDIGRIS SILT LOAM, CHANNELED	183	51	57	VD
VF	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	293	51	57	VF
WLBA	BATES LOAM, 1 TO 4 PERCENT SLOPES	173	51	51	WLBA
WLEB	ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	132	40	40	WLEB
WLND	NIOTAZE-DARNELL COMPLEX, 4 TO 30 PERCENT SLOPES	10	24	24	WLND
WLPE	PRUE LOAM, 2 TO 5 PERCENT SLOPES	225	51	51	WLPE
WLSC	SHIDLER-CATOOSA COMPLEX, 1 TO 8 PERCENT SLOPES	15	35	35	WLSC
WLSF	STEEDMAN GRAVELLY SILT LOAM, 4 TO 25 PERCENT SLOPES, STONY	10	51	51	WLSF
WLSM	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 2 TO 6 PERCENT SLOPES	50	14	14	WLSM
WLWO	WOODSON SILT LOAM, 0 TO 1 PERCENT SLOPES	239	40	40	WLWO
WO	WOODSON SILT LOAM, 0 TO 2 PERCENT SLOPES	232	40	40	WO
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
GREENWOOD COUNTY (Page 1 of 2)					
AT	AQUENTS, FLOODED	10	40	40	AT
BUCS	CLIME-SOQN COMPLEX, 3 TO 15 PERCENT SLOPES	10	24	24	BUCS
BULD	LABETTE-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	89	40	40	BULD
CA	CHASE SILTY CLAY LOAM	252	51	56	CA
CE	CLIME STONY SILTY CLAY LOAM, 20 TO 30 PERCENT SLOPES	10	30	30	CE
CFER	ERAM-COLLINSVILLE COMPLEX, 4 TO 15 PERCENT SLOPES	48	40	40	CFER
CFES	ERAM-SHIDLER SILTY CLAY LOAMS, 4 TO 15 PERCENT SLOPES	28	35	35	CFES
CFSA	SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	225	51	51	CFSA
CFVC	VERDIGRIS SILT LOAM, CHANNELED	153	51	56	CFVC
CM	CLIME SILTY CLAY, 3 TO 7 PERCENT SLOPES	60	30	30	CM
CS	CLIME-SOQN COMPLEX, 5 TO 20 PERCENT SLOPES	10	24	24	CS
CSIN	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	165	40	40	CSIN
DE	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	196	51	51	DE
DN	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	183	51	51	DN
DS	DENNIS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	149	51	51	DS
DW	DWIGHT SILT LOAM, 0 TO 2 PERCENT SLOPES	139	10	10	DW
EB	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	103	40	40	EB
EC	ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	88	40	40	EC
EH	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	44	40	40	EH
EKFM	FLORENCE-MARTIN COMPLEX, 2 TO 12 PERCENT SLOPES	91	51	51	EKFM
EKST	STEEDMAN STONY LOAM, 5 TO 20 PERCENT SLOPES	10	51	51	EKST
FT	FLORENCE-LABETTE COMPLEX, 2 TO 12 PERCENT SLOPES	91	51	51	FT
IBB	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	179	40	40	IBB
IC	IVAN SILT LOAM, CHANNELED	140	51	56	IC
IF	IVAN SILT LOAM, OCCASIONALLY FLOODED	212	51	56	IF
KA	KENOMA SILT LOAM, 1 TO 4 PERCENT SLOPES	195	40	40	KA
KA A	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	197	40	40	KA A
KE	KENOMA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	176	40	40	KE
LA	LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	177	51	51	LA
LAA	LABETTE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	182	51	51	LAA
LD	LABETTE-DWIGHT COMPLEX, 0 TO 3 PERCENT SLOPES	148	40	40	LD
LS	LABETTE-SOQN SILTY CLAY LOAMS, 0 TO 8 PERCENT SLOPES	69	35	35	LS
LUU	LULA SILT LOAM, 0 TO 2 PERCENT SLOPES	201	51	51	LUU
LYBC	BATES-COLLINSVILLE COMPLEX, 3 TO 15 PERCENT SLOPES	20	24	24	LYBC
LYEE	ERAM SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	46	40	40	LYEE
LYEF	ERAM AND BATES SOILS, 6 TO 15 PERCENT SLOPES	70	40	40	LYEF
LYLD	LABETTE-DWIGHT COMPLEX, 0 TO 2 PERCENT SLOPES	148	40	40	LYLD
LYOA	OLPE-KENOMA COMPLEX, 3 TO 15 PERCENT SLOPES	34	51	51	LYOA
LYVA	VINLAND LOAM, 4 TO 10 PERCENT SLOPES	10	51	51	LYVA
MA	MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	236	51	51	MA
MB	MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	220	51	51	MB
ME	MARTIN SILTY CLAY, 3 TO 7 PERCENT SLOPES, ERODED	174	51	51	ME
MSS	MASON SILT LOAM, RARELY FLOODED	286	51	56	MSS
NA	NEWTONIA SILT LOAM, 0 TO 2 PERCENT SLOPES	252	51	51	NA
ND	NIOTAZE-DARNELL COMPLEX, 0 TO 6 PERCENT SLOPES	29	19	19	ND
NZ	NIOTAZE-DARNELL COMPLEX, 6 TO 35 PERCENT SLOPES	10	24	24	NZ
OP	OLPE GRAVELLY SILT LOAM, 4 TO 15 PERCENT SLOPES	16	51	51	OP
OS	OSAGE SILTY CLAY	125	51	53	OS

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
GREENWOOD COUNTY (Page 2 of 2)					
RE	READING SILT LOAM	286	51	56	RE
ST	STEEDMAN STONY LOAM, 3 TO 12 PERCENT SLOPES	10	51	51	ST
WLCA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	160	51	51	WLCA
WLEB	ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	114	40	40	WLEB
WLEC	ERAM SILT LOAM, 3 TO 7 PERCENT SLOPES	101	40	40	WLEC
WLND	NIOTAZE-DARNELL COMPLEX, 4 TO 30 PERCENT SLOPES	10	24	24	WLND
WLSF	STEEDMAN GRAVELLY SILT LOAM, 4 TO 25 PERCENT SLOPES, STONY	10	51	51	WLSF
WLSM	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 2 TO 6 PERCENT SLOPES	34	19	19	WLSM
WLZB	ZAAR SILTY CLAY, 1 TO 4 PERCENT SLOPES	196	40	40	WLZB
WO	WOODSON SILT LOAM, 0 TO 2 PERCENT SLOPES	209	40	40	WO
WODD	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	196	51	51	WODD
WOKA	KENOMA SILT LOAM, 1 TO 2 PERCENT SLOPES	212	40	40	WOKA
WOKO	KENOMA-OLPE COMPLEX, 2 TO 7 PERCENT SLOPES	165	40	40	WOKO
WOVC	VERDIGRIS SOILS, CHANNELED	203	51	56	WOVC
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	198	40	40	ZA

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
LABETTE COUNTY					
AE	APPERSON SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	173	74	74	AE
BE	BATES LOAM, 1 TO 3 PERCENT SLOPES	144	74	74	BE
BF	BATES LOAM, 3 TO 7 PERCENT SLOPES	96	74	74	BF
BM	BATES-COLLINSVILLE COMPLEX, 4 TO 15 PERCENT SLOPES	23	52	52	BM
BO	BOLIVAR-HECTOR FINE SANDY LOAMS, 4 TO 20 PERCENT SLOPES	10	19	19	BO
BR	BRAZILTON SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	128	52	52	BR
CD	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	151	74	74	CD
CH	CHEROKEE SILT LOAM, 0 TO 1 PERCENT SLOPES	174	52	52	CH
CKES	ERAM-SHIDLER SILTY CLAY LOAMS, 4 TO 12 PERCENT SLOPES	54	63	63	CKES
DE	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	172	74	74	DE
EF	ERAM SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	92	52	52	EF
EH	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	64	52	52	EH
EO	ERAM-LEBO SILTY CLAY LOAMS, 4 TO 20 PERCENT SLOPES	48	63	63	EO
ES	ERAM-NOWATA COMPLEX, 2 TO 7 PERCENT SLOPES	88	63	63	ES
FIKA	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	61	74	74	FIKA
HE	HEPLER SILT LOAM, OCCASIONALLY FLOODED	183	74	77	HE
HF	HEPLER SILT LOAM, FREQUENTLY FLOODED	149	74	77	HF
KA	KANIMA SHALY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	92	74	74	KA
KB	KANIMA SHALY SILTY CLAY LOAM, 10 TO 30 PERCENT SLOPES	20	74	74	KB
KE	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	170	52	52	KE
LN	LANTON SILT LOAM, OCCASIONALLY FLOODED	191	74	77	LN
MGBF	BATES-COLLINSVILLE COMPLEX, 1 TO 4 PERCENT SLOPES	29	52	52	MGBF
OD	OLPE-DENNIS SILT LOAMS, 3 TO 7 PERCENT SLOPES	109	74	74	OD
OR	ORTHENTS, CLAYEY	53	52	52	OR
OS	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	134	74	74	OS
PE	PARSONS SILT LOAM, 0 TO 2 PERCENT SLOPES	167	52	52	PE
SD	SHIDLER-CATOOSA SILT LOAMS, 1 TO 8 PERCENT SLOPES	32	41	41	SD
VC	VERDIGRIS SILT LOAM, FREQUENTLY FLOODED	169	74	77	VC
VF	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	250	74	77	VF
WST	WASTE	10	10	10	WST
ZB	ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	174	52	52	ZB

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
MONTGOMERY COUNTY					
BA	BATES LOAM, 1 TO 3 PERCENT SLOPES	114	61	61	BA
BB	BATES LOAM, 3 TO 6 PERCENT SLOPES	80	61	61	BB
BC	BATES LOAM, 2 TO 6 PERCENT SLOPES, ERODED	47	61	61	BC
BF	BATES-COLLINSVILLE COMPLEX, 1 TO 4 PERCENT SLOPES	29	51	51	BF
BG	BATES-COLLINSVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	14	40	40	BG
BU	BATES-URBAN LAND COMPLEX, 2 TO 6 PERCENT SLOPES	53	61	61	BU
CA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	124	61	61	CA
CQDE	DENNIS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	110	61	61	CQDE
CQEC	ERAM-COLLINSVILLE COMPLEX, 1 TO 7 PERCENT SLOPES	18	51	51	CQEC
CQST	STEEDMAN STONY CLAY LOAM, 8 TO 20 PERCENT SLOPES	10	51	51	CQST
DB	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	135	61	61	DB
DC	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	122	61	61	DC
EB	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	63	51	51	EB
EC	ERAM SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	29	51	51	EC
EF	ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	50	51	51	EF
ET	ERAM-TALIHINA SILTY CLAY LOAMS, 6 TO 20 PERCENT SLOPES	10	51	51	ET
EU	ERAM-URBAN LAND COMPLEX, 2 TO 6 PERCENT SLOPES	34	51	51	EU
KA	KENOMA SILT LOAM, 0 TO 2 PERCENT SLOPES	152	51	51	KA
KE	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	141	51	51	KE
LA	LANTON SILTY CLAY LOAM	157	61	61	LA
LBEO	ERAM-LEBO SILTY CLAY LOAMS, 4 TO 20 PERCENT SLOPES	11	51	51	LBEO
LBVC	VERDIGRIS SILT LOAM, FREQUENTLY FLOODED	110	61	66	LBVC
LN	LANTON SILT LOAM, OCCASIONALLY FLOODED	156	61	61	LN
MA	MASON SILT LOAM	199	61	61	MA
ND	NIOTAZE-DARNELL COMPLEX, 8 TO 20 PERCENT SLOPES	10	19	19	ND
OD	OLPE-DENNIS COMPLEX, 2 TO 6 PERCENT SLOPES	62	61	61	OD
OR	ORTHENTS, CLAYEY	79	51	51	OR
OS	OSAGE SILTY CLAY	94	61	66	OS
PA	PARSONS SILT LOAM	148	51	51	PA
SC	SHIDLER-CATOOSA SILT LOAMS, 1 TO 4 PERCENT SLOPES	27	51	51	SC
SD	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 1 TO 5 PERCENT SLOPES	13	14	14	SD
TS	TALIHINA-SHALE OUTCROP COMPLEX, 10 TO 50 PERCENT SLOPES	10	51	51	TS
VB	VERDIGRIS SILT LOAM	207	61	61	VB
VC	VERDIGRIS SILT LOAM, CHANNELED	110	61	66	VC
WLBH	BATES-COLLINSVILLE LOAMS, 3 TO 7 PERCENT SLOPES	26	51	51	WLBH
WLBO	BATES-COLLINSVILLE LOAMS, 7 TO 20 PERCENT SLOPES	10	40	40	WLBO
WLEB	ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	71	51	51	WLEB
WLRN	RINGO SILTY CLAY LOAM, 15 TO 35 PERCENT SLOPES	10	51	51	WLRN
WLRS	RINGO-SHIDLER SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	10	51	51	WLRS
WLSC	SHIDLER-CATOOSA COMPLEX, 1 TO 8 PERCENT SLOPES	10	51	51	WLSC
WO	WOODSON SILT LOAM	149	51	51	WO
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 0 TO 1 PERCENT SLOPES	142	51	51	ZA
ZB	ZAAR SILTY CLAY, 1 TO 4 PERCENT SLOPES	127	51	51	ZB

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
NEOSHO COUNTY					
ALOB	OSAGE SILTY CLAY LOAM, OCCASIONALLY FLOODED	132	71	71	ALOB
BA	BATES LOAM, 1 TO 3 PERCENT SLOPES	144	71	71	BA
BBRC	RINGO-CLARESON COMPLEX, 9 TO 15 PERCENT SLOPES	49	61	61	BBRC
BC	BATES LOAM, 3 TO 7 PERCENT SLOPES	96	71	71	BC
BD	BATES-COLLINSVILLE LOAMS, 1 TO 4 PERCENT SLOPES	44	50	50	BD
BH	BATES-COLLINSVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	17	45	45	BH
CA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	150	71	71	CA
CRCE	CHEROKEE SILT LOAM, 0 TO 1 PERCENT SLOPES	169	50	50	CRCE
DA	DEEPWATER SILT LOAM, 1 TO 4 PERCENT SLOPES	217	71	71	DA
DB	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	170	71	71	DB
DC	DENNIS SILT LOAM, 3 TO 6 PERCENT SLOPES	150	71	71	DC
DN	DENNIS-LANTON SILT LOAMS, 2 TO 8 PERCENT SLOPES	153	71	71	DN
EB	ERAM SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	90	50	50	EB
EC	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	66	50	50	EC
ET	ERAM-LEBO SILTY CLAY LOAMS, 4 TO 15 PERCENT SLOPES	42	61	61	ET
KA	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	170	50	50	KA
LA	LANTON SILT LOAM	187	71	75	LA
LBVC	VERDIGRIS SILT LOAM, FREQUENTLY FLOODED	136	71	75	LBVC
NO	NOWATA SILT LOAM, 3 TO 7 PERCENT SLOPES	71	71	71	NO
OD	OLPE-DENNIS COMPLEX, 3 TO 7 PERCENT SLOPES	81	71	71	OD
OS	OSAGE SILTY CLAY	124	71	71	OS
PA	PARSONS SILT LOAM, 0 TO 1 PERCENT SLOPES	166	50	50	PA
SC	SHIDLER-CATOOSA SILT LOAMS, 1 TO 8 PERCENT SLOPES	25	50	50	SC
SD	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 3 TO 20 PERCENT SLOPES	10	13	13	SD
SP	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 6 TO 20 PERCENT SLOPES	10	13	13	SP
VA	VERDIGRIS SILT LOAM	246	71	75	VA
VB	VERDIGRIS SILT LOAM, CHANNELED	136	71	75	VB
VC	VERDIGRIS SILT LOAM, CHANNELED (WILSON)	58	71	75	VC
VF	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED (WILSON)	72	71	75	VF
WA	WOODSON SILT LOAM, 0 TO 1 PERCENT SLOPES	175	50	50	WA
WLBO	BATES-COLLINSVILLE LOAMS, 7 TO 20 PERCENT SLOPES	12	45	45	WLBO
WLKO	KENOMA-OLPE COMPLEX, 2 TO 7 PERCENT SLOPES	107	71	71	WLKO
WLRS	RINGO-SHIDLER SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	17	61	61	WLRS
WLSC	SHIDLER-CATOOSA COMPLEX, 1 TO 8 PERCENT SLOPES	10	50	50	WLSC
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 1 TO 3 PERCENT SLOPES (ALLEN)	61	50	50	ZA
ZB	ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	172	50	50	ZB

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
WILSON COUNTY					
AE	APPERSON SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	211	63	63	AE
BA	BATES LOAM, 1 TO 4 PERCENT SLOPES	167	63	63	BA
BC	BATES LOAM, 4 TO 7 PERCENT SLOPES	115	63	63	BC
BH	BATES-COLLINSVILLE LOAMS, 3 TO 7 PERCENT SLOPES	54	53	53	BH
BO	BATES-COLLINSVILLE LOAMS, 7 TO 20 PERCENT SLOPES	22	53	53	BO
CA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	181	63	63	CA
DN	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	196	63	63	DN
DO	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	174	63	63	DO
DP	DENNIS SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	163	63	63	DP
DW	DENNIS-DWIGHT SILT LOAMS, 1 TO 5 PERCENT SLOPES	180	42	42	DW
EB	ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	118	53	53	EB
EC	ERAM SILT LOAM, 3 TO 7 PERCENT SLOPES	105	53	53	EC
EF	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	45	53	53	EF
GR	GIRARD SILTY CLAY LOAM, FREQUENTLY FLOODED	92	63	65	GR
GWCS	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	33	36	36	GWCS
IV	IVAN SILT LOAM, OCCASIONALLY FLOODED	221	63	69	IV
KE	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	200	53	53	KE
KO	KENOMA-OLPE SILT LOAMS, 2 TO 7 PERCENT SLOPES	164	53	53	KO
LA	LANTON SILT LOAM, OCCASIONALLY FLOODED	218	63	69	LA
MA	MASON SILT LOAM	281	63	69	MA
MGBF	BATES-COLLINSVILLE COMPLEX, 1 TO 4 PERCENT SLOPES	59	53	53	MGBF
MGBG	BATES-COLLINSVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	39	53	53	MGBG
MGET	ERAM-TALIHINA SILTY CLAY LOAMS, 6 TO 20 PERCENT SLOPES	51	53	53	MGET
MGOD	OLPE-DENNIS COMPLEX, 2 TO 6 PERCENT SLOPES	19	63	63	MGOD
ND	NIOTAZE-DARNELL COMPLEX, 4 TO 30 PERCENT SLOPES	10	20	20	ND
NOEB	ERAM SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	113	53	53	NOEB
NOED	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	88	53	53	NOED
OR	OSAGE SILTY CLAY LOAM, OCCASIONALLY FLOODED	161	63	65	OR
OS	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	142	63	65	OS
PE	PRUE LOAM, 2 TO 5 PERCENT SLOPES	210	63	63	PE
RN	RINGO SILTY CLAY LOAM, 15 TO 35 PERCENT SLOPES	10	53	53	RN
RS	RINGO-SHIDLER SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	18	36	36	RS
SC	SHIDLER-CATOOSA COMPLEX, 1 TO 8 PERCENT SLOPES	10	42	42	SC
SF	STEEDMAN GRAVELLY SILT LOAM, 4 TO 25 PERCENT SLOPES, STONY	10	63	63	SF
SM	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 2 TO 6 PERCENT SLOPES	35	31	31	SM
SP	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 6 TO 20 PERCENT SLOPES	11	10	10	SP
VC	VERDIGRIS SILT LOAM, CHanneled	166	63	69	VC
VF	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	281	63	69	VF
WO	WOODSON SILT LOAM	200	53	53	WO
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 0 TO 1 PERCENT SLOPES	208	53	53	ZA
ZB	ZAAR SILTY CLAY, 1 TO 4 PERCENT SLOPES	173	53	53	ZB

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
WOODSON COUNTY (Page 1 of 2)					
ALCA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	175	63	63	ALCA
ALCB	CATOOSA-ROCK OUTCROP COMPLEX, 1 TO 8 PERCENT SLOPES	29	30	30	ALCB
ALCC	COLLINSVILLE-BATES COMPLEX, 2 TO 15 PERCENT SLOPES	71	63	63	ALCC
ALZB	ZAAR SILTY CLAY, 3 TO 7 PERCENT SLOPES	162	63	63	ALZB
BB	BATES LOAM, 1 TO 4 PERCENT SLOPES	143	63	63	BB
BC	BATES LOAM, 4 TO 7 PERCENT SLOPES	97	63	63	BC
CA	CLARESON-SOIGN COMPLEX, 1 TO 8 PERCENT SLOPES	27	30	30	CA
CD	CLEORA FINE SANDY LOAM	173	63	68	CD
CFEP	ERAM-APPERSON SILTY CLAY LOAMS, 4 TO 7 PERCENT SLOPES	70	52	52	CFEP
CFES	ERAM-SHIDLER SILTY CLAY LOAMS, 4 TO 15 PERCENT SLOPES	12	30	30	CFES
DA	DARNELL-NIOTAZE COMPLEX, 24 TO 45 PERCENT SLOPES	10	10	10	DA
DD	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	165	63	63	DD
DE	DENNIS SILT LOAM, 3 TO 6 PERCENT SLOPES	147	63	63	DE
DF	DENNIS SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	134	63	63	DF
DG	DENNIS AND ERAM SOILS, 3 TO 7 PERCENT SLOPES, ERODED	101	57	57	DG
DW	DWIGHT SILT LOAM, 0 TO 2 PERCENT SLOPES	139	10	10	DW
EB	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	84	52	52	EB
EC	ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	70	52	52	EC
EX	ERAM-COLLINSVILLE COMPLEX, 4 TO 25 PERCENT SLOPES	24	41	41	EX
GWAT	AQUENTS, FREQUENTLY FLOODED	27	63	68	GWAT
GWCA	CHASE SILTY CLAY LOAM, OCCASIONALLY FLOODED	171	63	64	GWCA
GWCM	CLIME SILTY CLAY, 3 TO 7 PERCENT SLOPES	85	52	52	GWCM
GWCS	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	23	30	30	GWCS
GWDS	DENNIS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	111	57	57	GWDS
GWIC	IVAN SILT LOAM, CHANNELED	122	63	68	GWIC
GWIF	IVAN SILT LOAM, OCCASIONALLY FLOODED	211	63	68	GWIF
GWKE	KENOMA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	132	52	52	GWKE
GWLA	LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	171	63	63	GWLA
GWLD	LABETTE-DWIGHT COMPLEX, 0 TO 3 PERCENT SLOPES	133	47	47	GWLD
GWMA	MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	203	63	63	GWMA
GWNZ	NIOTAZE-DARNELL COMPLEX, 6 TO 35 PERCENT SLOPES	10	10	10	GWNZ
GWRE	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	247	63	68	GWRE
GWST	STEEDMAN STONY LOAM, 3 TO 12 PERCENT SLOPES	10	30	30	GWST
HA	HEPLER SILT LOAM	208	63	68	HA
KA	KENOMA SILT LOAM, 1 TO 2 PERCENT SLOPES	183	52	52	KA
KO	KENOMA-OLPE COMPLEX, 2 TO 7 PERCENT SLOPES	132	57	57	KO
KW	KENOMA AND WOODSON SOILS, 1 TO 3 PERCENT SLOPES, ERODED	154	52	52	KW
LA	LEANNA SILT LOAM	172	63	64	LA
LB	LULA SILT LOAM, 0 TO 2 PERCENT SLOPES	210	63	63	LB
LD	LULA-DWIGHT COMPLEX, 0 TO 2 PERCENT SLOPES	162	47	47	LD
MA	MASON SILT LOAM	245	63	68	MA
NS	NIOTAZE-STEPHENVILLE COMPLEX, 4 TO 25 PERCENT SLOPES	10	41	41	NS
OD	OLPE SOILS, 4 TO 15 PERCENT SLOPES	47	63	63	OD
OG	OSAGE SILTY CLAY	116	63	64	OG
OS	OSAGE SILTY CLAY LOAM	136	63	64	OS
RC	RINGO SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	155	52	52	RC
RD	RINGO-SOIGN COMPLEX, 4 TO 15 PERCENT SLOPES	38	30	30	RD
SA	STEPHENVILLE FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	61	30	30	SA

Kansas Division of Property Valuation

2007 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
WOODSON COUNTY (Page 2 of 2)					
SD	SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	188	63	63	SD
SE	SUMMIT SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	177	63	63	SE
VA	VERDIGRIS SILT LOAM	250	63	68	VA
VC	VERDIGRIS SOILS, CHANNELED	139	63	68	VC
WA	WOODSON SILT LOAM, 0 TO 2 PERCENT SLOPES	177	52	52	WA
WLBH	BATES-COLLINSVILLE LOAMS, 3 TO 7 PERCENT SLOPES	74	63	63	WLBH
WLBO	BATES-COLLINSVILLE LOAMS, 7 TO 20 PERCENT SLOPES	10	41	41	WLBO
WLDW	DENNIS-DWIGHT SILT LOAMS, 1 TO 5 PERCENT SLOPES	130	63	63	WLDW
WLEB	ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	94	52	52	WLEB
WLEC	ERAM SILT LOAM, 3 TO 7 PERCENT SLOPES	81	52	52	WLEC
WLLA	LANTON SILT LOAM, OCCASIONALLY FLOODED	185	63	64	WLLA
WLND	NIOTAZE-DARNELL COMPLEX, 4 TO 30 PERCENT SLOPES	10	10	10	WLND
WLSC	SHIDLER-CATOOSA COMPLEX, 1 TO 8 PERCENT SLOPES	10	30	30	WLSC
WLSF	STEEDMAN GRAVELLY SILT LOAM, 4 TO 25 PERCENT SLOPES, STONY	10	30	30	WLSF
WST	WASTE	10	0	0	WST