

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Dry Crop Land \$/Acre | Irrigated Land \$/Acre by Well Depth | | | | Native Grass | |
|--------------------------------------|---|-----------------------------|---|--------|--------|--------|-----------------|--------|
| | | | 100 ft | 200 ft | 300 ft | 400 ft | \$/Acre | Symbol |
| CHEYENNE COUNTY (Page 1 of 2) | | | | | | | | |
| BC | BANKARD LOAMY FINE SAND, OCCASIONALLY FLOODED | 10 | 128 | 69 | 10 | 10 | 10 | BC |
| BG | BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED | 84 | 275 | 217 | 154 | 84 | 10 | BG |
| BH | BRIDGEPORT SILT LOAM, 2 TO 5 PERCENT SLOPES | 79 | 254 | 195 | 133 | 79 | 10 | BH |
| BS | BRIDGEPORT SILT LOAM, CHANNELED | 64 | 198 | 140 | 77 | 64 | 10 | BS |
| BW | BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED | 81 | 253 | 194 | 132 | 81 | 10 | BW |
| CA | CANYON-KIM LOAMS, 5 TO 30 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | CA |
| CF | CARUSO SILTY CLAY LOAM, OCCASIONALLY FLOODED | 80 | 246 | 187 | 125 | 80 | 10 | CF |
| CO | COLBY SILT LOAM, 3 TO 6 PERCENT SLOPES | 48 | 166 | 107 | 48 | 48 | 10 | CO |
| COD | COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES | 28 | 91 | 32 | 28 | 28 | 10 | COD |
| CP | COLBY SILT LOAM, 6 TO 20 PERCENT SLOPES | 28 | 65 | 28 | 28 | 28 | 10 | CP |
| CS | COLBY SILT LOAM, 20 TO 50 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | CS |
| DW | DWYER LOAMY FINE SAND, 3 TO 15 PERCENT SLOPES | 10 | 87 | 28 | 10 | 10 | 10 | DW |
| GB | GLENBERG FINE SANDY LOAM, RARELY FLOODED | 18 | 168 | 109 | 47 | 18 | 10 | GB |
| GN | GOSHEN SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED | 104 | 284 | 226 | 163 | 104 | 10 | GN |
| KA | KEITH SILT LOAM, 0 TO 1 PERCENT SLOPES | 93 | 258 | 199 | 137 | 93 | 10 | KA |
| KM | KIM LOAM, 1 TO 3 PERCENT SLOPES | 41 | 176 | 118 | 55 | 41 | 10 | KM |
| KO | KIM LOAM, 3 TO 6 PERCENT SLOPES | 36 | 154 | 95 | 36 | 36 | 10 | KO |
| KR | KIM-RAZOR COMPLEX, 3 TO 6 PERCENT SLOPES | 22 | 53 | 22 | 22 | 22 | 10 | KR |
| KU | KUMA SILT LOAM, 0 TO 1 PERCENT SLOPES | 95 | 276 | 217 | 155 | 95 | 10 | KU |
| LH | LAS ANIMAS LOAM, OCCASIONALLY FLOODED | 41 | 184 | 125 | 63 | 41 | 10 | LH |
| MC | MANTER FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES | 47 | 194 | 135 | 73 | 47 | 10 | MC |
| N1331 | BANKARD SAND, 0 TO 2 PERCENT SLOPES | 10 | 124 | 65 | 10 | 10 | 10 | N1331 |
| N1465 | BENKELMAN VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES | 37 | 177 | 118 | 56 | 37 | 10 | N1465 |
| N1500 | BLACKWOOD LOAM, 0 TO 1 PERCENT SLOPE | 101 | 276 | 217 | 155 | 101 | 10 | N1500 |
| N1502 | BLACKWOOD LOAM, 1 TO 3 PERCENT SLOPES | 101 | 267 | 209 | 146 | 101 | 10 | N1502 |
| N2250 | CRAFT VERY FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED | 65 | 249 | 191 | 128 | 65 | 10 | N2250 |
| N2254 | CRAFT VERY FINE SANDY LOAM, CHANNELED, 0 TO 2 PERCENT SLOPES | 37 | 111 | 52 | 37 | 37 | 10 | N2254 |
| N5949 | OTERO FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES | 47 | 211 | 153 | 90 | 47 | 10 | N5949 |
| N6632 | SARBEN LOAMY SAND, 0 TO 3 PERCENT SLOPES | 15 | 135 | 76 | 15 | 15 | 10 | N6632 |
| N6633 | SARBEN LOAMY SAND, 3 TO 6 PERCENT SLOPES | 12 | 126 | 67 | 12 | 12 | 10 | N6633 |

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Dry Crop Land \$/Acre | Irrigated Land \$/Acre by Well Depth | | | | Native Grass | |
|--------------------------------------|---|-----------------------------|---|--------|--------|--------|-----------------|--------|
| | | | 100 ft | 200 ft | 300 ft | 400 ft | \$/Acre | Symbol |
| CHEYENNE COUNTY (Page 2 of 2) | | | | | | | | |
| N6634 | SARBEN LOAMY SAND, 6 TO 9 PERCENT SLOPES | 10 | 95 | 37 | 10 | 10 | 10 | N6634 |
| N6635 | SARBEN LOAMY SAND, 9 TO 30 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | N6635 |
| N6700 | SATANTA FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES | 85 | 251 | 192 | 130 | 85 | 10 | N6700 |
| N7096 | SULCO LOAM, 3 TO 6 PERCENT SLOPES | 40 | 170 | 112 | 49 | 40 | 10 | N7096 |
| N7098 | SULCO LOAM, 6 TO 9 PERCENT SLOPES | 25 | 104 | 45 | 25 | 25 | 10 | N7098 |
| N7100 | SULCO LOAM, 9 TO 30 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | N7100 |
| N7102 | SULCO COMPLEX, 9 TO 60 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | N7102 |
| N7461 | ULYSSES LOAM, 1 TO 3 PERCENT SLOPES | 80 | 241 | 183 | 120 | 80 | 10 | N7461 |
| OT | OTERO FINE SANDY LOAM, 5 TO 15 PERCENT SLOPES | 10 | 81 | 22 | 10 | 10 | 10 | OT |
| PS | PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | PS |
| RACD | CARUSO SILT LOAM, OCASIONALLY FLOODED | 87 | 246 | 187 | 125 | 87 | 10 | RACD |
| RACO | COLBY SILT LOAM, 10 TO 25 PERCENT SLOPES | 22 | 22 | 22 | 22 | 22 | 10 | RACO |
| RAUC | ULYSSES SILT LOAM, 2 TO 7 PERCENT SLOPES | 79 | 224 | 165 | 103 | 79 | 10 | RAUC |
| RM | RAZOR-MIDWAY SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | RM |
| SB | SATANTA LOAM, 0 TO 1 PERCENT SLOPES | 89 | 251 | 192 | 130 | 89 | 10 | SB |
| SC | SATANTA LOAM, 1 TO 3 PERCENT SLOPES | 84 | 234 | 176 | 113 | 84 | 10 | SC |
| SHKH | KEITH SILT LOAM, 1 TO 3 PERCENT SLOPES | 91 | 253 | 195 | 132 | 91 | 10 | SHKH |
| SHUB | ULYSSES SILT LOAM, 3 TO 6 PERCENT SLOPES | 75 | 224 | 165 | 103 | 75 | 10 | SHUB |
| UA | ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES | 81 | 258 | 199 | 137 | 81 | 10 | UA |
| UB | ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES | 78 | 241 | 183 | 120 | 78 | 10 | UB |
| WST | WASTE | 10 | 10 | 10 | 10 | 10 | 10 | WST |

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Dry Crop Land \$/Acre | Irrigated Land \$/Acre by Well Depth | | | | Native Grass | |
|-----------------------|---|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
| | | | 100 ft | 200 ft | 300 ft | 400 ft | \$/Acre | Symbol |
| DECATUR COUNTY | | | | | | | | |
| BD | BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED | 63 | 255 | 201 | 143 | 76 | 31 | BD |
| BE | BRIDGEPORT SILT LOAM, 2 TO 5 PERCENT SLOPES | 58 | 235 | 181 | 123 | 58 | 31 | BE |
| CA | CARUSO SILTY CLAY LOAM, OCCASIONALLY FLOODED | 57 | 219 | 165 | 107 | 57 | 19 | CA |
| CD | COLY SILT LOAM, 7 TO 20 PERCENT SLOPES | 19 | 76 | 21 | 19 | 19 | 10 | CD |
| CDD | COLBY SILT LOAM, 7 TO 15 PERCENT SLOPES | 19 | 96 | 42 | 19 | 19 | 10 | CDD |
| HA | HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES | 82 | 247 | 193 | 135 | 82 | 19 | HA |
| HE | HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES | 72 | 230 | 176 | 118 | 72 | 19 | HE |
| HOO | HORD SILT LOAM, RARELY FLOODED | 82 | 255 | 201 | 143 | 82 | 31 | HOO |
| MC | MCCOOK SILT LOAM, OCCASIONALLY FLOODED | 58 | 228 | 174 | 116 | 58 | 19 | MC |
| MU | MUNJOR SANDY LOAM, OCCASIONALLY FLOODED | 32 | 192 | 138 | 80 | 32 | 19 | MU |
| NTCO | COLY AND ULY SILT LOAMS, 6 TO 10 PERCENT SLOPES, ERODED | 26 | 116 | 62 | 26 | 26 | 10 | NTCO |
| NTHB | HOBBS SILT LOAM, OCCASIONALLY FLOODED | 68 | 208 | 154 | 96 | 68 | 19 | NTHB |
| NTHR | HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES, ERODED | 62 | 218 | 163 | 106 | 62 | 19 | NTHR |
| NTUB | ULY SILT LOAM, 6 TO 10 PERCENT SLOPES | 60 | 184 | 130 | 72 | 60 | 19 | NTUB |
| NTUC | ULY COMPLEX, 10 TO 20 PERCENT SLOPES | 28 | 64 | 28 | 28 | 28 | 10 | NTUC |
| NTUP | ULY-PENDEN COMPLEX, 6 TO 20 PERCENT SLOPES | 18 | 88 | 34 | 18 | 18 | 10 | NTUP |
| PH | PENDEN-CANLON LOAMS, 6 TO 30 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | PH |
| PS | PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 19 | PS |
| RABF | BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED | 57 | 228 | 174 | 116 | 57 | 19 | RABF |
| RACC | CAMPUS-CANLON LOAMS, 6 TO 30 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | RACC |
| RACO | COLBY SILT LOAM, 10 TO 25 PERCENT SLOPES | 10 | 23 | 10 | 10 | 10 | 10 | RACO |
| SDRX | ROXBURY SILT LOAM, OCCASIONALLY FLOODED | 59 | 228 | 174 | 116 | 59 | 19 | SDRX |
| THKB | KEITH SILT LOAM, 1 TO 3 PERCENT SLOPES | 64 | 230 | 176 | 118 | 64 | 19 | THKB |
| THUS | ULYSSES SILT LOAM, 3 TO 7 PERCENT SLOPES | 53 | 204 | 150 | 92 | 53 | 19 | THUS |
| UB | ULY SILT LOAM, 3 TO 7 PERCENT SLOPES | 65 | 204 | 150 | 92 | 65 | 19 | UB |
| UC | ULY SILT LOAM, 4 TO 9 PERCENT SLOPES, ERODED | 43 | 163 | 108 | 51 | 43 | 19 | UC |
| UCC | ULYSSES SILT LOAM, 2 TO 7 PERCENT SLOPES | 54 | 204 | 150 | 92 | 54 | 19 | UCC |
| WST | WASTE | 10 | 10 | 10 | 10 | 10 | 10 | WST |

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Dry Crop Land \$/Acre | Irrigated Land \$/Acre by Well Depth | | | | Native Grass | |
|------------------------------------|---|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
| | | | 100 ft | 200 ft | 300 ft | 400 ft | \$/Acre | Symbol |
| GRAHAM COUNTY (Page 1 of 2) | | | | | | | | |
| 1142 | Caruso silt loam, occasionally flooded | 56 | 222 | 169 | 112 | 56 | 19 | 1142 |
| 1620 | Keith silt loam, 1 to 3 percent slopes | 72 | 224 | 171 | 115 | 72 | 19 | 1620 |
| 1859 | Ulysses silt loam, 3 to 6 percent slopes | 67 | 207 | 154 | 98 | 67 | 19 | 1859 |
| 2112 | Inavale loamy sand, channeled | 10 | 119 | 66 | 10 | 10 | 19 | 2112 |
| 2113 | Inavale loamy sand, occasionally flooded | 10 | 175 | 122 | 66 | 10 | 19 | 2113 |
| 2114 | Inavale sand, channeled | 10 | 51 | -2 | 10 | 10 | 19 | 2114 |
| 2202 | Munjor sandy loam, occasionally flooded | 31 | 179 | 126 | 70 | 31 | 19 | 2202 |
| 2236 | Roxbury silt loam, occasionally flooded | 56 | 223 | 170 | 113 | 56 | 19 | 2236 |
| 2310 | Bridgeport silt loam, rarely flooded | 61 | 249 | 196 | 140 | 74 | 19 | 2310 |
| 2333 | Inavale loamy sand, rarely flooded | 10 | 132 | 79 | 23 | 10 | 19 | 2333 |
| 2347 | McCook silt loam, rarely flooded | 62 | 249 | 196 | 140 | 74 | 19 | 2347 |
| 2511 | Anselmo fine sandy loam, 3 to 7 percent slopes | 37 | 188 | 135 | 78 | 37 | 19 | 2511 |
| 2513 | Anselmo sandy loam, 3 to 7 percent slopes | 38 | 192 | 139 | 83 | 38 | 19 | 2513 |
| 2519 | Armo loam, 3 to 7 percent slopes | 51 | 195 | 142 | 86 | 51 | 19 | 2519 |
| 2562 | Campus-Canlon complex, 3 to 30 percent slopes | 10 | 10 | 10 | 10 | 10 | 19 | 2562 |
| 2578 | Coly and Uly silt loams, 6 to 10 percent slopes, eroded | 39 | 156 | 103 | 46 | 39 | 19 | 2578 |
| 2580 | Coly silt loam, 3 to 6 percent slopes | 48 | 203 | 150 | 93 | 48 | 19 | 2580 |
| 2582 | Coly silt loam, 6 to 20 percent slopes | 39 | 155 | 102 | 46 | 39 | 19 | 2582 |
| 2605 | Eltree silt loam, 1 to 3 percent slopes | 57 | 237 | 184 | 127 | 61 | 19 | 2605 |
| 2612 | Harney silt loam, 0 to 1 percent slopes | 78 | 241 | 188 | 132 | 78 | 19 | 2612 |
| 2667 | Holdrege silt loam, 0 to 1 percent slopes | 78 | 241 | 188 | 132 | 78 | 19 | 2667 |
| 2668 | Holdrege silt loam, 1 to 3 percent slopes | 74 | 224 | 171 | 115 | 74 | 19 | 2668 |
| 2669 | Holdrege silt loam, 1 to 3 percent slopes, eroded | 72 | 222 | 169 | 113 | 72 | 19 | 2669 |
| 2670 | Holdrege silt loam, 3 to 7 percent slopes | 73 | 221 | 168 | 112 | 73 | 19 | 2670 |
| 2671 | Holdrege silt loam, 3 to 7 percent slopes, eroded | 68 | 204 | 151 | 95 | 68 | 19 | 2671 |
| 2748 | Penden clay loam, 3 to 7 percent slopes, eroded | 10 | 158 | 105 | 48 | 10 | 19 | 2748 |
| 2753 | Penden loam, 3 to 7 percent slopes | 16 | 180 | 127 | 71 | 16 | 19 | 2753 |
| 2760 | Penden-Canlon loams, 7 to 30 percent slopes | 10 | 10 | 10 | 10 | 10 | 19 | 2760 |
| 2767 | Penden-Uly complex, 7 to 20 percent slopes | 15 | 94 | 41 | 15 | 15 | 19 | 2767 |
| 2812 | Uly complex, 10 to 20 percent slopes | 34 | 52 | 34 | 34 | 34 | 19 | 2812 |

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Dry Crop Land \$/Acre | Irrigated Land \$/Acre by Well Depth | | | | Native Grass | |
|------------------------------------|---|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
| | | | 100 ft | 200 ft | 300 ft | 400 ft | \$/Acre | Symbol |
| GRAHAM COUNTY (Page 2 of 2) | | | | | | | | |
| 2817 | Uly silt loam, 3 to 6 percent slopes | 69 | 207 | 154 | 98 | 69 | 19 | 2817 |
| 2819 | Uly silt loam, 6 to 10 percent slopes | 58 | 159 | 106 | 58 | 58 | 19 | 2819 |
| 2820 | Uly silt loam, 6 to 10 percent slopes, eroded | 40 | 153 | 100 | 43 | 40 | 19 | 2820 |
| 2828 | Uly-Penden complex, 6 to 20 percent slopes | 16 | 94 | 41 | 16 | 16 | 19 | 2828 |
| 2850 | Valentine loamy sand, 3 to 9 percent slopes | 10 | 108 | 55 | 10 | 10 | 19 | 2850 |
| 2959 | Wakeen-Nibson complex, 7 to 20 percent slopes | 10 | 10 | 10 | 10 | 10 | 19 | 2959 |
| 2960 | Wakeen-Nibson silt loams, 3 to 7 percent slopes | 10 | 82 | 29 | 10 | 10 | 19 | 2960 |
| 3593 | Humbarger loam, occasionally flooded | 55 | 223 | 170 | 113 | 55 | 19 | 3593 |
| 3755 | Hord silt loam, rarely flooded | 90 | 255 | 202 | 146 | 90 | 30 | 3755 |
| 3765 | Humbarger loam, channeled | 27 | 80 | 27 | 27 | 27 | 19 | 3765 |
| 9999 | Water | 10 | 10 | 10 | 10 | 10 | 10 | 9999 |
| WST | Waste | 10 | 10 | 10 | 10 | 10 | 10 | WST |

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Dry Crop Land \$/Acre | Irrigated Land \$/Acre by Well Depth | | | | Native Grass | |
|------------------------------------|--|-----------------------------|---|-----------|------------|------------|-----------------|--------|
| | | | 100 ft | 200 ft | 300 ft | 400 ft | \$/Acre | Symbol |
| NORTON COUNTY (Page 1 of 3) | | | | | | | | |
| 2177 | McCook silt loam, occasionally flooded | 115 | 215 | 161 | 115 | 115 | 19 | 2177 |
| 2202 | Munjor sandy loam, occasionally flooded | 60 | 197 | 142 | 85 | 60 | 19 | 2202 |
| 2234 | Roxbury silt loam, channeled | 10 | 10 | 10 | 10 | 10 | 10 | 2234 |
| 2236 | Roxbury silt loam, occasionally flooded | 10 | 10 | 10 | 10 | 10 | 10 | 2236 |
| 2310 | Bridgeport silt loam, rarely flooded | 108 | 260 | 206 | 148 | 108 | 19 | 2310 |
| 2315 | Cozad silt loam, 0 to 2 percent slopes, rarely flooded | 122 | 264 | 209 | 152 | 122 | 19 | 2315 |
| 2316 | Cozad silt loam, 2 to 5 percent slopes, rarely flooded | 116 | 246 | 191 | 134 | 116 | 19 | 2316 |
| 2375 | Roxbury silt loam, rarely flooded | 10 | 10 | 10 | 10 | 10 | 10 | 2375 |
| 2562 | Campus-Canlon complex, 3 to 30 percent slopes | 10 | 10 | 10 | 10 | 10 | 19 | 2562 |
| 2578 | Coly and Uly silt loams, 6 to 10 percent slopes, eroded | 58 | 138 | 84 | 58 | 58 | 19 | 2578 |
| 2579 | Coly and Uly silt loams, 10 to 20 percent slopes, eroded | 27 | 36 | 27 | 27 | 27 | 19 | 2579 |
| 2667 | Holdrege silt loam, 0 to 1 percent slopes | 120 | 248 | 193 | 135 | 10 | 19 | 2667 |
| 2668 | Holdrege silt loam, 1 to 3 percent slopes | 114 | 230 | 176 | 118 | 114 | 19 | 2668 |
| 2669 | Holdrege silt loam, 1 to 3 percent slopes, eroded | 87 | 190 | 136 | 87 | 87 | 19 | 2669 |
| 2670 | Holdrege silt loam, 3 to 7 percent slopes | 103 | 200 | 146 | 103 | 103 | 19 | 2670 |
| 2671 | Holdrege silt loam, 3 to 7 percent slopes, eroded | 80 | 154 | 99 | 80 | 80 | 19 | 2671 |
| 2760 | Penden-Canlon loams, 7 to 30 percent slopes | 36 | 80 | 36 | 36 | 36 | 19 | 2760 |
| 2767 | Penden-Uly complex, 7 to 20 percent slopes | 10 | 10 | 10 | 10 | 10 | 10 | 2767 |
| 2812 | Uly complex, 10 to 20 percent slopes | 58 | 66 | 58 | 58 | 10 | 19 | 2812 |
| 2817 | Uly silt loam, 3 to 6 percent slopes | 10 | 10 | 10 | 10 | 10 | 10 | 2817 |
| 2819 | Uly silt loam, 6 to 10 percent slopes | 91 | 168 | 114 | 91 | 91 | 19 | 2819 |
| 2820 | Uly silt loam, 6 to 10 percent slopes, eroded | 10 | 10 | 10 | 10 | 10 | 10 | 2820 |
| 2828 | Uly-Penden complex, 6 to 20 percent slopes | 10 | 10 | 10 | 10 | 10 | 10 | 2828 |
| 2950 | Wakeen complex, 5 to 20 percent slopes | 10 | 29 | 10 | 10 | 10 | 13 | 2950 |
| 3561 | Hobbs silt loam, occasionally flooded | 10 | 10 | 10 | 10 | 10 | 10 | 3561 |
| 3593 | Humbarger loam, occasionally flooded | 10 | 10 | 10 | 10 | 10 | 10 | 3593 |
| 3725 | Detroit silty clay loam, rarely flooded | 127 | 264 | 209 | 152 | 127 | 19 | 3725 |
| 3755 | Hord silt loam, rarely flooded | 146 | 264 | 209 | 152 | 146 | 19 | 3755 |
| 9971 | Arents, earthen dam | 10 | 10 | 10 | 10 | 10 | 10 | 9971 |
| 9976 | Borrow pits | 10 | 10 | 10 | 10 | 10 | 10 | 9976 |

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Dry Crop Land \$/Acre | Irrigated Land \$/Acre by Well Depth | | | | Native Grass | |
|------------------------------------|--------------------------|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
| | | | 100 ft | 200 ft | 300 ft | 400 ft | \$/Acre | Symbol |
| NORTON COUNTY (Page 2 of 3) | | | | | | | | |
| 9983 | Gravel pits and quarries | 10 | 10 | 10 | 10 | 10 | 10 | 9983 |
| 9999 | Water | 10 | 10 | 10 | 10 | 10 | 10 | 9999 |
| WST | Waste | 10 | 10 | 10 | 10 | 10 | 10 | WST |

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Ditch Irrigated Land \$/Acre | Symbol |
|------------------------------------|--|------------------------------------|--------|
| NORTON COUNTY (Page 3 of 3) | | | |
| 2177 | McCook silt loam, occasionally flooded | 138 | 2177 |
| 2202 | Munjoy sandy loam, occasionally flooded | 120 | 2202 |
| 2234 | Roxbury silt loam, channeled | 10 | 2234 |
| 2236 | Roxbury silt loam, occasionally flooded | 10 | 2236 |
| 2310 | Bridgeport silt loam, rarely flooded | 184 | 2310 |
| 2315 | Cozad silt loam, 0 to 2 percent slopes, rarely flooded | 187 | 2315 |
| 2316 | Cozad silt loam, 2 to 5 percent slopes, rarely flooded | 169 | 2316 |
| 2375 | Roxbury silt loam, rarely flooded | 10 | 2375 |
| 2562 | Campus-Canlon complex, 3 to 30 percent slopes | 10 | 2562 |
| 2578 | Coly and Uly silt loams, 6 to 10 percent slopes, eroded | 62 | 2578 |
| 2579 | Coly and Uly silt loams, 10 to 20 percent slopes, eroded | 27 | 2579 |
| 2667 | Holdrege silt loam, 0 to 1 percent slopes | 171 | 2667 |
| 2668 | Holdrege silt loam, 1 to 3 percent slopes | 154 | 2668 |
| 2669 | Holdrege silt loam, 1 to 3 percent slopes, eroded | 114 | 2669 |
| 2670 | Holdrege silt loam, 3 to 7 percent slopes | 124 | 2670 |
| 2671 | Holdrege silt loam, 3 to 7 percent slopes, eroded | 80 | 2671 |
| 2760 | Penden-Canlon loams, 7 to 30 percent slopes | 36 | 2760 |
| 2767 | Penden-Uly complex, 7 to 20 percent slopes | 10 | 2767 |
| 2812 | Uly complex, 10 to 20 percent slopes | 58 | 2812 |
| 2817 | Uly silt loam, 3 to 6 percent slopes | 10 | 2817 |
| 2819 | Uly silt loam, 6 to 10 percent slopes | 91 | 2819 |
| 2820 | Uly silt loam, 6 to 10 percent slopes, eroded | 10 | 2820 |
| 2828 | Uly-Penden complex, 6 to 20 percent slopes | 10 | 2828 |
| 2950 | Wakeen complex, 5 to 20 percent slopes | 10 | 2950 |
| 3561 | Hobbs silt loam, occasionally flooded | 10 | 3561 |
| 3593 | Humbarger loam, occasionally flooded | 10 | 3593 |
| 3725 | Detroit silty clay loam, rarely flooded | 187 | 3725 |
| 3755 | Hord silt loam, rarely flooded | 187 | 3755 |
| 9971 | Arents, earthen dam | 10 | 9971 |
| 9976 | Borrow pits | 10 | 9976 |
| 9983 | Gravel pits and quarries | 10 | 9983 |
| 9999 | Water | 10 | 9999 |
| WST | Waste | 10 | WST |

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Dry Crop Land \$/Acre | Irrigated Land \$/Acre by Well Depth | | | | Native Grass | |
|-----------------------|---|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
| | | | 100 ft | 200 ft | 300 ft | 400 ft | \$/Acre | Symbol |
| RAWLINS COUNTY | | | | | | | | |
| BA | BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED | 59 | 250 | 197 | 140 | 74 | 10 | BA |
| BB | BRIDGEPORT SILT LOAM, 2 TO 4 PERCENT SLOPES | 55 | 235 | 182 | 125 | 59 | 10 | BB |
| BEE | BRIDGEPORT SILT LOAM, 2 TO 5 PERCENT SLOPES | 51 | 231 | 178 | 121 | 55 | 10 | BEE |
| BF | BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED | 55 | 230 | 177 | 120 | 55 | 10 | BF |
| CC | CAMPUS-CANLON LOAMS, 6 TO 30 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | CC |
| CD | CARUSO SILT LOAM, OCASIONALLY FLOODED | 56 | 219 | 166 | 109 | 56 | 10 | CD |
| CNCO | COLBY SILT LOAM, 3 TO 6 PERCENT SLOPES | 37 | 188 | 135 | 78 | 37 | 10 | CNCO |
| CNCP | COLBY SILT LOAM, 6 TO 20 PERCENT SLOPES | 10 | 48 | 10 | 10 | 10 | 10 | CNCP |
| CNCS | COLBY SILT LOAM, 20 TO 50 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | CNCS |
| CNKA | KEITH SILT LOAM, 0 TO 1 PERCENT SLOPES | 61 | 230 | 177 | 120 | 61 | 10 | CNKA |
| CO | COLBY SILT LOAM, 10 TO 25 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | CO |
| CY | COLBY SILT LOAM, 25 TO 50 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | CY |
| KE | KEITH SILT LOAM, 0 TO 2 PERCENT SLOPES | 65 | 230 | 177 | 120 | 65 | 10 | KE |
| KU | KUMA SILT LOAM, 0 TO 1 PERCENT SLOPES | 68 | 251 | 198 | 141 | 75 | 10 | KU |
| PE | PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | PE |
| THCD | COLBY SILT LOAM, 7 TO 15 PERCENT SLOPES | 10 | 60 | 10 | 10 | 10 | 10 | THCD |
| THKB | KEITH SILT LOAM, 1 TO 3 PERCENT SLOPES | 61 | 226 | 173 | 116 | 61 | 10 | THKB |
| THUS | ULYSSES SILT LOAM, 3 TO 7 PERCENT SLOPES | 44 | 188 | 135 | 78 | 44 | 10 | THUS |
| UC | ULYSSES SILT LOAM, 2 TO 7 PERCENT SLOPES | 47 | 188 | 135 | 78 | 47 | 10 | UC |
| WST | WASTE | 10 | 10 | 10 | 10 | 10 | 10 | WST |

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Dry Crop Land \$/Acre | Irrigated Land \$/Acre by Well Depth | | | | Native Grass | |
|------------------------|--|-----------------------------|---|-----------|-----------|------------|-----------------|--------|
| | | | 100 ft | 200 ft | 300 ft | 400 ft | \$/Acre | Symbol |
| SHERIDAN COUNTY | | | | | | | | |
| 1138 | Caruso loam, occasionally flooded | 67 | 226 | 171 | 113 | 67 | 10 | 1138 |
| 1142 | Caruso silt loam, occasionally flooded | 67 | 226 | 171 | 113 | 67 | 10 | 1142 |
| 1560 | Bridgeport silt loam, 2 to 5 percent slopes | 66 | 238 | 183 | 125 | 66 | 10 | 1560 |
| 1580 | Colby silt loam, 5 to 15 percent slopes | 22 | 82 | 27 | 22 | 22 | 10 | 1580 |
| 1619 | Keith silt loam, 0 to 1 percent slopes | 83 | 253 | 198 | 139 | 83 | 10 | 1619 |
| 1620 | Keith silt loam, 1 to 3 percent slopes | 82 | 252 | 197 | 138 | 82 | 10 | 1620 |
| 1652 | Kuma silt loam, 0 to 1 percent slopes | 80 | 259 | 204 | 146 | 80 | 10 | 1652 |
| 1691 | Manvel-Badland complex, 6 to 40 percent slopes | 10 | 10 | 10 | 10 | 10 | 10 | 1691 |
| 1741 | Pleasant silty clay loam, ponded | 10 | 10 | 10 | 10 | 10 | 10 | 1741 |
| 1857 | Ulysses silt loam, 1 to 3 percent slopes | 57 | 198 | 143 | 84 | 57 | 10 | 1857 |
| 1859 | Ulysses silt loam, 3 to 6 percent slopes | 57 | 194 | 139 | 81 | 57 | 10 | 1859 |
| 2112 | Inavale loamy sand, channeled | 10 | 165 | 110 | 52 | 10 | 10 | 2112 |
| 2113 | Inavale loamy sand, occasionally flooded | 11 | 182 | 127 | 68 | 11 | 10 | 2113 |
| 2114 | Inavale sand, channeled | 10 | 165 | 110 | 52 | 10 | 10 | 2114 |
| 2177 | McCook silt loam, occasionally flooded | 74 | 242 | 187 | 128 | 74 | 10 | 2177 |
| 2202 | Munjor sandy loam, occasionally flooded | 40 | 199 | 144 | 86 | 40 | 10 | 2202 |
| 2236 | Roxbury silt loam, occasionally flooded | 72 | 242 | 187 | 128 | 72 | 10 | 2236 |
| 2310 | Bridgeport silt loam, rarely flooded | 70 | 259 | 204 | 145 | 77 | 10 | 2310 |
| 2562 | Campus-Canlon complex, 3 to 30 percent slopes | 10 | 10 | 10 | 10 | 10 | 10 | 2562 |
| 2582 | Coly silt loam, 6 to 20 percent slopes | 23 | 85 | 30 | 23 | 23 | 10 | 2582 |
| 2668 | Holdrege silt loam, 1 to 3 percent slopes | 85 | 252 | 197 | 138 | 85 | 10 | 2668 |
| 2753 | Penden loam, 3 to 7 percent slopes | 20 | 191 | 136 | 78 | 20 | 10 | 2753 |
| 2760 | Penden-Canlon loams, 7 to 30 percent slopes | 10 | 10 | 10 | 10 | 10 | 10 | 2760 |
| 2767 | Penden-Uly complex, 7 to 20 percent slopes | 19 | 108 | 53 | 19 | 19 | 10 | 2767 |
| 2768 | Penden-Ulysses complex, 7 to 15 percent slopes | 19 | 110 | 54 | 19 | 19 | 10 | 2768 |
| 2798 | Simeon loamy sand, 5 to 15 percent slopes | 10 | 89 | 34 | 10 | 10 | 10 | 2798 |
| 2817 | Uly silt loam, 3 to 6 percent slopes | 59 | 194 | 139 | 81 | 59 | 10 | 2817 |
| 2828 | Uly-Penden complex, 6 to 20 percent slopes | 21 | 108 | 53 | 21 | 21 | 10 | 2828 |
| 3755 | Hord silt loam, rarely flooded | 108 | 267 | 212 | 154 | 108 | 10 | 3755 |
| 9971 | Arents, earthen dam | 10 | 10 | 10 | 10 | 10 | 10 | 9971 |
| 9999 | Water | 10 | 10 | 10 | 10 | 10 | 10 | 9999 |
| WST | Waste | 10 | 10 | 10 | 10 | 10 | 10 | WST |

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Dry Crop Land \$/Acre | Irrigated Land \$/Acre by Well Depth | | | | Native Grass | |
|-------------------------------------|---|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
| | | | 100 ft | 200 ft | 300 ft | 400 ft | \$/Acre | Symbol |
| SHERMAN COUNTY (Page 1 of 2) | | | | | | | | |
| AD | BRIDGEPORT SILT LOAM, CHANNELED | 34 | 118 | 62 | 34 | 34 | 10 | AD |
| BD | BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED | 62 | 266 | 210 | 149 | 79 | 10 | BD |
| BE | BRIDGEPORT SILT LOAM, 2 TO 4 PERCENT SLOPES, RARELY FLOODED | 55 | 250 | 194 | 133 | 63 | 10 | BE |
| BS | BRIDGEPORT-ARVADA COMPLEX, RARELY FLOODED | 32 | 55 | 32 | 32 | 32 | 10 | BS |
| CA | CARUSO LOAM, OCCASIONALLY FLOODED | 56 | 235 | 179 | 118 | 56 | 10 | CA |
| CB | COLBY SILT LOAM, 6 TO 15 PERCENT SLOPES | 16 | 84 | 27 | 16 | 16 | 10 | CB |
| CNCA | CANYON-KIM LOAMS, 5 TO 30 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | CNCA |
| COC | COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES | 21 | 165 | 108 | 48 | 21 | 10 | COC |
| COD | COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES | 14 | 97 | 40 | 14 | 14 | 10 | COD |
| COO | COLBY SILT LOAM, 3 TO 6 PERCENT SLOPES | 26 | 156 | 99 | 39 | 26 | 10 | COO |
| CU | COLBY-ULYSSES SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED | 20 | 156 | 99 | 39 | 20 | 10 | CU |
| GO | GOSHEN SILT LOAM, 0 TO 1 PERCENT SLOPES, RARELY FLOODED | 75 | 275 | 218 | 158 | 88 | 10 | GO |
| GOCO | COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES | 40 | 225 | 168 | 108 | 40 | 10 | GOCO |
| GOKM | KIMST LOAM, 1 TO 5 PERCENT SLOPES | 37 | 221 | 164 | 104 | 37 | 10 | GOKM |
| GOKR | KUMA-KEITH SILT LOAMS, 0 TO 2 PERCENT SLOPES | 57 | 227 | 171 | 111 | 57 | 10 | GOKR |
| GOPA | PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | GOPA |
| KE | KEITH SILT LOAM, 0 TO 1 PERCENT SLOPES | 65 | 249 | 193 | 132 | 65 | 10 | KE |
| KH | KEITH SILT LOAM, 1 TO 3 PERCENT SLOPES | 61 | 233 | 177 | 116 | 61 | 10 | KH |
| KU | KEITH-ULYSSES SILT LOAMS, 0 TO 1 PERCENT SLOPES | 61 | 249 | 193 | 132 | 62 | 10 | KU |
| KUU | KUMA SILT LOAM, 0 TO 1 PERCENT SLOPES | 63 | 249 | 193 | 132 | 63 | 10 | KUU |
| PE | PLEASANT SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | PE |
| RACD | CARUSO SILT LOAM, OCASIONALLY FLOODED | 60 | 235 | 179 | 118 | 60 | 10 | RACD |
| RC | RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES | 53 | 236 | 179 | 119 | 53 | 10 | RC |
| RH | KIM-OTERO COMPLEX, 6 TO 25 PERCENT SLOPES | 10 | 46 | 10 | 10 | 10 | 10 | RH |
| RO | ROXBURY SILT LOAM, RARELY FLOODED | 61 | 268 | 212 | 152 | 81 | 10 | RO |
| RX | ROXBURY SILT LOAM, FREQUENTLY FLOODED | 45 | 156 | 99 | 45 | 45 | 10 | RX |
| UA | ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES | 52 | 233 | 177 | 116 | 52 | 10 | UA |
| UAA | ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES | 52 | 237 | 181 | 121 | 52 | 10 | UAA |
| UB | ULYSSES SILT LOAM, 3 TO 6 PERCENT SLOPES | 46 | 200 | 143 | 83 | 46 | 10 | UB |
| UC | ULYSSES SILT LOAM, 6 TO 10 PERCENT SLOPES | 33 | 138 | 81 | 33 | 33 | 10 | UC |

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Dry Crop Land \$/Acre | Irrigated Land \$/Acre by Well Depth | | | | Native Grass | |
|-------------------------------------|---|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
| | | | 100 ft | 200 ft | 300 ft | 400 ft | \$/Acre | Symbol |
| SHERMAN COUNTY (Page 2 of 2) | | | | | | | | |
| UD | ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED | 29 | 179 | 122 | 62 | 29 | 10 | UD |
| UK | ULYSSES-KEITH SILT LOAMS, 0 TO 1 PERCENT SLOPES | 59 | 249 | 193 | 132 | 62 | 10 | UK |
| WA | SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED | 19 | 156 | 99 | 39 | 19 | 10 | WA |
| WABO | BRIDGEPORT LOAM, OCCASIONALLY FLOODED | 58 | 254 | 197 | 137 | 66 | 10 | WABO |
| WST | WASTE | 10 | 10 | 10 | 10 | 10 | 10 | WST |

Kansas Division of Property Valuation

2008 Agricultural Use Values

| Symbol | Soil Map Unit Name | Dry Crop Land \$/Acre | Irrigated Land \$/Acre by Well Depth | | | | Native Grass | |
|----------------------|---|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
| | | | 100 ft | 200 ft | 300 ft | 400 ft | \$/Acre | Symbol |
| THOMAS COUNTY | | | | | | | | |
| BP | BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED | 55 | 254 | 200 | 143 | 75 | 19 | BP |
| CD | COLBY SILT LOAM, 7 TO 15 PERCENT SLOPES | 15 | 80 | 26 | 15 | 15 | 10 | CD |
| GO | GOSHEN SILT LOAM, RARELY FLOODED | 63 | 236 | 182 | 124 | 63 | 19 | GO |
| HA | HORD SILT LOAM, NONFLOODED | 83 | 267 | 213 | 156 | 88 | 19 | HA |
| KA | KEITH SILT LOAM, 0 TO 1 PERCENT SLOPES | 62 | 238 | 184 | 126 | 62 | 19 | KA |
| KB | KEITH SILT LOAM, 1 TO 3 PERCENT SLOPES | 59 | 223 | 169 | 111 | 59 | 19 | KB |
| KUU | KUMA SILT LOAM, 0 TO 1 PERCENT SLOPES | 59 | 238 | 184 | 126 | 59 | 19 | KUU |
| PE | PLEASANT SILTY CLAY LOAM | 10 | 10 | 10 | 10 | 10 | 10 | PE |
| RABF | BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED | 55 | 238 | 184 | 126 | 59 | 19 | RABF |
| RF | RICHFIELD SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES | 50 | 227 | 173 | 116 | 50 | 19 | RF |
| RX | ROXBURY SILT LOAM, OCCASIONALLY FLOODED | 55 | 238 | 184 | 126 | 59 | 19 | RX |
| SC | SCHAMBER GRAVELLY SANDY LOAM, 5 TO 25 PERCENT SLOPES | 10 | 19 | 10 | 10 | 10 | 10 | SC |
| SHCB | COLBY SILT LOAM, 6 TO 15 PERCENT SLOPES | 15 | 80 | 26 | 15 | 15 | 10 | SHCB |
| SHPE | PLEASANT SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES | 10 | 10 | 10 | 10 | 10 | 10 | SHPE |
| SHUB | ULYSSES SILT LOAM, 3 TO 6 PERCENT SLOPES | 43 | 191 | 137 | 79 | 43 | 19 | SHUB |
| UA | ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES | 53 | 238 | 184 | 126 | 59 | 19 | UA |
| UB | ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES | 49 | 223 | 169 | 111 | 49 | 19 | UB |
| UE | ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES, ERODED | 28 | 178 | 124 | 67 | 28 | 19 | UE |
| US | ULYSSES SILT LOAM, 3 TO 7 PERCENT SLOPES | 44 | 191 | 137 | 79 | 44 | 19 | US |
| WST | WASTE | 10 | 10 | 10 | 10 | 10 | 10 | WST |