

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                      | Soil Map Unit Name                                       | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |           |            |            | Native<br>Grass |        |
|-----------------------------|--|-----------------------------|---|-----------|------------|------------|-----------------|--------|
|                             |  |                             | 100 ft                                  | 200 ft    | 300 ft     | 400 ft     | \$/Acre         | Symbol |
| <b>GOVE COUNTY (1 of 2)</b> |  |                             |   |           |            |            |                 |        |
| AN                          | ANGELUS SILT LOAM, OCCASIONALLY FLOODED                  | 49                          | 144                                     | 80        | <b>49</b>  | <b>49</b>  | 13              | AN     |
| BR                          | BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED               | 74                          | 177                                     | 113       | <b>74</b>  | <b>74</b>  | 13              | BR     |
| CC                          | CAMPUS-CANLON COMPLEX, 3 TO 40 PERCENT SLOPES            | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | 19              | CC     |
| CD                          | CARLSON-CAMPUS COMPLEX, 1 TO 3 PERCENT SLOPES            | 47                          | 131                                     | 66        | <b>47</b>  | <b>47</b>  | 13              | CD     |
| COD                         | COLBY SILT LOAM, 7 TO 15 PERCENT SLOPES                  | 25                          | 35                                      | <b>25</b> | <b>25</b>  | <b>25</b>  | 13              | COD    |
| CR                          | CARUSO LOAM, OCCASIONALLY FLOODED                        | 76                          | 173                                     | 108       | <b>76</b>  | <b>76</b>  | 13              | CR     |
| DX                          | DIX SOILS, 6 TO 40 PERCENT SLOPES                        | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | 10              | DX     |
| EB                          | ELKADER SILT LOAM, 1 TO 3 PERCENT SLOPES                 | 21                          | 47                                      | <b>21</b> | <b>21</b>  | <b>21</b>  | 13              | EB     |
| EC                          | ELKADER SILT LOAM, 3 TO 6 PERCENT SLOPES                 | 16                          | 27                                      | <b>16</b> | <b>16</b>  | <b>16</b>  | 13              | EC     |
| ED                          | ELKADER AND MANVEL SILT LOAMS, 6 TO 15 PERCENT SLOPES    | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | 19              | ED     |
| GHHW                        | HUMBARGER LOAM, OCCASIONALLY FLOODED                     | 71                          | 177                                     | 113       | <b>71</b>  | <b>71</b>  | 13              | GHHW   |
| GHIM                        | INAVALE LOAMY SAND, OCCASIONALLY FLOODED                 | 14                          | 118                                     | 53        | <b>14</b>  | <b>14</b>  | 13              | GHIM   |
| GHMU                        | MUNJOR SANDY LOAM, OCCASIONALLY FLOODED                  | 38                          | 125                                     | 61        | <b>38</b>  | <b>38</b>  | 13              | GHMU   |
| GHPO                        | PENDEN-ULY COMPLEX, 7 TO 20 PERCENT SLOPES               | 30                          | 95                                      | <b>30</b> | <b>30</b>  | <b>30</b>  | 13              | GHPO   |
| GHUC                        | ULY SILT LOAM, 2 TO 6 PERCENT SLOPES                     | 78                          | 142                                     | <b>78</b> | <b>78</b>  | <b>78</b>  | 13              | GHUC   |
| HA                          | HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES                  | 91                          | 181                                     | 117       | <b>91</b>  | <b>91</b>  | 13              | HA     |
| HB                          | HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES                  | 91                          | 161                                     | 97        | <b>91</b>  | <b>91</b>  | 13              | HB     |
| HOO                         | HORD SILT LOAM, RARELY FLOODED                           | 104                         | 204                                     | 139       | <b>104</b> | <b>104</b> | 13              | HOO    |
| HU                          | HUMBARGER LOAM, CHANNELED                                | 38                          | 44                                      | <b>38</b> | <b>38</b>  | <b>38</b>  | 13              | HU     |
| IN                          | INAVALE SOILS, FREQUENTLY FLOODED                        | <b>10</b>                   | 51                                      | <b>10</b> | <b>10</b>  | <b>10</b>  | 13              | IN     |
| KA                          | KEITH SILT LOAM, 0 TO 1 PERCENT SLOPES                   | 87                          | 178                                     | 113       | <b>87</b>  | <b>87</b>  | 13              | KA     |
| KB                          | KEITH SILT LOAM, 1 TO 3 PERCENT SLOPES                   | 78                          | 166                                     | 101       | <b>78</b>  | <b>78</b>  | 13              | KB     |
| KP                          | KIM-PENDEN CLAY LOAMS, 6 TO 15 PERCENT SLOPES            | 13                          | 31                                      | <b>13</b> | <b>13</b>  | <b>13</b>  | 13              | KP     |
| LEEK                        | ELKADER SILT LOAM, 1 TO 4 PERCENT SLOPES                 | 39                          | 47                                      | <b>39</b> | <b>39</b>  | <b>39</b>  | 13              | LEEK   |
| LERN                        | RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES               | 77                          | 161                                     | 97        | <b>77</b>  | <b>77</b>  | 13              | LERN   |
| LEUD                        | ULYSSES SILT LOAM, 6 TO 15 PERCENT SLOPES                | 25                          | 35                                      | <b>25</b> | <b>25</b>  | <b>25</b>  | 13              | LEUD   |
| LEUM                        | ULYSSES-COLBY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED  | 39                          | 108                                     | 43        | <b>39</b>  | <b>39</b>  | 13              | LEUM   |
| LGBP                        | BRIDGEPORT LOAM, RARELY FLOODED                          | 75                          | 204                                     | 139       | <b>75</b>  | <b>75</b>  | 13              | LGBP   |
| LGLU                        | LUBBOCK SILT LOAM, 0 TO 1 PERCENT SLOPES                 | 81                          | 178                                     | 113       | <b>81</b>  | <b>81</b>  | 13              | LGLU   |
| LGUM                        | ULYSSES-COLBY SILT LOAMS, 5 TO 15 PERCENT SLOPES, ERODED | 22                          | 42                                      | <b>22</b> | <b>22</b>  | <b>22</b>  | 13              | LGUM   |
| MA                          | MANVEL SILT LOAM, 1 TO 3 PERCENT SLOPES                  | 27                          | 99                                      | 35        | <b>27</b>  | <b>10</b>  | 13              | MA     |
| MB                          | MANVEL-BADLAND COMPLEX, 6 TO 40 PERCENT SLOPES           | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | 13              | MB     |
| MC                          | MUNJOR-BRIDGEPORT COMPLEX, OCCASIONALLY FLOODED          | 48                          | 147                                     | 82        | <b>48</b>  | <b>48</b>  | 13              | MC     |
| MD                          | MUNJOR-INAVALE COMPLEX, OCCASIONALLY FLOODED             | 25                          | 125                                     | 61        | <b>25</b>  | <b>25</b>  | 13              | MD     |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                      | Soil Map Unit Name  | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |        |        |        | Native<br>Grass |        |
|-----------------------------|---|-----------------------------|---|--------|--------|--------|-----------------|--------|
|                             |   |                             | 100 ft                                  | 200 ft | 300 ft | 400 ft | \$/Acre         | Symbol |
| <b>GOVE COUNTY (2 of 2)</b> |   |                             |   |        |        |        |                 |        |
| NSPR                        | PENDEN-BRIDGEPORT COMPLEX, 0 TO 15 PERCENT SLOPES               | 13                          | 58                                      | 13     | 13     | 13     | 13              | NSPR   |
| NSPX                        | PENDEN-COLY COMPLEX, 3 TO 30 PERCENT SLOPES                     | 10                          | 25                                      | 10     | 10     | 10     | 13              | NSPX   |
| NSUB                        | ULY SILT LOAM, 1 TO 3 PERCENT SLOPES                            | 82                          | 166                                     | 101    | 82     | 82     | 13              | NSUB   |
| OT                          | OTERO FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES                    | 22                          | 89                                      | 25     | 22     | 22     | 13              | OT     |
| PE                          | PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES                         | 21                          | 135                                     | 71     | 21     | 21     | 13              | PE     |
| PT                          | PLEASANT SILTY CLAY LOAM, PONDED                                | 10                          | 10                                      | 10     | 10     | 10     | 13              | PT     |
| RA                          | ROXBURY SILT LOAM, RARELY FLOODED                               | 81                          | 204                                     | 139    | 81     | 81     | 13              | RA     |
| RB                          | ROXBURY SOILS, FREQUENTLY FLOODED                               | 62                          | 187                                     | 122    | 62     | 62     | 13              | RB     |
| RX                          | ROXBURY SOILS, CHANNELED  | 43                          | 44                                      | 43     | 43     | 43     | 13              | RX     |
| SCCD                        | COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES                         | 22                          | 42                                      | 22     | 22     | 22     | 13              | SCCD   |
| SCMM                        | CAMPUS-CANLON LOAMS, 5 TO 40 PERCENT SLOPES                     | 10                          | 10                                      | 10     | 10     | 10     | 19              | SCMM   |
| SDIN                        | INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED | 14                          | 118                                     | 53     | 14     | 10     | 13              | SDIN   |
| SDKU                        | KUMA SILT LOAM, 0 TO 1 PERCENT SLOPES                           | 84                          | 181                                     | 116    | 84     | 84     | 13              | SDKU   |
| SDPM                        | PENDEN-ULYSSES COMPLEX, 7 TO 15 PERCENT SLOPES                  | 16                          | 35                                      | 16     | 16     | 16     | 13              | SDPM   |
| SDRX                        | ROXBURY SILT LOAM, OCCASIONALLY FLOODED                         | 75                          | 187                                     | 122    | 75     | 75     | 13              | SDRX   |
| THUS                        | ULYSSES SILT LOAM, 3 TO 7 PERCENT SLOPES                        | 59                          | 135                                     | 71     | 59     | 59     | 13              | THUS   |
| TRCC                        | CAMPUS-CANLON LOAMS, 6 TO 30 PERCENT SLOPES                     | 10                          | 10                                      | 10     | 10     | 10     | 19              | TRCC   |
| TRCF                        | CARLSON SILT LOAM, 1 TO 3 PERCENT SLOPES                        | 72                          | 144                                     | 80     | 72     | 72     | 13              | TRCF   |
| TRDO                        | DORRANCE SANDY LOAM, 3 TO 15 PERCENT SLOPES                     | 10                          | 10                                      | 10     | 10     | 10     | 10              | TRDO   |
| TRIF                        | INAVALE LOAMY SAND, CHANNELED                                   | 10                          | 51                                      | 10     | 10     | 10     | 13              | TRIF   |
| TRPF                        | PENDEN CLAY LOAM, 3 TO 7 PERCENT SLOPES                         | 23                          | 135                                     | 71     | 23     | 23     | 13              | TRPF   |
| TRPO                        | PENDEN LOAM, 7 TO 15 PERCENT SLOPES                             | 10                          | 35                                      | 10     | 10     | 10     | 13              | TRPO   |
| UA                          | ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES                        | 76                          | 182                                     | 117    | 76     | 76     | 13              | UA     |
| UB                          | ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES                        | 66                          | 166                                     | 101    | 66     | 66     | 13              | UB     |
| UC                          | ULYSSES SILT LOAM, 3 TO 6 PERCENT SLOPES                        | 52                          | 135                                     | 71     | 52     | 52     | 13              | UC     |
| UCC                         | ULY SILT LOAM, 3 TO 6 PERCENT SLOPES                            | 76                          | 135                                     | 76     | 76     | 76     | 13              | UCC    |
| UD                          | ULYSSES SILT LOAM, 6 TO 10 PERCENT SLOPES                       | 50                          | 75                                      | 50     | 50     | 50     | 13              | UD     |
| UE                          | ULYSSES-COLBY COMPLEX, 2 TO 6 PERCENT SLOPES                    | 59                          | 118                                     | 59     | 59     | 59     | 13              | UE     |
| UEE                         | ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED         | 42                          | 114                                     | 50     | 42     | 42     | 13              | UEE    |
| WST                         | WASTE   | 10                          | 10                                      | 10     | 10     | 10     | 10              | WST    |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                | Soil Map Unit Name  | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |           |           |           | Native<br>Grass |        |
|-----------------------|---|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
|                       |   |                             | 100 ft                                  | 200 ft    | 300 ft    | 400 ft    | \$/Acre         | Symbol |
| <b>GREELEY COUNTY</b> |   |                             |   |           |           |           |                 |        |
| CB                    | COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES                      | 23                          | 111                                     | 49        | <b>23</b> | <b>23</b> | 13              | CB     |
| CC                    | COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES                      | 20                          | 94                                      | 32        | <b>20</b> | <b>20</b> | 13              | CC     |
| CD                    | COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES                     | <b>10</b>                   | 30                                      | <b>10</b> | <b>10</b> | <b>10</b> | 13              | CD     |
| GO                    | GOSHEN SILT LOAM, RARELY FLOODED                            | 66                          | 200                                     | 138       | 72        | <b>66</b> | 13              | GO     |
| GT                    | BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED | 54                          | 187                                     | 126       | 59        | <b>54</b> | 13              | GT     |
| LF                    | LINCOLN FINE SANDY LOAM, OCCASIONALLY FLOODED               | <b>10</b>                   | 80                                      | 18        | <b>10</b> | <b>10</b> | 13              | LF     |
| LO                    | PLEASANT CLAY LOAM, 0 TO 1 PERCENT SLOPES                   | 10                          | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 13              | LO     |
| MD                    | MANTER FINE SANDY LOAM, 5 TO 15 PERCENT SLOPES              | 15                          | 51                                      | <b>15</b> | <b>15</b> | <b>15</b> | 13              | MD     |
| PX                    | CANLON-CAMPUS COMPLEX, 5 TO 20 PERCENT SLOPES               | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | <b>10</b>       | PX     |
| RM                    | RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES                  | 49                          | 163                                     | 102       | <b>49</b> | <b>49</b> | 13              | RM     |
| UA                    | ULYSSES LOAM, 1 TO 3 PERCENT SLOPES                         | 37                          | 156                                     | 94        | <b>37</b> | <b>37</b> | 13              | UA     |
| UB                    | ULYSSES LOAM AND SILT LOAM, 3 TO 5 PERCENT SLOPES           | 33                          | 134                                     | 73        | <b>33</b> | <b>33</b> | 13              | UB     |
| UC                    | ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES                    | 46                          | 171                                     | 109       | <b>46</b> | <b>46</b> | 13              | UC     |
| UD                    | ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES                    | 44                          | 156                                     | 94        | <b>44</b> | <b>44</b> | 13              | UD     |
| WACD                  | CANYON LOAM, 5 TO 30 PERCENT SLOPES                         | 10                          | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 10              | WACD   |
| WACO                  | COLBY SILT LOAM, 3 TO 6 PERCENT SLOPES                      | 25                          | 88                                      | 26        | <b>25</b> | <b>25</b> | 13              | WACO   |
| WACP                  | COLBY SILT LOAM, 6 TO 15 PERCENT SLOPES                     | 13                          | 24                                      | <b>13</b> | <b>13</b> | <b>10</b> | 13              | WACP   |
| WAKE                  | KEITH SILT LOAM, 0 TO 1 PERCENT SLOPES                      | 56                          | 160                                     | 99        | <b>56</b> | <b>56</b> | 13              | WAKE   |
| WAMC                  | MANTER FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES               | 18                          | 79                                      | <b>18</b> | <b>18</b> | <b>18</b> | 13              | WAMC   |
| WAUS                  | ULYSSES-COLBY COMPLEX, 1 TO 4 PERCENT SLOPES                | 32                          | 108                                     | 45        | <b>32</b> | <b>32</b> | 13              | WAUS   |
| WHMM                  | CAMPUS-CANLON COMPLEX, 3 TO 25 PERCENT SLOPES               | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | <b>10</b>       | WHMM   |
| WHUC                  | ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES                    | 43                          | 149                                     | 88        | <b>43</b> | <b>43</b> | 13              | WHUC   |
| WST                   | WASTE   | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | <b>10</b>       | WST    |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                           | Soil Map Unit Name  | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |           |           |           | Native<br>Grass |        |
|----------------------------------|---|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
|                                  |   |                             | 100 ft                                  | 200 ft    | 300 ft    | 400 ft    | \$/Acre         | Symbol |
| <b>LANE COUNTY (Page 1 of 2)</b> |   |                             |   |           |           |           |                 |        |
| AN                               | BRIDGEPORT LOAM, CHANNELED                                  | 34                          | 69                                      | <b>34</b> | <b>34</b> | <b>34</b> | 13              | AN     |
| BE                               | BRIDGEPORT SILT LOAM, 0 TO 1 PERCENT SLOPES, RARELY FLOODED | 58                          | 189                                     | 129       | 64        | <b>58</b> | 13              | BE     |
| BG                               | CARUSO SILT LOAM, SALINE, OCCASIONALLY FLOODED              | 33                          | 49                                      | <b>33</b> | <b>33</b> | <b>33</b> | 13              | BG     |
| CC                               | CANLON-CAMPUS COMPLEX, 1 TO 40 PERCENT SLOPES               | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | <b>10</b>       | CC     |
| CH                               | CHURCH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES               | 30                          | 128                                     | 68        | <b>30</b> | <b>30</b> | 13              | CH     |
| DC                               | DRUMMOND-CHURCH COMPLEX, 0 TO 1 PERCENT SLOPES              | 26                          | 67                                      | <b>26</b> | <b>26</b> | <b>26</b> | 13              | DC     |
| EK                               | ELKADER SILT LOAM, 1 TO 4 PERCENT SLOPES                    | 33                          | 50                                      | <b>33</b> | <b>33</b> | <b>33</b> | 13              | EK     |
| FIMH                             | PENDEN-ROXBURY COMPLEX, 0 TO 15 PERCENT SLOPES              | 11                          | 64                                      | <b>11</b> | <b>11</b> | <b>11</b> | 13              | FIMH   |
| GOAN                             | ANGELUS SILT LOAM, OCCASIONALLY FLOODED                     | 51                          | 182                                     | 122       | 57        | <b>51</b> | 13              | GOAN   |
| GOEC                             | ELKADER SILT LOAM, 3 TO 6 PERCENT SLOPES                    | 20                          | 44                                      | <b>20</b> | <b>20</b> | <b>20</b> | 13              | GOEC   |
| GOKP                             | KIM-PENDEN CLAY LOAMS, 6 TO 15 PERCENT SLOPES               | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 13              | GOKP   |
| GOMB                             | MANVEL-BADLAND COMPLEX, 6 TO 40 PERCENT SLOPES              | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 13              | GOMB   |
| GOMD                             | MUNJOR-INAVALÉ COMPLEX, OCCASIONALLY FLOODED                | 27                          | 131                                     | 71        | <b>27</b> | <b>27</b> | 13              | GOMD   |
| GORB                             | ROXBURY SOILS, FREQUENTLY FLOODED                           | 40                          | 131                                     | 71        | <b>40</b> | <b>40</b> | 13              | GORB   |
| GR                               | SCHAMBER GRAVELLY SANDY LOAM, 10 TO 40 PERCENT SLOPES       | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | <b>10</b>       | GR     |
| GS                               | GRIGSTON SILT LOAM, RARELY FLOODED                          | 64                          | 191                                     | 131       | 66        | <b>64</b> | 13              | GS     |
| HA                               | HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES                     | 69                          | 168                                     | 108       | <b>69</b> | <b>69</b> | 13              | HA     |
| HR                               | HARNEY-RICHFIELD COMPLEX, 0 TO 1 PERCENT SLOPES             | 70                          | 160                                     | 100       | <b>70</b> | <b>70</b> | 13              | HR     |
| KA                               | KEITH SILT LOAM, 0 TO 1 PERCENT SLOPES                      | 64                          | 169                                     | 109       | <b>64</b> | <b>64</b> | 13              | KA     |
| KM                               | KIM-PENDEN CLAY LOAMS, 6 TO 15 PERCENT SLOPES, ERODED       | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 13              | KM     |
| MB                               | MINNEQUA-BADLAND COMPLEX, 1 TO 50 PERCENT SLOPES            | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 13              | MB     |
| NE                               | NESS CLAY   | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 13              | NE     |
| NSCU                             | COLY-ULY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED          | 33                          | 76                                      | <b>33</b> | <b>33</b> | <b>33</b> | 13              | NSCU   |
| NSHB                             | HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES                     | 61                          | 143                                     | 83        | <b>61</b> | <b>61</b> | 13              | NSHB   |
| NSPD                             | PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED             | 13                          | 124                                     | 64        | <b>13</b> | <b>13</b> | 13              | NSPD   |
| NSUB                             | ULY SILT LOAM, 1 TO 3 PERCENT SLOPES                        | 61                          | 152                                     | 92        | <b>61</b> | <b>61</b> | 13              | NSUB   |
| NSUC                             | ULY SILT LOAM, 3 TO 6 PERCENT SLOPES                        | 56                          | 124                                     | 64        | <b>56</b> | <b>56</b> | 13              | NSUC   |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                           | Soil Map Unit Name                                       | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |           |           |           | Native<br>Grass |        |
|----------------------------------|--|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
|                                  |  |                             | 100 ft                                  | 200 ft    | 300 ft    | 400 ft    | \$/Acre         | Symbol |
| <b>LANE COUNTY (Page 2 of 2)</b> |  |                             |   |           |           |           |                 |        |
| NSUE                             | ULY-COLY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED       | 42                          | 103                                     | 43        | <b>42</b> | <b>42</b> | 13              | NSUE   |
| OF                               | OTERO FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES             | <b>10</b>                   | 57                                      | <b>10</b> | <b>10</b> | <b>10</b> | 13              | OF     |
| OH                               | OTERO SOILS, 5 TO 15 PERCENT SLOPES                      | <b>10</b>                   | 15                                      | <b>10</b> | <b>10</b> | <b>10</b> | 13              | OH     |
| PE                               | PENDEN CLAY LOAM, 1 TO 3 PERCENT SLOPES                  | 20                          | 150                                     | 90        | 24        | <b>20</b> | 13              | PE     |
| PF                               | PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES                  | 16                          | 124                                     | 64        | <b>16</b> | <b>16</b> | 13              | PF     |
| PH                               | PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES                 | <b>10</b>                   | 48                                      | <b>10</b> | <b>10</b> | <b>10</b> | 13              | PH     |
| PK                               | PENDEN-KIM CLAY LOAMS, 3 TO 6 PERCENT SLOPES, ERODED     | 11                          | 86                                      | 26        | <b>11</b> | <b>11</b> | 13              | PK     |
| RM                               | RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES               | 56                          | 159                                     | 99        | <b>56</b> | <b>56</b> | 13              | RM     |
| RN                               | RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES               | 54                          | 143                                     | 83        | <b>54</b> | <b>54</b> | 13              | RN     |
| RO                               | RICHFIELD-ULYSSES SILT LOAMS, 1 TO 3 PERCENT SLOPES      | 50                          | 145                                     | 85        | <b>50</b> | <b>50</b> | 13              | RO     |
| RP                               | RICHFIELD-ULYSSES SILT LOAMS, 3 TO 6 PERCENT SLOPES      | 44                          | 119                                     | 59        | <b>44</b> | <b>44</b> | 13              | RP     |
| RX                               | ROXBURY SILT LOAM, RARELY FLOODED                        | 60                          | 191                                     | 131       | 66        | <b>10</b> | 13              | RX     |
| SCBR                             | BRIDGEPORT LOAM, RARELY FLOODED                          | 58                          | 189                                     | 129       | 64        | <b>58</b> | 13              | SCBR   |
| SCCD                             | COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES                  | 11                          | 22                                      | <b>11</b> | <b>11</b> | <b>11</b> | 13              | SCCD   |
| SCTS                             | VALENT LOAMY FINE SAND, 5 TO 20 PERCENT SLOPES           | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 13              | SCTS   |
| TS                               | TIVOLI LOAMY FINE SAND                                   | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 13              | TS     |
| UA                               | ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES                 | 48                          | 167                                     | 107       | <b>48</b> | <b>48</b> | 13              | UA     |
| UB                               | ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES                 | 49                          | 152                                     | 92        | <b>49</b> | <b>49</b> | 13              | UB     |
| UC                               | ULYSSES SILT LOAM, 3 TO 6 PERCENT SLOPES                 | 38                          | 124                                     | 64        | <b>38</b> | <b>38</b> | 13              | UC     |
| UD                               | ULYSSES SILT LOAM, 6 TO 15 PERCENT SLOPES                | 23                          | 48                                      | <b>23</b> | <b>23</b> | <b>23</b> | 13              | UD     |
| UE                               | ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED  | 27                          | 103                                     | 43        | <b>27</b> | <b>27</b> | 13              | UE     |
| UM                               | ULYSSES-COLBY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED  | 21                          | 83                                      | 23        | <b>21</b> | <b>21</b> | 13              | UM     |
| UN                               | ULYSSES-COLBY SILT LOAMS, 6 TO 15 PERCENT SLOPES, ERODED | <b>10</b>                   | 16                                      | <b>10</b> | <b>10</b> | <b>10</b> | 13              | UN     |
| WST                              | WASTE  | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | <b>10</b>       | WST    |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                            | Soil Map Unit Name                                    | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |        |        |        | Native<br>Grass<br>\$/Acre | Symbol |
|-----------------------------------|---|-----------------------------|---|--------|--------|--------|----------------------------|--------|
|                                   |   |                             | 100 ft                                  | 200 ft | 300 ft | 400 ft |                            |        |
| <b>LOGAN COUNTY (Page 1 of 3)</b> |   |                             |   |        |        |        |                            |        |
| AD                                | ACTIVE DUNES  | 10                          | 10                                      | 10     | 10     | 10     | 10                         | AD     |
| AN                                | BRIDGEPORT SILT LOAM, CHanneled                       | 46                          | 173                                     | 110    | 46     | 46     | 13                         | AN     |
| BL                                | BADLAND   | 10                          | 10                                      | 10     | 10     | 10     | 10                         | BL     |
| BP                                | BRIDGEPORT LOAM, RARELY FLOODED                       | 51                          | 197                                     | 133    | 65     | 51     | 13                         | BP     |
| BV                                | ANGELUS SILT LOAM, OCCASIONALLY FLOODED               | 32                          | 141                                     | 78     | 32     | 32     | 13                         | BV     |
| CAA                               | CARUSO LOAM, OCCASIONALLY FLOODED                     | 50                          | 170                                     | 107    | 50     | 50     | 13                         | CAA    |
| CC                                | COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES                | 24                          | 99                                      | 36     | 24     | 24     | 13                         | CC     |
| CD                                | COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES               | 13                          | 31                                      | 13     | 13     | 13     | 13                         | CD     |
| COD                               | COLBY SILT LOAM, 6 TO 15 PERCENT SLOPES               | 13                          | 25                                      | 13     | 13     | 13     | 13                         | COD    |
| DW                                | DWYER LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES          | 10                          | 10                                      | 10     | 10     | 10     | 13                         | DW     |
| EA                                | ELKADER SILT LOAM, 0 TO 1 PERCENT SLOPES              | 11                          | 59                                      | 11     | 11     | 11     | 13                         | EA     |
| EB                                | ELKADER SILT LOAM, 1 TO 3 PERCENT SLOPES              | 10                          | 45                                      | 10     | 10     | 10     | 13                         | EB     |
| EC                                | ELKADER SILT LOAM, 3 TO 5 PERCENT SLOPES              | 10                          | 30                                      | 10     | 10     | 10     | 13                         | EC     |
| ED                                | ELKADER SILT LOAM, 5 TO 15 PERCENT SLOPES             | 10                          | 10                                      | 10     | 10     | 10     | 13                         | ED     |
| GOCC                              | CAMPUS-CANLON COMPLEX, 3 TO 40 PERCENT SLOPES         | 10                          | 10                                      | 10     | 10     | 10     | 10                         | GOCC   |
| GOEC                              | ELKADER SILT LOAM, 3 TO 6 PERCENT SLOPES              | 10                          | 27                                      | 10     | 10     | 10     | 13                         | GOEC   |
| GOED                              | ELKADER AND MANVEL SILT LOAMS, 6 TO 15 PERCENT SLOPES | 10                          | 10                                      | 10     | 10     | 10     | 13                         | GOED   |
| GOIN                              | INAVALE SOILS, FREQUENTLY FLOODED                     | 10                          | 12                                      | 10     | 10     | 10     | 13                         | GOIN   |
| GOMB                              | MANVEL-BADLAND COMPLEX, 6 TO 40 PERCENT SLOPES        | 10                          | 10                                      | 10     | 10     | 10     | 10                         | GOMB   |
| GORB                              | ROXBURY SOILS, FREQUENTLY FLOODED                     | 42                          | 173                                     | 110    | 42     | 42     | 13                         | GORB   |
| GOUD                              | ULYSSES SILT LOAM, 6 TO 10 PERCENT SLOPES             | 32                          | 71                                      | 32     | 32     | 32     | 13                         | GOUD   |
| GOUE                              | ULYSSES-COLBY COMPLEX, 2 TO 6 PERCENT SLOPES          | 32                          | 90                                      | 32     | 32     | 32     | 13                         | GOUE   |
| GR                                | SCHAMBER GRAVELLY SANDY LOAM, 5 TO 25 PERCENT SLOPES  | 10                          | 10                                      | 10     | 10     | 10     | 10                         | GR     |
| KA                                | KEITH SILT LOAM, 0 TO 1 PERCENT SLOPES                | 58                          | 178                                     | 114    | 58     | 58     | 13                         | KA     |
| KB                                | KEITH SILT LOAM, 1 TO 3 PERCENT SLOPES                | 55                          | 162                                     | 99     | 55     | 55     | 13                         | KB     |
| LB                                | LAS LOAM, MODERATELY DEEP, OCCASIONALLY FLOODED       | 23                          | 121                                     | 58     | 23     | 23     | 13                         | LB     |
| LD                                | LAS ANIMAS SANDY LOAM, OCCASIONALLY FLOODED           | 25                          | 128                                     | 65     | 25     | 25     | 13                         | LD     |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                            | Soil Map Unit Name                                       | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |        |        |        | Native<br>Grass |        |
|-----------------------------------|--|-----------------------------|---|--------|--------|--------|-----------------|--------|
|                                   |  |                             | 100 ft                                  | 200 ft | 300 ft | 400 ft | \$/Acre         | Symbol |
| <b>LOGAN COUNTY (Page 2 of 3)</b> |  |                             |   |        |        |        |                 |        |
| LK                                | LIKES LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES             | 10                          | 84                                      | 10     | 10     | 10     | 13              | LK     |
| LL                                | LINCOLN SOILS, OCCASIONALLY FLOODED                      | 10                          | 10                                      | 10     | 10     | 10     | 13              | LL     |
| LM                                | MIDWAY CLAY, 5 TO 30 PERCENT SLOPES                      | 10                          | 10                                      | 10     | 10     | 10     | 10              | LM     |
| LN                                | SIMEON LOAMY SAND, 5 TO 15 PERCENT SLOPES                | 10                          | 29                                      | 10     | 10     | 10     | 10              | LN     |
| LO                                | PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES          | 10                          | 10                                      | 10     | 10     | 10     | 13              | LO     |
| LU                                | LUBBOCK SILT LOAM, 0 TO 1 PERCENT SLOPES                 | 59                          | 191                                     | 128    | 60     | 59     | 13              | LU     |
| MH                                | MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES            | 28                          | 130                                     | 67     | 28     | 28     | 13              | MH     |
| MK                                | MANTER FINE SANDY LOAM, 3 TO 5 PERCENT SLOPES            | 19                          | 109                                     | 46     | 19     | 19     | 13              | MK     |
| MN                                | MINNEQUA SILT LOAM                                       | 10                          | 93                                      | 30     | 10     | 10     | 25              | MN     |
| MP                                | MINNEQUA-PENROSE SILT LOAMS, 5 TO 15 PERCENT SLOPES      | 10                          | 10                                      | 10     | 10     | 10     | 13              | MP     |
| OT                                | OTERO FINE SANDY LOAM, 4 TO 15 PERCENT SLOPES            | 10                          | 60                                      | 10     | 10     | 10     | 13              | OT     |
| PO                                | CANYON LOAM, 5 TO 35 PERCENT SLOPES                      | 10                          | 10                                      | 10     | 10     | 10     | 10              | PO     |
| PR                                | PROMISE CLAY, 0 TO 1 PERCENT SLOPES                      | 10                          | 46                                      | 10     | 10     | 10     | 10              | PR     |
| PS                                | PROMISE CLAY, 1 TO 3 PERCENT SLOPES                      | 10                          | 50                                      | 10     | 10     | 10     | 10              | PS     |
| PT                                | PROMISE CLAY, 3 TO 5 PERCENT SLOPES                      | 10                          | 10                                      | 10     | 10     | 10     | 10              | PT     |
| RA                                | NESS CLAY  | 10                          | 10                                      | 10     | 10     | 10     | 13              | RA     |
| RC                                | RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES               | 46                          | 164                                     | 101    | 46     | 46     | 13              | RC     |
| SCAN                              | BRIDGEPORT LOAM, CHANNELED                               | 36                          | 107                                     | 44     | 36     | 36     | 13              | SCAN   |
| SCMM                              | CAMPUS-CANLON LOAMS, 5 TO 30 PERCENT SLOPES              | 10                          | 10                                      | 10     | 10     | 10     | 10              | SCMM   |
| SHRH                              | KIM-OTERO COMPLEX, 6 TO 25 PERCENT SLOPES                | 10                          | 10                                      | 10     | 10     | 10     | 10              | SHRH   |
| THCD                              | COLBY SILT LOAM, 7 TO 15 PERCENT SLOPES                  | 12                          | 25                                      | 12     | 12     | 12     | 13              | THCD   |
| THUS                              | ULYSSES SILT LOAM, 3 TO 7 PERCENT SLOPES                 | 41                          | 134                                     | 71     | 41     | 41     | 13              | THUS   |
| UA                                | ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES                 | 49                          | 178                                     | 114    | 49     | 49     | 13              | UA     |
| UB                                | ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES                 | 46                          | 162                                     | 99     | 46     | 46     | 13              | UB     |
| UC                                | ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES                 | 41                          | 140                                     | 77     | 41     | 41     | 13              | UC     |
| UCC                               | ULYSSES SILT LOAM, 3 TO 6 PERCENT SLOPES                 | 35                          | 134                                     | 71     | 35     | 35     | 13              | UCC    |
| UD                                | ULYSSES SILT LOAM, 5 TO 15 PERCENT SLOPES                | 25                          | 61                                      | 25     | 25     | 25     | 13              | UD     |
| UH                                | ULYSSES SILTY CLAY LOAM, 1 TO 3 SLOPES                   | 45                          | 164                                     | 101    | 45     | 45     | 13              | UH     |
| UL                                | ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED  | 18                          | 80                                      | 18     | 18     | 18     | 13              | UL     |
| UM                                | ULYSSES-COLBY SILT LOAMS, 5 TO 15 PERCENT SLOPES, ERODED | 10                          | 27                                      | 10     | 10     | 10     | 13              | UM     |
| VL                                | GOSHEN SILT LOAM, RARELY FLOODED                         | 64                          | 201                                     | 138    | 69     | 64     | 13              | VL     |
| VS                                | GOSHEN-DRUMMOND COMPLEX, RARELY FLOODED                  | 44                          | 171                                     | 108    | 44     | 44     | 25              | VS     |
| WA                                | SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED               | 13                          | 91                                      | 28     | 13     | 13     | 13              | WA     |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                            | Soil Map Unit Name  | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |        |        |        | Native<br>Grass |        |
|-----------------------------------|---|-----------------------------|---|--------|--------|--------|-----------------|--------|
|                                   |   |                             | 100 ft                                  | 200 ft | 300 ft | 400 ft | \$/Acre         | Symbol |
| <b>LOGAN COUNTY (Page 3 of 3)</b> |   |                             |   |        |        |        |                 |        |
| WABB                              | BANKARD LOAMY SAND, OCCASIONALLY FLOODED                    | 10                          | 74                                      | 10     | 10     | 10     | 13              | WABB   |
| WABC                              | BANKARD SANDY LOAM, RARELY FLOODED                          | 10                          | 154                                     | 91     | 22     | 10     | 13              | WABC   |
| WABO                              | BRIDGEPORT LOAM, OCCASIONALLY FLOODED                       | 50                          | 187                                     | 124    | 55     | 50     | 13              | WABO   |
| WABP                              | BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED | 54                          | 197                                     | 133    | 65     | 54     | 13              | WABP   |
| WACD                              | CANYON LOAM, 5 TO 30 PERCENT SLOPES                         | 10                          | 10                                      | 10     | 10     | 10     | 10              | WACD   |
| WAKO                              | KIM-OTERO COMPLEX, 5 TO 20 PERCENT SLOPES                   | 10                          | 10                                      | 10     | 10     | 10     | 10              | WAKO   |
| WAKU                              | KUMA SILT LOAM, 0 TO 1 PERCENT SLOPES                       | 57                          | 178                                     | 114    | 57     | 57     | 13              | WAKU   |
| WAMC                              | MANter FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES               | 21                          | 109                                     | 46     | 21     | 21     | 13              | WAMC   |
| WHMM                              | CAMPUS-CANLON COMPLEX, 3 TO 25 PERCENT SLOPES               | 10                          | 10                                      | 10     | 10     | 10     | 10              | WHMM   |
| WST                               | WASTE   | 10                          | 10                                      | 10     | 10     | 10     | 10              | WST    |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                      | Soil Map Unit Name  | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |        |        |        | Native<br>Grass |        |
|-----------------------------|---|-----------------------------|---|--------|--------|--------|-----------------|--------|
|                             |   |                             | 100 ft                                  | 200 ft | 300 ft | 400 ft | \$/Acre         | Symbol |
| <b>NESS COUNTY (1 of 2)</b> |   |                             |   |        |        |        |                 |        |
| AB                          | FLUVENTS, FREQUENTLY FLOODED                                | 10                          | 10                                      | 10     | 10     | 10     | 24              | AB     |
| BR                          | BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED | 47                          | 193                                     | 131    | 63     | 47     | 24              | BR     |
| CC                          | CAMPUS-CANLON COMPLEX, 2 TO 40 PERCENT SLOPES               | 10                          | 10                                      | 10     | 10     | 10     | 13              | CC     |
| CU                          | COLY-ULY SILT LOAMS, 3 TO 6 PERCENT SLOPES, ERODED          | 32                          | 104                                     | 42     | 32     | 32     | 24              | CU     |
| DE                          | DETROIT SILTY CLAY LOAM, RARELY FLOODED                     | 61                          | 197                                     | 135    | 68     | 61     | 24              | DE     |
| FIMH                        | PENDEN-ROXBURY COMPLEX, 0 TO 15 PERCENT SLOPES              | 10                          | 73                                      | 11     | 10     | 10     | 30              | FIMH   |
| GOKP                        | KIM-PENDEN CLAY LOAMS, 6 TO 15 PERCENT SLOPES               | 10                          | 42                                      | 10     | 10     | 10     | 24              | GOKP   |
| HA                          | HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES                     | 56                          | 173                                     | 112    | 56     | 56     | 24              | HA     |
| HB                          | HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES                     | 52                          | 154                                     | 92     | 52     | 52     | 24              | HB     |
| HC                          | HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED       | 45                          | 98                                      | 45     | 45     | 45     | 24              | HC     |
| HGHC                        | HARNEY SILT LOAM, 3 TO 5 PERCENT SLOPES                     | 51                          | 148                                     | 86     | 51     | 51     | 24              | HGHC   |
| HGKP                        | KIM-PENDEN SILTY CLAY LOAMS, 3 TO 6 PERCENT SLOPES, ERODED  | 10                          | 90                                      | 28     | 10     | 10     | 24              | HGKP   |
| HGPN                        | PENDEN-HUMBARGER COMPLEX, 0 TO 12 PERCENT SLOPES            | 10                          | 60                                      | 10     | 10     | 10     | 30              | HGPN   |
| HU                          | HARNEY-ULY SILT LOAMS, 0 TO 1 PERCENT SLOPES                | 59                          | 183                                     | 121    | 59     | 59     | 24              | HU     |
| HV                          | HARNEY-ULY SILT LOAMS, 1 TO 3 PERCENT SLOPES                | 55                          | 168                                     | 106    | 55     | 55     | 24              | HV     |
| HW                          | HEIZER-WAKEEN COMPLEX, 3 TO 40 PERCENT SLOPES               | 10                          | 10                                      | 10     | 10     | 10     | 13              | HW     |
| HZ                          | HORD SILTY CLAY LOAM, RARELY FLOODED                        | 66                          | 197                                     | 135    | 68     | 66     | 24              | HZ     |
| LEAN                        | BRIDGEPORT LOAM, CHANNELED                                  | 10                          | 10                                      | 10     | 10     | 10     | 24              | LEAN   |
| LECC                        | CANLON-CAMPUS COMPLEX, 1 TO 40 PERCENT SLOPES               | 10                          | 10                                      | 10     | 10     | 10     | 13              | LECC   |
| LEPE                        | PENDEN CLAY LOAM, 1 TO 3 PERCENT SLOPES                     | 10                          | 142                                     | 81     | 13     | 10     | 24              | LEPE   |
| LEPH                        | PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES                    | 10                          | 46                                      | 10     | 10     | 10     | 24              | LEPH   |
| LERN                        | RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES                  | 45                          | 154                                     | 92     | 45     | 45     | 24              | LERN   |
| LERO                        | RICHFIELD-ULYSSES SILT LOAMS, 1 TO 3 PERCENT SLOPES         | 45                          | 168                                     | 106    | 45     | 45     | 24              | LERO   |
| NC                          | NESS CLAY   | 10                          | 10                                      | 10     | 10     | 10     | 24              | NC     |
| NW                          | NIBSON-WAKEEN COMPLEX, 2 TO 40 PERCENT SLOPES               | 10                          | 10                                      | 10     | 10     | 10     | 24              | NW     |
| PC                          | PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES                     | 10                          | 130                                     | 68     | 10     | 10     | 24              | PC     |
| PD                          | PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED             | 10                          | 103                                     | 41     | 10     | 10     | 24              | PD     |
| PNHD                        | HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED           | 45                          | 142                                     | 80     | 45     | 45     | 24              | PNHD   |
| PR                          | PENDEN-BRIDGEPORT COMPLEX, 0 TO 15 PERCENT SLOPES           | 10                          | 80                                      | 18     | 10     | 10     | 30              | PR     |
| PX                          | PENDEN-COLY COMPLEX, 3 TO 30 PERCENT SLOPES                 | 10                          | 36                                      | 10     | 10     | 10     | 24              | PX     |
| RH                          | ROCK LAND-HEIZER COMPLEX, 3 TO 40 PERCENT SLOPES            | 10                          | 10                                      | 10     | 10     | 10     | 10              | RH     |
| RHNW                        | NIBSON-WAKEEN SILT LOAMS, 3 TO 20 PERCENT SLOPES            | 10                          | 10                                      | 10     | 10     | 10     | 24              | RHNW   |
| RHRB                        | ROXBURY SILT LOAM, OCCASIONALLY FLOODED                     | 48                          | 179                                     | 117    | 50     | 48     | 24              | RHRB   |
| RHUR                        | ULY-ROXBURY SILT LOAMS, 0 TO 15 PERCENT SLOPES              | 31                          | 76                                      | 31     | 31     | 10     | 30              | RHUR   |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                      | Soil Map Unit Name                                     | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |           |           |           | Native<br>Grass |        |
|-----------------------------|--|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
|                             |  |                             | 100 ft                                  | 200 ft    | 300 ft    | 400 ft    | \$/Acre         | Symbol |
| <b>NESS COUNTY (2 of 2)</b> |  |                             |   |           |           |           |                 |        |
| RO                          | ROXBURY SILT LOAM, RARELY FLOODED                      | 52                          | 197                                     | 135       | 68        | <b>52</b> | 24              | RO     |
| RS                          | ROXBURY SILT LOAM, FREQUENTLY FLOODED                  | 36                          | 179                                     | 117       | 50        | <b>36</b> | 24              | RS     |
| TRCU                        | COLY SILT LOAM, 2 TO 6 PERCENT SLOPES                  | 31                          | 120                                     | 59        | <b>31</b> | <b>31</b> | 24              | TRCU   |
| TRHG                        | HEIZER-BROWNELL GRAVELLY LOAMS, 5 TO 30 PERCENT SLOPES | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 13              | TRHG   |
| TRHM                        | HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES              | 54                          | 154                                     | 92        | <b>54</b> | <b>54</b> | 24              | TRHM   |
| TRPO                        | PENDEN LOAM, 7 TO 15 PERCENT SLOPES                    | <b>10</b>                   | 46                                      | <b>10</b> | <b>10</b> | <b>10</b> | 24              | TRPO   |
| TX                          | TIMKEN COMPLEX, 3 TO 45 PERCENT SLOPES                 | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 13              | TX     |
| UB                          | ULY SILT LOAM, 1 TO 3 PERCENT SLOPES                   | 59                          | 188                                     | 126       | <b>59</b> | <b>59</b> | 24              | UB     |
| UC                          | ULY SILT LOAM, 3 TO 6 PERCENT SLOPES                   | 55                          | 157                                     | 95        | <b>55</b> | <b>55</b> | 24              | UC     |
| UE                          | ULY-COLY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED     | 41                          | 136                                     | 74        | <b>41</b> | <b>41</b> | 24              | UE     |
| UX                          | ULY-CORINTH COMPLEX, 1 TO 3 PERCENT SLOPES             | 51                          | 179                                     | 117       | <b>51</b> | <b>51</b> | 24              | UX     |
| UY                          | ULY-CORINTH COMPLEX, 3 TO 6 PERCENT SLOPES             | 44                          | 148                                     | 86        | <b>44</b> | <b>44</b> | 24              | UY     |
| WB                          | WAKEEN SILT LOAM, 1 TO 3 PERCENT SLOPES                | <b>10</b>                   | 93                                      | 31        | <b>10</b> | <b>10</b> | 24              | WB     |
| WC                          | WAKEEN SILT LOAM, 3 TO 6 PERCENT SLOPES                | <b>10</b>                   | 96                                      | 34        | <b>10</b> | <b>10</b> | 24              | WC     |
| WST                         | WASTE  | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | <b>10</b>       | WST    |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                       | Soil Map Unit Name                                   | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |           |            |            | Native<br>Grass |        |
|------------------------------|--|-----------------------------|---|-----------|------------|------------|-----------------|--------|
|                              |  |                             | 100 ft                                  | 200 ft    | 300 ft     | 400 ft     | \$/Acre         | Symbol |
| <b>SCOTT COUNTY (1 of 2)</b> |  |                             |   |           |            |            |                 |        |
| AN                           | BRIDGEPORT LOAM, CHANNELED                           | 56                          | 71                                      | <b>56</b> | <b>56</b>  | <b>56</b>  | 13              | AN     |
| BD                           | BADLAND  | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | <b>10</b>       | BD     |
| BL                           | BRIDGEPORT FINE SANDY LOAM, RARELY FLOODED           | 77                          | 162                                     | 98        | <b>77</b>  | <b>77</b>  | 13              | BL     |
| BR                           | BRIDGEPORT LOAM, RARELY FLOODED                      | 86                          | 194                                     | 130       | <b>86</b>  | <b>86</b>  | 13              | BR     |
| CD                           | COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES              | 30                          | 32                                      | <b>30</b> | <b>30</b>  | <b>30</b>  | 13              | CD     |
| CH                           | CHURCH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES        | 43                          | 134                                     | 70        | <b>43</b>  | <b>43</b>  | 13              | CH     |
| DR                           | DALHART-RICHFIELD COMPLEX, 1 TO 3 PERCENT SLOPES     | 76                          | 145                                     | 81        | <b>76</b>  | <b>76</b>  | 13              | DR     |
| FIKA                         | SATANTA LOAM, 0 TO 1 PERCENT SLOPES                  | 78                          | 145                                     | 81        | <b>78</b>  | <b>10</b>  | 13              | FIKA   |
| FIMR                         | MANTER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES        | 57                          | 131                                     | 67        | <b>57</b>  | <b>57</b>  | 13              | FIMR   |
| FIMT                         | MANTER-OTERO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES | 49                          | 124                                     | 60        | <b>49</b>  | <b>49</b>  | 13              | FIMT   |
| GO                           | GOSHEN SILT LOAM, RARELY FLOODED                     | 104                         | 204                                     | 140       | <b>104</b> | <b>104</b> | 13              | GO     |
| GOBR                         | BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED           | 88                          | 184                                     | 120       | <b>88</b>  | <b>88</b>  | 13              | GOBR   |
| GOMB                         | MANVEL-BADLAND COMPLEX, 6 TO 40 PERCENT SLOPES       | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | <b>10</b>       | GOMB   |
| GORB                         | ROXBURY SOILS, FREQUENTLY FLOODED                    | 63                          | 138                                     | 74        | <b>63</b>  | <b>63</b>  | 13              | GORB   |
| KA                           | KEITH SILT LOAM, 0 TO 1 PERCENT SLOPES               | 104                         | 194                                     | 130       | <b>104</b> | <b>104</b> | 13              | KA     |
| LECC                         | CANLON-CAMPUS COMPLEX, 1 TO 40 PERCENT SLOPES        | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | <b>10</b>       | LECC   |
| LEGS                         | GRIGSTON SILT LOAM, RARELY FLOODED                   | 98                          | 204                                     | 140       | <b>98</b>  | <b>98</b>  | 13              | LEGS   |
| LEOF                         | OTERO FINE SANDY LOAM, 3 TO 8 PERCENT SLOPES         | 27                          | 71                                      | <b>27</b> | <b>27</b>  | <b>27</b>  | 13              | LEOF   |
| LU                           | LUBBOCK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES       | 95                          | 191                                     | 127       | <b>95</b>  | <b>95</b>  | 13              | LU     |
| MM                           | CAMPUS-CANLON LOAMS, 5 TO 40 PERCENT SLOPES          | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | <b>10</b>       | MM     |
| MN                           | MANTER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES        | 58                          | 145                                     | 81        | <b>58</b>  | <b>58</b>  | 13              | MN     |
| MR                           | MANTER FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES        | 54                          | 127                                     | 63        | <b>54</b>  | <b>54</b>  | 13              | MR     |
| MW                           | MARSH  | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | 13              | MW     |
| OF                           | OTERO FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES         | 27                          | 84                                      | <b>27</b> | <b>27</b>  | <b>27</b>  | 13              | OF     |
| OH                           | OTERO SOILS, 3 TO 20 PERCENT SLOPES                  | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | 13              | OH     |
| PO                           | CANLON SOILS, 5 TO 40 PERCENT SLOPES                 | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | <b>10</b>       | PO     |
| RA                           | NESS CLAY  | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | 13              | RA     |
| RB                           | RANDALL CLAY, OCCASIONALLY FLOODED                   | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | 13              | RB     |
| RM                           | RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES           | 86                          | 170                                     | 106       | <b>86</b>  | <b>86</b>  | 13              | RM     |
| RN                           | RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES           | 84                          | 152                                     | 88        | <b>84</b>  | <b>84</b>  | 13              | RN     |
| TS                           | VALENT LOAMY FINE SAND, 5 TO 20 PERCENT SLOPES       | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b>  | <b>10</b>  | 13              | TS     |
| UA                           | ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES             | 82                          | 177                                     | 113       | <b>82</b>  | <b>82</b>  | 13              | UA     |
| UB                           | ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES             | 77                          | 162                                     | 98        | <b>77</b>  | <b>77</b>  | 13              | UB     |
| UC                           | ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES             | 71                          | 140                                     | 76        | <b>71</b>  | <b>71</b>  | 13              | UC     |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                       | Soil Map Unit Name                                      | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |           |           |           | Native<br>Grass |        |
|------------------------------|---|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
|                              |   |                             | 100 ft                                  | 200 ft    | 300 ft    | 400 ft    | \$/Acre         | Symbol |
| <b>SCOTT COUNTY (2 of 2)</b> |   |                             |   |           |           |           |                 |        |
| UCC                          | ULYSSES SILT LOAM, 3 TO 6 PERCENT SLOPES                | 64                          | 133                                     | 69        | <b>64</b> | <b>64</b> | 13              | UCC    |
| UE                           | ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED | 47                          | 108                                     | <b>47</b> | <b>47</b> | <b>47</b> | 13              | UE     |
| UM                           | ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED | 43                          | 86                                      | <b>43</b> | <b>43</b> | <b>43</b> | 13              | UM     |
| US                           | ULYSSES SILT LOAM, SALINE, 0 TO 1 PERCENT SLOPES        | 56                          | 177                                     | 113       | <b>56</b> | <b>56</b> | 13              | US     |
| WHLO                         | PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES         | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 13              | WHLO   |
| WHMM                         | CAMPUS-CANLON COMPLEX, 3 TO 25 PERCENT SLOPES           | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | <b>10</b>       | WHMM   |
| WST                          | WASTE   | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | <b>10</b>       | WST    |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                       | Soil Map Unit Name                                    | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |        |        |        | Native<br>Grass |        |
|------------------------------|---|-----------------------------|---|--------|--------|--------|-----------------|--------|
|                              |   |                             | 100 ft                                  | 200 ft | 300 ft | 400 ft | \$/Acre         | Symbol |
| <b>TREGO COUNTY (1 of 2)</b> |   |                             |   |        |        |        |                 |        |
| AP                           | ARMO LOAM, 1 TO 3 PERCENT SLOPES                      | 71                          | 167                                     | 105    | 71     | 71     | 24              | AP     |
| AR                           | ARMO LOAM, 3 TO 7 PERCENT SLOPES                      | 61                          | 138                                     | 76     | 61     | 61     | 24              | AR     |
| AS                           | ARMO LOAM, 7 TO 15 PERCENT SLOPES                     | 42                          | 59                                      | 42     | 42     | 42     | 24              | AS     |
| BD                           | BADLAND-MANVEL COMPLEX, 3 TO 20 PERCENT SLOPES        | 12                          | 43                                      | 12     | 12     | 12     | 24              | BD     |
| BG                           | BOGUE CLAY, 8 TO 25 PERCENT SLOPES                    | 10                          | 10                                      | 10     | 10     | 10     | 13              | BG     |
| BR                           | BROWNELL GRAVELLY LOAM, 2 TO 10 PERCENT SLOPES        | 10                          | 10                                      | 10     | 10     | 10     | 24              | BR     |
| CC                           | CAMPUS-CANLON LOAMS, 6 TO 30 PERCENT SLOPES           | 10                          | 10                                      | 10     | 10     | 10     | 13              | CC     |
| CF                           | CARLSON SILT LOAM, 1 TO 3 PERCENT SLOPES              | 76                          | 154                                     | 92     | 76     | 76     | 24              | CF     |
| CU                           | COLY SILT LOAM, 2 TO 6 PERCENT SLOPES                 | 57                          | 144                                     | 82     | 57     | 57     | 24              | CU     |
| DO                           | DORRANCE SANDY LOAM, 3 TO 15 PERCENT SLOPES           | 10                          | 38                                      | 10     | 10     | 10     | 24              | DO     |
| ELAO                         | ARMO LOAM, 3 TO 7 PERCENT SLOPES, ERODED              | 56                          | 125                                     | 64     | 56     | 56     | 24              | ELAO   |
| ELBG                         | BOGUE CLAY, 3 TO 8 PERCENT SLOPES                     | 10                          | 33                                      | 10     | 10     | 10     | 13              | ELBG   |
| ELCC                         | CAMPUS-CARLSON COMPLEX, 3 TO 7 PERCENT SLOPES         | 20                          | 102                                     | 40     | 20     | 20     | 24              | ELCC   |
| ELCD                         | CAMPUS-PENDEN COMPLEX, 5 TO 15 PERCENT SLOPES         | 10                          | 56                                      | 10     | 10     | 10     | 24              | ELCD   |
| ELEG                         | ELTREE SILT LOAM, 3 TO 7 PERCENT SLOPES               | 62                          | 138                                     | 76     | 62     | 62     | 24              | ELEG   |
| ELHC                         | HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES               | 67                          | 129                                     | 67     | 67     | 67     | 24              | ELHC   |
| ELHD                         | HARNEY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED | 74                          | 139                                     | 78     | 74     | 74     | 24              | ELHD   |
| ELHE                         | HARNEY-ARMO COMPLEX, 3 TO 7 PERCENT SLOPES, ERODED    | 61                          | 125                                     | 64     | 61     | 61     | 24              | ELHE   |
| ELHK                         | HARNEY-WAKEEN SILT LOAMS, 1 TO 3 PERCENT SLOPES       | 38                          | 115                                     | 53     | 38     | 38     | 24              | ELHK   |
| ELHL                         | HEIZER-ARMO COMPLEX, 8 TO 25 PERCENT SLOPES           | 10                          | 10                                      | 10     | 10     | 10     | 13              | ELHL   |
| ELMO                         | MENTO SOILS, 3 TO 7 PERCENT SLOPES, ERODED            | 59                          | 135                                     | 74     | 59     | 59     | 24              | ELMO   |
| ELWH                         | WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES               | 10                          | 53                                      | 10     | 10     | 10     | 24              | ELWH   |
| GHPH                         | PENDEN LOAM, 3 TO 8 PERCENT SLOPES                    | 23                          | 126                                     | 64     | 23     | 23     | 24              | GHPH   |
| GHPO                         | PENDEN-ULY COMPLEX, 7 TO 20 PERCENT SLOPES            | 19                          | 43                                      | 19     | 19     | 19     | 24              | GHPO   |
| GHUD                         | ULY SILT LOAM, 6 TO 11 PERCENT SLOPES                 | 50                          | 62                                      | 50     | 50     | 50     | 24              | GHUD   |
| GHWS                         | WAKEEN-NIBSON SILT LOAMS, 8 TO 20 PERCENT SLOPES      | 10                          | 10                                      | 10     | 10     | 10     | 24              | GHWS   |
| GOBR                         | BRIDGEPORT SILT LOAM, OCCASIONALLY FLOODED            | 68                          | 167                                     | 105    | 68     | 68     | 24              | GOBR   |
| GOEB                         | ELKADER SILT LOAM, 1 TO 3 PERCENT SLOPES              | 31                          | 74                                      | 31     | 31     | 31     | 24              | GOEB   |
| GOEC                         | ELKADER SILT LOAM, 3 TO 6 PERCENT SLOPES              | 30                          | 67                                      | 30     | 30     | 30     | 24              | GOEC   |
| GOED                         | ELKADER AND MANVEL SILT LOAMS, 6 TO 15 PERCENT SLOPES | 20                          | 27                                      | 20     | 20     | 20     | 24              | GOED   |
| GOKP                         | KIM-PENDEN CLAY LOAMS, 6 TO 15 PERCENT SLOPES         | 17                          | 46                                      | 17     | 17     | 17     | 24              | GOKP   |
| GOMA                         | MANVEL SILT LOAM, 1 TO 3 PERCENT SLOPES               | 47                          | 157                                     | 96     | 47     | 47     | 24              | GOMA   |
| GOMB                         | MANVEL-BADLAND COMPLEX, 6 TO 40 PERCENT SLOPES        | 10                          | 10                                      | 10     | 10     | 10     | 24              | GOMB   |
| GOMC                         | MUNJOR-BRIDGEPORT COMPLEX, OCCASIONALLY FLOODED       | 41                          | 119                                     | 58     | 41     | 41     | 24              | GOMC   |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                       | Soil Map Unit Name                                     | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |        |        |        | Native<br>Grass |        |
|------------------------------|--|-----------------------------|---|--------|--------|--------|-----------------|--------|
|                              |  |                             | 100 ft                                  | 200 ft | 300 ft | 400 ft | \$/Acre         | Symbol |
| <b>TREGO COUNTY (2 of 2)</b> |  |                             |   |        |        |        |                 |        |
| GOMD                         | MUNJOR-INAVALA COMPLEX, OCCASIONALLY FLOODED           | 27                          | 119                                     | 58     | 27     | 27     | 24              | GOMD   |
| GOOT                         | OTERO FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES           | 13                          | 64                                      | 13     | 13     | 13     | 24              | GOOT   |
| Goub                         | ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES               | 68                          | 169                                     | 108    | 68     | 68     | 24              | Goub   |
| Gouc                         | ULYSSES SILT LOAM, 3 TO 6 PERCENT SLOPES               | 57                          | 142                                     | 81     | 57     | 57     | 24              | Gouc   |
| HA                           | HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES                | 85                          | 173                                     | 111    | 85     | 85     | 24              | HA     |
| HE                           | HARNEY-MENTO SILT LOAMS, 1 TO 3 PERCENT SLOPES         | 81                          | 142                                     | 81     | 81     | 81     | 24              | HE     |
| HG                           | HEIZER-BROWNELL GRAVELLY LOAMS, 5 TO 30 PERCENT SLOPES | 10                          | 10                                      | 10     | 10     | 10     | 13              | HG     |
| HM                           | HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES              | 87                          | 165                                     | 103    | 87     | 87     | 24              | HM     |
| HO                           | HORD SILT LOAM, RARELY FLOODED                         | 102                         | 196                                     | 135    | 102    | 102    | 24              | HO     |
| HU                           | HUMBARGER LOAM, CHANNELED                              | 34                          | 35                                      | 34     | 34     | 34     | 24              | HU     |
| HW                           | HUMBARGER LOAM, OCCASIONALLY FLOODED                   | 65                          | 167                                     | 105    | 65     | 65     | 24              | HW     |
| IF                           | INAVALA LOAMY SAND, CHANNELED                          | 10                          | 10                                      | 10     | 10     | 10     | 24              | IF     |
| MC                           | MCCOOK SILT LOAM, OCCASIONALLY FLOODED                 | 69                          | 167                                     | 105    | 69     | 69     | 24              | MC     |
| MD                           | MCCOOK SILT LOAM, RARELY FLOODED                       | 76                          | 194                                     | 132    | 76     | 76     | 24              | MD     |
| MU                           | MUNJOR SANDY LOAM, OCCASIONALLY FLOODED                | 39                          | 119                                     | 58     | 39     | 39     | 24              | MU     |
| NSCC                         | CAMPUS-CANLON COMPLEX, 2 TO 40 PERCENT SLOPES          | 10                          | 10                                      | 10     | 10     | 10     | 13              | NSCC   |
| NSRS                         | ROXBURY SILT LOAM, FREQUENTLY FLOODED                  | 41                          | 99                                      | 41     | 41     | 41     | 24              | NSRS   |
| NSUE                         | ULY-COLY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED     | 65                          | 140                                     | 79     | 65     | 65     | 24              | NSUE   |
| PF                           | PENDEN CLAY LOAM, 3 TO 7 PERCENT SLOPES                | 23                          | 129                                     | 67     | 23     | 23     | 24              | PF     |
| PK                           | PENDEN CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED        | 12                          | 102                                     | 40     | 12     | 12     | 24              | PK     |
| PO                           | PENDEN LOAM, 7 TO 15 PERCENT SLOPES                    | 10                          | 50                                      | 10     | 10     | 10     | 24              | PO     |
| RF                           | ROXBURY SILT LOAM, RARELY FLOODED                      | 79                          | 194                                     | 132    | 79     | 79     | 24              | RF     |
| UB                           | ULY SILT LOAM, 1 TO 3 PERCENT SLOPES                   | 83                          | 169                                     | 108    | 83     | 83     | 24              | UB     |
| UC                           | ULY SILT LOAM, 3 TO 6 PERCENT SLOPES                   | 80                          | 142                                     | 81     | 80     | 80     | 24              | UC     |
| VO                           | VODA SILTY CLAY LOAM, OCCASIONALLY FLOODED             | 29                          | 85                                      | 29     | 29     | 29     | 24              | VO     |
| WB                           | WAKEEN SILT LOAM, 1 TO 3 PERCENT SLOPES                | 10                          | 93                                      | 31     | 10     | 10     | 24              | WB     |
| WP                           | WAKEEN-NIBSON SILT LOAMS, 3 TO 8 PERCENT SLOPES        | 10                          | 10                                      | 10     | 10     | 10     | 24              | WP     |
| WST                          | WASTE  | 10                          | 10                                      | 10     | 10     | 10     | 10              | WST    |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                         | Soil Map Unit Name   | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |        |        |        | Native<br>Grass |        |
|--------------------------------|--|-----------------------------|---|--------|--------|--------|-----------------|--------|
|                                |  |                             | 100 ft                                  | 200 ft | 300 ft | 400 ft | \$/Acre         | Symbol |
| <b>WALLACE COUNTY (1 of 2)</b> |  |                             |   |        |        |        |                 |        |
| BB                             | BANKARD LOAMY SAND, OCCASIONALLY FLOODED   | 10                          | 52                                      | 10     | 10     | 10     | 13              | BB     |
| BC                             | BANKARD SANDY LOAM, RARELY FLOODED   | 10                          | 92                                      | 28     | 10     | 10     | 13              | BC     |
| BO                             | BRIDGEPORT LOAM, OCCASIONALLY FLOODED  | 55                          | 183                                     | 119    | 55     | 55     | 13              | BO     |
| BP                             | BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED                            | 61                          | 200                                     | 136    | 66     | 61     | 13              | BP     |
| BR                             | BRIDGEPORT SILT LOAM, 2 TO 6 PERCENT SLOPES  | 52                          | 166                                     | 102    | 52     | 52     | 13              | BR     |
| BS                             | BRIDGEPORT-ARVADA COMPLEX, RARELY FLOODED  | 29                          | 29                                      | 29     | 29     | 29     | 13              | BS     |
| CD                             | CANYON LOAM, 5 TO 30 PERCENT SLOPES  | 10                          | 10                                      | 10     | 10     | 10     | 10              | CD     |
| CH                             | CARUSO LOAM, OCCASIONALLY FLOODED  | 56                          | 169                                     | 105    | 56     | 56     | 13              | CH     |
| CO                             | COLBY SILT LOAM, 3 TO 6 PERCENT SLOPES   | 25                          | 74                                      | 25     | 25     | 25     | 13              | CO     |
| COC                            | COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES   | 18                          | 80                                      | 18     | 18     | 18     | 13              | COC    |
| CP                             | COLBY SILT LOAM, 6 TO 15 PERCENT SLOPES  | 16                          | 24                                      | 16     | 16     | 16     | 13              | CP     |
| EC                             | ELKADER SILT LOAM, 2 TO 6 PERCENT SLOPES   | 10                          | 26                                      | 10     | 10     | 10     | 13              | EC     |
| GB                             | GLENBERG SANDY LOAM, RARELY FLOODED  | 10                          | 93                                      | 29     | 10     | 10     | 13              | GB     |
| GO                             | GOSHEN SILT LOAM, 0 TO 3 PERCENT SLOPES, RARELY FLOODED                                | 69                          | 200                                     | 136    | 69     | 69     | 13              | GO     |
| GGOB                           | GLENBERG, RARELY FLOODED-BANKARD, OCCASIONALLY FLOODED, COMPLEX, 0 TO 3 PERCENT SLOPES | 10                          | 79                                      | 15     | 10     | 10     | 13              | GGOB   |
| GOKM                           | KIMST LOAM, 1 TO 5 PERCENT SLOPES  | 10                          | 43                                      | 10     | 10     | 10     | 13              | GOKM   |
| GOKR                           | KUMA-KEITH SILT LOAMS, 0 TO 2 PERCENT SLOPES   | 60                          | 182                                     | 118    | 60     | 60     | 13              | GOKR   |
| KE                             | KEITH SILT LOAM, 0 TO 1 PERCENT SLOPES   | 65                          | 180                                     | 116    | 65     | 65     | 13              | KE     |
| KO                             | KIM-OTERO COMPLEX, 5 TO 20 PERCENT SLOPES  | 10                          | 10                                      | 10     | 10     | 10     | 13              | KO     |
| KU                             | KUMA SILT LOAM, 0 TO 1 PERCENT SLOPES  | 67                          | 199                                     | 135    | 67     | 67     | 13              | KU     |
| LGEB                           | ELKADER SILT LOAM, 1 TO 3 PERCENT SLOPES   | 10                          | 29                                      | 10     | 10     | 10     | 13              | LGEB   |
| LGEC                           | ELKADER SILT LOAM, 3 TO 5 PERCENT SLOPES   | 10                          | 26                                      | 10     | 10     | 10     | 13              | LGEC   |
| LM                             | LIMON SILTY CLAY, 0 TO 2 PERCENT SLOPES  | 10                          | 56                                      | 10     | 10     | 10     | 13              | LM     |
| MC                             | MANTER FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES  | 28                          | 120                                     | 56     | 28     | 28     | 13              | MC     |
| MH                             | MIDWAY CLAY, 5 TO 20 PERCENT SLOPES  | 10                          | 10                                      | 10     | 10     | 10     | 10              | MH     |
| PO                             | PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES  | 10                          | 10                                      | 10     | 10     | 10     | 13              | PO     |
| RC                             | RAZOR CLAY, 1 TO 6 PERCENT SLOPES  | 10                          | 10                                      | 10     | 10     | 10     | 13              | RC     |
| SC                             | SATANTA LOAM, 1 TO 3 PERCENT SLOPES  | 60                          | 158                                     | 93     | 60     | 60     | 13              | SC     |
| SE                             | SWEETWATER CLAY LOAM, OCCASIONALLY FLOODED   | 17                          | 92                                      | 28     | 17     | 17     | 13              | SE     |
| SHRH                           | KIM-OTERO COMPLEX, 6 TO 25 PERCENT SLOPES  | 10                          | 10                                      | 10     | 10     | 10     | 13              | SHRH   |
| SHUC                           | ULYSSES SILT LOAM, 6 TO 10 PERCENT SLOPES  | 42                          | 118                                     | 53     | 42     | 42     | 13              | SHUC   |
| SHUD                           | ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED                                | 35                          | 138                                     | 73     | 35     | 35     | 13              | SHUD   |
| UA                             | ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES   | 57                          | 180                                     | 116    | 57     | 57     | 13              | UA     |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                         | Soil Map Unit Name                           | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |           |           |           | Native<br>Grass |        |
|--------------------------------|--|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
|                                |  |                             | 100 ft                                  | 200 ft    | 300 ft    | 400 ft    | \$/Acre         | Symbol |
| <b>WALLACE COUNTY (2 of 2)</b> |  |                             |   |           |           |           |                 |        |
| UB                             | ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES     | 48                          | 165                                     | 100       | <b>48</b> | <b>48</b> | 13              | UB     |
| UC                             | ULYSSES SILT LOAM, 3 TO 6 PERCENT SLOPES     | 47                          | 134                                     | 70        | <b>47</b> | <b>47</b> | 13              | UC     |
| US                             | ULYSSES-COLBY COMPLEX, 1 TO 4 PERCENT SLOPES | 45                          | 144                                     | 80        | <b>45</b> | <b>45</b> | 13              | US     |
| WST                            | WASTE  | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | <b>10</b>       | WST    |

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

| Symbol                | Soil Map Unit Name  | Dry Crop<br>Land<br>\$/Acre | Irrigated Land<br>\$/Acre by Well Depth |           |           |           | Native<br>Grass |        |
|-----------------------|---|-----------------------------|---|-----------|-----------|-----------|-----------------|--------|
|                       |   |                             | 100 ft                                  | 200 ft    | 300 ft    | 400 ft    | \$/Acre         | Symbol |
| <b>WICHITA COUNTY</b> |   |                             |   |           |           |           |                 |        |
| AN                    | BRIDGEPORT SILT LOAM, CHanneled                             | 43                          | 70                                      | <b>43</b> | <b>43</b> | <b>43</b> | 13              | AN     |
| BA                    | GLENBURG FINE SANDY LOAM, RARELY FLOODED                    | 26                          | 74                                      | <b>26</b> | <b>26</b> | <b>26</b> | 13              | BA     |
| BR                    | BRIDGEPORT LOAM, RARELY FLOODED                             | 64                          | 167                                     | 105       | <b>64</b> | <b>64</b> | 13              | BR     |
| CD                    | COLBY SILT LOAM, 5 TO 15 PERCENT SLOPES                     | 21                          | 30                                      | <b>21</b> | <b>21</b> | <b>21</b> | 13              | CD     |
| GLCB                  | COLBY SILT LOAM, 1 TO 3 PERCENT SLOPES                      | 38                          | 110                                     | 49        | <b>38</b> | <b>38</b> | 13              | GLCB   |
| GLCC                  | COLBY SILT LOAM, 3 TO 5 PERCENT SLOPES                      | 32                          | 85                                      | <b>32</b> | <b>32</b> | <b>32</b> | 13              | GLCC   |
| GLGT                  | BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED | 71                          | 182                                     | 121       | <b>71</b> | <b>71</b> | 13              | GLGT   |
| GO                    | GOSHEN SILT LOAM, RARELY FLOODED                            | 83                          | 195                                     | 134       | <b>83</b> | <b>83</b> | 13              | GO     |
| HU                    | HUMBARGER LOAM, OCCASIONALLY FLOODED                        | 59                          | 168                                     | 106       | <b>59</b> | <b>59</b> | 13              | HU     |
| LF                    | LINCOLN FINE SANDY LOAM, OCCASIONALLY FLOODED               | 14                          | 79                                      | 18        | <b>14</b> | <b>14</b> | 13              | LF     |
| LO                    | PLEASANT SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES             | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | 13              | LO     |
| MA                    | MANSIC CLAY LOAM, 0 TO 1 PERCENT SLOPES                     | 30                          | 168                                     | 106       | 40        | <b>30</b> | 13              | MA     |
| MB                    | MANSIC CLAY LOAM, 1 TO 3 PERCENT SLOPES                     | 25                          | 152                                     | 91        | <b>25</b> | <b>25</b> | 13              | MB     |
| ME                    | MANSIC CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED             | 12                          | 128                                     | 67        | <b>12</b> | <b>12</b> | 13              | ME     |
| MG                    | MANSIC CLAY LOAM, 3 TO 5 PERCENT SLOPES                     | 21                          | 134                                     | 72        | <b>21</b> | <b>21</b> | 13              | MG     |
| MM                    | CAMPUS-CANLON COMPLEX, 3 TO 25 PERCENT SLOPES               | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | <b>10</b>       | MM     |
| MN                    | MANter FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES               | 45                          | 139                                     | 77        | <b>45</b> | <b>45</b> | 13              | MN     |
| MS                    | MANter FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES               | 41                          | 114                                     | 53        | <b>41</b> | <b>41</b> | 13              | MS     |
| RM                    | RICHFIELD SILT LOAM, 0 TO 1 PERCENT SLOPES                  | 68                          | 162                                     | 101       | <b>68</b> | <b>68</b> | 13              | RM     |
| RN                    | RICHFIELD SILT LOAM, 1 TO 3 PERCENT SLOPES                  | 67                          | 146                                     | 85        | <b>67</b> | <b>67</b> | 13              | RN     |
| UA                    | ULYSSES SILT LOAM, 0 TO 1 PERCENT SLOPES                    | 66                          | 172                                     | 111       | <b>66</b> | <b>66</b> | 13              | UA     |
| UB                    | ULYSSES SILT LOAM, 1 TO 3 PERCENT SLOPES                    | 62                          | 157                                     | 96        | <b>62</b> | <b>62</b> | 13              | UB     |
| UC                    | ULYSSES SILT LOAM, 3 TO 5 PERCENT SLOPES                    | 57                          | 136                                     | 75        | <b>57</b> | <b>57</b> | 13              | UC     |
| UE                    | ULYSSES-COLBY SILT LOAMS, 1 TO 3 PERCENT SLOPES, ERODED     | 38                          | 101                                     | 40        | <b>38</b> | <b>38</b> | 13              | UE     |
| UM                    | ULYSSES-COLBY SILT LOAMS, 3 TO 5 PERCENT SLOPES, ERODED     | 33                          | 75                                      | <b>33</b> | <b>33</b> | <b>33</b> | 13              | UM     |
| WAKE                  | KEITH SILT LOAM, 0 TO 1 PERCENT SLOPES                      | 76                          | 159                                     | 98        | <b>76</b> | <b>76</b> | 13              | WAKE   |
| WST                   | WASTE   | <b>10</b>                   | <b>10</b>                               | <b>10</b> | <b>10</b> | <b>10</b> | <b>10</b>       | WST    |