

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>CLAY COUNTY (Page 1 of 2)</b>							
BE	BENFIELD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	111	204	153	72	86	BE
CB	CALCO SILTY CLAY LOAM, FREQUENTLY FLOODED	75	95	<b>75</b>	84	100	CB
CDCT	CRETE SILT LOAM, 3 TO 6 PERCENT SLOPES	173	255	204	59	71	CDCT
CDLO	LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	185	243	192	72	86	CDLO
CG	CASS FINE SANDY LOAM, OCCASIONALLY FLOODED	189	235	<b>189</b>	84	100	CG
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	202	308	256	59	71	CR
CS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	192	285	234	59	71	CS
CSS	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	192	285	234	59	71	CSS
CT	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	176	245	194	59	71	CT
CX	CRETE SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES, ERODED	156	197	<b>156</b>	59	71	CX
ED	EDALGO SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	97	187	136	59	71	ED
ER	EUDORA VERY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	216	315	264	84	100	ER
EU	EUDORA LOAM, OCCASIONALLY FLOODED	224	306	255	84	100	EU
GC	GEARY SILT LOAM, 2 TO 7 PERCENT SLOPES	190	264	213	72	86	GC
GECF	CLIME-SOIGN SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	53	64	GECF
GF	GEARY SILT LOAM, 9 TO 15 PERCENT SLOPES	132	<b>132</b>	<b>132</b>	72	86	GF
GH	CRETE SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES, ERODED	156	205	<b>156</b>	72	86	GH
GM	EDALGO SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	150	189	<b>150</b>	84	100	GM
HE	EUDORA VERY FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	90	210	159	84	100	HE
HN	HOBBS SILT LOAM, CHANNELED	140	<b>140</b>	<b>140</b>	84	100	HN
HO	HOBBS SILT LOAM, OCCASIONALLY FLOODED	220	272	221	84	100	HO
HR	HOLDER SILT LOAM, 3 TO 7 PERCENT SLOPES	196	277	226	72	86	HR
KS	KIPSON-SOIGN SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	53	64	KS
LC	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	149	228	177	72	86	LC
LH	LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	68	<b>68</b>	<b>68</b>	59	71	LH
MU	MUIR SILT LOAM, RARELY FLOODED	248	319	268	84	100	MU
OTEE	EDALGO-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	27	<b>27</b>	<b>27</b>	59	71	OTEE
OTHO	HOBBS SILT LOAM, FREQUENTLY FLOODED	130	<b>130</b>	<b>130</b>	84	100	OTHO

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		
			\$/Acre by Well Depth		Native	Tame	Symbol
			100 ft	200 ft	\$/Acre	\$/Acre	
<b>CLAY COUNTY (Page 2 of 2)</b>							
OTHP	HOBBS-GEARY SILT LOAMS, 0 TO 15 PERCENT SLOPES	145	<b>145</b>	<b>145</b>	72	86	OTHP
SA	SARPY LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES, RARELY FLOODED	55	215	164	84	100	SA
SU	SUTPHEN SILTY CLAY LOAM, OCCASIONALLY FLOODED	191	274	222	84	100	SU
TU	TULLY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES	186	251	200	72	86	TU
WE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	209	252	<b>209</b>	72	86	WE
WSKS	KIPSON-SOQN COMPLEX, 5 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	53	64	WSKS
WSLH	LANCASTER-HEDVILLE LOAMS, 5 TO 30 PERCENT SLOPES	39	<b>39</b>	<b>39</b>	59	71	WSLH
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>CLOUD COUNTY (Page 1 of 3)</b>							
1125	Bridgeport silt loam, occasionally flooded	179	275	225	71	<b>71</b>	1125
2111	Inavale loamy sand, 3 to 12 percent slopes	34	150	99	58	<b>58</b>	2111
2113	Inavale loamy sand, occasionally flooded	53	162	111	58	<b>58</b>	2113
2200	Munjor and Inavale soils, frequently flooded	37	53	<b>37</b>	71	<b>71</b>	2200
2236	Roxbury silt loam, occasionally flooded	166	<b>166</b>	<b>166</b>	71	<b>71</b>	2236
2260	Saltine silty clay loam, frequently flooded	21	<b>21</b>	<b>21</b>	58	<b>58</b>	2260
2266	Tobin silt loam, occasionally flooded	215	259	<b>215</b>	71	<b>71</b>	2266
2347	McCook silt loam, rarely flooded	178	294	243	71	<b>71</b>	2347
2365	New Cambria silty clay loam, rarely flooded	168	294	243	58	<b>58</b>	2365
2366	New Cambria silty clay, rarely flooded	166	296	245	58	<b>58</b>	2366
2375	Roxbury silt loam, rarely flooded	180	304	254	71	<b>71</b>	2375
2519	Armo loam, 3 to 7 percent slopes	140	242	192	46	<b>46</b>	2519
2521	Armo loam, 7 to 15 percent slopes	139	232	181	46	<b>46</b>	2521
2522	Armo silt loam, 3 to 7 percent slopes	138	241	191	46	<b>46</b>	2522
2613	Harney silt loam, 1 to 3 percent slopes	228	306	255	58	<b>58</b>	2613
2624	Harney-Mento silty clay loams, 3 to 7 percent slopes, eroded	190	205	<b>190</b>	58	<b>58</b>	2624
2718	Nibson soils, 3 to 30 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	46	<b>46</b>	2718
2720	Nibson silt loam, 5 to 25 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	46	<b>46</b>	2720
2730	Nuckolls silt loam, 4 to 12 percent slopes	186	201	<b>186</b>	58	<b>58</b>	2730
2732	Nuckolls silt loam, 4 to 12 percent slopes, eroded	165	170	<b>165</b>	58	<b>58</b>	2732
2953	Wakeen silt loam, 3 to 7 percent slopes	27	111	60	46	<b>46</b>	2953
2956	Wakeen silty clay loam, 3 to 7 percent slopes	29	107	57	46	<b>46</b>	2956
3030	Cozad-Cass soils, occasionally flooded	154	210	160	71	<b>71</b>	3030
3364	Edalgo-Hedville complex, 5 to 30 percent slopes	56	<b>56</b>	<b>56</b>	52	<b>52</b>	3364
3380	Hedville stony loam, 5 to 30 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	3380
3382	Hedville-Rock outcrop complex, 5 to 30 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	3382
3391	Lancaster loam, 3 to 7 percent slopes	68	<b>68</b>	<b>68</b>	52	<b>52</b>	3391
3395	Lancaster-Armo loams, 3 to 7 percent slopes	141	243	193	46	<b>46</b>	3395

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
<b>CLOUD COUNTY (Page 2 of 3)</b>							
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	61	<b>61</b>	<b>61</b>	52	<b>52</b>	3396
3401	Longford silt loam, 1 to 3 percent slopes	235	300	250	58	<b>58</b>	3401
3402	Longford silt loam, 3 to 7 percent slopes	217	260	<b>217</b>	58	<b>58</b>	3402
3404	Longford silty clay loam, 3 to 7 percent slopes, eroded	176	207	<b>176</b>	58	<b>58</b>	3404
3521	Cass fine sandy loam, occasionally flooded	160	214	164	71	<b>71</b>	3521
3545	Hobbs silt loam, channeled	166	<b>166</b>	<b>166</b>	71	<b>71</b>	3545
3553	Hobbs silt loam, frequently flooded	166	<b>166</b>	<b>166</b>	71	<b>71</b>	3553
3561	Hobbs silt loam, occasionally flooded	220	263	<b>220</b>	71	<b>71</b>	3561
3569	Hobbs-Geary silt loams, 0 to 15 percent slopes	157	<b>157</b>	<b>157</b>	71	<b>71</b>	3569
3593	Humbarger loam, occasionally flooded	169	249	198	71	<b>71</b>	3593
3710	Cass fine sandy loam, rarely flooded	214	292	242	71	<b>71</b>	3710
3725	Detroit silty clay loam, rarely flooded	229	312	261	71	<b>71</b>	3725
3755	Hord silt loam, rarely flooded	255	333	282	71	<b>71</b>	3755
3775	Muir silt loam, rarely flooded	259	335	284	71	<b>71</b>	3775
3780	Sutphen silty clay, rarely flooded	171	273	223	71	<b>71</b>	3780
3824	Crete silt loam, 0 to 1 percent slopes	198	304	253	58	<b>58</b>	3824
3825	Crete silt loam, 1 to 3 percent slopes	196	282	231	58	<b>58</b>	3825
3826	Crete silt loam, 3 to 7 percent slopes	180	257	206	58	<b>58</b>	3826
3828	Crete silty clay loam, 1 to 3 percent slopes	196	281	230	58	<b>58</b>	3828
3830	Crete silty clay loam, 3 to 7 percent slopes	181	255	204	58	<b>58</b>	3830
3831	Crete silty clay loam, 3 to 7 percent slopes, eroded	167	212	<b>167</b>	58	<b>58</b>	3831
3843	Geary silt loam, 1 to 3 percent slopes	219	265	<b>219</b>	58	<b>58</b>	3843
3844	Geary silt loam, 3 to 7 percent slopes	217	260	<b>217</b>	58	<b>58</b>	3844
3848	Geary silty clay loam, 3 to 7 percent slopes, severely eroded	184	<b>184</b>	<b>184</b>	58	<b>58</b>	3848
3851	Geary-Hobbs silt loams, 0 to 30 percent slopes	180	256	205	71	<b>71</b>	3851
3866	Hastings silt loam, 1 to 3 percent slopes	231	306	255	58	<b>58</b>	3866
3868	Hastings silt loam, 3 to 7 percent slopes	230	263	<b>230</b>	58	<b>58</b>	3868
3870	Hastings silty clay loam, 3 to 7 percent slopes, eroded	198	205	<b>198</b>	58	<b>58</b>	3870

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>CLOUD COUNTY (Page 3 of 3)</b>							
3874	Hastings-Hobbs complex, 0 to 25 percent slopes	157	<b>157</b>	<b>157</b>	71	<b>71</b>	3874
3888	Kenesaw silt loam, 5 to 12 percent slopes, eroded	163	165	<b>163</b>	58	<b>58</b>	3888
4715	Kipson soils, 5 to 30 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	46	<b>46</b>	4715
7030	Eudora loam, occasionally flooded	183	291	241	71	<b>71</b>	7030
7122	Eudora loam, rarely flooded	245	340	290	71	<b>71</b>	7122
7123	Eudora silt loam, rarely flooded	249	340	290	71	<b>71</b>	7123
7180	Sarpy loamy fine sand, rarely flooded	38	79	<b>38</b>	71	<b>71</b>	7180
7744	Haynie-Sarpy complex, occasionally flooded	42	73	<b>42</b>	71	<b>71</b>	7744
9976	Borrow pits	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9976
9983	Gravel pits and quarries	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9983
9986	Miscellaneous water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9986
9995	Sand Pits	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9995
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>CLOUD COUNTY (Page 1 of 2)</b>			
1125	Bridgeport silt loam, occasionally flooded	<b>179</b>	1125
2111	Inavale loamy sand, 3 to 12 percent slopes	<b>34</b>	2111
2113	Inavale loamy sand, occasionally flooded	<b>53</b>	2113
2200	Munjour and Inavale soils, frequently flooded	<b>37</b>	2200
2236	Roxbury silt loam, occasionally flooded	<b>166</b>	2236
2260	Saltine silty clay loam, frequently flooded	<b>21</b>	2260
2266	Tobin silt loam, occasionally flooded	<b>215</b>	2266
2347	McCook silt loam, rarely flooded	<b>178</b>	2347
2365	New Cambria silty clay loam, rarely flooded	<b>177</b>	2365
2366	New Cambria silty clay, rarely flooded	<b>180</b>	2366
2375	Roxbury silt loam, rarely flooded	<b>188</b>	2375
2519	Armo loam, 3 to 7 percent slopes	<b>140</b>	2519
2521	Armo loam, 7 to 15 percent slopes	<b>139</b>	2521
2522	Armo silt loam, 3 to 7 percent slopes	<b>138</b>	2522
2613	Harney silt loam, 1 to 3 percent slopes	<b>228</b>	2613
2624	Harney-Mento silty clay loams, 3 to 7 percent slopes, eroded	<b>190</b>	2624
2718	Nibson soils, 3 to 30 percent slopes	<b>10</b>	2718
2720	Nibson silt loam, 5 to 25 percent slopes	<b>10</b>	2720
2730	Nuckolls silt loam, 4 to 12 percent slopes	<b>186</b>	2730
2732	Nuckolls silt loam, 4 to 12 percent slopes, eroded	<b>165</b>	2732
2953	Wakeen silt loam, 3 to 7 percent slopes	<b>27</b>	2953
2956	Wakeen silty clay loam, 3 to 7 percent slopes	<b>29</b>	2956
3030	Cozad-Cass soils, occasionally flooded	<b>154</b>	3030
3364	Edalgo-Hedville complex, 5 to 30 percent slopes	<b>56</b>	3364
3380	Hedville stony loam, 5 to 30 percent slopes	<b>10</b>	3380
3382	Hedville-Rock outcrop complex, 5 to 30 percent slopes	<b>10</b>	3382
3391	Lancaster loam, 3 to 7 percent slopes	<b>68</b>	3391
3395	Lancaster-Armo loams, 3 to 7 percent slopes	<b>141</b>	3395
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	<b>61</b>	3396
3401	Longford silt loam, 1 to 3 percent slopes	<b>235</b>	3401
3402	Longford silt loam, 3 to 7 percent slopes	<b>217</b>	3402
3404	Longford silty clay loam, 3 to 7 percent slopes, eroded	<b>176</b>	3404
3521	Cass fine sandy loam, occasionally flooded	<b>160</b>	3521
3545	Hobbs silt loam, channeled	<b>166</b>	3545
3553	Hobbs silt loam, frequently flooded	<b>166</b>	3553
3561	Hobbs silt loam, occasionally flooded	<b>220</b>	3561
3569	Hobbs-Geary silt loams, 0 to 15 percent slopes	<b>157</b>	3569
3593	Humbarger loam, occasionally flooded	<b>169</b>	3593
3710	Cass fine sandy loam, rarely flooded	<b>214</b>	3710
3725	Detroit silty clay loam, rarely flooded	<b>229</b>	3725
3755	Hord silt loam, rarely flooded	<b>255</b>	3755
3775	Muir silt loam, rarely flooded	<b>259</b>	3775
3780	Sutphen silty clay, rarely flooded	<b>171</b>	3780
3824	Crete silt loam, 0 to 1 percent slopes	<b>198</b>	3824
3825	Crete silt loam, 1 to 3 percent slopes	<b>196</b>	3825
3826	Crete silt loam, 3 to 7 percent slopes	<b>180</b>	3826
3828	Crete silty clay loam, 1 to 3 percent slopes	<b>196</b>	3828

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>CLOUD COUNTY (Page 2 of 2)</b>			
3830	Crete silty clay loam, 3 to 7 percent slopes	<b>181</b>	3830
3831	Crete silty clay loam, 3 to 7 percent slopes, eroded	<b>167</b>	3831
3843	Geary silt loam, 1 to 3 percent slopes	<b>219</b>	3843
3844	Geary silt loam, 3 to 7 percent slopes	<b>217</b>	3844
3848	Geary silty clay loam, 3 to 7 percent slopes, severely eroded	<b>184</b>	3848
3851	Geary-Hobbs silt loams, 0 to 30 percent slopes	<b>180</b>	3851
3866	Hastings silt loam, 1 to 3 percent slopes	<b>231</b>	3866
3868	Hastings silt loam, 3 to 7 percent slopes	<b>230</b>	3868
3870	Hastings silty clay loam, 3 to 7 percent slopes, eroded	<b>198</b>	3870
3874	Hastings-Hobbs complex, 0 to 25 percent slopes	<b>157</b>	3874
3888	Kenesaw silt loam, 5 to 12 percent slopes, eroded	<b>163</b>	3888
4715	Kipson soils, 5 to 30 percent slopes	<b>10</b>	4715
7030	Eudora loam, occasionally flooded	<b>183</b>	7030
7122	Eudora loam, rarely flooded	<b>245</b>	7122
7123	Eudora silt loam, rarely flooded	<b>249</b>	7123
7180	Sarpy loamy fine sand, rarely flooded	<b>38</b>	7180
7744	Haynie-Sarpy complex, occasionally flooded	<b>42</b>	7744
9976	Borrow pits	<b>10</b>	9976
9983	Gravel pits and quarries	<b>10</b>	9983
9986	Miscellaneous water	<b>10</b>	9986
9995	Sand Pits	<b>10</b>	9995
9999	Water	<b>10</b>	9999
WST	WASTE	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>JEWELL COUNTY (Page 1 of 2)</b>							
AO	ARMO LOAM, 1 TO 3 PERCENT SLOPES	165	286	235	46	<b>46</b>	AO
AR	ARMO LOAM, 3 TO 7 PERCENT SLOPES	147	248	198	46	<b>46</b>	AR
BA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	48	130	79	40	<b>40</b>	BA
BB	BOGUE-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	34	<b>34</b>	BB
BH	BROWNELL-HEIZER GRAVELLY LOAMS, 3 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	40	<b>40</b>	BH
CA	CARR FINE SANDY LOAM, OCCASIONALLY FLOODED	126	249	198	46	<b>46</b>	CA
CDCS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	197	270	219	46	<b>46</b>	CDCS
CDCU	CRETE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	154	195	<b>154</b>	46	<b>46</b>	CDCU
CDHD	HASTINGS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	174	179	<b>174</b>	46	<b>46</b>	CDHD
CDTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	203	300	249	46	<b>46</b>	CDTO
CH	CORINTH-HARNEY SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	57	169	118	46	<b>46</b>	CH
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	214	311	261	46	<b>46</b>	CR
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	223	326	275	46	<b>46</b>	DE
GE	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	217	262	<b>217</b>	46	<b>46</b>	GE
GF	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	189	203	<b>189</b>	46	<b>46</b>	GF
GN	GIBBON SILTY CLAY LOAM, OCCASIONALLY FLOODED	153	201	<b>153</b>	46	<b>46</b>	GN
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	222	289	239	46	<b>46</b>	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	207	270	219	46	<b>46</b>	HB
HC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	198	233	<b>198</b>	46	<b>46</b>	HC
HF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	154	180	<b>154</b>	46	<b>46</b>	HF
HM	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	165	209	<b>165</b>	46	<b>46</b>	HM
HO	HOLDREGE SILT LOAM, 3 TO 7 PERCENT SLOPES	204	246	<b>204</b>	46	<b>46</b>	HO
HR	HOLDREGE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	149	190	<b>149</b>	46	<b>46</b>	HR
HS	ERODED	166	167	<b>166</b>	46	<b>46</b>	HS
HU	HORD SILT LOAM, RARELY FLOODED	255	350	299	46	<b>46</b>	HU
IE	INAVALE FINE SAND, FREQUENTLY FLOODED	30	78	<b>30</b>	46	<b>46</b>	IE
IN	INAVALE LOAMY FINE SAND, OCCASIONALLY FLOODED	66	225	175	46	<b>46</b>	IN
KE	KENESAW SILT LOAM, 6 TO 11 PERCENT SLOPES	170	196	<b>170</b>	46	<b>46</b>	KE

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>JEWELL COUNTY (Page 2 of 2)</b>							
MC	MCCOOK SILT LOAM, RARELY FLOODED	192	312	262	46	<b>46</b>	MC
MCNC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	46	<b>46</b>	MCNC
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	136	302	251	46	<b>46</b>	NC
ND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	46	<b>46</b>	ND
NR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	121	<b>121</b>	<b>121</b>	46	<b>46</b>	NR
RA	ROXBURY SILT LOAM, RARELY FLOODED	196	320	270	46	<b>46</b>	RA
RB	ROXBURY SILT LOAM, CHANNELED	124	<b>124</b>	<b>124</b>	46	<b>46</b>	RB
RC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	198	300	249	46	<b>46</b>	RC
RPGR	ERODED	202	<b>202</b>	<b>202</b>	46	<b>46</b>	RPGR
RPHA	HASTINGS SILT LOAM, 0 TO 1 PERCENT SLOPES	229	289	239	46	<b>46</b>	RPHA
RPHB	HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES	219	270	<b>219</b>	46	<b>46</b>	RPHB
RPHD	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	174	179	<b>174</b>	46	<b>46</b>	RPHD
RPMR	MUIR SILT LOAM, 0 TO 1 PERCENT SLOPES	268	355	304	46	<b>46</b>	RPMR
SA	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	57	<b>57</b>	<b>57</b>	46	<b>46</b>	SA
SMBO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	<b>10</b>	58	<b>10</b>	40	<b>40</b>	SMBO
SMND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	138	<b>138</b>	<b>138</b>	46	<b>46</b>	SMND
SMNH	NUCKOLLS-HOLDREGE SILT LOAMS, 3 TO 7 PERCENT SLOPES	166	198	<b>166</b>	46	<b>46</b>	SMNH
SMUH	ULY-HOLDREGE SILT LOAMS, 7 TO 12 PERCENT SLOPES	148	157	<b>148</b>	46	<b>46</b>	SMUH
WC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	29	198	147	46	<b>46</b>	WC
WD	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	<b>10</b>	62	11	46	<b>46</b>	WD
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Bostwick Irrigated Land \$/Acre	Symbol
<b>JEWELL COUNTY</b>			
AO	ARMO LOAM, 1 TO 3 PERCENT SLOPES	169	AO
AR	ARMO LOAM, 3 TO 7 PERCENT SLOPES	156	AR
BA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	<b>48</b>	BA
BB	BOGUE-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	<b>10</b>	BB
BH	BROWNELL-HEIZER GRAVELLY LOAMS, 3 TO 30 PERCENT SLOPES	<b>10</b>	BH
CA	CARR FINE SANDY LOAM, OCCASIONALLY FLOODED	153	CA
CDCS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	<b>197</b>	CDCS
CDCU	CRETE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	<b>154</b>	CDCU
CDHD	HASTINGS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	<b>174</b>	CDHD
CDTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	228	CDTO
CH	CORINTH-HARNEY SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	<b>57</b>	CH
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	226	CR
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	<b>223</b>	DE
GE	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	<b>217</b>	GE
GF	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	<b>189</b>	GF
GN	GIBBON SILTY CLAY LOAM, OCCASIONALLY FLOODED	<b>153</b>	GN
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	<b>222</b>	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	<b>207</b>	HB
HC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	<b>198</b>	HC
HF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	<b>154</b>	HF
HM	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	<b>165</b>	HM
HO	HOLDREGE SILT LOAM, 3 TO 7 PERCENT SLOPES	<b>204</b>	HO
HR	HOLDREGE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	<b>149</b>	HR
HS	HOLDREGE AND GEARY SILTY CLAY LOAMS, 6 TO 11 PERCENT SLOPES, ERODED	<b>166</b>	HS
HU	HORD SILT LOAM, RARELY FLOODED	<b>255</b>	HU
IE	INAVALE FINE SAND, FREQUENTLY FLOODED	<b>30</b>	IE
IN	INAVALE LOAMY FINE SAND, OCCASIONALLY FLOODED	109	IN
KE	KENESAW SILT LOAM, 6 TO 11 PERCENT SLOPES	<b>170</b>	KE
MC	MCCOOK SILT LOAM, RARELY FLOODED	196	MC
MCNC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	<b>10</b>	MCNC
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	185	NC
ND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	<b>10</b>	ND
NR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	<b>121</b>	NR
RA	ROXBURY SILT LOAM, RARELY FLOODED	204	RA
RB	ROXBURY SILT LOAM, CHANNЕLED	<b>124</b>	RB
RC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	228	RC
RPGR	GEARY-CRETE SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	<b>202</b>	RPGR
RPHA	HASTINGS SILT LOAM, 0 TO 1 PERCENT SLOPES	<b>229</b>	RPHA
RPHB	HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES	<b>219</b>	RPHB
RPHD	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	<b>174</b>	RPHD
RPMR	MUIR SILT LOAM, 0 TO 1 PERCENT SLOPES	<b>268</b>	RPMR
SA	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	<b>57</b>	SA
SMBO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	<b>10</b>	SMBO
SMND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	<b>138</b>	SMND
SMNH	NUCKOLLS-HOLDREGE SILT LOAMS, 3 TO 7 PERCENT SLOPES	<b>166</b>	SMNH
SMUH	ULY-HOLDREGE SILT LOAMS, 7 TO 12 PERCENT SLOPES	<b>148</b>	SMUH
WC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	81	WC
WD	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	<b>10</b>	WD
WST	WASTE	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>MITCHELL COUNTY (Page 1 of 2)</b>							
AA	ANSELMO SANDY LOAM, 1 TO 4 PERCENT SLOPES	154	265	213	47	<b>47</b>	AA
AB	ARMO LOAM, 3 TO 7 PERCENT SLOPES	150	251	200	47	<b>47</b>	AB
AC	ARMO LOAM, 7 TO 15 PERCENT SLOPES	118	139	<b>118</b>	47	<b>47</b>	AC
BA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	65	155	103	34	<b>34</b>	BA
BB	BROWNELL-ROCK OUTCROP COMPLEX, 3 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	47	<b>47</b>	BB
CA	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	67	205	154	47	<b>47</b>	CA
CB	CORINTH SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	41	112	61	47	<b>47</b>	CB
CC	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	196	309	258	47	<b>47</b>	CC
CDAR	ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES	140	246	195	47	<b>47</b>	CDAR
CDCS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	191	273	222	47	<b>47</b>	CDCS
CDCU	CRETE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	183	248	196	47	<b>47</b>	CDCU
CDGS	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	199	224	<b>199</b>	47	<b>47</b>	CDGS
CDHD	HASTINGS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	204	232	<b>204</b>	47	<b>47</b>	CDHD
DA	DETROIT SILTY CLAY LOAM, RARELY FLOODED	208	330	278	47	<b>47</b>	DA
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	202	293	242	47	<b>47</b>	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	211	273	222	47	<b>47</b>	HB
HC	HARNEY-CORINTH SILTY CLAY LOAMS, 3 TO 8 PERCENT SLOPES, ERODED	112	158	<b>112</b>	47	<b>47</b>	HC
HCC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	191	253	201	47	<b>47</b>	HCC
HD	HARNEY-MENTO SILT LOAMS, 2 TO 6 PERCENT SLOPES	176	233	181	47	<b>47</b>	HD
HDD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	178	232	181	47	<b>47</b>	HDD
HE	HARNEY-MENTO SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	135	179	<b>135</b>	47	<b>47</b>	HE
HF	HORD SILT LOAM, RARELY FLOODED	237	351	300	47	<b>47</b>	HF
JWAO	ARMO LOAM, 1 TO 3 PERCENT SLOPES	161	272	221	47	<b>47</b>	JWAO
JWCH	CORINTH-HARNEY SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	71	173	122	47	<b>47</b>	JWCH
JWHF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	183	232	<b>183</b>	47	<b>47</b>	JWHF
JWND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	47	<b>47</b>	JWND
LA	LANCASTER-ARMO LOAMS, 3 TO 7 PERCENT SLOPES	149	242	190	47	<b>47</b>	LA
LC	LANCASTER-HEDVILLE COMPLEX, 3 TO 20 PERCENT SLOPES	64	<b>64</b>	<b>64</b>	34	<b>34</b>	LC

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
<b>MITCHELL COUNTY (Page 2 of 2)</b>							
LCGH	GEARY-LANCASTER COMPLEX, 5 TO 10 PERCENT SLOPES	129	<b>129</b>	<b>129</b>	34	<b>34</b>	LCGH
LCHC	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	196	253	201	47	<b>47</b>	LCHC
LCHF	HARNEY-WAKEEN COMPLEX, 2 TO 7 PERCENT SLOPES	133	194	142	47	<b>47</b>	LCHF
LCNC	NEW CAMBRIA SILTY CLAY LOAM, OCCASIONALLY FLOODED	156	290	239	47	<b>47</b>	LCNC
MA	MCCOOK SILT LOAM, RARELY FLOODED	177	316	265	47	<b>47</b>	MA
MB	MCCOOK SILT LOAM, OCCASIONALLY FLOODED	171	290	238	47	<b>47</b>	MB
NA	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	138	306	254	47	<b>47</b>	NA
NB	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	90	132	<b>90</b>	47	<b>47</b>	NB
NC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	47	<b>47</b>	NC
OBAX	ARMO-BOGUE COMPLEX, 7 TO 20 PERCENT SLOPES	76	113	<b>76</b>	34	<b>34</b>	OBAX
OBHN	HARNEY-NUCKOLLS COMPLEX, 3 TO 8 PERCENT SLOPES	193	248	196	47	<b>47</b>	OBHN
OTGF	GEARY SILT LOAM, 3 TO 6 PERCENT SLOPES	219	270	<b>219</b>	47	<b>47</b>	OTGF
OTHA	HARNEY SILT LOAM, 2 TO 7 PERCENT SLOPES	206	253	<b>206</b>	47	<b>47</b>	OTHA
OTLA	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	126	205	154	47	<b>47</b>	OTLA
RA	ROXBURY SILT LOAM, RARELY FLOODED	181	324	273	47	<b>47</b>	RA
RB	ROXBURY SILT LOAM, CHANNELED	127	<b>127</b>	<b>127</b>	47	<b>47</b>	RB
RC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	180	303	252	47	<b>47</b>	RC
RD	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	176	293	242	47	<b>47</b>	RD
SA	SALTINE SILT LOAM, FREQUENTLY FLOODED	56	<b>56</b>	<b>56</b>	47	<b>47</b>	SA
TA	TIMKEN CLAY, 3 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	34	<b>34</b>	TA
TB	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	196	270	219	47	<b>47</b>	TB
WA	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	10	128	76	47	<b>47</b>	WA
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>MITCHELL COUNTY</b>			
AA	ANSELMO SANDY LOAM, 1 TO 4 PERCENT SLOPES	154	AA
AB	ARMO LOAM, 3 TO 7 PERCENT SLOPES	150	AB
AC	ARMO LOAM, 7 TO 15 PERCENT SLOPES	118	AC
BA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	65	BA
BB	BROWNELL-ROCK OUTCROP COMPLEX, 3 TO 30 PERCENT SLOPES	10	BB
CA	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	87	CA
CB	CORINTH SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	41	CB
CC	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	196	CC
CDAR	ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES	140	CDAR
CDCS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	191	CDCS
CDCU	CRETE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	183	CDCU
CDGS	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	199	CDGS
CDHD	HASTINGS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	204	CDHD
DA	DETROIT SILTY CLAY LOAM, RARELY FLOODED	212	DA
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	202	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	211	HB
HC	HARNEY-CORINTH SILTY CLAY LOAMS, 3 TO 8 PERCENT SLOPES, ERODED	112	HC
HCC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	191	HCC
HD	HARNEY-MENTO SILT LOAMS, 2 TO 6 PERCENT SLOPES	176	HD
HDD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	178	HDD
HE	HARNEY-MENTO SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	135	HE
HF	HORD SILT LOAM, RARELY FLOODED	237	HF
JWAO	ARMO LOAM, 1 TO 3 PERCENT SLOPES	161	JWAO
JWCH	CORINTH-HARNEY SILTY CLAY LOAMS, 3 TO 7 PERCENT SLOPES, ERODED	71	JWCH
JWHF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	183	JWHF
JWND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	JWND
LA	LANCASTER-ARMO LOAMS, 3 TO 7 PERCENT SLOPES	149	LA
LC	LANCASTER-HEDVILLE COMPLEX, 3 TO 20 PERCENT SLOPES	64	LC
LCGH	GEARY-LANCASTER COMPLEX, 5 TO 10 PERCENT SLOPES	129	LCGH
LCHC	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	196	LCHC
LCHF	HARNEY-WAKEEN COMPLEX, 2 TO 7 PERCENT SLOPES	133	LCHF
LCNC	NEW CAMBRIA SILTY CLAY LOAM, OCCASIONALLY FLOODED	172	LCNC
MA	MCCOOK SILT LOAM, RARELY FLOODED	198	MA
MB	MCCOOK SILT LOAM, OCCASIONALLY FLOODED	172	MB
NA	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	188	NA
NB	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	90	NB
NC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	10	NC
OBAX	ARMO-BOGUE COMPLEX, 7 TO 20 PERCENT SLOPES	76	OBAX
OBHN	HARNEY-NUCKOLLS COMPLEX, 3 TO 8 PERCENT SLOPES	193	OBHN
OTGF	GEARY SILT LOAM, 3 TO 6 PERCENT SLOPES	219	OTGF
OTHA	HARNEY SILT LOAM, 2 TO 7 PERCENT SLOPES	206	OTHA
OTLA	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	126	OTLA
RA	ROXBURY SILT LOAM, RARELY FLOODED	206	RA
RB	ROXBURY SILT LOAM, CHANNELED	127	RB
RC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	185	RC
RD	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	176	RD
SA	SALTINE SILT LOAM, FREQUENTLY FLOODED	56	SA
TA	TIMKEN CLAY, 3 TO 20 PERCENT SLOPES	10	TA
TB	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	196	TB
WA	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	10	WA
WST	WASTE	10	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>OSBORNE COUNTY (Page 1 of 2)</b>							
AA	ALLUVIAL LAND, LOAMY	89	144	93	46	<b>46</b>	AA
AB	HUMBARGER LOAM, FREQUENTLY FLOODED	85	133	<b>85</b>	46	<b>46</b>	AB
AR	ARMO SILT LOAM, 3 TO 7 PERCENT SLOPES	115	246	195	33	<b>33</b>	AR
ARM	ARMO LOAM, 3 TO 7 PERCENT SLOPES	110	246	195	33	<b>33</b>	ARM
AS	ARMO SILT LOAM, 3 TO 7 PERCENT SLOPES, ERODED	88	190	139	33	<b>33</b>	AS
AX	ARMO-BOGUE COMPLEX, 7 TO 20 PERCENT SLOPES	55	109	59	33	<b>33</b>	AX
BO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	<b>10</b>	119	69	21	<b>21</b>	BO
BW	BROWNELL-WAKEEN COMPLEX, 8 TO 20 PERCENT SLOPES	<b>10</b>	68	17	33	<b>33</b>	BW
CO	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	24	106	55	33	<b>33</b>	CO
CR	CORINTH SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	<b>10</b>	69	18	33	<b>33</b>	CR
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	161	323	272	59	<b>59</b>	DE
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	162	289	238	33	<b>33</b>	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	154	270	219	33	<b>33</b>	HB
HC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	142	232	182	33	<b>33</b>	HC
HCC	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	140	232	182	33	<b>33</b>	HCC
HD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	112	179	128	33	<b>33</b>	HD
HE	HARNEY-MENTO COMPLEX, 1 TO 3 PERCENT SLOPES	137	264	213	33	<b>33</b>	HE
HM	HARNEY-MENTO COMPLEX, 3 TO 7 PERCENT SLOPES	127	232	182	33	<b>33</b>	HM
HMM	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	127	232	182	33	<b>33</b>	HMM
HN	HARNEY-NUCKOLLS COMPLEX, 3 TO 8 PERCENT SLOPES	140	234	183	33	<b>33</b>	HN
HX	HEIZER-BROWNELL COMPLEX, 7 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	21	<b>21</b>	HX
HZ	HORD SILT LOAM, RARELY FLOODED	182	328	277	46	<b>46</b>	HZ
IN	INAVALE LOAMY FINE SAND, 5 TO 16 PERCENT SLOPES, RARELY FLOODED	19	141	90	33	<b>33</b>	IN
MA	MCCOOK SILT LOAM, RARELY FLOODED	135	307	256	46	<b>46</b>	MA
MC	MUNJOR-MCCOOK COMPLEX, OCCASIONALLY FLOODED	88	246	196	46	<b>46</b>	MC
MCMB	MCCOOK SILT LOAM, OCCASIONALLY FLOODED	108	246	196	46	<b>46</b>	MCMB
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	104	296	245	46	<b>46</b>	NC
ND	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	65	125	75	46	<b>46</b>	ND

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>OSBORNE COUNTY (Page 2 of 2)</b>							
NX	NIBSON COMPLEX, 8 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	NX
RO	ROXBURY SILT LOAM, RARELY FLOODED	141	317	267	46	<b>46</b>	RO
ROHM	HEIZER-BROWNELL GRAVELLY LOAMS, 5 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	21	<b>21</b>	ROHM
ROO	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	142	294	243	46	<b>46</b>	ROO
ROUR	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	136	239	189	33	<b>33</b>	ROUR
ROWX	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	ROWX
RP	ROXBURY SILT LOAM, CHANNELED	92	218	168	46	<b>46</b>	RP
RR	ROXBURY COMPLEX, RARELY FLOODED	141	317	267	46	<b>46</b>	RR
RSAG	ARMO LOAM, 7 TO 15 PERCENT SLOPES	104	194	144	33	<b>33</b>	RSAG
RSNS	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	RSNS
SMAR	ARMO LOAM, 2 TO 7 PERCENT SLOPES	117	246	195	33	<b>33</b>	SMAR
SMMM	MCCOOK-MUNJOR COMPLEX, OCCASIONALLY FLOODED	96	246	196	46	<b>46</b>	SMMM
SMND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	126	198	148	33	<b>33</b>	SMND
SMRP	ROXBURY SILT LOAM, FREQUENTLY FLOODED	92	133	<b>92</b>	46	<b>46</b>	SMRP
SMRR	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	139	317	267	46	<b>46</b>	SMRR
SMWD	WAKEEN COMPLEX, 5 TO 20 PERCENT SLOPES	<b>10</b>	73	23	33	<b>33</b>	SMWD
TB	TIMKEN-BOGUE CLAYS, 8 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	21	<b>21</b>	TB
TM	TIMKEN-SHALE OUTCROP COMPLEX, 8 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	21	<b>21</b>	TM
TR	TOBIN AND ROXBURY SILT LOAMS, OCCASIONALLY FLOODED	144	294	243	46	<b>46</b>	TR
WCC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	24	209	159	33	<b>33</b>	WCC
WM	WAKEEN-MENTO COMPLEX, 3 TO 8 PERCENT SLOPES	55	199	148	33	<b>33</b>	WM
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>OSBORNE COUNTY</b>			
AA	ALLUVIAL LAND, LOAMY	<b>89</b>	AA
AB	HUMBARGER LOAM, FREQUENTLY FLOODED	<b>85</b>	AB
AR	ARMO SILT LOAM, 3 TO 7 PERCENT SLOPES	129	AR
ARM	ARMO LOAM, 3 TO 7 PERCENT SLOPES	129	ARM
AS	ARMO SILT LOAM, 3 TO 7 PERCENT SLOPES, ERODED	<b>88</b>	AS
AX	ARMO-BOGUE COMPLEX, 7 TO 20 PERCENT SLOPES	<b>55</b>	AX
BO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	<b>10</b>	BO
BW	BROWNELL-WAKEEN COMPLEX, 8 TO 20 PERCENT SLOPES	<b>10</b>	BW
CO	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	<b>24</b>	CO
CR	CORINTH SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	<b>10</b>	CR
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	206	DE
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	173	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	<b>154</b>	HB
HC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	<b>142</b>	HC
HCC	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	<b>140</b>	HCC
HD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	<b>112</b>	HD
HE	HARNEY-MENTO COMPLEX, 1 TO 3 PERCENT SLOPES	147	HE
HM	HARNEY-MENTO COMPLEX, 3 TO 7 PERCENT SLOPES	<b>127</b>	HM
HMM	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	<b>127</b>	HMM
HN	HARNEY-NUCKOLLS COMPLEX, 3 TO 8 PERCENT SLOPES	<b>140</b>	HN
HX	HEIZER-BROWNELL COMPLEX, 7 TO 30 PERCENT SLOPES	<b>10</b>	HX
HZ	HORD SILT LOAM, RARELY FLOODED	211	HZ
IN	INAVALE LOAMY FINE SAND, 5 TO 16 PERCENT SLOPES, RARELY FLOODED	25	IN
MA	MCCOOK SILT LOAM, RARELY FLOODED	190	MA
MC	MUNJOR-MCCOOK COMPLEX, OCCASIONALLY FLOODED	130	MC
MCMB	MCCOOK SILT LOAM, OCCASIONALLY FLOODED	130	MCMB
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	180	NC
ND	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	<b>65</b>	ND
NX	NIBSON COMPLEX, 8 TO 20 PERCENT SLOPES	<b>10</b>	NX
RO	ROXBURY SILT LOAM, RARELY FLOODED	201	RO
ROHM	HEIZER-BROWNELL GRAVELLY LOAMS, 5 TO 30 PERCENT SLOPES	<b>10</b>	ROHM
ROO	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	177	ROO
ROUR	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	<b>136</b>	ROUR
ROWX	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	<b>10</b>	ROWX
RP	ROXBURY SILT LOAM, CHANNELED	102	RP
RR	ROXBURY COMPLEX, RARELY FLOODED	201	RR
RSAG	ARMO LOAM, 7 TO 15 PERCENT SLOPES	<b>104</b>	RSAG
RSNS	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	<b>10</b>	RSNS
SMAR	ARMO LOAM, 2 TO 7 PERCENT SLOPES	129	SMAR
SMMM	MCCOOK-MUNJOR COMPLEX, OCCASIONALLY FLOODED	130	SMMM
SMND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	<b>126</b>	SMND
SMRP	ROXBURY SILT LOAM, FREQUENTLY FLOODED	<b>92</b>	SMRP
SMRR	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	201	SMRR
SMWD	WAKEEN COMPLEX, 5 TO 20 PERCENT SLOPES	<b>10</b>	SMWD
TB	TIMKEN-BOGUE CLAYS, 8 TO 30 PERCENT SLOPES	<b>10</b>	TB
TM	TIMKEN-SHALE OUTCROP COMPLEX, 8 TO 30 PERCENT SLOPES	<b>10</b>	TM
TR	TOBIN AND ROXBURY SILT LOAMS, OCCASIONALLY FLOODED	177	TR
WCC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	93	WCC
WM	WAKEEN-MENTO COMPLEX, 3 TO 8 PERCENT SLOPES	83	WM
WST	WASTE	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>OTTAWA COUNTY (Page 1 of 2)</b>							
AM	ARMO LOAM, 3 TO 7 PERCENT SLOPES	157	251	200	59	<b>59</b>	AM
AR	ARMO SILT LOAM, 3 TO 8 PERCENT SLOPES	149	246	194	59	<b>59</b>	AR
CA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	64	310	258	72	<b>72</b>	CA
CR	CRETE SILT LOAM, 0 TO 2 PERCENT SLOPES	223	307	255	59	<b>59</b>	CR
CS	CRETE SILT LOAM, 2 TO 5 PERCENT SLOPES	215	275	224	59	<b>59</b>	CS
CSS	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	217	285	234	59	<b>59</b>	CSS
CT	CRETE SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES, ERODED	178	198	<b>178</b>	59	<b>59</b>	CT
CYLH	LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	66	<b>66</b>	<b>66</b>	41	<b>41</b>	CYLH
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	242	330	279	72	<b>72</b>	DE
DKCF	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	226	297	245	46	<b>46</b>	DKCF
DKCG	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	206	260	208	46	<b>46</b>	DKCG
ED	EDALGO SILT LOAM, 3 TO 7 PERCENT SLOPES	99	192	140	59	<b>59</b>	ED
EE	EDALGO-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	21	<b>21</b>	<b>21</b>	53	<b>53</b>	EE
ES	ELS LOAMY SAND, RARELY FLOODED	68	263	212	72	<b>72</b>	ES
GE	GEARY SILT LOAM, 1 TO 3 PERCENT SLOPES	254	309	257	59	<b>59</b>	GE
GF	GEARY SILT LOAM, 3 TO 6 PERCENT SLOPES	236	266	<b>236</b>	59	<b>59</b>	GF
GG	GEARY SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	208	<b>208</b>	<b>208</b>	59	<b>59</b>	GG
HA	HARNEY SILT LOAM, 2 TO 7 PERCENT SLOPES	214	236	<b>214</b>	59	<b>59</b>	HA
HB	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	164	182	<b>164</b>	59	<b>59</b>	HB
HE	HEDVILLE-ROCK OUTCROP COMPLEX, 5 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	34	<b>34</b>	HE
HN	HOBBS SILT LOAM, OCCASIONALLY FLOODED	247	268	<b>247</b>	59	<b>59</b>	HN
HNN	HOBBS SILT LOAM, CHANNELED	171	<b>171</b>	<b>171</b>	72	<b>72</b>	HNN
HO	HOBBS SILT LOAM, FREQUENTLY FLOODED	157	<b>157</b>	<b>157</b>	72	<b>72</b>	HO
HP	HOBBS-GEARY SILT LOAMS, 0 TO 15 PERCENT SLOPES	174	<b>174</b>	<b>174</b>	59	<b>59</b>	HP
HR	HORD SILT LOAM, RARELY FLOODED	256	355	303	72	<b>72</b>	HR
KP	KIPSON SOILS, 5 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	59	<b>59</b>	KP
LA	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	126	194	142	59	<b>59</b>	LA
LCNC	NEW CAMBRIA SILTY CLAY LOAM, OCCASIONALLY FLOODED	170	296	245	59	<b>59</b>	LCNC

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>OTTAWA COUNTY (Page 2 of 2)</b>							
LH	LANCASTER-HEDVILLE COMPLEX, 3 TO 20 PERCENT SLOPES	40	<b>40</b>	<b>40</b>	53	<b>53</b>	LH
MC	MCCOOK SILT LOAM, RARELY FLOODED	213	317	265	72	<b>72</b>	MC
MCNC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	59	<b>59</b>	MCNC
MD	MCCOOK SOILS, OCCASIONALLY FLOODED	194	285	234	72	<b>72</b>	MD
MU	MUIR SILT LOAM, RARELY FLOODED	264	329	277	72	<b>72</b>	MU
NC	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	173	312	260	59	<b>59</b>	NC
PR	PRATT LOAMY SAND, 5 TO 12 PERCENT SLOPES	81	167	115	59	<b>59</b>	PR
RO	ROXBURY SILT LOAM, CHANNELED	151	<b>151</b>	<b>151</b>	72	<b>72</b>	RO
RX	ROXBURY SILT LOAM, RARELY FLOODED	219	330	279	72	<b>72</b>	RX
SAED	EDALGO CLAY LOAM, 3 TO 7 PERCENT SLOPES	96	192	140	59	<b>59</b>	SAED
SANE	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	165	312	260	59	<b>59</b>	SANE
SD	SUTPHEN SILTY CLAY, OCCASIONALLY FLOODED	169	279	227	72	<b>72</b>	SD
TO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	222	294	242	59	<b>59</b>	TO
WA	WELLS SANDY LOAM, 2 TO 5 PERCENT SLOPES	229	294	242	59	<b>59</b>	WA
WE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	226	266	<b>226</b>	59	<b>59</b>	WE
WF	WELLS LOAM, 3 TO 7 PERCENT SLOPES, ERODED	191	206	<b>191</b>	59	<b>59</b>	WF
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>PHILLIPS COUNTY (Page 1 of 2)</b>							
AM	ANSELMO FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	106	271	220	34	<b>34</b>	AM
AN	ANSELMO FINE SANDY LOAM, 3 TO 7 PERCENT SLOPES	96	233	182	34	<b>34</b>	AN
AR	ARMO LOAM, 2 TO 6 PERCENT SLOPES	120	262	210	34	<b>34</b>	AR
BO	BOGUE SILTY CLAY, 6 TO 12 PERCENT SLOPES	15	121	70	21	<b>21</b>	BO
BR	BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	142	326	274	47	<b>47</b>	BR
BW	BROWNELL-HEIZER GRAVELLY LOAMS, 7 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	34	<b>34</b>	BW
CC	CAMPUS-CANLON LOAMS, 5 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	34	<b>34</b>	CC
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	171	338	287	47	<b>47</b>	DE
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	158	294	242	34	<b>34</b>	HA
HB	HOBBS SILT LOAM, CHANNELED	92	<b>92</b>	<b>92</b>	47	<b>47</b>	HB
HG	HOBBS SILT LOAM, OCCASIONALLY FLOODED	151	268	216	47	<b>47</b>	HG
HN	HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES	161	310	258	34	<b>34</b>	HN
HO	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	155	287	236	34	<b>34</b>	HO
HW	HORD SILT LOAM, RARELY FLOODED	183	328	276	47	<b>47</b>	HW
IN	INAVALE LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	45	231	180	47	<b>47</b>	IN
IP	INAVALE LOAMY FINE SAND, 3 TO 7 PERCENT SLOPES, RARELY FLOODED	25	166	115	34	<b>34</b>	IP
MK	MCCOOK SILT LOAM, RARELY FLOODED	136	312	260	47	<b>47</b>	MK
MU	MUNJOR SANDY LOAM, OCCASIONALLY FLOODED	79	229	177	47	<b>47</b>	MU
NTCO	COLY AND ULY SILT LOAMS, 6 TO 10 PERCENT SLOPES, ERODED	88	169	118	34	<b>34</b>	NTCO
NTHR	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES, ERODED	137	272	220	34	<b>34</b>	NTHR
NTMU	MUNJOR COMPLEX, OCCASIONALLY FLOODED	79	229	177	47	<b>47</b>	NTMU
NTUC	ULY COMPLEX, 10 TO 20 PERCENT SLOPES	85	<b>85</b>	<b>85</b>	34	<b>34</b>	NTUC
PE	PENDEN LOAM, 2 TO 6 PERCENT SLOPES	59	248	197	34	<b>34</b>	PE
RO	ROXBURY SILT LOAM, RARELY FLOODED	145	322	271	47	<b>47</b>	RO
ROHS	HOLDREGE SILT LOAM, 3 TO 6 PERCENT SLOPES	147	267	215	34	<b>34</b>	ROHS
RP	ROXBURY SILT LOAM, CHANNELED	92	229	177	47	<b>47</b>	RP
RS	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	143	299	247	47	<b>47</b>	RS
RV	VODA SILTY CLAY, FREQUENTLY FLOODED	51	<b>51</b>	<b>51</b>	47	<b>47</b>	RV

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>PHILLIPS COUNTY (Page 2 of 2)</b>							
SMHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	159	287	236	34	<b>34</b>	SMHB
SMHC	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	145	267	215	34	<b>34</b>	SMHC
SMHF	HOLDREGE SILT LOAM, 3 TO 7 PERCENT SLOPES	153	267	215	34	<b>34</b>	SMHF
SMND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	104	129	<b>104</b>	34	<b>34</b>	SMND
SMRR	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	126	272	221	34	<b>34</b>	SMRR
SMUH	ULY-HOLDREGE SILT LOAMS, 7 TO 12 PERCENT SLOPES	127	192	141	34	<b>34</b>	SMUH
SMUR	ULY-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	87	<b>87</b>	<b>87</b>	34	<b>34</b>	SMUR
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	145	255	203	34	<b>34</b>	UC
UD	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES	131	208	156	34	<b>34</b>	UD
UE	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES, ERODED	100	148	<b>100</b>	34	<b>34</b>	UE
UH	ULY SILT LOAM, 10 TO 20 PERCENT SLOPES	89	<b>89</b>	<b>89</b>	34	<b>34</b>	UH
UP	ULY-PENDEN COMPLEX, 7 TO 20 PERCENT SLOPES	64	108	<b>64</b>	34	<b>34</b>	UP
VE	VALENTINE LOAMY FINE SAND, 5 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	34	<b>34</b>	VE
WK	WAKEEN-NIBSON COMPLEX, 7 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	34	<b>34</b>	WK
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>PHILLIPS COUNTY</b>			
AM	ANSELMO FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	153	AM
AN	ANSELMO FINE SANDY LOAM, 3 TO 7 PERCENT SLOPES	115	AN
AR	ARMO LOAM, 2 TO 6 PERCENT SLOPES	143	AR
BO	BOGUE SILTY CLAY, 6 TO 12 PERCENT SLOPES	<b>15</b>	BO
BR	BRIDGEPORT SILT LOAM, 0 TO 2 PERCENT SLOPES	207	BR
BW	BROWNELL-HEIZER GRAVELLY LOAMS, 7 TO 20 PERCENT SLOPES	<b>10</b>	BW
CC	CAMPUS-CANLON LOAMS, 5 TO 20 PERCENT SLOPES	<b>10</b>	CC
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	220	DE
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	175	HA
HB	HOBBS SILT LOAM, CHANNELED	<b>92</b>	HB
HG	HOBBS SILT LOAM, OCCASIONALLY FLOODED	<b>151</b>	HG
HN	HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES	191	HN
HO	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	169	HO
HW	HORD SILT LOAM, RARELY FLOODED	209	HW
IN	INAVALE LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	113	IN
IP	INAVALE LOAMY FINE SAND, 3 TO 7 PERCENT SLOPES, RARELY FLOODED	48	IP
MK	MCCOOK SILT LOAM, RARELY FLOODED	193	MK
MU	MUNJOR SANDY LOAM, OCCASIONALLY FLOODED	110	MU
NTCO	COLY AND ULY SILT LOAMS, 6 TO 10 PERCENT SLOPES, ERODED	<b>88</b>	NTCO
NTHR	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES, ERODED	154	NTHR
NTMU	MUNJOR COMPLEX, OCCASIONALLY FLOODED	110	NTMU
NTUC	ULY COMPLEX, 10 TO 20 PERCENT SLOPES	<b>85</b>	NTUC
PE	PENDEN LOAM, 2 TO 6 PERCENT SLOPES	130	PE
RO	ROXBURY SILT LOAM, RARELY FLOODED	204	RO
ROHS	HOLDREGE SILT LOAM, 3 TO 6 PERCENT SLOPES	148	ROHS
RP	ROXBURY SILT LOAM, CHANNELED	110	RP
RS	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	180	RS
RV	VODA SILTY CLAY, FREQUENTLY FLOODED	<b>51</b>	RV
SMHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	169	SMHB
SMHC	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	148	SMHC
SMHF	HOLDREGE SILT LOAM, 3 TO 7 PERCENT SLOPES	<b>153</b>	SMHF
SMND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	<b>104</b>	SMND
SMRR	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	154	SMRR
SMUH	ULY-HOLDREGE SILT LOAMS, 7 TO 12 PERCENT SLOPES	<b>127</b>	SMUH
SMUR	ULY-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	<b>87</b>	SMUR
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	<b>145</b>	UC
UD	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES	<b>131</b>	UD
UE	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES, ERODED	<b>100</b>	UE
UH	ULY SILT LOAM, 10 TO 20 PERCENT SLOPES	<b>89</b>	UH
UP	ULY-PENDEN COMPLEX, 7 TO 20 PERCENT SLOPES	<b>64</b>	UP
VE	VALENTINE LOAMY FINE SAND, 5 TO 20 PERCENT SLOPES	<b>10</b>	VE
WK	WAKEEN-NIBSON COMPLEX, 7 TO 20 PERCENT SLOPES	<b>10</b>	WK
WST	WASTE	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>REPUBLIC COUNTY (Page 1 of 3)</b>							
BK	GEARY-HOBBS SILT LOAMS, 0 TO 30 PERCENT SLOPES	156	<b>156</b>	<b>156</b>	72	<b>72</b>	BK
BU	BUTLER SILT LOAM, 0 TO 1 PERCENT SLOPES	231	288	237	59	<b>59</b>	BU
CA	COZAD-CASS SOILS, OCCASIONALLY FLOODED	152	189	<b>152</b>	72	<b>72</b>	CA
CDAA	HOBBS SILT LOAM, FREQUENTLY FLOODED	197	<b>197</b>	<b>197</b>	72	<b>72</b>	CDAA
CDAR	ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES	167	256	204	59	<b>59</b>	CDAR
CDBA	HASTINGS-HOBBS COMPLEX, 0 TO 25 PERCENT SLOPES	159	<b>159</b>	<b>159</b>	72	<b>72</b>	CDBA
CDCT	CRETE SILT LOAM, 3 TO 6 PERCENT SLOPES	195	263	212	59	<b>59</b>	CDCT
CDGE	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	231	261	<b>231</b>	59	<b>59</b>	CDGE
CDGS	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	193	<b>193</b>	<b>193</b>	59	<b>59</b>	CDGS
CDLH	LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	54	<b>54</b>	<b>54</b>	53	<b>53</b>	CDLH
CDLN	LONGFORD SILT LOAM, 3 TO 7 PERCENT SLOPES	231	261	<b>231</b>	59	<b>59</b>	CDLN
CDSA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	56	164	112	72	<b>72</b>	CDSA
CDTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	228	259	<b>228</b>	72	<b>72</b>	CDTO
CE	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	221	301	250	59	<b>59</b>	CE
CF	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	207	279	228	59	<b>59</b>	CF
CH	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	206	253	<b>206</b>	59	<b>59</b>	CH
CR	CRETE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	183	228	<b>183</b>	59	<b>59</b>	CR
DT	DETROIT SILTY CLAY LOAM, RARELY FLOODED	248	335	284	72	<b>72</b>	DT
EA	ENGLUND SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	115	<b>115</b>	<b>115</b>	59	<b>59</b>	EA
ED	EUDORA LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	274	352	301	72	<b>72</b>	ED
EU	EUDORA LOAM, 2 TO 8 PERCENT SLOPES, RARELY FLOODED	233	293	242	72	<b>72</b>	EU
GC	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	237	261	<b>237</b>	59	<b>59</b>	GC
GR	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	193	<b>193</b>	<b>193</b>	59	<b>59</b>	GR
HA	HASTINGS SILT LOAM, 0 TO 1 PERCENT SLOPES	264	325	274	59	<b>59</b>	HA
HB	HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES	259	309	<b>259</b>	59	<b>59</b>	HB
HC	HASTINGS SILT LOAM, 3 TO 7 PERCENT SLOPES	246	266	<b>246</b>	59	<b>59</b>	HC
HD	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	209	<b>209</b>	<b>209</b>	59	<b>59</b>	HD
HE	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	199	<b>199</b>	<b>199</b>	59	<b>59</b>	HE

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
<b>REPUBLIC COUNTY (Page 2 of 3)</b>							
HF	HASTINGS-ORTELLO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES, ERODED	219	233	<b>219</b>	59	<b>59</b>	HF
HO	HASTINGS-ORTELLO FINE SANDY LOAMS, 4 TO 8 PERCENT SLOPES, ERODED	197	215	<b>197</b>	59	<b>59</b>	HO
HP	HASTINGS-HOBBS COMPLEX, 0 TO 8 PERCENT SLOPES	213	216	<b>213</b>	72	<b>72</b>	HP
HS	HOBBS SILT LOAM, OCCASIONALLY FLOODED	228	259	<b>228</b>	72	<b>72</b>	HS
HT	HUMBARGER CLAY LOAM, OCCASIONALLY FLOODED	172	249	198	72	<b>72</b>	HT
HU	HUMBARGER LOAM, OCCASIONALLY FLOODED	176	249	198	72	<b>72</b>	HU
JWAR	ARMO LOAM, 3 TO 7 PERCENT SLOPES	178	261	210	59	<b>59</b>	JWAR
JWBA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	38	58	<b>38</b>	59	<b>59</b>	JWBA
JWBB	BOGUE-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	59	<b>59</b>	JWBB
JWGN	GIBBON SILTY CLAY LOAM, OCCASIONALLY FLOODED	115	<b>115</b>	<b>115</b>	72	<b>72</b>	JWGN
JWHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	248	309	258	59	<b>59</b>	JWHB
JWHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	235	266	<b>235</b>	59	<b>59</b>	JWHC
JWHF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	186	207	<b>186</b>	59	<b>59</b>	JWHF
JWHS	ERODED	198	199	<b>198</b>	59	<b>59</b>	JWHS
JWHU	HORD SILT LOAM, RARELY FLOODED	281	351	300	72	<b>72</b>	JWHU
JWMC	MCCOOK SILT LOAM, RARELY FLOODED	201	295	244	72	<b>72</b>	JWMC
JWNC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	181	340	289	72	<b>72</b>	JWNC
JWND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	46	<b>46</b>	JWND
JWNR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	136	<b>136</b>	<b>136</b>	72	<b>72</b>	JWNR
JWRB	ROXBURY SILT LOAM, CHANNELED	128	<b>128</b>	<b>128</b>	72	<b>72</b>	JWRB
JWRC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	217	290	239	72	<b>72</b>	JWRC
KE	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES	203	210	<b>203</b>	59	<b>59</b>	KE
KN	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES, ERODED	160	<b>160</b>	<b>160</b>	59	<b>59</b>	KN
KP	KIPSON SOILS, 11 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	46	<b>46</b>	KP
LA	WELLS LOAM, 4 TO 8 PERCENT SLOPES	225	252	<b>225</b>	59	<b>59</b>	LA
LC	WELLS LOAM, 4 TO 8 PERCENT SLOPES, ERODED	188	199	<b>188</b>	59	<b>59</b>	LC
LH	LANCASTER-HEDVILLE LOAMS, 5 TO 25 PERCENT SLOPES	57	<b>57</b>	<b>57</b>	53	<b>53</b>	LH
LOO	LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	184	197	<b>184</b>	59	<b>59</b>	LOO

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>REPUBLIC COUNTY (Page 3 of 3)</b>							
MR	MUIR SILT LOAM, 0 TO 1 PERCENT SLOPES	284	346	295	72	<b>72</b>	MR
MU	MUIR SILT LOAM, 3 TO 7 PERCENT SLOPES, ERODED	240	247	<b>240</b>	72	<b>72</b>	MU
RO	COLY SILT LOAM, 25 TO 40 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	59	<b>59</b>	RO
SA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	56	164	112	72	<b>72</b>	SA
SD	INAVALE LOAMY SAND, 3 TO 12 PERCENT SLOPES	46	175	124	59	<b>59</b>	SD
TU	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	221	263	<b>221</b>	59	<b>59</b>	TU
TY	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES, ERODED	178	225	<b>178</b>	59	<b>59</b>	TY
WA	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	26	<b>26</b>	<b>26</b>	72	<b>72</b>	WA
WSCS	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	235	284	<b>235</b>	59	<b>59</b>	WSCS
WSKP	KIPSON SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	46	<b>46</b>	WSKP
WSLC	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	155	226	175	59	<b>59</b>	WSLC
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST
WSTY	TULLY SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	210	242	<b>210</b>	59	<b>59</b>	WSTY
WSWE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	205	220	<b>205</b>	59	<b>59</b>	WSWE

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Bostwick Irrigated Land \$/Acre	Symbol
<b>REPUBLIC COUNTY (Page 1 of 2)</b>			
BK	GEARY-HOBBS SILT LOAMS, 0 TO 30 PERCENT SLOPES	156	BK
BU	BUTLER SILT LOAM, 0 TO 1 PERCENT SLOPES	231	BU
CA	COZAD-CASS SOILS, OCCASIONALLY FLOODED	152	CA
CDA	HOBBS SILT LOAM, FREQUENTLY FLOODED	197	CDA
CDAR	ARMO SILT LOAM, 2 TO 7 PERCENT SLOPES	168	CDAR
CDBA	HASTINGS-HOBBS COMPLEX, 0 TO 25 PERCENT SLOPES	159	CDBA
CDCT	CRETE SILT LOAM, 3 TO 6 PERCENT SLOPES	195	CDCT
CDGE	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	231	CDGE
CDGS	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	193	CDGS
CDLH	LANCASTER-HEDVILLE COMPLEX, 5 TO 30 PERCENT SLOPES	54	CDLH
CDLN	LONGFORD SILT LOAM, 3 TO 7 PERCENT SLOPES	231	CDLN
CDSA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	56	CDSA
CDTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	228	CDTO
CE	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	221	CE
CF	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	207	CF
CH	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	206	CH
CR	CRETE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	183	CR
DT	DETROIT SILTY CLAY LOAM, RARELY FLOODED	271	DT
EA	ENGLUND SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	115	EA
ED	EUDORA LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	292	ED
EU	EUDORA LOAM, 2 TO 8 PERCENT SLOPES, RARELY FLOODED	233	EU
GC	GEARY SILT LOAM, 3 TO 7 PERCENT SLOPES	237	GC
GR	GEARY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	193	GR
HA	HASTINGS SILT LOAM, 0 TO 1 PERCENT SLOPES	264	HA
HB	HASTINGS SILT LOAM, 1 TO 3 PERCENT SLOPES	259	HB
HC	HASTINGS SILT LOAM, 3 TO 7 PERCENT SLOPES	246	HC
HD	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	209	HD
HE	HASTINGS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, SEVERELY ERODED	199	HE
HF	HASTINGS-ORTELLO FINE SANDY LOAMS, 1 TO 4 PERCENT SLOPES, ERODED	219	HF
HO	HASTINGS-ORTELLO FINE SANDY LOAMS, 4 TO 8 PERCENT SLOPES, ERODED	197	HO
HP	HASTINGS-HOBBS COMPLEX, 0 TO 8 PERCENT SLOPES	213	HP
HS	HOBBS SILT LOAM, OCCASIONALLY FLOODED	228	HS
HT	HUMBARGER CLAY LOAM, OCCASIONALLY FLOODED	175	HT
HU	HUMBARGER LOAM, OCCASIONALLY FLOODED	176	HU
JWAR	ARMO LOAM, 3 TO 7 PERCENT SLOPES	178	JWAR
JWBA	BOGUE-ARMO COMPLEX, 3 TO 15 PERCENT SLOPES	38	JWBA
JWBB	BOGUE-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	10	JWBB
JWGN	GIBBON SILTY CLAY LOAM, OCCASIONALLY FLOODED	115	JWGN
JWHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	248	JWHB
JWHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	235	JWHC
JWHF	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	186	JWHF
JWHS	HOLDREGE AND GEARY SILTY CLAY LOAMS, 6 TO 11 PERCENT SLOPES, ERODED	198	JWHS
JWHU	HORD SILT LOAM, RARELY FLOODED	292	JWHU
JWMC	MCCOOK SILT LOAM, RARELY FLOODED	221	JWMC
JWNC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	223	JWNC
JWND	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	JWND
JWNR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	136	JWNR

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Bostwick Irrigated Land \$/Acre	Symbol
<b>REPUBLIC COUNTY (Page 2 of 2)</b>			
JWRB	ROXBURY SILT LOAM, CHANNELED	128	JWRB
JWRC	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	221	JWRC
KE	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES	203	KE
KN	KENESAW SILT LOAM, 5 TO 12 PERCENT SLOPES, ERODED	160	KN
KP	KIPSON SOILS, 11 TO 30 PERCENT SLOPES	10	KP
LA	WELLS LOAM, 4 TO 8 PERCENT SLOPES	225	LA
LC	WELLS LOAM, 4 TO 8 PERCENT SLOPES, ERODED	188	LC
LH	LANCASTER-HEDVILLE LOAMS, 5 TO 25 PERCENT SLOPES	57	LH
LOO	LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	184	LOO
MR	MUIR SILT LOAM, 0 TO 1 PERCENT SLOPES	287	MR
MU	MUIR SILT LOAM, 3 TO 7 PERCENT SLOPES, ERODED	240	MU
RO	COLY SILT LOAM, 25 TO 40 PERCENT SLOPES	10	RO
SA	INAVALE LOAMY SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	56	SA
SD	INAVALE LOAMY SAND, 3 TO 12 PERCENT SLOPES	58	SD
TU	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	221	TU
TY	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES, ERODED	178	TY
WA	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	26	WA
WSCS	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	235	WSCS
WSKP	KIPSON SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES	10	WSKP
WSLC	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	155	WSLC
WST	WASTE	10	WST
WSTY	TULLY SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	210	WSTY
WSWE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	205	WSWE

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>ROOKS COUNTY (Page 1 of 3)</b>							
2100	Boel fine sandy loam, occasionally flooded	33	223	172	34	<b>34</b>	2100
2107	Inavale fine sand, channeled, occasionally flooded	<b>10</b>	191	140	34	<b>34</b>	2107
2113	Inavale loamy sand, occasionally flooded	19	251	201	34	<b>34</b>	2113
2114	Inavale sand, channeled	17	231	180	34	<b>34</b>	2114
2202	Munjor sandy loam, occasionally flooded	38	228	178	34	<b>34</b>	2202
2205	Munjor-McCook complex, occasionally flooded	39	228	178	34	<b>34</b>	2205
2236	Roxbury silt loam, occasionally flooded	84	295	244	34	<b>34</b>	2236
2264	Tobin and Roxbury silt loams, occasionally flooded	85	295	244	34	<b>34</b>	2264
2330	Inavale fine sand, rarely flooded	<b>10</b>	121	70	34	<b>34</b>	2330
2331	Inavale loamy fine sand, rarely flooded	20	255	204	34	<b>34</b>	2331
2347	McCook silt loam, rarely flooded	81	310	259	34	<b>34</b>	2347
2365	New Cambria silty clay loam, rarely flooded	68	308	257	34	<b>34</b>	2365
2366	New Cambria silty clay, rarely flooded	67	308	257	34	<b>34</b>	2366
2375	Roxbury silt loam, rarely flooded	86	321	270	34	<b>34</b>	2375
2510	Anselmo fine sandy loam, 1 to 3 percent slopes	63	262	212	34	<b>34</b>	2510
2511	Anselmo fine sandy loam, 3 to 7 percent slopes	46	219	168	34	<b>34</b>	2511
2513	Anselmo sandy loam, 3 to 7 percent slopes	46	222	171	34	<b>34</b>	2513
2518	Armo loam, 1 to 3 percent slopes	76	286	236	34	<b>34</b>	2518
2519	Armo loam, 3 to 7 percent slopes	65	246	195	34	<b>34</b>	2519
2520	Armo loam, 3 to 7 percent slopes, eroded	64	242	191	34	<b>34</b>	2520
2521	Armo loam, 7 to 15 percent slopes	25	117	66	34	<b>34</b>	2521
2524	Armo-Bogue complex, 7 to 20 percent slopes	21	116	65	34	<b>34</b>	2524
2537	Bogue clay, 3 to 8 percent slopes	19	97	46	34	<b>34</b>	2537
2540	Bogue-Armo complex, 5 to 25 percent slopes	19	97	46	34	<b>34</b>	2540
2546	Brownell gravelly loam, 2 to 10 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	2546
2549	Brownell-Wakeen complex, 8 to 20 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	2549

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
<b>ROOKS COUNTY (Page 2 of 3)</b>							
2558	Campus loam, 3 to 5 percent slopes	<b>10</b>	157	107	34	<b>34</b>	2558
2560	Campus-Anselmo complex, 5 to 15 percent slopes	<b>10</b>	131	80	34	<b>34</b>	2560
2574	Carlson silt loam, 1 to 3 percent slopes	85	270	220	34	<b>34</b>	2574
2605	Eltree silt loam, 1 to 3 percent slopes	77	300	249	34	<b>34</b>	2605
2606	Eltree silt loam, 3 to 7 percent slopes	77	295	245	34	<b>34</b>	2606
2612	Harney silt loam, 0 to 1 percent slopes	96	290	239	34	<b>34</b>	2612
2613	Harney silt loam, 1 to 3 percent slopes	93	270	220	34	<b>34</b>	2613
2614	Harney silt loam, 3 to 7 percent slopes	77	233	182	34	<b>34</b>	2614
2617	Harney silty clay loam, 3 to 7 percent slopes, eroded	90	262	211	34	<b>34</b>	2617
2620	Harney-Carlson silt loams, 1 to 3 percent slopes	92	270	220	34	<b>34</b>	2620
2622	Harney-Mento complex, 1 to 3 percent slopes	86	264	214	34	<b>34</b>	2622
2623	Harney-Mento complex, 3 to 7 percent slopes	76	233	182	34	<b>34</b>	2623
2625	Harney-Nuckolls complex, 3 to 7 percent slopes	84	245	194	34	<b>34</b>	2625
2632	Harney-Wakeen silt loams, 1 to 3 percent slopes	44	249	198	34	<b>34</b>	2632
2658	Heizer-Armo complex, 8 to 25 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	2658
2660	Heizer-Brownell complex, 5 to 30 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	2660
2667	Holdrege silt loam, 0 to 1 percent slopes	98	306	255	34	<b>34</b>	2667
2668	Holdrege silt loam, 1 to 3 percent slopes	93	284	233	34	<b>34</b>	2668
2670	Holdrege silt loam, 3 to 7 percent slopes	83	246	195	34	<b>34</b>	2670
2748	Penden clay loam, 3 to 7 percent slopes, eroded	23	232	181	34	<b>34</b>	2748
2753	Penden loam, 3 to 7 percent slopes	24	233	182	34	<b>34</b>	2753
2754	Penden loam, 7 to 15 percent slopes	29	114	64	34	<b>34</b>	2754
2760	Penden-Canlon loams, 7 to 30 percent slopes	26	92	41	34	<b>34</b>	2760
2767	Penden-Uly complex, 7 to 20 percent slopes	31	112	62	34	<b>34</b>	2767
2817	Uly silt loam, 3 to 6 percent slopes	86	251	201	34	<b>34</b>	2817
2819	Uly silt loam, 6 to 10 percent slopes	75	205	154	34	<b>34</b>	2819
2820	Uly silt loam, 6 to 10 percent slopes, eroded	73	201	150	34	<b>34</b>	2820
2828	Uly-Penden complex, 6 to 20 percent slopes	32	111	60	34	<b>34</b>	2828

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>ROOKS COUNTY (Page 3 of 3)</b>							
2953	Wakeen silt loam, 3 to 7 percent slopes	10	198	148	34	34	2953
2955	Wakeen silt loam, 7 to 20 percent slopes	10	51	10	34	34	2955
2957	Wakeen-Harney silt loams, 1 to 3 percent slopes	42	249	198	34	34	2957
2959	Wakeen-Nibson complex, 7 to 20 percent slopes	10	51	10	34	34	2959
2960	Wakeen-Nibson silt loams, 3 to 7 percent slopes	10	183	132	34	34	2960
3593	Humbarger loam, occasionally flooded	82	295	244	34	34	3593
3755	Hord silt loam, rarely flooded	113	323	273	34	34	3755
3765	Humbarger loam, channeled	30	49	32	34	34	3765
9971	Arents, earthen dam	10	10	10	10	10	9971
9994	Rivers	10	10	10	10	10	9994
9999	Water	10	10	10	10	10	9999
WST	WASTE	10	10	10	10	10	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>ROOKS COUNTY (Page 1 of 2)</b>			
2100	Boel fine sandy loam, occasionally flooded	106	2100
2107	Inavale fine sand, channeled, occasionally flooded	74	2107
2113	Inavale loamy sand, occasionally flooded	135	2113
2114	Inavale sand, channeled	114	2114
2202	Munjor sandy loam, occasionally flooded	112	2202
2205	Munjor-McCook complex, occasionally flooded	112	2205
2236	Roxbury silt loam, occasionally flooded	178	2236
2264	Tobin and Roxbury silt loams, occasionally flooded	178	2264
2330	Inavale fine sand, rarely flooded	<b>10</b>	2330
2331	Inavale loamy fine sand, rarely flooded	138	2331
2347	McCook silt loam, rarely flooded	193	2347
2365	New Cambria silty clay loam, rarely flooded	191	2365
2366	New Cambria silty clay, rarely flooded	191	2366
2375	Roxbury silt loam, rarely flooded	204	2375
2510	Anselmo fine sandy loam, 1 to 3 percent slopes	146	2510
2511	Anselmo fine sandy loam, 3 to 7 percent slopes	102	2511
2513	Anselmo sandy loam, 3 to 7 percent slopes	105	2513
2518	Armo loam, 1 to 3 percent slopes	170	2518
2519	Armo loam, 3 to 7 percent slopes	129	2519
2520	Armo loam, 3 to 7 percent slopes, eroded	125	2520
2521	Armo loam, 7 to 15 percent slopes	<b>25</b>	2521
2524	Armo-Bogue complex, 7 to 20 percent slopes	<b>21</b>	2524
2537	Bogue clay, 3 to 8 percent slopes	<b>19</b>	2537
2540	Bogue-Armo complex, 5 to 25 percent slopes	<b>19</b>	2540
2546	Brownell gravelly loam, 2 to 10 percent slopes	<b>10</b>	2546
2549	Brownell-Wakeen complex, 8 to 20 percent slopes	<b>10</b>	2549
2558	Campus loam, 3 to 5 percent slopes	<b>10</b>	2558
2560	Campus-Anselmo complex, 5 to 15 percent slopes	<b>15</b>	2560
2574	Carlson silt loam, 1 to 3 percent slopes	154	2574
2605	Eltree silt loam, 1 to 3 percent slopes	183	2605
2606	Eltree silt loam, 3 to 7 percent slopes	179	2606
2612	Harney silt loam, 0 to 1 percent slopes	173	2612
2613	Harney silt loam, 1 to 3 percent slopes	154	2613
2614	Harney silt loam, 3 to 7 percent slopes	116	2614
2617	Harney silty clay loam, 3 to 7 percent slopes, eroded	145	2617
2620	Harney-Carlson silt loams, 1 to 3 percent slopes	154	2620
2622	Harney-Mento complex, 1 to 3 percent slopes	148	2622
2623	Harney-Mento complex, 3 to 7 percent slopes	116	2623
2625	Harney-Nuckolls complex, 3 to 7 percent slopes	128	2625
2632	Harney-Wakeen silt loams, 1 to 3 percent slopes	132	2632
2658	Heizer-Armo complex, 8 to 25 percent slopes	<b>10</b>	2658
2660	Heizer-Brownell complex, 5 to 30 percent slopes	<b>10</b>	2660
2667	Holdrege silt loam, 0 to 1 percent slopes	189	2667
2668	Holdrege silt loam, 1 to 3 percent slopes	167	2668

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>ROOKS COUNTY (Page 2 of 2)</b>			
2670	Holdrege silt loam, 3 to 7 percent slopes	129	2670
2748	Penden clay loam, 3 to 7 percent slopes, eroded	115	2748
2753	Penden loam, 3 to 7 percent slopes	116	2753
2754	Penden loam, 7 to 15 percent slopes	<b>29</b>	2754
2760	Penden-Canlon loams, 7 to 30 percent slopes	<b>26</b>	2760
2767	Penden-Uly complex, 7 to 20 percent slopes	<b>31</b>	2767
2817	Uly silt loam, 3 to 6 percent slopes	135	2817
2819	Uly silt loam, 6 to 10 percent slopes	88	2819
2820	Uly silt loam, 6 to 10 percent slopes, eroded	84	2820
2828	Uly-Penden complex, 6 to 20 percent slopes	<b>32</b>	2828
2953	Wakeen silt loam, 3 to 7 percent slopes	82	2953
2955	Wakeen silt loam, 7 to 20 percent slopes	<b>10</b>	2955
2957	Wakeen-Harney silt loams, 1 to 3 percent slopes	132	2957
2959	Wakeen-Nibson complex, 7 to 20 percent slopes	<b>10</b>	2959
2960	Wakeen-Nibson silt loams, 3 to 7 percent slopes	66	2960
3593	Humbarger loam, occasionally flooded	178	3593
3755	Hord silt loam, rarely flooded	207	3755
3765	Humbarger loam, channeled	<b>30</b>	3765
9971	Arents, earthen dam	10	9971
9994	Rivers	<b>10</b>	9994
9999	Water	<b>10</b>	9999
WST	WASTE	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
<b>SMITH COUNTY (Page 1 of 2)</b>							
AA	ROXBURY LOAM, CHANNELED	108	144	<b>108</b>	46	<b>46</b>	AA
AR	ARMO LOAM, 2 TO 7 PERCENT SLOPES	129	247	196	34	<b>34</b>	AR
BO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	21	<b>21</b>	BO
BR	BROWNELL GRAVELLY LOAM, 3 TO 15 PERCENT SLOPES	<b>10</b>	114	64	34	<b>34</b>	BR
CC	CAMPUS-CANLON COMPLEX, 5 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	21	<b>21</b>	CC
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	171	290	239	34	<b>34</b>	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	163	271	220	34	<b>34</b>	HB
HC	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	139	233	182	34	<b>34</b>	HC
HD	HEIZER-BROWNELL COMPLEX, 7 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	15	<b>15</b>	HD
HE	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	163	284	233	34	<b>34</b>	HE
HF	HOLDREGE SILT LOAM, 3 TO 7 PERCENT SLOPES	155	247	196	34	<b>34</b>	HF
HG	HOLDREGE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	124	190	140	34	<b>34</b>	HG
HH	HORD SILT LOAM, RARELY FLOODED	202	351	300	46	<b>46</b>	HH
IM	INAVALE-MUNJOR COMPLEX, OCCASIONALLY FLOODED	62	229	178	46	<b>46</b>	IM
JWBH	BROWNELL-HEIZER GRAVELLY LOAMS, 3 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	15	<b>15</b>	JWBH
JWNR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	100	<b>100</b>	<b>100</b>	46	<b>46</b>	JWNR
MA	MCCOOK SILT LOAM, RARELY FLOODED	147	311	260	46	<b>46</b>	MA
MM	MCCOOK-MUNJOR COMPLEX, OCCASIONALLY FLOODED	115	263	212	46	<b>46</b>	MM
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	110	298	247	46	<b>46</b>	NC
ND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	132	185	134	34	<b>34</b>	ND
NH	NUCKOLLS-HOLDREGE SILT LOAMS, 3 TO 7 PERCENT SLOPES	156	249	198	34	<b>34</b>	NH
OBAX	ARMO-BOGUE COMPLEX, 7 TO 20 PERCENT SLOPES	40	76	<b>40</b>	21	<b>21</b>	OBAX
OBCO	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	25	112	61	34	<b>34</b>	OBCO
OBHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	152	233	182	34	<b>34</b>	OBHC
OBHD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	135	213	162	34	<b>34</b>	OBHD
OBHE	HARNEY-MENTO COMPLEX, 1 TO 3 PERCENT SLOPES	144	249	198	34	<b>34</b>	OBHE
OBND	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	86	144	94	46	<b>46</b>	OBND
OBTR	TOBIN AND ROXBURY SILT LOAMS, OCCASIONALLY FLOODED	156	289	239	46	<b>46</b>	OBTR

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>SMITH COUNTY (Page 2 of 2)</b>							
PE	PENDEN LOAM, 3 TO 7 PERCENT SLOPES	63	233	182	34	<b>34</b>	PE
PLBW	BROWNELL-HEIZER GRAVELLY LOAMS, 7 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	15	<b>15</b>	PLBW
PLCC	CAMPUS-CANLON LOAMS, 5 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	21	<b>21</b>	PLCC
PLHB	HOBBS SILT LOAM, CHANNELED	112	124	<b>112</b>	46	<b>46</b>	PLHB
PLHG	HOBBS SILT LOAM, OCCASIONALLY FLOODED	156	264	213	46	<b>46</b>	PLHG
PLIN	INAVALE LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	51	229	178	46	<b>46</b>	PLIN
PLMU	MUNJOR SANDY LOAM, OCCASIONALLY FLOODED	81	229	178	46	<b>46</b>	PLMU
PLUD	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES	136	200	149	34	<b>34</b>	PLUD
PLUP	ULY-PENDEN COMPLEX, 7 TO 20 PERCENT SLOPES	79	118	<b>79</b>	46	<b>46</b>	PLUP
PLWK	WAKEEN-NIBSON COMPLEX, 7 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	15	<b>15</b>	PLWK
RCC	ROXBURY SILT LOAM, CHANNELED	114	144	<b>114</b>	46	<b>46</b>	RCC
RO	ROXBURY SILT LOAM, RARELY FLOODED	154	322	271	46	<b>46</b>	RO
RP	ROXBURY SILT LOAM, FREQUENTLY FLOODED	124	187	136	46	<b>46</b>	RP
RPP	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	161	289	239	46	<b>46</b>	RPP
RR	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	144	298	247	46	<b>46</b>	RR
UCC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	142	226	175	34	<b>34</b>	UCC
UH	ULY-HOLDREGE SILT LOAMS, 7 TO 12 PERCENT SLOPES	132	185	134	34	<b>34</b>	UH
UR	ULY-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	98	<b>98</b>	<b>98</b>	46	<b>46</b>	UR
WC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	19	199	148	34	<b>34</b>	WC
WD	WAKEEN COMPLEX, 5 TO 20 PERCENT SLOPES	<b>10</b>	75	24	34	<b>34</b>	WD
WDD	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	34	<b>34</b>	WDD
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Mapping Unit Name	Ditch Irrigated Land \$/Acre	Symbol
<b>SMITH COUNTY</b>			
AA	ROXBURY LOAM, CHANNELED	<b>108</b>	AA
AR	ARMO LOAM, 2 TO 7 PERCENT SLOPES	130	AR
BO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	<b>10</b>	BO
BR	BROWNELL GRAVELLY LOAM, 3 TO 15 PERCENT SLOPES	<b>10</b>	BR
CC	CAMPUS-CANLON COMPLEX, 5 TO 30 PERCENT SLOPES	<b>10</b>	CC
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	173	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	<b>163</b>	HB
HC	HARNEY-MENTO SILT LOAMS, 3 TO 7 PERCENT SLOPES	<b>139</b>	HC
HD	HEIZER-BROWNELL COMPLEX, 7 TO 30 PERCENT SLOPES	<b>10</b>	HD
HE	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	167	HE
HF	HOLDREGE SILT LOAM, 3 TO 7 PERCENT SLOPES	<b>155</b>	HF
HG	HOLDREGE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	<b>124</b>	HG
HH	HORD SILT LOAM, RARELY FLOODED	234	HH
IM	INAVALE-MUNJOR COMPLEX, OCCASIONALLY FLOODED	112	IM
JWBH	BROWNELL-HEIZER GRAVELLY LOAMS, 3 TO 30 PERCENT SLOPES	<b>10</b>	JWBH
JWNR	NUCKOLLS-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	<b>100</b>	JWNR
MA	MCCOOK SILT LOAM, RARELY FLOODED	194	MA
MM	MCCOOK-MUNJOR COMPLEX, OCCASIONALLY FLOODED	146	MM
NC	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	181	NC
ND	NUCKOLLS SILT LOAM, 7 TO 12 PERCENT SLOPES	<b>132</b>	ND
NH	NUCKOLLS-HOLDREGE SILT LOAMS, 3 TO 7 PERCENT SLOPES	<b>156</b>	NH
OBAX	ARMO-BOGUE COMPLEX, 7 TO 20 PERCENT SLOPES	<b>40</b>	OBAX
OBCO	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	<b>25</b>	OBCO
OBHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	<b>152</b>	OBHC
OBHD	HARNEY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	<b>135</b>	OBHD
OBHE	HARNEY-MENTO COMPLEX, 1 TO 3 PERCENT SLOPES	<b>144</b>	OBHE
OBND	NEW CAMBRIA SILTY CLAY, FREQUENTLY FLOODED	<b>86</b>	OBND
OBTR	TOBIN AND ROXBURY SILT LOAMS, OCCASIONALLY FLOODED	172	OBTR
PE	PENDEN LOAM, 3 TO 7 PERCENT SLOPES	116	PE
PLBW	BROWNELL-HEIZER GRAVELLY LOAMS, 7 TO 20 PERCENT SLOPES	<b>10</b>	PLBW
PLCC	CAMPUS-CANLON LOAMS, 5 TO 20 PERCENT SLOPES	<b>10</b>	PLCC
PLHB	HOBBS SILT LOAM, CHANNELED	<b>112</b>	PLHB
PLHG	HOBBS SILT LOAM, OCCASIONALLY FLOODED	<b>156</b>	PLHG
PLIN	INAVALE LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	112	PLIN
PLMU	MUNJOR SANDY LOAM, OCCASIONALLY FLOODED	112	PLMU
PLUD	ULY SILT LOAM, 6 TO 10 PERCENT SLOPES	<b>136</b>	PLUD
PLUP	ULY-PENDEN COMPLEX, 7 TO 20 PERCENT SLOPES	<b>79</b>	PLUP
PLWK	WAKEEN-NIBSON COMPLEX, 7 TO 20 PERCENT SLOPES	<b>10</b>	PLWK
RCC	ROXBURY SILT LOAM, CHANNELED	<b>114</b>	RCC
RO	ROXBURY SILT LOAM, RARELY FLOODED	205	RO
RP	ROXBURY SILT LOAM, FREQUENTLY FLOODED	<b>124</b>	RP
RPP	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	172	RPP
RR	ROXBURY-ARMO COMPLEX, 0 TO 3 PERCENT SLOPES	181	RR
UCC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	<b>142</b>	UCC
UH	ULY-HOLDREGE SILT LOAMS, 7 TO 12 PERCENT SLOPES	<b>132</b>	UH
UR	ULY-ROXBURY SILT LOAMS, 0 TO 30 PERCENT SLOPES	<b>98</b>	UR
WC	WAKEEN SILT LOAM, 3 TO 7 PERCENT SLOPES	82	WC
WD	WAKEEN COMPLEX, 5 TO 20 PERCENT SLOPES	<b>10</b>	WD
WDD	WAKEEN SILT LOAM, 7 TO 20 PERCENT SLOPES	<b>10</b>	WDD
WST	WASTE	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
<b>WASHINGTON COUNTY (Page 1 of 2)</b>							
BE	BENFIELD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	56	87	<b>56</b>	71	85	BE
CG	CASS FINE SANDY LOAM, OCCASIONALLY FLOODED	183	232	<b>183</b>	71	85	CG
CH	CASS FINE SANDY LOAM, FREQUENTLY FLOODED	96	99	<b>96</b>	71	85	CH
CO	COLO SILT LOAM, RARELY FLOODED	184	313	263	71	85	CO
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	196	303	253	58	70	CR
CS	CRETE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	187	290	239	58	70	CS
CT	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	171	250	199	58	70	CT
CX	CRETE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	142	194	143	58	70	CX
CYGC	GEARY SILT LOAM, 2 TO 7 PERCENT SLOPES	178	260	210	71	85	CYGC
CYSU	SUTPHEN SILTY CLAY LOAM, OCCASIONALLY FLOODED	157	284	233	71	85	CYSU
ED	EDALGO SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	85	178	128	58	70	ED
EU	EUDORA LOAM, OCCASIONALLY FLOODED	211	296	246	71	85	EU
HO	HOBBS SILT LOAM, OCCASIONALLY FLOODED	208	268	218	71	85	HO
KP	KIPSON SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	58	70	KP
KS	KIPSON-SOGN COMPLEX, 5 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	52	63	KS
LC	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	106	184	133	71	85	LC
LH	LANCASTER-HEDVILLE LOAMS, 5 TO 30 PERCENT SLOPES	34	<b>34</b>	<b>34</b>	58	70	LH
LO	LONGFORD SILT LOAM, 3 TO 7 PERCENT SLOPES	191	260	210	71	85	LO
LX	LONGFORD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	155	202	<b>155</b>	71	85	LX
MC	MAYBERRY CLAY LOAM, 3 TO 7 PERCENT SLOPES	142	196	146	58	70	MC
MH	MORRILL LOAM, 3 TO 7 PERCENT SLOPES	201	271	220	71	85	MH
MM	MORRILL LOAM, 7 TO 12 PERCENT SLOPES	151	207	156	71	85	MM
MP	MORRILL-JANSEN LOAMS, 7 TO 20 PERCENT SLOPES	115	125	<b>115</b>	71	85	MP
MSKA	KENNEBEC SILT LOAM, OCCASIONALLY FLOODED	228	258	<b>228</b>	71	85	MSKA
MSPB	PAWNEE CLAY LOAM, 4 TO 8 PERCENT SLOPES	132	186	136	58	70	MSPB
MSPC	PAWNEE CLAY, 3 TO 8 PERCENT SLOPES, ERODED	121	186	136	58	70	MSPC
MSWA	WABASH SILTY CLAY LOAM, OCCASIONALLY FLOODED	188	268	218	71	85	MSWA
MSWB	WYMORE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	199	284	234	58	70	MSWB

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	Symbol
<b>WASHINGTON COUNTY (Page 2 of 2)</b>							
MSWC	WYMORE SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	150	194	<b>150</b>	58	70	MSWC
MU	MUIR SILT LOAM, RARELY FLOODED	250	339	288	71	85	MU
SA	SARPY LOAMY FINE SAND, 0 TO 5 PERCENT SLOPES, RARELY FLOODED	31	206	156	58	70	SA
TU	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	177	265	215	71	85	TU
TY	TULLY SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	155	220	169	71	85	TY
WE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	194	248	198	71	85	WE
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST