

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>BARTON COUNTY (Page 1 of 2)</b>							
2234	Roxbury silt loam, channeled	169	294	239	46	<b>46</b>	2234
2236	Roxbury silt loam, occasionally flooded	173	294	239	55	<b>55</b>	2236
2310	Bridgeport silt loam, rarely flooded	173	314	260	52	<b>52</b>	2310
2365	New Cambria silty clay loam, rarely flooded	139	307	253	38	<b>38</b>	2365
2375	Roxbury silt loam, rarely flooded	174	297	243	55	<b>55</b>	2375
2519	Armo loam, 3 to 7 percent slopes	37	207	153	30	<b>30</b>	2519
2612	Harney silt loam, 0 to 1 percent slopes	198	311	257	36	<b>36</b>	2612
2613	Harney silt loam, 1 to 3 percent slopes	187	268	214	36	<b>36</b>	2613
2633	Harney-Wakeen complex, 3 to 7 percent slopes	36	206	152	30	<b>30</b>	2633
2668	Holdrege silt loam, 1 to 3 percent slopes	191	286	232	30	<b>30</b>	2668
2715	Ness silty clay	<b>10</b>	<b>10</b>	<b>10</b>	44	<b>44</b>	2715
2726	Nibson-Wakeen silt loams, 3 to 20 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	30	<b>30</b>	2726
2728	Nuckolls silt loam, 3 to 7 percent slopes	200	264	210	30	<b>30</b>	2728
2817	Uly silt loam, 3 to 6 percent slopes	168	254	200	30	<b>30</b>	2817
2951	Wakeen silt loam, 1 to 3 percent slopes	21	196	142	36	<b>36</b>	2951
2953	Wakeen silt loam, 3 to 7 percent slopes	18	207	153	30	<b>30</b>	2953
3390	Lancaster loam, 1 to 3 percent slopes	74	<b>74</b>	<b>74</b>	36	<b>36</b>	3390
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	61	<b>61</b>	<b>61</b>	36	<b>36</b>	3396
3755	Hord silt loam, rarely flooded	215	319	265	46	<b>46</b>	3755
3824	Crete silt loam, 0 to 1 percent slopes	198	311	257	30	<b>30</b>	3824
3843	Geary silt loam, 1 to 3 percent slopes	221	305	250	36	<b>36</b>	3843
3844	Geary silt loam, 3 to 7 percent slopes	201	264	210	36	<b>36</b>	3844
5324	Kaski loam, occasionally flooded	206	325	271	46	<b>46</b>	5324
5355	Kaski loam, rarely flooded	204	328	274	46	<b>46</b>	5355
5550	Imano clay loam, occasionally flooded	120	273	219	55	<b>55</b>	5550
5632	Platte soils, occasionally flooded	18	138	84	55	<b>55</b>	5632
5670	Waldeck fine sandy loam, occasionally flooded	72	209	155	55	<b>55</b>	5670
5710	Abbyville loam, 0 to 1 percent slopes	66	158	104	46	<b>46</b>	5710
5742	Dillwyn-Plevna loamy fine sands, 0 to 1 percent slopes	34	200	146	52	<b>52</b>	5742
5745	Elmer loam, 0 to 1 percent slopes	178	298	244	36	<b>36</b>	5745
5752	Kisiwa loam, depressional	51	71	<b>51</b>	46	<b>46</b>	5752
5831	Punkin silt loam, 0 to 1 percent slopes	86	276	222	52	<b>52</b>	5831
5861	Attica fine sandy loam, 1 to 3 percent slopes	116	266	211	30	<b>30</b>	5861
5863	Attica loamy fine sand, 1 to 3 percent slopes	115	266	211	33	<b>33</b>	5863
5884	Dillwyn-Tivin complex, 0 to 20 percent slopes	32	210	155	49	<b>49</b>	5884
5886	Farnum and Funmar loams, 0 to 1 percent slopes	219	332	278	30	<b>30</b>	5886
5928	Pratt loamy fine sand, 1 to 5 percent slopes	78	249	195	39	<b>39</b>	5928

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>BARTON COUNTY (Page 2 of 2)</b>							
5929	Pratt loamy fine sand, 5 to 12 percent slopes	59	173	119	30	<b>30</b>	5929
5935	Pratt-Carwile complex, 0 to 5 percent slopes	66	131	76	30	<b>30</b>	5935
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	38	153	99	30	<b>30</b>	5941
5944	Saltcreek and Naron fine sandy loams, 1 to 3 percent slopes	186	286	232	30	<b>30</b>	5944
5970	Taver loam, 0 to 1 percent slopes	182	304	250	36	<b>36</b>	5970
5971	Tivin fine sand, 10 to 30 percent slopes	10	<b>10</b>	<b>10</b>	30	<b>30</b>	5971
6224	Canadian fine sandy loam, rarely flooded	138	279	225	52	<b>52</b>	6224
6330	Carwile fine sandy loam, 0 to 1 percent slopes	47	<b>47</b>	<b>47</b>	30	<b>30</b>	6330
9986	Miscellaneous water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9986
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>DICKINSON COUNTY (Page 1 of 2)</b>							
2177	McCook silt loam, occasionally flooded	220	282	225	68	<b>68</b>	2177
2181	McCook-Smokyhill silt loams, occasionally flooded	218	279	222	68	<b>68</b>	2181
2266	Tobin silt loam, occasionally flooded	250	<b>250</b>	<b>250</b>	68	<b>68</b>	2266
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	65	<b>65</b>	<b>65</b>	56	<b>56</b>	3396
3492	Wells loam, 3 to 7 percent slopes	237	257	<b>237</b>	68	<b>68</b>	3492
3545	Hobbs silt loam, channeled	166	<b>166</b>	<b>166</b>	68	<b>68</b>	3545
3561	Hobbs silt loam, occasionally flooded	247	<b>247</b>	<b>247</b>	68	<b>68</b>	3561
3617	Solomon silty clay, occasionally flooded	104	239	182	68	<b>68</b>	3617
3625	Sutphen silty clay loam, occasionally flooded	206	272	215	68	<b>68</b>	3625
3633	Sutphen silty clay, occasionally flooded	183	266	209	68	<b>68</b>	3633
3720	Detroit silt loam, rarely flooded	258	328	271	68	<b>68</b>	3720
3725	Detroit silty clay loam, rarely flooded	257	329	272	68	<b>68</b>	3725
3735	Elsmere fine sandy loam, rarely flooded	125	253	196	68	<b>68</b>	3735
3775	Muir silt loam, rarely flooded	287	305	<b>287</b>	68	<b>68</b>	3775
3824	Crete silt loam, 0 to 1 percent slopes	238	300	243	56	<b>56</b>	3824
3826	Crete silt loam, 3 to 7 percent slopes	226	279	<b>226</b>	56	<b>56</b>	3826
3827	Crete silty clay loam, 0 to 1 percent slopes	238	299	242	56	<b>56</b>	3827
3828	Crete silty clay loam, 1 to 3 percent slopes	228	280	<b>228</b>	56	<b>56</b>	3828
3830	Crete silty clay loam, 3 to 7 percent slopes	207	240	<b>207</b>	56	<b>56</b>	3830
3844	Geary silt loam, 3 to 7 percent slopes	220	257	<b>220</b>	68	<b>68</b>	3844
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	236	298	241	56	<b>56</b>	3890
3900	Ortello fine sandy loam, 3 to 7 percent slopes	195	256	199	68	<b>68</b>	3900
3906	Ortello-Wells fine sandy loams, 1 to 6 percent slopes	203	255	<b>203</b>	68	<b>68</b>	3906
3932	Valentine loamy fine sand, 1 to 5 percent slopes	49	171	114	56	<b>56</b>	3932
3934	Valentine loamy fine sand, 5 to 15 percent slopes	28	87	30	56	<b>56</b>	3934
3936	Wells-Ortello complex, 1 to 4 percent slopes	206	257	<b>206</b>	68	<b>68</b>	3936
4540	Clime silty clay loam, 1 to 3 percent slopes	70	147	89	56	<b>56</b>	4540
4555	Clime silty clay loam, 3 to 7 percent slopes	64	137	80	56	<b>56</b>	4555
4560	Clime silty clay loam, 7 to 15 percent slopes	27	87	29	56	<b>56</b>	4560
4590	Clime-Sogn complex, 3 to 20 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	38	<b>38</b>	4590
4671	Irwin silty clay loam, 1 to 3 percent slopes	214	282	225	56	<b>56</b>	4671
4673	Irwin silty clay loam, 3 to 7 percent slopes	194	<b>194</b>	<b>194</b>	56	<b>56</b>	4673
4720	Kipson-Clime complex, 6 to 20 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	38	<b>38</b>	4720
4725	Kipson-Sogn complex, 5 to 30 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	38	<b>38</b>	4725
4735	Konza silty clay loam, 1 to 3 percent slopes	206	261	<b>206</b>	56	<b>56</b>	4735
4781	Tully silty clay loam, 1 to 3 percent slopes	216	285	228	56	<b>56</b>	4781
4783	Tully silty clay loam, 3 to 7 percent slopes	199	<b>199</b>	<b>199</b>	56	<b>56</b>	4783

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>DICKINSON COUNTY (Page 2 of 2)</b>							
6332	Carwile loam, 0 to 1 percent slopes	61	304	247	68	<b>68</b>	6332
7740	Haynie silt loam, frequently flooded	208	258	<b>208</b>	68	<b>68</b>	7740
9971	Arents, earthen dam	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9971
9978	Fluvaquents, clayey, frequently flooded	11	<b>11</b>	<b>11</b>	56	<b>56</b>	9978
9983	Gravel pits and quarries	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9983
9986	Miscellaneous water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9986
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>ELLIS COUNTY (Page 1 of 3)</b>							
1520	Badland-Manvel complex, 3 to 20 percent slopes	10	10	10	27	27	1520
2100	Boel fine sandy loam, occasionally flooded	11	226	166	58	58	2100
2107	Inavale fine sand, channeled, occasionally flooded	10	196	51	33	33	2107
2112	Inavale loamy sand, channeled	10	173	28	33	33	2112
2113	Inavale loamy sand, occasionally flooded	10	195	140	33	33	2113
2201	Munjor sandy loam, frequently flooded	22	116	56	58	58	2201
2202	Munjor sandy loam, occasionally flooded	25	140	80	58	58	2202
2225	New Cambria silty clay, frequently flooded	28	132	72	33	33	2225
2234	Roxbury silt loam, channeled	32	156	96	33	33	2234
2235	Roxbury silt loam, frequently flooded	62	311	251	58	58	2235
2236	Roxbury silt loam, occasionally flooded	66	311	251	58	58	2236
2288	Wann loam, occasionally flooded	58	239	179	58	58	2288
2345	McCook fine sandy loam, rarely flooded	73	321	261	45	45	2345
2347	McCook silt loam, rarely flooded	84	326	266	45	45	2347
2366	New Cambria silty clay, rarely flooded	56	315	256	45	45	2366
2375	Roxbury silt loam, rarely flooded	89	336	276	45	45	2375
2511	Anselmo fine sandy loam, 3 to 7 percent slopes	52	247	188	33	33	2511
2518	Armo loam, 1 to 3 percent slopes	77	297	237	33	33	2518
2519	Armo loam, 3 to 7 percent slopes	65	255	195	33	33	2519
2520	Armo loam, 3 to 7 percent slopes, eroded	50	197	137	33	33	2520
2521	Armo loam, 7 to 15 percent slopes	46	145	85	33	33	2521
2524	Armo-Bogue complex, 7 to 20 percent slopes	10	93	33	27	27	2524
2537	Bogue clay, 3 to 8 percent slopes	10	142	82	21	21	2537
2540	Bogue-Armo complex, 5 to 25 percent slopes	10	72	12	27	27	2540
2546	Brownell gravelly loam, 2 to 10 percent slopes	10	99	39	33	33	2546
2562	Campus-Canlon complex, 3 to 30 percent slopes	10	10	10	27	27	2562
2564	Campus-Carlson complex, 3 to 7 percent slopes	20	224	164	33	33	2564
2566	Campus-Penden complex, 5 to 15 percent slopes	10	140	80	27	27	2566
2568	Canlon soils, 5 to 40 percent slopes	10	10	10	27	27	2568
2574	Carlson silt loam, 1 to 3 percent slopes	28	229	169	33	33	2574
2590	Corinth silty clay loam, 1 to 3 percent slopes	35	197	137	33	33	2590
2592	Corinth silty clay loam, 3 to 7 percent slopes	10	187	127	33	33	2592
2594	Corinth silty clay loam, 7 to 15 percent slopes	10	124	64	33	33	2594
2598	Dorrance gravelly sandy loam, 4 to 15 percent slopes	10	121	62	33	33	2598
2601	Dorrance sandy loam, 4 to 20 percent slopes	10	121	62	33	33	2601
2604	Eltree silt loam, 0 to 1 percent slopes	87	343	283	33	33	2604
2605	Eltree silt loam, 1 to 3 percent slopes	81	321	261	33	33	2605

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>ELLIS COUNTY (Page 2 of 3)</b>							
2606	Eltree silt loam, 3 to 7 percent slopes	73	279	219	33	<b>33</b>	2606
2607	Eltree silt loam, 7 to 15 percent slopes	48	158	98	33	<b>33</b>	2607
2612	Harney silt loam, 0 to 1 percent slopes	109	338	278	33	<b>33</b>	2612
2613	Harney silt loam, 1 to 3 percent slopes	96	289	230	33	<b>33</b>	2613
2614	Harney silt loam, 3 to 7 percent slopes	92	273	213	33	<b>33</b>	2614
2617	Harney silty clay loam, 3 to 7 percent slopes, eroded	76	229	169	33	<b>33</b>	2617
2618	Harney-Armo complex, 3 to 7 percent slopes, eroded	61	205	145	33	<b>33</b>	2618
2619	Harney-Carlson silt loams, 0 to 1 percent slopes	97	325	265	33	<b>33</b>	2619
2620	Harney-Carlson silt loams, 1 to 3 percent slopes	91	302	243	33	<b>33</b>	2620
2622	Harney-Mento complex, 1 to 3 percent slopes	95	286	226	33	<b>33</b>	2622
2623	Harney-Mento complex, 3 to 7 percent slopes	91	273	213	33	<b>33</b>	2623
2631	Harney-Wakeen silt loams, 0 to 1 percent slopes	75	317	257	33	<b>33</b>	2631
2632	Harney-Wakeen silt loams, 1 to 3 percent slopes	59	289	230	33	<b>33</b>	2632
2658	Heizer-Armo complex, 8 to 25 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	2658
2660	Heizer-Brownell complex, 5 to 30 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	2660
2667	Holdrege silt loam, 0 to 1 percent slopes	113	340	280	33	<b>33</b>	2667
2668	Holdrege silt loam, 1 to 3 percent slopes	103	318	258	33	<b>33</b>	2668
2700	Mento silt loam, 0 to 1 percent slopes	80	247	187	33	<b>33</b>	2700
2701	Mento silt loam, 1 to 3 percent slopes	77	227	167	33	<b>33</b>	2701
2702	Mento silty clay loam, 1 to 3 percent slopes, eroded	54	172	112	33	<b>33</b>	2702
2703	Mento soils, 3 to 7 percent slopes, eroded	48	212	152	33	<b>33</b>	2703
2720	Nibson silt loam, 5 to 25 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	2720
2726	Nibson-Wakeen silt loams, 3 to 20 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	2726
2747	Penden clay loam, 3 to 7 percent slopes	58	255	195	33	<b>33</b>	2747
2754	Penden loam, 7 to 15 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	2754
2815	Uly silt loam, 1 to 3 percent slopes	95	289	230	33	<b>33</b>	2815
2817	Uly silt loam, 3 to 6 percent slopes	92	273	213	33	<b>33</b>	2817
2829	Uly-Roxbury silt loams, 0 to 30 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	2829
2951	Wakeen silt loam, 1 to 3 percent slopes	<b>10</b>	204	144	33	<b>33</b>	2951
2952	Wakeen silt loam, 1 to 3 percent slopes, eroded	<b>10</b>	163	103	33	<b>33</b>	2952
2953	Wakeen silt loam, 3 to 7 percent slopes	<b>10</b>	176	116	33	<b>33</b>	2953
2954	Wakeen silt loam, 5 to 15 percent slopes, eroded	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	2954
2955	Wakeen silt loam, 7 to 20 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	2955
2957	Wakeen-Harney silt loams, 1 to 3 percent slopes	<b>10</b>	<b>10</b>	152	33	<b>33</b>	2957
3720	Detroit silt loam, rarely flooded	106	339	279	45	<b>45</b>	3720
3755	Hord silt loam, rarely flooded	126	360	<b>126</b>	45	<b>45</b>	3755
3765	Humbarger loam, channeled	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	3765

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>ELLIS COUNTY (Page 3 of 3)</b>							
3824	Crete silt loam, 0 to 1 percent slopes	104	345	286	33	<b>33</b>	3824
3827	Crete silty clay loam, 0 to 1 percent slopes	104	344	284	33	<b>33</b>	3827
9976	Borrow pits	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9976
9979	Fluvaquents, occasionally flooded	<b>10</b>	179	120	58	<b>58</b>	9979
9982	Fluvents, frequently flooded	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	9982
9983	Gravel pits and quarries	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9983
9994	Rivers	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9994
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>ELLSWORTH COUNTY (Page 1 of 2)</b>							
2176	McCook loam, occasionally flooded	134	273	218	53	<b>53</b>	2176
2178	McCook silty clay loam, frequently flooded	72	104	<b>72</b>	53	<b>53</b>	2178
2236	Roxbury silt loam, occasionally flooded	137	285	230	53	<b>53</b>	2236
2266	Tobin silt loam, occasionally flooded	153	287	232	53	<b>53</b>	2266
2347	McCook silt loam, rarely flooded	139	298	243	53	<b>53</b>	2347
2375	Roxbury silt loam, rarely flooded	138	308	253	53	<b>53</b>	2375
2519	Armo loam, 3 to 7 percent slopes	107	243	188	42	<b>42</b>	2519
2521	Armo loam, 7 to 15 percent slopes	83	137	<b>83</b>	42	<b>42</b>	2521
2613	Harney silt loam, 1 to 3 percent slopes	153	289	234	42	<b>42</b>	2613
2616	Harney silty clay loam, 3 to 7 percent slopes	151	284	229	42	<b>42</b>	2616
2633	Harney-Wakeen complex, 3 to 7 percent slopes	93	213	158	42	<b>42</b>	2633
2634	Harney-Wells complex, 3 to 7 percent slopes	153	265	210	42	<b>42</b>	2634
2726	Nibson-Wakeen silt loams, 3 to 20 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	42	<b>42</b>	2726
2953	Wakeen silt loam, 3 to 7 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	42	<b>42</b>	2953
3352	Edalgo loam, 3 to 7 percent slopes	74	219	164	42	<b>42</b>	3352
3365	Edalgo-Hedville loams, 7 to 15 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	30	<b>30</b>	3365
3366	Edalgo-Hedville loams, 15 to 40 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	30	<b>30</b>	3366
3390	Lancaster loam, 1 to 3 percent slopes	30	<b>30</b>	<b>30</b>	42	<b>42</b>	3390
3392	Lancaster loam, 3 to 7 percent slopes, eroded	20	<b>20</b>	<b>20</b>	42	<b>42</b>	3392
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	18	<b>18</b>	<b>18</b>	42	<b>42</b>	3396
3491	Wells loam, 1 to 3 percent slopes	175	296	241	42	<b>42</b>	3491
3492	Wells loam, 3 to 7 percent slopes	160	255	200	42	<b>42</b>	3492
3521	Cass fine sandy loam, occasionally flooded	143	221	166	53	<b>53</b>	3521
3601	Jansen sandy loam, 1 to 3 percent slopes	107	240	185	42	<b>42</b>	3601
3750	Hord silt loam, nonflooded	189	330	276	53	<b>53</b>	3750
3755	Hord silt loam, rarely flooded	191	324	270	53	<b>53</b>	3755
3824	Crete silt loam, 0 to 1 percent slopes	161	302	247	42	<b>42</b>	3824

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>ELLSWORTH COUNTY (Page 2 of 2)</b>							
3825	Crete silt loam, 1 to 3 percent slopes	160	301	246	42	<b>42</b>	3825
3832	Crete-Wells complex, 3 to 7 percent slopes	160	255	200	42	<b>42</b>	3832
3833	Crete soils, 1 to 3 percent slopes, eroded	158	292	237	42	<b>42</b>	3833
3843	Geary silt loam, 1 to 3 percent slopes	180	296	241	42	<b>42</b>	3843
3844	Geary silt loam, 3 to 7 percent slopes	164	255	200	42	<b>42</b>	3844
3898	Meadin sandy loam, 3 to 15 percent slopes	10	130	76	30	<b>30</b>	3898
3921	Smolan silty clay loam, 1 to 3 percent slopes	181	296	241	42	<b>42</b>	3921
9971	Arents, earthen dam	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9971
9986	Miscellaneous water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9986
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>LINCOLN COUNTY</b>							
AM	ARMO LOAM, 3 TO 7 PERCENT SLOPES	142	237	183	40	<b>40</b>	AM
AR	ARMO LOAM, 7 TO 15 PERCENT SLOPES	113	134	<b>113</b>	40	<b>40</b>	AR
CN	CORINTH SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	59	167	113	40	<b>40</b>	CN
CO	CORINTH SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	32	110	57	40	<b>40</b>	CO
CR	CRETE SILT LOAM, 0 TO 2 PERCENT SLOPES	209	303	250	40	<b>40</b>	CR
CSS	CRETE SILT LOAM, 2 TO 5 PERCENT SLOPES	193	256	203	40	<b>40</b>	CSS
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	216	304	251	51	<b>51</b>	DE
EWHM	HARNEY-WELLS COMPLEX, 2 TO 6 PERCENT SLOPES	196	256	203	40	<b>40</b>	EWHM
GC	GEARY SILT LOAM, 2 TO 7 PERCENT SLOPES	214	248	<b>214</b>	40	<b>40</b>	GC
GH	GEARY-LANCASTER COMPLEX, 5 TO 10 PERCENT SLOPES	169	196	<b>169</b>	40	<b>40</b>	GH
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	215	281	228	40	<b>40</b>	HB
HC	HARNEY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	191	246	193	40	<b>40</b>	HC
HF	HARNEY-WAKEEN COMPLEX, 2 TO 7 PERCENT SLOPES	149	232	179	40	<b>40</b>	HF
HO	HORD SILT LOAM, RARELY FLOODED	242	321	267	51	<b>51</b>	HO
LH	LANCASTER-HEDVILLE COMPLEX, 3 TO 20 PERCENT SLOPES	48	<b>48</b>	<b>48</b>	30	<b>30</b>	LH
MC	MCCOOK SILT LOAM, RARELY FLOODED	184	291	237	51	<b>51</b>	MC
MCLA	LANCASTER-ARMO LOAMS, 3 TO 7 PERCENT SLOPES	126	189	136	40	<b>40</b>	MCLA
MCNC	NIBSON SOILS, 3 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	40	<b>40</b>	MCNC
NC	NEW CAMBRIA SILTY CLAY LOAM, OCCASIONALLY FLOODED	147	264	210	51	<b>51</b>	NC
NS	NIBSON-WAKEEN SILT LOAMS, 5 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	40	<b>40</b>	NS
OTGG	GEARY SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	204	228	<b>204</b>	40	<b>40</b>	OTGG
OTLA	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	123	191	137	40	<b>40</b>	OTLA
OTWF	WELLS LOAM, 3 TO 7 PERCENT SLOPES, ERODED	182	221	<b>182</b>	40	<b>40</b>	OTWF
RB	ROXBURY SILT LOAM, RARELY FLOODED	185	300	247	51	<b>51</b>	RB
RC	ROXBURY SILT LOAM, CHANNELED	118	<b>118</b>	<b>118</b>	51	<b>51</b>	RC
RF	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	186	278	224	51	<b>51</b>	RF
RSLC	LANCASTER LOAM, 3 TO 8 PERCENT SLOPES	150	216	162	40	<b>40</b>	RSLC
RSNS	NIBSON SILT LOAM, 5 TO 25 PERCENT SLOPES	10	<b>10</b>	<b>10</b>	40	<b>40</b>	RSNS
SA	SALTINE SILTY CLAY LOAM, FREQUENTLY FLOODED	49	<b>49</b>	<b>49</b>	40	<b>40</b>	SA
TO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	195	278	224	51	<b>51</b>	TO
WEE	WELLS LOAM, 3 TO 7 PERCENT SLOPES	198	241	<b>198</b>	40	<b>40</b>	WEE
WG	WELLS-EDALGO COMPLEX, 3 TO 7 PERCENT SLOPES	182	241	188	40	<b>40</b>	WG
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>MARION COUNTY (Page 1 of 2)</b>							
CA	CASS FINE SANDY LOAM, OCCASIONALLY FLOODED	201	254	<b>201</b>	78	<b>78</b>	CA
CH	CHASE SILTY CLAY LOAM, OCCASIONALLY FLOODED	258	322	265	78	<b>78</b>	CH
CM	CLIME SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	93	204	147	55	<b>55</b>	CM
CP	CLIME SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	72	194	137	55	<b>55</b>	CP
CR	CLIME STONY SILTY CLAY LOAM, 15 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	55	<b>55</b>	CR
CS	CLIME-SOIGN SILTY CLAY LOAMS, 3 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	49	<b>49</b>	CS
CSCS	CLIME-SOIGN COMPLEX, 3 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	49	<b>49</b>	CSCS
CSIV	IVAN SILT LOAM, OCCASIONALLY FLOODED	227	324	267	66	<b>66</b>	CSIV
CSKA	KAHOLA SILT LOAM, OCCASIONALLY FLOODED	253	324	267	66	<b>66</b>	CSKA
DKCD	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	49	<b>49</b>	DKCD
DKHB	HOBBS SILT LOAM, CHANNELED	167	<b>167</b>	<b>167</b>	66	<b>66</b>	DKHB
DKSC	SUTPHEN SILTY CLAY LOAM, OCCASIONALLY FLOODED	139	222	165	78	<b>78</b>	DKSC
DW	DWIGHT SILT LOAM, 0 TO 2 PERCENT SLOPES	140	<b>140</b>	<b>140</b>	32	<b>32</b>	DW
ED	EDALGO SILTY CLAY LOAM, 3 TO 12 PERCENT SLOPES	71	157	100	55	<b>55</b>	ED
FC	FLORENCE SILT LOAM, 2 TO 15 PERCENT SLOPES	84	153	96	66	<b>66</b>	FC
GO	GOESSEL SILTY CLAY, 0 TO 2 PERCENT SLOPES	163	291	234	55	<b>55</b>	GO
HO	HOBBS SILT LOAM, OCCASIONALLY FLOODED	251	297	<b>251</b>	66	<b>66</b>	HO
HVCM	CLIME COMPLEX, 6 TO 12 PERCENT SLOPES	12	71	14	49	<b>49</b>	HVCM
HVRS	ROSEHILL SILTY CLAY, 3 TO 6 PERCENT SLOPES	104	238	181	55	<b>55</b>	HVRS
IB	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	200	291	234	55	<b>55</b>	IB
IC	IRWIN SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	175	263	206	55	<b>55</b>	IC
IV	IVAN SILT LOAM, CHANNELED	155	<b>155</b>	<b>155</b>	66	<b>66</b>	IV
KP	KIPSON SILTY CLAY LOAM, 10 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	55	<b>55</b>	KP
LA	LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	186	229	<b>186</b>	66	<b>66</b>	LA
LD	LABETTE-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	150	183	<b>150</b>	55	<b>55</b>	LD
LG	LABETTE-SOIGN SILTY CLAY LOAMS, 2 TO 15 PERCENT SLOPES	58	<b>58</b>	<b>58</b>	55	<b>55</b>	LG
LM	LADYSMITH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	211	305	248	55	<b>55</b>	LM
LS	LANCASTER LOAM, 1 TO 3 PERCENT SLOPES	171	252	195	66	<b>66</b>	LS
LT	LANCASTER LOAM, 3 TO 7 PERCENT SLOPES	159	214	<b>159</b>	66	<b>66</b>	LT
LV	LANCASTER-HEDVILLE COMPLEX, 3 TO 20 PERCENT SLOPES	56	<b>56</b>	<b>56</b>	55	<b>55</b>	LV
MPCB	CASS FINE SANDY LOAM, RARELY FLOODED	209	265	<b>209</b>	78	<b>78</b>	MPCB
MPED	EDALGO SILT LOAM, 5 TO 12 PERCENT SLOPES	71	162	105	55	<b>55</b>	MPED
OS	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	133	222	165	78	<b>78</b>	OS
RE	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	290	337	<b>290</b>	78	<b>78</b>	RE
RH	ROSEHILL SILTY CLAY, 1 TO 3 PERCENT SLOPES	110	184	127	55	<b>55</b>	RH
SO	SOIGN SILTY CLAY LOAM, 0 TO 15 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>32</b>	SO
TO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	248	324	267	66	<b>66</b>	TO

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
<b>MARION COUNTY (Page 2 of 2)</b>							
TU	TULLY SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	207	271	214	66	<b>66</b>	TU
VB	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	271	324	<b>271</b>	66	<b>66</b>	VB
VC	VERDIGRIS SILT LOAM, CHANNELED	178	<b>178</b>	<b>178</b>	66	<b>66</b>	VC
WB	WELLS LOAM, 1 TO 3 PERCENT SLOPES	247	308	251	66	<b>66</b>	WB
WC	WELLS LOAM, 3 TO 7 PERCENT SLOPES	229	266	<b>229</b>	66	<b>66</b>	WC
WD	WELLS CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	179	208	<b>179</b>	66	<b>66</b>	WD
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>McPHERSON COUNTY (Page 1 of 2)</b>							
2176	McCook loam, occasionally flooded	198	306	248	80	<b>80</b>	2176
2266	Tobin silt loam, occasionally flooded	198	306	248	80	<b>80</b>	2266
2310	Bridgeport silt loam, rarely flooded	194	298	240	80	<b>80</b>	2310
2345	McCook fine sandy loam, rarely flooded	176	318	259	68	<b>68</b>	2345
2347	McCook silt loam, rarely flooded	189	333	275	80	<b>80</b>	2347
2366	New Cambria silty clay, rarely flooded	127	318	259	68	<b>68</b>	2366
2375	Roxbury silt loam, rarely flooded	189	332	273	80	<b>80</b>	2375
2376	Roxbury silty clay loam, rarely flooded	189	333	275	80	<b>80</b>	2376
2715	Ness silty clay	<b>10</b>	<b>10</b>	<b>10</b>	68	<b>68</b>	2715
3350	Edalgo clay loam, 3 to 7 percent slopes	73	181	122	56	<b>56</b>	3350
3352	Edalgo loam, 3 to 7 percent slopes	73	186	128	56	<b>56</b>	3352
3355	Edalgo silt loam, 7 to 12 percent slopes	65	179	121	56	<b>56</b>	3355
3361	Edalgo silty clay loam, 3 to 7 percent slopes, eroded	20	<b>20</b>	<b>20</b>	56	<b>56</b>	3361
3390	Lancaster loam, 1 to 3 percent slopes	135	234	176	56	<b>56</b>	3390
3391	Lancaster loam, 3 to 7 percent slopes	128	226	168	56	<b>56</b>	3391
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	39	<b>39</b>	<b>39</b>	44	<b>44</b>	3396
3403	Longford silty clay loam, 3 to 7 percent slopes	211	274	216	56	<b>56</b>	3403
3404	Longford silty clay loam, 3 to 7 percent slopes, eroded	175	218	<b>175</b>	56	<b>56</b>	3404
3405	Longford silty clay loam, 3 to 7 percent slopes, moderately eroded	175	213	<b>175</b>	56	<b>56</b>	3405
3491	Wells loam, 1 to 3 percent slopes	239	315	257	56	<b>56</b>	3491
3492	Wells loam, 3 to 7 percent slopes	219	272	<b>219</b>	56	<b>56</b>	3492
3710	Cass fine sandy loam, rarely flooded	201	265	207	68	<b>68</b>	3710
3725	Detroit silty clay loam, rarely flooded	227	348	290	80	<b>80</b>	3725
3755	Hord silt loam, rarely flooded	257	351	292	80	<b>80</b>	3755
3824	Crete silt loam, 0 to 1 percent slopes	218	337	278	56	<b>56</b>	3824
3825	Crete silt loam, 1 to 3 percent slopes	207	315	257	56	<b>56</b>	3825
3829	Crete silty clay loam, 1 to 3 percent slopes, eroded	171	245	187	56	<b>56</b>	3829
3843	Geary silt loam, 1 to 3 percent slopes	234	315	257	56	<b>56</b>	3843
3844	Geary silt loam, 3 to 7 percent slopes	231	311	252	56	<b>56</b>	3844
3849	Geary-Clark complex, 3 to 7 percent slopes, eroded	175	218	<b>175</b>	56	<b>56</b>	3849
3857	Goessel silty clay, 0 to 1 percent slopes	152	309	251	56	<b>56</b>	3857
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	202	332	273	56	<b>56</b>	3890
3891	Ladysmith silty clay loam, 1 to 3 percent slopes	201	331	272	56	<b>56</b>	3891
3921	Smolan silty clay loam, 1 to 3 percent slopes	236	320	262	56	<b>56</b>	3921

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>McPHERSON COUNTY (Page 2 of 2)</b>							
3923	Smolan silty clay loam, 3 to 7 percent slopes, eroded	179	218	<b>179</b>	56	<b>56</b>	3923
4555	Clime silty clay loam, 3 to 7 percent slopes	46	152	93	56	<b>56</b>	4555
4565	Clime silty clay, 1 to 3 percent slopes	70	160	101	56	<b>56</b>	4565
4570	Clime silty clay, 3 to 7 percent slopes	45	150	91	56	<b>56</b>	4570
4671	Irwin silty clay loam, 1 to 3 percent slopes	172	295	237	56	<b>56</b>	4671
4673	Irwin silty clay loam, 3 to 7 percent slopes	169	290	232	56	<b>56</b>	4673
5562	Kaskan silty clay loam, frequently flooded, channeled	192	285	227	80	<b>80</b>	5562
5633	Plevna fine sandy loam, frequently flooded	51	<b>51</b>	<b>51</b>	80	<b>80</b>	5633
5670	Waldeck fine sandy loam, occasionally flooded	187	262	203	68	<b>68</b>	5670
5720	Blazefork silty clay loam, rarely flooded	155	291	232	56	<b>56</b>	5720
5728	Buhler-Blazefork silty clay loams, rarely flooded	150	259	201	56	<b>56</b>	5728
5730	Darlow-Elmer complex, 0 to 2 percent slopes	138	226	167	56	<b>56</b>	5730
5742	Dillwyn-Plevna loamy fine sands, 0 to 1 percent slopes	50	54	<b>50</b>	80	<b>80</b>	5742
5745	Elmer loam, 0 to 1 percent slopes	65	198	139	68	<b>68</b>	5745
5863	Attica loamy fine sand, 1 to 3 percent slopes	118	273	215	68	<b>68</b>	5863
5870	Carway and Carbika soils, 0 to 1 percent slopes	64	161	103	68	<b>68</b>	5870
5882	Dillhut-Plev complex, 0 to 2 percent slopes	51	62	<b>51</b>	80	<b>80</b>	5882
5893	Farnum loam, 1 to 3 percent slopes	231	320	262	56	<b>56</b>	5893
5902	Hayes fine sandy loam, 1 to 5 percent slopes	79	185	126	56	<b>56</b>	5902
5910	Naron fine sandy loam, 1 to 3 percent slopes	130	274	216	68	<b>68</b>	5910
5928	Pratt loamy fine sand, 1 to 5 percent slopes	70	185	126	56	<b>56</b>	5928
5929	Pratt loamy fine sand, 5 to 12 percent slopes	68	174	116	56	<b>56</b>	5929
5935	Pratt-Carwile complex, 0 to 5 percent slopes	66	158	100	56	<b>56</b>	5935
5942	Pratt-Turon fine sands, 1 to 5 percent slopes	71	185	126	56	<b>56</b>	5942
5973	Tivin-Dillhut fine sands, 0 to 15 percent slopes	66	179	121	56	<b>56</b>	5973
6330	Carwile fine sandy loam, 0 to 1 percent slopes	45	<b>45</b>	<b>45</b>	68	<b>68</b>	6330
9970	Aquolls	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9970
9971	Arents, earthen dam	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9971
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>RICE COUNTY (Page 1 of 3)</b>							
2266	Tobin silt loam, occasionally flooded	199	266	211	75	<b>75</b>	2266
3361	Edalgo silty clay loam, 3 to 7 percent slopes, eroded	71	122	<b>71</b>	42	<b>42</b>	3361
3381	Hedville-Lancaster complex, 5 to 20 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	3381
3390	Lancaster loam, 1 to 3 percent slopes	168	248	193	42	<b>42</b>	3390
3391	Lancaster loam, 3 to 7 percent slopes	85	147	92	42	<b>42</b>	3391
3392	Lancaster loam, 3 to 7 percent slopes, eroded	80	144	89	42	<b>42</b>	3392
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	36	<b>36</b>	3396
3561	Hobbs silt loam, occasionally flooded	201	261	206	75	<b>75</b>	3561
3720	Detroit silt loam, rarely flooded	218	314	226	64	<b>64</b>	3720
3755	Hord silt loam, rarely flooded	244	331	276	64	<b>64</b>	3755
3824	Crete silt loam, 0 to 1 percent slopes	216	318	263	42	<b>42</b>	3824
3825	Crete silt loam, 1 to 3 percent slopes	207	297	242	42	<b>42</b>	3825
3829	Crete silty clay loam, 1 to 3 percent slopes, eroded	178	225	<b>178</b>	42	<b>42</b>	3829
3833	Crete soils, 1 to 3 percent slopes, eroded	178	220	<b>178</b>	42	<b>42</b>	3833
3843	Geary silt loam, 1 to 3 percent slopes	232	297	242	42	<b>42</b>	3843
3844	Geary silt loam, 3 to 7 percent slopes	230	293	238	42	<b>42</b>	3844
3849	Geary-Clark complex, 3 to 7 percent slopes, eroded	168	196	<b>168</b>	42	<b>42</b>	3849
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	215	318	263	42	<b>42</b>	3890
3921	Smolan silty clay loam, 1 to 3 percent slopes	234	302	247	42	<b>42</b>	3921
3923	Smolan silty clay loam, 3 to 7 percent slopes, eroded	183	210	<b>183</b>	42	<b>42</b>	3923
4565	Clime silty clay, 1 to 3 percent slopes	80	247	192	42	<b>42</b>	4565
4705	Kipson complex, 3 to 15 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	42	<b>42</b>	4705
5324	Kaski loam, occasionally flooded	218	303	248	75	<b>75</b>	5324
5355	Kaski loam, rarely flooded	217	303	248	75	<b>75</b>	5355
5505	Abbyville-Kisiwa complex, occasionally flooded	21	<b>21</b>	<b>21</b>	64	<b>64</b>	5505
5550	Imano clay loam, occasionally flooded	116	239	184	75	<b>75</b>	5550
5562	Kaskan silty clay loam, frequently flooded, channeled	193	246	<b>193</b>	75	<b>75</b>	5562
5630	Platte complex, frequently flooded	<b>10</b>	18	<b>10</b>	75	<b>75</b>	5630
5633	Plevna fine sandy loam, frequently flooded	48	<b>48</b>	<b>48</b>	75	<b>75</b>	5633
5670	Waldeck fine sandy loam, occasionally flooded	107	201	146	75	<b>75</b>	5670
5675	Willowbrook fine sandy loam, occasionally flooded	107	202	147	75	<b>75</b>	5675
5710	Abbyville loam, 0 to 1 percent slopes	70	170	115	64	<b>64</b>	5710
5722	Blazefork-Kaskan complex, rarely flooded	193	314	259	42	<b>42</b>	5722

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>RICE COUNTY (Page 2 of 3)</b>							
5728	Buhler-Blazefork silty clay loams, rarely flooded	186	284	229	42	<b>42</b>	5728
5730	Darlow-Elmer complex, 0 to 2 percent slopes	148	242	187	42	<b>42</b>	5730
5742	Dillwyn-Plevna loamy fine sands, 0 to 1 percent slopes	52	165	110	75	<b>75</b>	5742
5745	Elmer loam, 0 to 1 percent slopes	91	264	209	53	<b>53</b>	5745
5750	Kaskan loam, rarely flooded	219	313	225	64	<b>64</b>	5750
5751	Kisiwa loam, 0 to 1 percent slopes	53	86	<b>53</b>	64	<b>64</b>	5751
5800	Mahone loamy fine sand, rarely flooded	147	275	216	64	<b>64</b>	5800
5820	Nickerson fine sandy loam, 0 to 2 percent slopes	204	317	261	42	<b>42</b>	5820
5821	Nickerson loamy fine sand, 0 to 2 percent slopes	200	306	251	42	<b>42</b>	5821
5822	Nickerson-Punkin fine sandy loams, 0 to 2 percent slopes	196	293	238	42	<b>42</b>	5822
5830	Ninnescah fine sandy loam, occasionally flooded	56	157	102	75	<b>75</b>	5830
5831	Punkin silt loam, 0 to 1 percent slopes	87	212	157	53	<b>53</b>	5831
5833	Saxman loamy sand, 0 to 1 percent slopes	98	207	152	75	<b>75</b>	5833
5845	Yaggy fine sandy loam, 0 to 1 percent slopes	12	39	<b>12</b>	75	<b>75</b>	5845
5861	Attica fine sandy loam, 1 to 3 percent slopes	130	265	210	42	<b>42</b>	5861
5868	Avans loam, 1 to 3 percent slopes	230	297	242	42	<b>42</b>	5868
5873	Clark clay loam, 1 to 3 percent slopes	80	265	210	42	<b>42</b>	5873
5876	Clark loam, 1 to 3 percent slopes	79	263	207	42	<b>42</b>	5876
5881	Dillhut fine sand, 1 to 3 percent slopes	50	65	<b>50</b>	75	<b>75</b>	5881
5882	Dillhut-Plev complex, 0 to 2 percent slopes	53	173	118	75	<b>75</b>	5882
5883	Dillhut-Solvay complex, 0 to 3 percent slopes	59	169	114	75	<b>75</b>	5883
5884	Dillwyn-Tivin complex, 0 to 20 percent slopes	33	187	132	53	<b>53</b>	5884
5891	Farnum fine sandy loam, 0 to 1 percent slopes	212	315	260	42	<b>42</b>	5891
5893	Farnum loam, 1 to 3 percent slopes	222	302	247	42	<b>42</b>	5893
5902	Hayes fine sandy loam, 1 to 5 percent slopes	91	241	186	42	<b>42</b>	5902
5906	Hayes-Turon complex, 0 to 5 percent slopes	89	242	187	42	<b>42</b>	5906
5907	Langdon fine sand, 0 to 15 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	5907
5909	Naron fine sandy loam, 0 to 1 percent slopes	202	291	236	42	<b>42</b>	5909
5910	Naron fine sandy loam, 1 to 3 percent slopes	194	273	218	42	<b>42</b>	5910
5912	Naron fine sandy loam, 3 to 7 percent slopes, moderately eroded	189	271	216	42	<b>42</b>	5912
5913	Naron fine sandy loam, 7 to 15 percent slopes, moderately eroded	165	192	<b>165</b>	42	<b>42</b>	5913
5927	Pratt fine sand, 5 to 10 percent slopes	60	174	119	42	<b>42</b>	5927
5928	Pratt loamy fine sand, 1 to 5 percent slopes	80	241	186	42	<b>42</b>	5928
5929	Pratt loamy fine sand, 5 to 12 percent slopes	61	171	116	42	<b>42</b>	5929
5935	Pratt-Carwile complex, 0 to 5 percent slopes	74	118	<b>74</b>	42	<b>42</b>	5935
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	31	119	64	42	<b>42</b>	5941
5942	Pratt-Turon fine sands, 1 to 5 percent slopes	83	241	186	42	<b>42</b>	5942

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>RICE COUNTY (Page 3 of 3)</b>							
5943	Saltcreek and Naron fine sandy loams, 0 to 1 percent slopes	200	291	236	42	<b>42</b>	5943
5944	Saltcreek and Naron fine sandy loams, 1 to 3 percent slopes	192	273	218	42	<b>42</b>	5944
5970	Taver loam, 0 to 1 percent slopes	195	315	260	42	<b>42</b>	5970
5971	Tivin fine sand, 10 to 30 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	5971
5973	Tivin-Dillhut fine sands, 0 to 15 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	5973
5975	Turon-Carway complex, 0 to 5 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	5975
6224	Canadian fine sandy loam, rarely flooded	152	276	221	64	<b>64</b>	6224
6330	Carwile fine sandy loam, 0 to 1 percent slopes	46	<b>46</b>	<b>46</b>	42	<b>42</b>	6330
9970	Aquolls	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9970
9983	Gravel pits and quarries	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9983
9986	Miscellaneous water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9986
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth 100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>RUSH COUNTY</b>							
BO	BOGUE CLAY, 3 TO 15 PERCENT SLOPES	10	118	63	19	19	BO
BR	BRIDGEPORT SILT LOAM, RARELY FLOODED	65	304	250	41	41	BR
CA	CORINTH SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	10	200	146	30	30	CA
ELAM	ARMO LOAM, 1 TO 3 PERCENT SLOPES	33	222	168	30	30	ELAM
ELAN	ARMO LOAM, 3 TO 7 PERCENT SLOPES, DRY	26	196	141	30	30	ELAN
ELAR	ARMO LOAM, 7 TO 15 PERCENT SLOPES	10	75	21	30	30	ELAR
ELBR	BROWNELL GRAVELLY LOAM, 2 TO 10 PERCENT SLOPES	10	150	96	30	30	ELBR
ELHC	HARNEY SILT LOAM, 3 TO 7 PERCENT SLOPES	69	267	212	30	30	ELHC
ELHD	HARNEY SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	69	246	192	30	30	ELHD
ELHE	HARNEY-ARMO COMPLEX, 3 TO 7 PERCENT SLOPES, ERODED	26	175	121	30	30	ELHE
ELHK	HARNEY-WAKEEN SILT LOAMS, 1 TO 3 PERCENT SLOPES	48	287	233	30	30	ELHK
ELHN	DORRANCE SANDY LOAM, 5 TO 20 PERCENT SLOPES	10	140	85	30	30	ELHN
ELIN	INAVALE LOAMY SAND, OCCASIONALLY FLOODED	22	278	224	52	52	ELIN
ELMD	MCCOOK SILT LOAM, RARELY FLOODED	59	304	250	41	41	ELMD
ELMF	MENTO SILT LOAM, 1 TO 3 PERCENT SLOPES	61	241	186	30	30	ELMF
ELMO	MENTO SOILS, 3 TO 7 PERCENT SLOPES, ERODED	48	262	207	30	30	ELMO
ELMU	MUNJOR SANDY LOAM, FREQUENTLY FLOODED	28	180	126	52	52	ELMU
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	77	308	253	30	30	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	74	287	233	30	30	HB
NC	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	46	295	240	41	41	NC
NW	NIBSON-WAKEEN SILT LOAMS, 3 TO 20 PERCENT SLOPES	10	10	10	30	30	NW
PE	PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES	10	230	176	30	30	PE
PNHC	HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	71	246	192	30	30	PNHC
PNHD	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED	52	224	169	30	30	PNHD
PNRO	ROXBURY SILT LOAM, FREQUENTLY FLOODED	44	180	126	52	52	PNRO
PNWH	WAKEEN-NIBSON SILT LOAMS, 5 TO 15 PERCENT SLOPES	10	10	10	30	30	PNWH
PR	PENDEN CLAY LOAM, 6 TO 15 PERCENT SLOPES	10	129	75	30	30	PR
RA	ROXBURY SILT LOAM, RARELY FLOODED	62	306	252	41	41	RA
RB	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	61	284	229	52	52	RB
RSAE	ARMO LOAM, 3 TO 7 PERCENT SLOPES, MOIST	38	196	141	30	30	RSAE
UB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	72	280	226	30	30	UB
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	65	244	190	30	30	UC
UR	ULY-ROXBURY SILT LOAMS, 0 TO 15 PERCENT SLOPES	57	223	168	41	41	UR
WB	WAKEEN SILT LOAM, 1 TO 3 PERCENT SLOPES	10	186	131	30	30	WB
WC	WAKEEN SILT LOAM, 3 TO 6 PERCENT SLOPES	10	191	136	30	30	WC
WST	WASTE	10	10	10	10	10	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>RUSSELL COUNTY (Page 1 of 2)</b>					
2113	Inavale loamy sand, occasionally flooded	32	29	<b>29</b>	2113
2201	Munjor sandy loam, frequently flooded	66	40	<b>40</b>	2201
2225	New Cambria silty clay, frequently flooded	64	61	<b>61</b>	2225
2234	Roxbury silt loam, channeled	69	61	<b>61</b>	2234
2236	Roxbury silt loam, occasionally flooded	116	61	<b>61</b>	2236
2264	Tobin and Roxbury silt loams, occasionally flooded	117	61	<b>61</b>	2264
2333	Inavale loamy sand, rarely flooded	33	29	<b>29</b>	2333
2347	McCook silt loam, rarely flooded	112	51	<b>51</b>	2347
2360	Munjor fine sandy loam, rarely flooded	72	40	<b>40</b>	2360
2375	Roxbury silt loam, rarely flooded	115	51	<b>51</b>	2375
2519	Armo loam, 3 to 7 percent slopes	88	29	<b>29</b>	2519
2521	Armo loam, 7 to 15 percent slopes	68	29	<b>29</b>	2521
2524	Armo-Bogue complex, 7 to 20 percent slopes	64	29	<b>29</b>	2524
2534	Balta complex, 3 to 7 percent slopes	114	29	<b>29</b>	2534
2536	Bogue clay, 3 to 15 percent slopes	<b>10</b>	19	<b>19</b>	2536
2540	Bogue-Armo complex, 5 to 25 percent slopes	<b>10</b>	19	<b>19</b>	2540
2592	Corinth silty clay loam, 3 to 7 percent slopes	28	29	<b>29</b>	2592
2594	Corinth silty clay loam, 7 to 15 percent slopes	<b>10</b>	29	<b>29</b>	2594
2598	Dorrance gravelly sandy loam, 4 to 15 percent slopes	<b>10</b>	19	<b>19</b>	2598
2600	Dorrance sandy loam, 1 to 4 percent slopes	<b>10</b>	29	<b>29</b>	2600
2605	Eltree silt loam, 1 to 3 percent slopes	105	29	<b>29</b>	2605
2606	Eltree silt loam, 3 to 7 percent slopes	104	29	<b>29</b>	2606
2612	Harney silt loam, 0 to 1 percent slopes	135	29	<b>29</b>	2612
2613	Harney silt loam, 1 to 3 percent slopes	130	29	<b>29</b>	2613
2614	Harney silt loam, 3 to 7 percent slopes	116	29	<b>29</b>	2614
2616	Harney silty clay loam, 3 to 7 percent slopes	116	29	<b>29</b>	2616
2617	Harney silty clay loam, 3 to 7 percent slopes, eroded	114	29	<b>29</b>	2617
2618	Harney-Armo complex, 3 to 7 percent slopes, eroded	114	29	<b>29</b>	2618
2625	Harney-Nuckolls complex, 3 to 7 percent slopes	117	29	<b>29</b>	2625
2632	Harney-Wakeen silt loams, 1 to 3 percent slopes	122	29	<b>29</b>	2632
2633	Harney-Wakeen complex, 3 to 7 percent slopes	111	29	<b>29</b>	2633
2660	Heizer-Brownell complex, 5 to 30 percent slopes	<b>10</b>	19	<b>19</b>	2660
2701	Mento silt loam, 1 to 3 percent slopes	126	29	<b>29</b>	2701
2720	Nibson silt loam, 5 to 25 percent slopes	<b>10</b>	29	<b>29</b>	2720
2726	Nibson-Wakeen silt loams, 3 to 20 percent slopes	<b>10</b>	29	<b>29</b>	2726

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
<b>RUSSELL COUNTY (Page 2 of 2)</b>					
2728	Nuckolls silt loam, 3 to 7 percent slopes	123	29	<b>29</b>	2728
2736	Nuckolls silty clay loam, 7 to 12 percent slopes, eroded	83	29	<b>29</b>	2736
2817	Uly silt loam, 3 to 6 percent slopes	121	29	<b>29</b>	2817
2951	Wakeen silt loam, 1 to 3 percent slopes	<b>10</b>	29	<b>29</b>	2951
2953	Wakeen silt loam, 3 to 7 percent slopes	<b>10</b>	29	<b>29</b>	2953
3366	Edalgo-Hedville loams, 15 to 40 percent slopes	20	29	<b>29</b>	3366
3367	Edalgo-Rock outcrop complex, 10 to 30 percent slopes	<b>10</b>	29	<b>29</b>	3367
3391	Lancaster loam, 3 to 7 percent slopes	89	29	<b>29</b>	3391
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	31	29	<b>29</b>	3396
3491	Wells loam, 1 to 3 percent slopes	147	29	<b>29</b>	3491
3492	Wells loam, 3 to 7 percent slopes	144	29	<b>29</b>	3492
3593	Humbarger loam, occasionally flooded	99	61	<b>61</b>	3593
3720	Detroit silt loam, rarely flooded	141	51	<b>51</b>	3720
3755	Hord silt loam, rarely flooded	122	51	<b>51</b>	3755
3824	Crete silt loam, 0 to 1 percent slopes	135	29	<b>29</b>	3824
9971	Arents, earthen dam	<b>10</b>	<b>10</b>	<b>10</b>	9971
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land		Grass Land		Symbol
			\$/Acre by Well Depth		Native	Tame	
			100 ft	200 ft	\$/Acre	\$/Acre	
<b>SALINE COUNTY (Page 1 of 2)</b>							
2177	McCook silt loam, occasionally flooded	218	324	262	72	<b>72</b>	2177
2179	McCook soils, occasionally flooded	218	324	262	72	<b>72</b>	2179
2266	Tobin silt loam, occasionally flooded	218	324	262	72	<b>72</b>	2266
2310	Bridgeport silt loam, rarely flooded	208	336	274	84	<b>84</b>	2310
2347	McCook silt loam, rarely flooded	208	337	275	84	<b>84</b>	2347
2366	New Cambria silty clay, rarely flooded	153	329	267	84	<b>84</b>	2366
2375	Roxbury silt loam, rarely flooded	206	341	279	84	<b>84</b>	2375
3250	Bavaria-Detroit complex, rarely flooded	147	<b>147</b>	<b>147</b>	84	<b>84</b>	3250
3350	Edalgo clay loam, 3 to 7 percent slopes	90	213	151	59	<b>59</b>	3350
3391	Lancaster loam, 3 to 7 percent slopes	124	212	150	59	<b>59</b>	3391
3396	Lancaster-Hedville complex, 3 to 20 percent slopes	34	<b>34</b>	<b>34</b>	47	<b>47</b>	3396
3401	Longford silt loam, 1 to 3 percent slopes	253	331	269	59	<b>59</b>	3401
3402	Longford silt loam, 3 to 7 percent slopes	237	288	<b>237</b>	59	<b>59</b>	3402
3403	Longford silty clay loam, 3 to 7 percent slopes	233	345	284	59	<b>59</b>	3403
3404	Longford silty clay loam, 3 to 7 percent slopes, eroded	233	283	<b>233</b>	59	<b>59</b>	3404
3491	Wells loam, 1 to 3 percent slopes	262	334	272	59	<b>59</b>	3491
3492	Wells loam, 3 to 7 percent slopes	228	288	<b>228</b>	59	<b>59</b>	3492
3521	Cass fine sandy loam, occasionally flooded	212	273	<b>212</b>	84	<b>84</b>	3521
3561	Hobbs silt loam, occasionally flooded	220	318	256	72	<b>72</b>	3561
3617	Solomon silty clay, occasionally flooded	77	191	129	72	<b>72</b>	3617
3633	Sutphen silty clay, occasionally flooded	153	274	212	72	<b>72</b>	3633
3715	Cozad silt loam, rarely flooded	245	355	294	84	<b>84</b>	3715
3725	Detroit silty clay loam, rarely flooded	243	353	291	84	<b>84</b>	3725
3755	Hord silt loam, rarely flooded	265	353	291	84	<b>84</b>	3755
3775	Muir silt loam, rarely flooded	266	347	285	84	<b>84</b>	3775
3824	Crete silt loam, 0 to 1 percent slopes	233	352	290	59	<b>59</b>	3824
3825	Crete silt loam, 1 to 3 percent slopes	225	323	261	59	<b>59</b>	3825
3826	Crete silt loam, 3 to 7 percent slopes	223	320	258	59	<b>59</b>	3826
3827	Crete silty clay loam, 0 to 1 percent slopes	233	350	289	59	<b>59</b>	3827
3830	Crete silty clay loam, 3 to 7 percent slopes	223	318	256	59	<b>59</b>	3830
3832	Crete-Wells complex, 3 to 7 percent slopes	228	288	<b>228</b>	59	<b>59</b>	3832
3843	Geary silt loam, 1 to 3 percent slopes	256	334	272	59	<b>59</b>	3843
3844	Geary silt loam, 3 to 7 percent slopes	234	288	<b>234</b>	59	<b>59</b>	3844
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	232	352	290	59	<b>59</b>	3890
3900	Ortello fine sandy loam, 3 to 7 percent slopes	132	264	202	72	<b>72</b>	3900
3918	Smolan silt loam, 0 to 1 percent slopes	265	357	295	59	<b>59</b>	3918
3921	Smolan silty clay loam, 1 to 3 percent slopes	263	356	294	59	<b>59</b>	3921

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth		Grass Land		Symbol
			100 ft	200 ft	Native \$/Acre	Tame \$/Acre	
<b>SALINE COUNTY (Page 2 of 2)</b>							
4555	Clime silty clay loam, 3 to 7 percent slopes	59	169	108	59	<b>59</b>	4555
4570	Clime silty clay, 3 to 7 percent slopes	58	167	105	59	<b>59</b>	4570
4671	Irwin silty clay loam, 1 to 3 percent slopes	211	315	253	59	<b>59</b>	4671
4673	Irwin silty clay loam, 3 to 7 percent slopes	189	285	223	59	<b>59</b>	4673
4720	Kipson-Clime complex, 6 to 20 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	59	<b>59</b>	4720
9986	Miscellaneous water	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	9986
9989	Orthents, clayey	121	144	<b>121</b>	47	<b>47</b>	9989
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999