

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>BARBER COUNTY (Page 1 of 3)</b>								
1439	CRISFIELD SANDY LOAM, RARELY FLOODED	46	277	215	152	72	<b>72</b>	1439
AD	ALBION-SHELLABARGER SANDY LOAMS, 2 TO 4 PERCENT SLOPES	97	274	213	150	31	<b>31</b>	AD
AE	ALBION AND SHELLABARGER SOILS, 4 TO 15 PERCENT SLOPES	68	161	99	<b>68</b>	31	<b>31</b>	AE
AN	ALBION-SHELLABARGER SANDY LOAMS, 4 TO 15 PERCENT SLOPES	59	161	99	<b>59</b>	31	<b>31</b>	AN
AS	CLAIREMONT SOILS, SALINE, CHANNELED	23	<b>23</b>	<b>23</b>	<b>23</b>	52	<b>52</b>	AS
AT	ATTICA LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	83	274	213	150	31	<b>31</b>	AT
BA	BLANKET SILT LOAM, 0 TO 1 PERCENT SLOPES	158	341	280	216	31	<b>31</b>	BA
BB	BLANKET SILT LOAM, 1 TO 3 PERCENT SLOPES	150	322	261	198	31	<b>31</b>	BB
BC	BLANKET SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	125	275	213	150	31	<b>31</b>	BC
BF	QUINLAN-CLAIREMONT COMPLEX, 0 TO 50 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	BF
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	116	312	250	187	52	<b>52</b>	CA
CC	CASE-CLARK CLAY LOAMS, 2 TO 6 PERCENT SLOPES	67	277	216	153	31	<b>31</b>	CC
CD	CLAIREMONT SILT LOAM, OCCASIONALLY FLOODED	112	302	240	177	72	<b>72</b>	CD
CF	CLAIREMONT SOILS, CHANNELED	62	136	74	<b>62</b>	72	<b>72</b>	CF
CK	CLARK CLAY LOAM, 0 TO 2 PERCENT SLOPES	62	320	258	195	31	<b>31</b>	CK
CMCP	CLAIREMONT LOAM, CHANNELED	62	136	74	<b>62</b>	72	<b>72</b>	CMCP
CMOA	OBARO SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	40	134	73	<b>40</b>	31	<b>31</b>	CMOA
CMOB	OBARO-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	22	68	<b>22</b>	<b>22</b>	21	<b>21</b>	CMOB
CMQR	QUINLAN-WOODWARD LOAMS, 6 TO 15 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	CMQR
CMQT	QUINLAN-WOODWARD LOAMS, 15 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	CMQT
CMYE	YAHOLA FINE SANDY LOAM, OCCASIONALLY FLOODED	78	264	203	139	72	<b>72</b>	CMYE
FA	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	167	341	280	216	31	<b>31</b>	FA
FM	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	180	341	280	216	31	<b>31</b>	FM
FR	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	170	331	269	206	31	<b>31</b>	FR
FU	FARNUM CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	144	288	227	163	31	<b>31</b>	FU
GA	GRANT SILT LOAM, 0 TO 1 PERCENT SLOPES	162	336	274	211	31	<b>31</b>	GA
GB	GRANT SILT LOAM, 1 TO 3 PERCENT SLOPES	154	309	248	184	31	<b>31</b>	GB
GC	GRANT SILT LOAM, 3 TO 6 PERCENT SLOPES	138	259	197	<b>138</b>	31	<b>31</b>	GC
HPBP	WOODWARD-PORT COMPLEX, 0 TO 20 PERCENT SLOPES	36	99	37	<b>36</b>	31	<b>31</b>	HPBP
HPFU	FARNUM LOAM, 3 TO 6 PERCENT SLOPES	172	313	252	189	31	<b>31</b>	HPFU
HPGE	GERLANE FINE SANDY LOAM, OCCASIONALLY FLOODED	107	257	195	132	72	<b>72</b>	HPGE
HPMC	MINCO SILT LOAM, 0 TO 1 PERCENT SLOPES	168	340	279	215	31	<b>31</b>	HPMC
HPMN	MINCO SILT LOAM, 1 TO 3 PERCENT SLOPES	164	332	270	207	31	<b>31</b>	HPMN
HPMO	MINCO SILT LOAM, 3 TO 6 PERCENT SLOPES	136	259	197	<b>136</b>	31	<b>31</b>	HPMO

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>BARBER COUNTY (Page 2 of 3)</b>								
HPQU	QUINLAN LOAM, 3 TO 6 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	HPQU
HPSE	SHELLABARGER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	148	287	225	162	31	<b>31</b>	HPSE
HPWE	WOODWARD-QUINLAN LOAMS, 1 TO 3 PERCENT SLOPES	23	<b>23</b>	<b>23</b>	<b>23</b>	31	<b>31</b>	HPWE
KA	KANZA SOILS, FREQUENTLY FLOODED	15	120	58	<b>15</b>	72	<b>72</b>	KA
KF	KINGFISHER SILT LOAM, 1 TO 3 PERCENT SLOPES	74	215	154	90	31	<b>31</b>	KF
KMAC	ALBION SANDY LOAM, 3 TO 6 PERCENT SLOPES	74	261	200	137	31	<b>31</b>	KMAC
KMDA	DILLWYN-PLEVNA COMPLEX, OCCASIONALLY FLOODED	27	163	101	38	72	<b>72</b>	KMDA
KMFA	FARNUM SANDY LOAM, 0 TO 2 PERCENT SLOPES	174	337	275	212	31	<b>31</b>	KMFA
KMSB	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	153	287	225	162	31	<b>31</b>	KMSB
KMWA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	71	235	174	111	72	<b>72</b>	KMWA
KV	KINGFISHER-VERNON COMPLEX, 1 TO 3 PERCENT SLOPES	54	181	120	56	31	<b>31</b>	KV
KWLN	LINCOLN SANDY LOAM, OCCASIONALLY FLOODED	<b>10</b>	200	138	75	52	<b>52</b>	KWLN
KWQW	QUINLAN-WOODWARD LOAMS, 6 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	KWQW
KWWA	WALDECK LOAM, OCCASIONALLY FLOODED	73	235	174	111	72	<b>72</b>	KWWA
KZ	KINGFISHER-VERNON COMPLEX, 3 TO 6 PERCENT SLOPES	36	136	75	<b>36</b>	31	<b>31</b>	KZ
LN	LINCOLN SOILS, FREQUENTLY FLOODED	<b>10</b>	96	35	<b>10</b>	52	<b>52</b>	LN
LNN	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	<b>10</b>	200	138	75	52	<b>52</b>	LNN
MA	MANGUM CLAY, OCCASIONALLY FLOODED	88	254	193	129	52	<b>52</b>	MA
MG	MANGUM-DRUMMOND COMPLEX, RARELY FLOODED	54	246	184	121	52	<b>52</b>	MG
MN	MINCO SILT LOAM, 0 TO 2 PERCENT SLOPES	159	336	275	211	31	<b>31</b>	MN
NA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	152	322	261	197	31	<b>31</b>	NA
NB	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	145	298	237	174	31	<b>31</b>	NB
OS	OST CLAY LOAM, 0 TO 1 PERCENT SLOPES	124	322	261	197	31	<b>31</b>	OS
OT	OST CLAY LOAM, 1 TO 3 PERCENT SLOPES	114	298	237	174	31	<b>31</b>	OT
PA	POND CREEK SILT LOAM, 0 TO 1 PERCENT SLOPES	183	341	280	216	31	<b>31</b>	PA
PD	POND CREEK SILT LOAM, 1 TO 3 PERCENT SLOPES	175	331	269	206	31	<b>31</b>	PD
PH	DALE SILT LOAM, RARELY FLOODED	156	331	269	206	62	<b>62</b>	PH
PK	BUTTERMILK SILT LOAM, RARELY FLOODED	79	137	<b>79</b>	<b>79</b>	52	<b>52</b>	PK
PRAB	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	76	274	213	150	31	<b>31</b>	PRAB
PRAO	ALBION SANDY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	49	178	117	53	31	<b>31</b>	PRAO
PRAS	ALBION AND SHELLABARGER SOILS, 7 TO 15 PERCENT SLOPES	66	152	91	<b>66</b>	31	<b>31</b>	PRAS
PRBC	BLANKET SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES, ERODED	125	270	209	146	31	<b>31</b>	PRBC
PRCA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	26	<b>26</b>	<b>26</b>	<b>26</b>	31	<b>31</b>	PRCA
PRCK	CASE-CLARK COMPLEX, 7 TO 15 PERCENT SLOPES	27	120	59	<b>27</b>	31	<b>31</b>	PRCK

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>BARBER COUNTY (Page 3 of 3)</b>								
PRCM	CLARK CLAY LOAM, 1 TO 4 PERCENT SLOPES	53	281	220	157	31	<b>31</b>	PRCM
PRCN	CLARK FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	55	286	224	161	31	<b>31</b>	PRCN
PRCO	CLARK-OST CLAY LOAMS, 0 TO 1 PERCENT SLOPES	97	318	256	193	31	<b>31</b>	PRCO
PRFA	FARNUM CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	137	284	222	159	31	<b>31</b>	PRFA
PRKP	KANZA-PLEVNA COMPLEX, FREQUENTLY FLOODED	17	94	32	<b>17</b>	72	<b>72</b>	PRKP
PROS	OST CLAY LOAM, 1 TO 4 PERCENT SLOPES	91	294	233	169	31	<b>31</b>	PROS
PRPM	PRATT LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	48	220	159	96	31	<b>31</b>	PRPM
PRPN	PRATT LOAMY FINE SAND, 8 TO 12 PERCENT SLOPES	41	190	129	66	31	<b>31</b>	PRPN
PRPO	PRATT-CARWILE COMPLEX, 0 TO 5 PERCENT SLOPES	32	112	51	<b>32</b>	31	<b>31</b>	PRPO
PRSA	ALBION-KASKI COMPLEX, 0 TO 15 PERCENT SLOPES	52	129	68	<b>52</b>	31	<b>31</b>	PRSA
PRSE	SHELLABARGER FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	137	282	221	158	31	<b>31</b>	PRSE
PS	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	43	203	142	78	31	<b>31</b>	PS
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	12	142	81	17	31	<b>31</b>	PT
QN	QUINLAN LOAM, 1 TO 3 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	QN
QW	QUINLAN-WOODWARD COMPLEX, 5 TO 15 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	QW
RB	KNOCO-SHALE OUTCROP COMPLEX, 15 TO 80 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	RB
SB	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	139	269	208	145	31	<b>31</b>	SB
SBB	SHELLABARGER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	149	318	256	193	31	<b>31</b>	SBB
SC	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	120	235	173	<b>120</b>	31	<b>31</b>	SC
TV	TIVOLI FINE SAND, 5 TO 20 PERCENT SLOPES	<b>10</b>	89	<b>10</b>	<b>10</b>	31	<b>31</b>	TV
VN	VERNON CLAY LOAM, 3 TO 5 PERCENT SLOPES	46	66	<b>46</b>	<b>46</b>	31	<b>31</b>	VN
VR	VERNON CLAY LOAM, 5 TO 15 PERCENT SLOPES	<b>10</b>	17	<b>10</b>	<b>10</b>	31	<b>31</b>	VR
VS	VERNON-KNOCO COMPLEX, 1 TO 5 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	21	<b>21</b>	VS
WA	WALDECK SANDY LOAM, OCCASIONALLY FLOODED	66	235	174	111	72	<b>72</b>	WA
WO	WOODWARD-QUINLAN LOAMS, 0 TO 3 PERCENT SLOPES	23	157	96	32	31	<b>31</b>	WO
WS	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	22	99	38	<b>22</b>	31	<b>31</b>	WS
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST
YA	YAHOLA SANDY LOAM, OCCASIONALLY FLOODED	78	264	203	139	72	<b>72</b>	YA
ZE	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	97	310	248	185	72	<b>72</b>	ZE

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>COMANCHE COUNTY (Page 1 of 3)</b>								
AB	ABILENE SILT LOAM, 0 TO 1 PERCENT SLOPES	104	343	282	218	32	<b>32</b>	AB
AC	ABILENE SILT LOAM, 1 TO 3 PERCENT SLOPES	98	322	260	196	32	<b>32</b>	AC
AN	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	38	260	198	134	32	<b>32</b>	AN
AS	ALBION-SHELLABARGER SANDY LOAMS, 4 TO 15 PERCENT SLOPES	35	156	95	<b>35</b>	32	<b>32</b>	AS
BABB	BLANKET SILT LOAM, 1 TO 3 PERCENT SLOPES	110	322	260	196	32	<b>32</b>	BABB
BABC	BLANKET SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	100	309	247	183	32	<b>32</b>	BABC
BAGB	GRANT SILT LOAM, 1 TO 3 PERCENT SLOPES	120	322	260	196	32	<b>32</b>	BAGB
BAPA	POND CREEK SILT LOAM, 0 TO 1 PERCENT SLOPES	127	326	264	201	32	<b>32</b>	BAPA
BAPD	POND CREEK SILT LOAM, 1 TO 3 PERCENT SLOPES	125	317	256	192	32	<b>32</b>	BAPD
BB	BLANKET SILT LOAM 1 TO 3 % SLOPES	67	<b>67</b>	<b>67</b>	<b>67</b>	32	<b>32</b>	BB
BC	BLANKET SILTY LOAM 1 TO 3 % SLOPES	57	<b>57</b>	<b>57</b>	<b>57</b>	32	<b>32</b>	BC
BT	BUTTERMILK SILT LOAM, RARELY FLOODED	57	167	105	<b>57</b>	42	<b>42</b>	BT
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	80	308	247	183	52	<b>52</b>	CA
CACS	CAREY SILT LOAM, 1 TO 3 PERCENT SLOPES	106	317	256	192	32	<b>32</b>	CACS
CACY	CAREY SILT LOAM, 3 TO 6 PERCENT SLOPES	93	270	209	145	32	<b>32</b>	CACY
CAMS	MISSLER SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	77	323	261	197	32	<b>32</b>	CAMS
CARF	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	95	313	251	187	62	<b>62</b>	CARF
CASH	SHELLABARGER LOAM, 2 TO 5 PERCENT SLOPES	87	269	207	144	32	<b>32</b>	CASH
CC	CAREY SILT LOAM, 0 TO 2 PERCENT SLOPES	108	322	260	196	32	<b>32</b>	CC
CD	CAREY SILT LOAM, 2 TO 5 PERCENT SLOPES	97	279	217	154	32	<b>32</b>	CD
CF	CASE CLAY LOAM 7 TO 15 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>32</b>	CF
CH	CASE CLAY LOAM, 1 TO 3 PERCENT SLOPES	61	308	247	183	32	<b>32</b>	CH
CK	CASE CLAY LOAM, 3 TO 7 PERCENT SLOPES	51	258	196	132	32	<b>32</b>	CK
CM	CASE CLAY LOAM, 7 TO 15 PERCENT SLOPES	28	157	95	31	32	<b>32</b>	CM
CO	CLAIREMONT SILT LOAM, OCCASIONALLY FLOODED	80	304	242	178	62	<b>62</b>	CO
CP	CLAIREMONT LOAM, CHANNELED	39	137	75	<b>39</b>	62	<b>62</b>	CP
CR	CLARK CLAY LOAM, 0 TO 1 PERCENT SLOPES	36	327	265	202	32	<b>32</b>	CR
CS	CLARK CLAY LOAM, 1 TO 3 PERCENT SLOPES	30	303	241	178	32	<b>32</b>	CS
CT	CLARK CLAY LOAM, 3 TO 6 PERCENT SLOPES	21	252	191	127	32	<b>32</b>	CT
CW	CLARK-KINGSDOWN COMPLEX, 5 TO 12 PERCENT SLOPES	33	220	158	95	32	<b>32</b>	CW
CY	CAREY SILT LOAM 3 TO 6 % SLOPES	47	<b>47</b>	<b>47</b>	<b>47</b>	32	<b>32</b>	CY
DC	DALE SILT LOAM, RARELY FLOODED	114	333	271	207	52	<b>52</b>	DC
ED	ELANDCO SILT LOAM, OCCASIONALLY FLOODED	93	291	229	165	62	<b>62</b>	ED
EF	ELANDCO SILT LOAM, CHANNELED	47	132	70	<b>47</b>	62	<b>62</b>	EF

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>COMANCHE COUNTY (Page 2 of 3)</b>								
FE	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	133	343	282	218	32	<b>32</b>	FE
FF	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	126	333	271	207	32	<b>32</b>	FF
GB	GRANT SILT LOAM 1 TO 3 % SLOPES	69	<b>69</b>	<b>69</b>	<b>69</b>	32	<b>32</b>	GB
HB	HARNEY SILT LOAM 1 TO 3 % SLOPES	67	<b>67</b>	<b>67</b>	<b>67</b>	32	<b>32</b>	HB
HE	HEDVILLE-ROCK OUTCROP COMPLEX, 8 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	22	<b>22</b>	HE
HR	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	114	311	249	186	32	<b>32</b>	HR
KA	KINGSDOWN FINE SANDY LOAM 0 TO 2 % LOAM	34	<b>34</b>	<b>34</b>	<b>34</b>	32	<b>32</b>	KA
KC	KANZA LOAMY FINE SAND, FREQUENTLY FLOODED	<b>10</b>	120	59	<b>10</b>	62	<b>62</b>	KC
KF	KASKI LOAM, RARELY FLOODED	133	333	271	207	52	<b>52</b>	KF
KN	KINGSDOWN FINE SANDY LOAM, 0 TO 2 PERCENT SLOPES	71	295	233	169	32	<b>32</b>	KN
KO	KINGSDOWN FINE SANDY LOAM, 2 TO 5 PERCENT SLOPES	60	255	193	129	32	<b>32</b>	KO
KR	KRIER LOAM, OCCASIONALLY FLOODED	<b>10</b>	62	<b>10</b>	<b>10</b>	42	<b>42</b>	KR
KWHB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	118	322	260	196	32	<b>32</b>	KWHB
KWLH	LANCASTER-HEDVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	<b>10</b>	12	<b>10</b>	<b>10</b>	27	<b>27</b>	KWLH
LB	LESHO CLAY LOAM	30	<b>30</b>	<b>30</b>	<b>30</b>	62	<b>62</b>	LB
LD	LANCASTER-HEDVILLE FINE SANDY LOAMS, 4 TO 12 PERCENT SLOPES	14	112	51	<b>14</b>	27	<b>27</b>	LD
LE	LESHO CLAY LOAM, OCCASIONALLY FLOODED	63	277	215	151	62	<b>62</b>	LE
LH	LANCASTER-HEDVILLE COMPLEX 4 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	LH
LN	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	<b>10</b>	204	142	78	52	<b>52</b>	LN
LO	LINCOLN SANDY LOAM, OCCASIONALLY FLOODED	<b>10</b>	222	161	97	52	<b>52</b>	LO
LR	LINCOLN-KRIER COMPLEX, OCCASIONALLY FLOODED	<b>10</b>	141	79	<b>10</b>	42	<b>42</b>	LR
MS	OBARO SILTY CLAY LOAM, 5 TO 12 PERCENT SLOPES	88	<b>88</b>	<b>88</b>	<b>88</b>	32	<b>32</b>	MS
OA	OBARO-ROCK OUTCROP COMPLEX, 10 TO 30 PERCENT SLOPES	35	170	108	44	32	<b>32</b>	OA
OB	OST CLAY LOAM, 2 TO 6 PERCENT SLOPES	11	80	18	<b>11</b>	32	<b>32</b>	OB
OC	OST CLAY LOAM, 2 TO 6 PERCENT SLOPES	36	276	215	151	32	<b>32</b>	OC
OE	OWENS CLAY, 6 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	22	<b>22</b>	OE
PA	PENDEN CLAY LOAM 0 TO 7 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>32</b>	PA
PD	POND CREEK SILT LOAM 1 TO 3 PERCENT SLOPES	83	<b>83</b>	<b>83</b>	<b>83</b>	32	<b>32</b>	PD
PH	PORT SILT LOAM, OCCASIONALLY FLOODED	119	291	229	165	62	<b>62</b>	PH
PO	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	21	205	143	79	32	<b>32</b>	PO
PR	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	31	260	198	134	32	<b>32</b>	PR
PS	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>32</b>	PS
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	<b>10</b>	139	77	13	32	<b>32</b>	PT
QR	QUINLAN-WOODWARD LOAMS, 6 TO 15 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>32</b>	QR

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>COMANCHE COUNTY (Page 3 of 3)</b>								
QT	QUINLAN-WOODWARD LOAMS, 15 TO 30 PERCENT SLOPES	10	10	10	10	32	32	QT
QW	QUINLAN-WOODWARD LOAMS 6 TO 15 PERCENT SLOPES	10	10	10	10	32	32	QW
RF	ROXBURY SILT LOAM OCCASIONALLY FLOODED	96	96	96	96	62	62	RF
SB	ST. PAUL SILT LOAM, 0 TO 1 PERCENT SLOPES	128	343	282	218	32	32	SB
SC	ST. PAUL SILT LOAM, 1 TO 3 PERCENT SLOPES	122	322	260	196	32	32	SC
SG	SHELLABARGER SANDY LOAM, 0 TO 1 PERCENT SLOPES	116	338	276	212	32	32	SG
SH	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	110	311	249	186	32	32	SH
SM	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	98	260	199	135	32	32	SM
TV	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	10	10	10	10	22	22	TV
VE	VERNON CLAY LOAM 3 TO 5 PERCENT SLOPES	10	10	10	10	32	32	VE
WA	WALDECK FINE SANDY LOAM	19	19	19	19	62	62	WA
WD	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	51	237	175	111	62	62	WD
WE	WESTVIEW SILT LOAM, 0 TO 1 PERCENT SLOPES	109	343	282	218	32	32	WE
WF	WELLSFORD CLAY, 6 TO 25 PERCENT SLOPES	10	10	10	10	22	22	WF
WO	WOODWARD LOAM, 1 TO 3 PERCENT SLOPES	43	240	178	114	32	32	WO
WR	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	10	10	10	10	27	27	WR
WS	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	10	81	19	10	27	27	WS
WST	WASTE	10	10	10	10	10	10	WST
YE	YAHOLA FINE SANDY LOAM, OCCASIONALLY FLOODED	51	263	201	137	52	52	YE
ZE	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	95	312	250	186	62	62	ZE

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>EDWARDS COUNTY (Page 1 of 2)</b>								
1183	Las Animas loamy fine sand, occasionally flooded	31	166	104	41	52	<b>52</b>	1183
1185	Las Animas sandy loam, occasionally flooded	33	179	117	54	52	<b>52</b>	1185
1187	Las Animas-Lincoln complex, occasionally flooded	33	179	117	54	52	<b>52</b>	1187
2152	Lesho clay loam, occasionally flooded	49	178	116	53	62	<b>62</b>	2152
2153	Lesho clay loam, saline, occasionally flooded	26	111	50	<b>26</b>	21	<b>21</b>	2153
2234	Roxbury silt loam, channeled	71	264	202	138	47	<b>47</b>	2234
2235	Roxbury silt loam, frequently flooded	71	264	202	138	47	<b>47</b>	2235
2266	Tobin silt loam, occasionally flooded	94	316	255	191	62	<b>62</b>	2266
2562	Campus-Canlon complex, 3 to 30 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	37	<b>37</b>	2562
2586	Coly-Tobin silt loams, 0 to 15 percent slopes	71	260	199	135	47	<b>47</b>	2586
2612	Harney silt loam, 0 to 1 percent slopes	95	316	254	190	32	<b>32</b>	2612
2613	Harney silt loam, 1 to 3 percent slopes	91	297	235	172	32	<b>32</b>	2613
2614	Harney silt loam, 3 to 7 percent slopes	83	262	201	137	32	<b>32</b>	2614
2615	Harney silty clay loam, 1 to 3 percent slopes, eroded	90	290	228	165	32	<b>32</b>	2615
2628	Harney-Uly complex, 1 to 3 percent slopes	91	297	235	172	32	<b>32</b>	2628
2629	Harney-Uly complex, 3 to 6 percent slopes	83	271	209	145	32	<b>32</b>	2629
2630	Harney-Uly complex, 3 to 6 percent slopes, eroded	82	267	206	142	32	<b>32</b>	2630
2668	Holdrege silt loam, 1 to 3 percent slopes	97	326	265	201	32	<b>32</b>	2668
2670	Holdrege silt loam, 3 to 7 percent slopes	86	289	228	164	32	<b>32</b>	2670
2684	Lubbock silt loam, 0 to 1 percent slopes	97	337	276	212	32	<b>32</b>	2684
2714	Ness clay	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	21	<b>21</b>	2714
2817	Uly silt loam, 3 to 6 percent slopes	83	271	209	145	32	<b>32</b>	2817
3755	Hord silt loam, rarely flooded	112	332	270	207	42	<b>42</b>	3755
5561	Kanza-Plevna complex, frequently flooded	14	88	27	<b>14</b>	62	<b>62</b>	5561
5632	Platte soils, occasionally flooded	10	158	96	33	62	<b>62</b>	5632
5633	Plevna fine sandy loam, frequently flooded	13	84	23	<b>13</b>	62	<b>62</b>	5633
5670	Waldeck fine sandy loam, occasionally flooded	32	236	175	111	62	<b>62</b>	5670
5671	Waldeck loam, occasionally flooded	33	236	175	111	62	<b>62</b>	5671
5690	Zenda clay loam, occasionally flooded	79	311	249	186	62	<b>62</b>	5690
5693	Zenda-Drummond complex, occasionally flooded	69	244	182	118	57	<b>57</b>	5693
5732	Darr fine sandy loam, rarely flooded	37	308	246	182	52	<b>52</b>	5732
5860	Attica fine sandy loam, 0 to 1 percent slopes	75	316	254	190	32	<b>32</b>	5860
5861	Attica fine sandy loam, 1 to 3 percent slopes	64	297	235	172	32	<b>32</b>	5861
5863	Attica loamy fine sand, 1 to 3 percent slopes	64	296	234	<b>10</b>	32	<b>32</b>	5863

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>EDWARDS COUNTY (Page 2 of 2)</b>								
5865	Attica-Carwile complex, 0 to 3 percent slopes	46	196	134	71	32	<b>32</b>	5865
5892	Farnum loam, 0 to 1 percent slopes	114	337	276	212	32	<b>32</b>	5892
5893	Farnum loam, 1 to 3 percent slopes	103	332	270	207	32	<b>32</b>	5893
5909	Naron fine sandy loam, 0 to 1 percent slopes	102	337	276	212	32	<b>32</b>	5909
5910	Naron fine sandy loam, 1 to 3 percent slopes	97	332	270	207	32	<b>32</b>	5910
5916	Naron loamy fine sand, 0 to 1 percent slopes	93	337	276	212	32	<b>32</b>	5916
5928	Pratt loamy fine sand, 1 to 5 percent slopes	40	270	208	145	32	<b>32</b>	5928
5929	Pratt loamy fine sand, 5 to 12 percent slopes	29	228	166	103	32	<b>32</b>	5929
5935	Pratt-Carwile complex, 0 to 5 percent slopes	22	246	184	121	32	<b>32</b>	5935
5938	Pratt-Lincoln loamy fine sands, 0 to 4 percent slopes	21	243	182	118	32	<b>32</b>	5938
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	10	164	102	39	32	<b>32</b>	5941
5964	Tabler clay loam, 0 to 1 percent slopes	97	337	276	212	32	<b>32</b>	5964
5969	Tabler-Drummond complex, 0 to 1 percent slopes	46	332	270	207	32	<b>32</b>	5969
5972	Tivoli fine sand, 10 to 30 percent slopes	<b>10</b>	60	<b>10</b>	<b>10</b>	42	<b>42</b>	5972
6224	Canadian fine sandy loam, rarely flooded	71	313	251	188	52	<b>52</b>	6224
6330	Carwile fine sandy loam, 0 to 1 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>32</b>	6330
6333	Carwile-Drummond complex, 0 to 1 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	6333
9976	Borrow pits	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9976
9994	Rivers	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9994
9995	Sand Pits	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9995
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>HARPER COUNTY (Page 1 of 3)</b>								
1439	CRISFIELD SANDY LOAM, RARELY FLOODED	48	224	165	103	60	<b>60</b>	1439
AN	KASKI LOAM, FREQUENTLY FLOODED	121	200	140	<b>121</b>	70	<b>70</b>	AN
AT	ATTICA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	96	288	228	166	40	<b>40</b>	AT
BAAE	ALBION AND SHELLABARGER SOILS, 4 TO 15 PERCENT SLOPES	65	157	98	<b>65</b>	40	<b>40</b>	BAAE
BAAS	CLAIREMONT SOILS, SALINE, CHANNELED	20	<b>20</b>	<b>20</b>	<b>20</b>	60	<b>60</b>	BAAS
BAFU	FARNUM CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	149	309	249	188	50	<b>50</b>	BAFU
BAKA	KANZA SOILS, FREQUENTLY FLOODED	13	116	57	<b>13</b>	70	<b>70</b>	BAKA
BE	BETHANY SILT LOAM, 0 TO 1 PERCENT SLOPES	174	332	272	210	50	<b>50</b>	BE
BH	BETHANY SILT LOAM, 1 TO 3 PERCENT SLOPES	166	322	262	200	50	<b>50</b>	BH
BM	LINCOLN LOAMY FINE SAND, OCCASIONALLY FLOODED	10	205	146	84	40	<b>40</b>	BM
BO	GERLANE VARIANT LOAMY FINE SAND, OCCASIONALLY FLOODED	10	171	112	50	40	<b>40</b>	BO
BP	WOODWARD-PORT COMPLEX, 0 TO 20 PERCENT SLOPES	50	152	92	<b>50</b>	65	<b>65</b>	BP
BR	FLUVENTS, FREQUENTLY FLOODED	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	60	<b>60</b>	BR
CA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	30	<b>30</b>	<b>30</b>	<b>30</b>	40	<b>40</b>	CA
CC	CASE-CLARK COMPLEX, 2 TO 6 PERCENT SLOPES	73	270	210	148	40	<b>40</b>	CC
CE	CORBIN SILT LOAM, 0 TO 1 PERCENT SLOPES	176	332	272	210	50	<b>50</b>	CE
CF	CORBIN SILT LOAM, 1 TO 3 PERCENT SLOPES	168	321	262	200	50	<b>50</b>	CF
CH	CRISFIELD FINE SANDY LOAM	48	308	249	187	60	<b>60</b>	CH
FA	FARNUM CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	116	239	179	117	50	<b>50</b>	FA
FM	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	175	332	272	210	50	<b>50</b>	FM
FN	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	167	322	262	200	50	<b>50</b>	FN
FU	FARNUM LOAM, 3 TO 6 PERCENT SLOPES	151	275	215	154	50	<b>50</b>	FU
GE	GERLANE FINE SANDY LOAM, OCCASIONALLY FLOODED	117	280	221	159	70	<b>70</b>	GE
GN	GRANT SILT LOAM, 0 TO 1 PERCENT SLOPES	157	308	248	187	50	<b>50</b>	GN
GR	GRANT SILT LOAM, 1 TO 3 PERCENT SLOPES	150	285	225	164	50	<b>50</b>	GR
GS	GRANT SILT LOAM, 3 TO 6 PERCENT SLOPES	134	239	179	<b>134</b>	50	<b>50</b>	GS
KA	KANZA LOAMY FINE SAND, FREQUENTLY FLOODED	15	116	57	<b>15</b>	70	<b>70</b>	KA
KK	KASKI LOAM, OCCASIONALLY FLOODED	168	306	247	185	70	<b>70</b>	KK
KM	KIRKLAND SILT LOAM, 0 TO 1 PERCENT SLOPES	130	313	254	192	40	<b>40</b>	KM
KMAD	ALBION SANDY LOAM, 6 TO 15 PERCENT SLOPES	41	149	89	<b>41</b>	40	<b>40</b>	KMAD
KMDA	DILLWYN-PLEVNA COMPLEX, OCCASIONALLY FLOODED	24	158	99	37	70	<b>70</b>	KMDA
KMLA	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	<b>10</b>	110	50	<b>10</b>	60	<b>60</b>	KMLA
KMNB	NASHVILLE-QUINLAN COMPLEX, 5 TO 15 PERCENT SLOPES	28	64	<b>28</b>	<b>28</b>	65	<b>65</b>	KMNB
KMSA	SHELLABARGER LOAMY SAND, 0 TO 3 PERCENT SLOPES	133	298	238	177	40	<b>40</b>	KMSA

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>HARPER COUNTY (Page 2 of 3)</b>								
KMSC	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	135	252	192	<b>135</b>	40	<b>40</b>	KMSC
KMSD	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	110	217	157	<b>110</b>	40	<b>40</b>	KMSD
KMZA	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	87	288	229	167	70	<b>70</b>	KMZA
KR	KIRKLAND-RENFROW CLAY LOAMS, 1 TO 3 PERCENT SLOPES	119	277	217	156	40	<b>40</b>	KR
KW	KIRKLAND-RENFROW SOILS, 1 TO 3 PERCENT SLOPES, ERODED	110	251	192	130	40	<b>40</b>	KW
MC	MINCO SILT LOAM, 0 TO 1 PERCENT SLOPES	161	332	272	210	50	<b>50</b>	MC
MN	MINCO SILT LOAM, 1 TO 3 PERCENT SLOPES	151	322	262	200	50	<b>50</b>	MN
MO	MINCO SILT LOAM, 3 TO 6 PERCENT SLOPES	135	273	213	151	50	<b>50</b>	MO
NA	NASHVILLE SILT LOAM, 0 TO 1 PERCENT SLOPES	101	243	183	122	50	<b>50</b>	NA
NE	NASHVILLE SILT LOAM, 1 TO 3 PERCENT SLOPES	93	227	168	106	50	<b>50</b>	NE
NH	NASHVILLE SILT LOAM, 3 TO 6 PERCENT SLOPES	79	199	139	<b>79</b>	50	<b>50</b>	NH
NN	NASHVILLE SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	60	190	130	69	50	<b>50</b>	NN
NO	MILAN LOAM, 1 TO 3 PERCENT SLOPES	173	314	254	192	50	<b>50</b>	NO
PC	POND CREEK SILT LOAM, 0 TO 1 PERCENT SLOPES	182	332	272	210	50	<b>50</b>	PC
PD	POND CREEK SILT LOAM, 1 TO 3 PERCENT SLOPES	174	322	262	200	50	<b>50</b>	PD
PE	POND CREEK SILT LOAM, 3 TO 6 PERCENT SLOPES	155	278	218	156	50	<b>50</b>	PE
PG	POND CREEK SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	137	239	179	<b>137</b>	50	<b>50</b>	PG
PH	DALE SILT LOAM, RARELY FLOODED	155	322	262	200	70	<b>70</b>	PH
PK	BUTTERMILK SILT LOAM, RARELY FLOODED	79	133	<b>79</b>	<b>79</b>	60	<b>60</b>	PK
PM	PRATT LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	47	218	158	97	40	<b>40</b>	PM
PN	PRATT LOAMY FINE SAND, SILTSTONE SUBSTRATUM, 3 TO 8 PERCENT SLOPES	10	179	120	58	40	<b>40</b>	PN
PO	PRATT-CARWILE COMPLEX, 0 TO 8 PERCENT SLOPES	38	125	65	<b>38</b>	40	<b>40</b>	PO
PT	PRATT-TIVOLI LOAMY FINE SANDS, 8 TO 15 PERCENT SLOPES	<b>10</b>	118	58	<b>10</b>	40	<b>40</b>	PT
QA	QUINLAN LOAM, 0 TO 1 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	40	<b>40</b>	QA
QN	QUINLAN LOAM, 1 TO 3 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	40	<b>40</b>	QN
QU	QUINLAN LOAM, 3 TO 6 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	40	<b>40</b>	QU
RC	RENFROW-VERNON CLAY LOAMS, 1 TO 3 PERCENT SLOPES	49	177	117	56	40	<b>40</b>	RC
RE	RUELLA LOAM, 0 TO 1 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	50	<b>50</b>	RE
RH	RUELLA LOAM, 1 TO 3 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	50	<b>50</b>	RH
RU	RUELLA LOAM, 3 TO 6 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	50	<b>50</b>	RU
SA	LESHO CLAY LOAM, SALINE, OCCASIONALLY FLOODED	29	76	<b>29</b>	<b>29</b>	60	<b>60</b>	SA
SB	SHELLABARGER FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	155	326	267	205	40	<b>40</b>	SB
SE	SHELLABARGER FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	148	301	241	179	40	<b>40</b>	SE
SF	SHELLABARGER FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES	130	252	192	<b>130</b>	40	<b>40</b>	SF

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>HARPER COUNTY (Page 3 of 3)</b>								
SG	SHELLABARGER FINE SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	112	200	140	<b>112</b>	40	<b>40</b>	SG
SH	ZELLMONT SANDY LOAM, 1 TO 3 PERCENT SLOPES	76	257	197	136	40	<b>40</b>	SH
SHH	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	135	278	218	157	40	<b>40</b>	SHH
SK	ZELLMONT SANDY LOAM, 3 TO 6 PERCENT SLOPES	65	231	171	110	40	<b>40</b>	SK
SM	ZELLMONT SANDY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	55	187	127	66	40	<b>40</b>	SM
SN	SHELLABARGER LOAMY FINE SAND, 0 TO 3 PERCENT SLOPES	131	298	238	177	40	<b>40</b>	SN
SO	SHELLABARGER AND ALBION SOILS, 7 TO 15 PERCENT SLOPES	76	149	89	<b>76</b>	40	<b>40</b>	SO
SP	DRUMMOND LOAM, 0 TO 2 PERCENT SLOPES	<b>10</b>	78	18	<b>10</b>	60	<b>60</b>	SP
SUEA	ELANDCO SILTY CLAY LOAM, RARELY FLOODED	142	288	228	167	70	<b>70</b>	SUEA
SUEC	ELANDCO SILT LOAM, FREQUENTLY FLOODED	102	183	123	<b>102</b>	70	<b>70</b>	SUEC
SULS	LINCOLN SOILS, FREQUENTLY FLOODED	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	60	<b>60</b>	SULS
SUOP	WELLSFORD-ELANDCO COMPLEX, 0 TO 25 PERCENT SLOPES	11	<b>11</b>	<b>11</b>	<b>11</b>	65	<b>65</b>	SUOP
SUPD	POND CREEK SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	137	247	187	<b>137</b>	50	<b>50</b>	SUPD
SURA	RENFROW-GRAINOLA COMPLEX, 1 TO 3 PERCENT SLOPES	60	223	164	102	40	<b>40</b>	SURA
SUTA	TABLER SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	154	326	267	205	40	<b>40</b>	SUTA
SUUS	USTIFLUVENTS, CHANNELED	65	204	144	83	70	<b>70</b>	SUUS
TA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	145	326	267	205	40	<b>40</b>	TA
TH	TIVOLI FINE SAND, 8 TO 15 PERCENT SLOPES	<b>10</b>	105	45	<b>10</b>	31	<b>31</b>	TH
VR	VERNON-RENFROW COMPLEX, 2 TO 6 PERCENT SLOPES, ERODED	20	81	21	<b>20</b>	40	<b>40</b>	VR
WA	KINGMAN CLAY LOAM, OCCASIONALLY FLOODED	75	252	192	130	70	<b>70</b>	WA
WD	WOODWARD-QUINLAN LOAMS, 0 TO 1 PERCENT SLOPES	21	<b>21</b>	<b>21</b>	<b>21</b>	50	<b>50</b>	WD
WE	WOODWARD-QUINLAN LOAMS, 1 TO 3 PERCENT SLOPES	15	<b>15</b>	<b>15</b>	<b>15</b>	40	<b>40</b>	WE
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST
WW	WOODWARD-QUINLAN LOAMS, 3 TO 6 PERCENT SLOPES	14	<b>14</b>	<b>14</b>	<b>14</b>	40	<b>40</b>	WW
ZA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	113	298	238	177	70	<b>70</b>	ZA
ZF	ZENDA FINE SANDY LOAM, OCCASIONALLY FLOODED	87	288	229	167	70	<b>70</b>	ZF

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>HARVEY COUNTY (Page 1 of 3)</b>								
1191	BLAZEFORK SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPE, RARELY FLOODED	164	254	190	<b>164</b>	54	<b>54</b>	1191
1324	CARWAY AND CARBIKA SOILS, 0 TO 1 PERCENT SLOPE	44	<b>44</b>	<b>44</b>	<b>44</b>	65	<b>65</b>	1324
1357	CARWAY-DILLHUT-SOLVAY COMPLEX, 0 TO 2 PERCENT SLOPES	77	84	<b>77</b>	<b>77</b>	65	<b>65</b>	1357
1553	DARLOW-ELMER COMPLEX, 0 TO 2 PERCENT SLOPES	69	<b>69</b>	<b>69</b>	<b>69</b>	54	<b>54</b>	1553
1554	DILLHUT FINE SAND, 1 TO 3 PERCENT SLOPES	37	165	100	<b>37</b>	54	<b>54</b>	1554
1556	DILLHUT-SOLVAY COMPLEX, 0 TO 3 PERCENT SLOPES	79	154	90	<b>79</b>	76	<b>76</b>	1556
2391	KASKAN SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPE, FREQUENTLY FLOODED, CHANNELED	169	181	<b>169</b>	<b>169</b>	76	<b>76</b>	2391
2395	KISIWA LOAM, 0 TO 1 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	65	<b>65</b>	2395
2556	LANGDON FINE SAND, 0 TO 15 PERCENT SLOPES	<b>10</b>	37	<b>10</b>	<b>10</b>	33	<b>33</b>	2556
2812	MAHONE LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	153	251	186	<b>153</b>	76	<b>76</b>	2812
2957	NICKERSON-PUNKIN FINE SANDY LOAMS, 0 TO 2 PERCENT SLOPES	86	109	<b>86</b>	<b>86</b>	65	<b>65</b>	2957
3181	PRATT-TURON FINE SANDS, 1 TO 5 PERCENT SLOPES	89	193	128	<b>89</b>	54	<b>54</b>	3181
3190	PUNKIN SILT LOAM, 0 TO 1 PERCENT SLOPE	51	<b>51</b>	<b>51</b>	<b>51</b>	76	<b>76</b>	3190
3191	PUNKIN-TAVER COMPLEX, 0 TO 1 PERCENT SLOPE	74	<b>74</b>	<b>74</b>	<b>74</b>	76	<b>76</b>	3191
3511	SALTCREEK AND NARON FINE SANDY LOAMS, 0 TO 1 PERCENT SLOPE	171	247	183	<b>171</b>	65	<b>65</b>	3511
3540	SOLVAY LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	77	149	84	<b>77</b>	65	<b>65</b>	3540
3639	TAVER LOAM, 0 TO 1 PERCENT SLOPE	195	265	201	<b>195</b>	54	<b>54</b>	3639
3641	TIVIN-DILLHUT FINE SANDS, 0 TO 15 PERCENT SLOPES	<b>10</b>	45	<b>10</b>	<b>10</b>	33	<b>33</b>	3641
3900	WALNUT FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	17	<b>17</b>	<b>17</b>	<b>17</b>	65	<b>65</b>	3900
3966	WILLOWBROOK FINE SANDY LOAM, 0 TO 1 PERCENT SLOPE, OCCASIONALLY FLOODED	108	191	127	<b>108</b>	76	<b>76</b>	3966
AD	FLUVENTS, FREQUENTLY FLOODED	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	54	<b>54</b>	AD
BA	CLIME-HOBBS COMPLEX, 0 TO 20 PERCENT SLOPES	59	170	106	<b>59</b>	70	<b>70</b>	BA
BUVE	VERDIGRIS SOILS, FREQUENTLY FLOODED	106	<b>106</b>	<b>106</b>	<b>106</b>	54	<b>54</b>	BUVE
CA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	36	<b>36</b>	<b>36</b>	<b>36</b>	65	<b>65</b>	CA
CC	CLARK CLAY LOAM, 1 TO 3 PERCENT SLOPES	77	317	252	186	54	<b>54</b>	CC
CD	CLIME SILTY CLAY, 1 TO 3 PERCENT SLOPES	63	242	178	111	54	<b>54</b>	CD
CE	CLIME SILTY CLAY, 3 TO 6 PERCENT SLOPES	39	193	128	61	54	<b>54</b>	CE
CF	CLIME SILTY CLAY, 2 TO 6 PERCENT SLOPES, ERODED	19	169	104	38	54	<b>54</b>	CF
CM	CLIME COMPLEX, 6 TO 12 PERCENT SLOPES	15	147	83	16	54	<b>54</b>	CM
CR	CRETE SILT LOAM, 0 TO 1 PERCENT SLOPES	209	354	289	222	54	<b>54</b>	CR
CT	CRETE SILT LOAM, 1 TO 3 PERCENT SLOPES	199	348	283	217	54	<b>54</b>	CT
DE	DETROIT SILTY CLAY LOAM, RARELY FLOODED	221	348	283	<b>221</b>	76	<b>76</b>	DE
DP	DILLWYN-PLEVNA COMPLEX, 0 TO 2 PERCENT SLOPES	54	231	167	100	76	<b>76</b>	DP
DT	DILLWYN-TIVOLI COMPLEX, 0 TO 15 PERCENT SLOPES	26	233	168	102	54	<b>54</b>	DT

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>HARVEY COUNTY (Page 2 of 3)</b>								
DU	DRUMMOND LOAM, 0 TO 1 PERCENT SLOPES	38	110	45	<b>38</b>	65	<b>65</b>	DU
FA	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	220	354	289	222	65	<b>65</b>	FA
FC	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	232	354	289	<b>232</b>	54	<b>54</b>	FC
FD	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	225	348	283	<b>225</b>	54	<b>54</b>	FD
FE	FARNUM LOAM, 3 TO 6 PERCENT SLOPES	208	315	250	<b>208</b>	54	<b>54</b>	FE
FS	FARNUM-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	149	328	264	197	54	<b>54</b>	FS
GC	GEARY SILT LOAM, 0 TO 1 PERCENT SLOPES	249	354	289	<b>249</b>	54	<b>54</b>	GC
GD	GEARY SILT LOAM, 1 TO 3 PERCENT SLOPES	226	348	283	<b>226</b>	54	<b>54</b>	GD
GE	GEARY SILT LOAM, 3 TO 6 PERCENT SLOPES	208	306	242	<b>208</b>	54	<b>54</b>	GE
GO	GOESSEL SILTY CLAY, 0 TO 1 PERCENT SLOPES	147	339	275	208	54	<b>54</b>	GO
GS	GOESSEL SILTY CLAY, 1 TO 2 PERCENT SLOPES	141	317	252	186	54	<b>54</b>	GS
HO	HOBBS SILT LOAM, OCCASIONALLY FLOODED	205	304	240	<b>205</b>	76	<b>76</b>	HO
IR	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	177	342	278	211	54	<b>54</b>	IR
IS	IRWIN SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	167	303	239	172	54	<b>54</b>	IS
IT	IRWIN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	142	242	177	<b>142</b>	54	<b>54</b>	IT
KA	KASKI LOAM, OCCASIONALLY FLOODED	230	332	267	<b>230</b>	76	<b>76</b>	KA
LA	LADYSMITH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	200	354	289	222	54	<b>54</b>	LA
LB	LADYSMITH SILTY CLAY LOAM, 1 TO 2 PERCENT SLOPES	190	342	278	211	54	<b>54</b>	LB
LD	LELA-DRUMMOND COMPLEX, OCCASIONALLY FLOODED	71	281	216	150	76	<b>76</b>	LD
LE	LESHO LOAM, OCCASIONALLY FLOODED	135	289	225	158	76	<b>76</b>	LE
MNCM	CLIME SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	80	247	182	116	54	<b>54</b>	MNCM
MNCP	CLIME SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	69	229	164	98	54	<b>54</b>	MNCP
MNWB	WELLS LOAM, 1 TO 3 PERCENT SLOPES	230	348	283	<b>230</b>	54	<b>54</b>	MNWB
MNWC	WELLS LOAM, 3 TO 7 PERCENT SLOPES	214	315	250	<b>214</b>	54	<b>54</b>	MNWC
MPCB	CASS FINE SANDY LOAM, RARELY FLOODED	213	323	258	<b>213</b>	76	<b>76</b>	MPCB
MPTO	TOBIN SILT LOAM, OCCASIONALLY FLOODED	194	327	262	196	76	<b>76</b>	MPTO
NA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPE	207	339	275	208	65	<b>65</b>	NA
NB	NARON FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	177	320	255	189	65	<b>65</b>	NB
PA	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	83	283	218	152	54	<b>54</b>	PA
PC	PRATT-CARWILE COMPLEX, 0 TO 5 PERCENT SLOPES	60	144	79	<b>60</b>	54	<b>54</b>	PC
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	26	161	96	29	54	<b>54</b>	PT
RO	ROSEHILL SILTY CLAY, 1 TO 3 PERCENT SLOPES	81	289	224	158	54	<b>54</b>	RO
RS	ROSEHILL SILTY CLAY, 3 TO 6 PERCENT SLOPES	72	269	205	138	54	<b>54</b>	RS
SGEA	ELANDCO SILT LOAM, RARELY FLOODED	197	345	281	214	76	<b>76</b>	SGEA

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>HARVEY COUNTY (Page 3 of 3)</b>								
SGEB	ELANDCO SILT LOAM, OCCASIONALLY FLOODED	174	304	240	<b>174</b>	76	<b>76</b>	SGEB
SGEC	ELANDCO SILT LOAM, FREQUENTLY FLOODED	54	<b>54</b>	<b>54</b>	<b>54</b>	54	<b>54</b>	SGEC
SGTB	TABLER-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPE	76	290	225	159	76	<b>76</b>	SGTB
SGVB	VANOSS SILT LOAM, 1 TO 3 PERCENT SLOPES	182	288	223	<b>182</b>	54	<b>54</b>	SGVB
SM	SMOLAN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	229	348	283	<b>229</b>	54	<b>54</b>	SM
TV	TIVOLI FINE SAND, 15 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	33	<b>33</b>	TV
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land	Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	
<b>KINGMAN COUNTY (Page 1 of 3)</b>							
5318	Kanza loamy fine sand, frequently flooded	38	203	141	77	73	<b>73</b> 5318
5324	Kaski loam, occasionally flooded	180	319	257	193	73	<b>73</b> 5324
5419	Case-Clark clay loams, 3 to 7 percent slopes	73	281	219	155	42	<b>42</b> 5419
5420	Case-Clark clay loams, 7 to 15 percent slopes	47	190	128	64	42	<b>42</b> 5420
5443	Quinlan loam, 1 to 3 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	42	<b>42</b> 5443
5444	Quinlan loam, 3 to 6 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	42	<b>42</b> 5444
5480	Wellsford clay loam, 1 to 3 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	42	<b>42</b> 5480
5505	Abbyville-Kisiwa complex, occasionally flooded	95	256	194	129	42	<b>42</b> 5505
5560	Kanza-Ninnescah sandy loams, frequently flooded	40	204	142	78	73	<b>73</b> 5560
5561	Kanza-Plevna complex, frequently flooded	37	198	136	72	73	<b>73</b> 5561
5570	Kingman silty clay loam, occasionally flooded	71	254	192	128	73	<b>73</b> 5570
5633	Plevna fine sandy loam, frequently flooded	38	194	132	67	73	<b>73</b> 5633
5670	Waldeck fine sandy loam, occasionally flooded	69	238	176	112	73	<b>73</b> 5670
5675	Willowbrook fine sandy loam, occasionally flooded	70	239	177	113	73	<b>73</b> 5675
5680	Yaggy-Saxman complex, occasionally flooded	41	219	157	93	73	<b>73</b> 5680
5690	Zenda clay loam, occasionally flooded	96	314	252	188	73	<b>73</b> 5690
5693	Zenda-Drummond complex, occasionally flooded	94	304	241	177	73	<b>73</b> 5693
5710	Abbyville loam, 0 to 1 percent slopes	100	269	207	142	42	<b>42</b> 5710
5740	Dillwyn-Plevna complex, occasionally flooded	40	212	150	86	73	<b>73</b> 5740
5750	Kaskan loam, rarely flooded	134	263	201	137	63	<b>63</b> 5750
5800	Mahone loamy fine sand, rarely flooded	113	310	248	183	63	<b>63</b> 5800
5850	Albion and Shellabarger sandy loams, 6 to 15 percent slopes	31	143	81	<b>31</b>	42	<b>42</b> 5850
5852	Albion sandy loam, 0 to 1 percent slopes	73	290	228	164	42	<b>42</b> 5852
5853	Albion sandy loam, 1 to 3 percent slopes	68	277	215	151	42	<b>42</b> 5853
5854	Albion sandy loam, 3 to 6 percent slopes	57	232	170	106	42	<b>42</b> 5854
5855	Albion sandy loam, 3 to 6 percent slopes, eroded	56	229	167	102	42	<b>42</b> 5855
5856	Albion sandy loam, 6 to 15 percent slopes	30	141	79	<b>30</b>	42	<b>42</b> 5856
5858	Albion-Shellabarger sandy loams, 1 to 3 percent slopes	76	277	215	151	42	<b>42</b> 5858
5872	Clark clay loam, 0 to 1 percent slopes	66	329	267	203	42	<b>42</b> 5872
5873	Clark clay loam, 1 to 3 percent slopes	53	284	221	157	42	<b>42</b> 5873
5875	Clark fine sandy loam, 1 to 3 percent slopes	53	284	222	158	42	<b>42</b> 5875
5878	Clark-Ost clay loams, 0 to 1 percent slopes	70	328	266	202	42	<b>42</b> 5878
5880	Clark-Ost loams, 3 to 7 percent slopes	69	280	218	154	42	<b>42</b> 5880
5882	Dillhut-Plev complex, 0 to 2 percent slopes	39	218	156	92	73	<b>73</b> 5882

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>KINGMAN COUNTY (Page 2 of 3)</b>								
5888	Farnum and Funmar loams, 3 to 6 percent slopes	158	289	227	163	42	<b>42</b>	5888
5890	Farnum clay loam, 3 to 6 percent slopes, eroded	127	265	203	139	42	<b>42</b>	5890
5891	Farnum fine sandy loam, 0 to 1 percent slopes	171	341	279	215	42	<b>42</b>	5891
5892	Farnum loam, 0 to 1 percent slopes	187	346	284	219	42	<b>42</b>	5892
5893	Farnum loam, 1 to 3 percent slopes	178	335	273	209	42	<b>42</b>	5893
5894	Farnum loam, 3 to 6 percent slopes	158	287	225	160	42	<b>42</b>	5894
5897	Farnum sandy loam, 0 to 1 percent slopes	172	341	278	214	42	<b>42</b>	5897
5900	Farnum-Natrustolls complex, 0 to 1 percent slopes	110	310	248	184	42	<b>42</b>	5900
5907	Langdon fine sand, 0 to 15 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>32</b>	5907
5908	Nalim loam, 0 to 1 percent slopes	188	346	284	219	42	<b>42</b>	5908
5909	Naron fine sandy loam, 0 to 1 percent slopes	170	341	278	214	42	<b>42</b>	5909
5910	Naron fine sandy loam, 1 to 3 percent slopes	170	340	277	213	42	<b>42</b>	5910
5918	Ost clay loam, 0 to 1 percent slopes	75	328	266	202	42	<b>42</b>	5918
5919	Ost clay loam, 1 to 3 percent slopes	58	284	221	157	42	<b>42</b>	5919
5921	Ost loam, 0 to 1 percent slopes	76	329	267	203	42	<b>42</b>	5921
5924	Ost-Clark loams, 1 to 3 percent slopes	58	284	222	158	42	<b>42</b>	5924
5925	Penalosa silt loam, 0 to 1 percent slopes	171	346	284	219	42	<b>42</b>	5925
5926	Penalosa silt loam, 1 to 3 percent slopes	163	336	274	210	42	<b>42</b>	5926
5927	Pratt fine sand, 5 to 10 percent slopes	46	226	164	100	42	<b>42</b>	5927
5928	Pratt loamy fine sand, 1 to 5 percent slopes	49	227	165	101	42	<b>42</b>	5928
5929	Pratt loamy fine sand, 5 to 12 percent slopes	47	221	159	95	42	<b>42</b>	5929
5935	Pratt-Carwile complex, 0 to 5 percent slopes	46	144	82	<b>46</b>	42	<b>42</b>	5935
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	15	168	106	42	42	<b>42</b>	5941
5942	Pratt-Turon fine sands, 1 to 5 percent slopes	21	177	115	50	42	<b>42</b>	5942
5945	Saltcreek-Funmar-Farnum complex, 1 to 3 percent slopes	170	341	278	214	42	<b>42</b>	5945
5947	Shellabarger and Nalim soils, 3 to 6 percent slopes	144	275	213	149	42	<b>42</b>	5947
5948	Shellabarger fine sandy loam, 0 to 1 percent slopes	162	329	267	202	42	<b>42</b>	5948
5949	Shellabarger fine sandy loam, 1 to 3 percent slopes	161	327	265	201	42	<b>42</b>	5949
5950	Shellabarger fine sandy loam, 3 to 6 percent slopes	142	273	211	147	42	<b>42</b>	5950
5951	Shellabarger fine sandy loam, 3 to 6 percent slopes, eroded	115	234	172	<b>115</b>	42	<b>42</b>	5951
5954	Shellabarger loamy sand, 0 to 3 percent slopes	138	311	248	184	42	<b>42</b>	5954
5955	Shellabarger sandy loam, 0 to 1 percent slopes	162	329	267	202	42	<b>42</b>	5955
5956	Shellabarger sandy loam, 1 to 3 percent slopes	160	327	265	201	42	<b>42</b>	5956
5957	Shellabarger sandy loam, 3 to 6 percent slopes	142	275	213	149	42	<b>42</b>	5957

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>KINGMAN COUNTY (Page 3 of 3)</b>								
5958	Shellabarger sandy loam, 3 to 6 percent slopes, eroded	114	238	176	<b>114</b>	42	<b>42</b>	5958
5959	Shellabarger, eroded, and Albion soils, 6 to 15 percent slopes	36	143	81	<b>36</b>	42	<b>42</b>	5959
5960	Shellabarger-Nalim complex, 1 to 3 percent slopes	162	327	265	201	42	<b>42</b>	5960
5967	Tabler silty clay loam, 0 to 1 percent slopes	168	345	283	218	42	<b>42</b>	5967
5971	Tivin fine sand, 10 to 30 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>32</b>	5971
6057	Lincoln loamy sand, occasionally flooded	<b>10</b>	224	162	98	73	<b>73</b>	6057
6224	Canadian fine sandy loam, rarely flooded	117	311	248	184	63	<b>63</b>	6224
6248	McLain silt loam, rarely flooded	132	264	202	138	63	<b>63</b>	6248
6322	Blanket silt loam, 0 to 1 percent slopes	169	346	284	219	42	<b>42</b>	6322
6323	Blanket silt loam, 1 to 3 percent slopes	161	335	273	209	42	<b>42</b>	6323
6324	Blanket silty clay loam, 1 to 3 percent slopes, eroded	121	270	208	144	42	<b>42</b>	6324
6330	Carwile fine sandy loam, 0 to 1 percent slopes	33	<b>33</b>	<b>33</b>	<b>33</b>	42	<b>42</b>	6330
6348	Jamash-Piedmont clay loams, 1 to 3 percent slopes	54	202	140	75	42	<b>42</b>	6348
6360	Kirkland-Renfrow clay loams, 1 to 3 percent slopes	69	240	178	113	42	<b>42</b>	6360
6369	Milan loam, 1 to 3 percent slopes	181	335	273	209	42	<b>42</b>	6369
6391	Nashville silt loam, 1 to 3 percent slopes	100	237	175	111	42	<b>42</b>	6391
6393	Nashville silt loam, 3 to 6 percent slopes, eroded	97	241	179	115	42	<b>42</b>	6393
6394	Nashville-Quinlan complex, 6 to 15 percent slopes	22	40	<b>22</b>	<b>22</b>	42	<b>42</b>	6394
6408	Pond Creek silt loam, 0 to 1 percent slopes	180	337	275	211	42	<b>42</b>	6408
6409	Pond Creek silt loam, 1 to 3 percent slopes	180	335	273	209	42	<b>42</b>	6409
6418	Renfrow clay loam, 1 to 3 percent slopes	63	240	178	113	42	<b>42</b>	6418
6419	Renfrow silty clay loam, 1 to 3 percent slopes	63	240	178	113	42	<b>42</b>	6419
6421	Renfrow-Grainola complex, 1 to 3 percent slopes	63	240	178	113	42	<b>42</b>	6421
6422	Renfrow-Vernon clay loams, 1 to 3 percent slopes	60	230	168	104	42	<b>42</b>	6422
6423	Renfrow-Wellsford clay loams, 1 to 4 percent slopes	60	218	156	92	42	<b>42</b>	6423
6430	Ruella clay loam, 1 to 4 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	42	<b>42</b>	6430
6438	Ruella-Rock outcrop complex, 3 to 40 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	42	<b>42</b>	6438
6490	Zellmont and Poxmash sandy loams, 0 to 3 percent slopes	63	196	133	69	42	<b>42</b>	6490
6491	Zellmont sandy loam, 1 to 3 percent slopes	158	327	265	201	42	<b>42</b>	6491
9971	Arents, earthen dam	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9971
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land	Symbol	
			100 ft	200 ft	300 ft	Native \$/Acre		Tame \$/Acre
<b>KIOWA COUNTY (Page 1 of 3)</b>								
1324	CARWAY AND CARBIKA SOILS, 0 TO 1 PERCENT SLOPES	32	47	<b>32</b>	<b>32</b>	32	<b>32</b>	1324
1725	FARNUM AND FUNMAR LOAMS, 0 TO 1 PERCENT SLOPES	132	259	196	<b>132</b>	32	<b>32</b>	1725
1726	FUNMAR AND FARNUM LOAMS, 1 TO 3 PERCENT SLOPES	123	251	188	<b>123</b>	32	<b>32</b>	1726
1985	HAYES FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES	66	188	125	<b>66</b>	32	<b>32</b>	1985
1986	HAYES-SOLVAY LOAMY FINE SANDS, 0 TO 5 PERCENT SLOPES	58	157	94	<b>58</b>	32	<b>32</b>	1986
1988	HAYES LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	45	139	76	<b>45</b>	32	<b>32</b>	1988
2556	LANGDON FINE SAND, 0 TO 15 PERCENT SLOPES	<b>10</b>	36	<b>10</b>	<b>10</b>	22	<b>22</b>	2556
3512	SALTCREEK AND NARON FINE SANDY LOAMS, 1 TO 3 PERCENT SLOPES	100	229	166	101	32	<b>32</b>	3512
3540	SOLVAY LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	53	192	129	64	32	<b>32</b>	3540
3640	TIVIN FINE SAND, 10 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	22	<b>22</b>	3640
AN	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	39	271	208	143	32	<b>32</b>	AN
AS	ALBION-SHELLABARGER SANDY LOAMS, 4 TO 15 PERCENT SLOPES	33	165	102	37	32	<b>32</b>	AS
AT	ATTICA LOAMY FINE SAND, 1 TO 4 PERCENT SLOPES	58	295	232	167	32	<b>32</b>	AT
AX	ATTICA-CARWILE COMPLEX, 0 TO 4 PERCENT SLOPES	38	165	102	<b>38</b>	32	<b>32</b>	AX
BACF	CLAIREMONT SOILS, CHANNELED	43	156	93	<b>43</b>	63	<b>63</b>	BACF
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	72	315	252	187	53	<b>53</b>	CA
CAAB	ALBION-SHELLABARGER SANDY LOAMS, 6 TO 12 PERCENT SLOPES	30	174	111	46	32	<b>32</b>	CAAB
CAPG	PENDEN CLAY LOAM, 7 TO 15 PERCENT SLOPES	13	180	117	52	43	<b>43</b>	CAPG
CASH	SHELLABARGER LOAM, 2 TO 5 PERCENT SLOPES	89	309	246	181	32	<b>32</b>	CASH
CC	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>32</b>	CC
CE	CASE CLAY LOAM, 2 TO 7 PERCENT SLOPES	45	263	200	135	32	<b>32</b>	CE
CF	CASE CLAY LOAM, 7 TO 15 PERCENT SLOPES	22	160	97	32	32	<b>32</b>	CF
CG	CASE-CANLON COMPLEX, 7 TO 20 PERCENT SLOPES	<b>10</b>	34	<b>10</b>	<b>10</b>	27	<b>27</b>	CG
CK	CLARK LOAM, 1 TO 3 PERCENT SLOPES	28	306	243	178	32	<b>32</b>	CK
CM	CLARK LOAM, 3 TO 7 PERCENT SLOPES	19	257	194	129	32	<b>32</b>	CM
CMAC	ABILENE SILT LOAM, 1 TO 3 PERCENT SLOPES	87	304	241	176	32	<b>32</b>	CMAC
CMCK	CASE CLAY LOAM, 3 TO 7 PERCENT SLOPES	47	263	200	135	32	<b>32</b>	CMCK
CMCS	CLARK CLAY LOAM, 1 TO 3 PERCENT SLOPES	30	306	243	178	32	<b>32</b>	CMCS
CMCT	CLARK CLAY LOAM, 3 TO 6 PERCENT SLOPES	20	257	194	129	32	<b>32</b>	CMCT
CMED	ELANDCO SILT LOAM, OCCASIONALLY FLOODED	90	301	238	173	63	<b>63</b>	CMED
CMEF	ELANDCO SILT LOAM, CHANNELED	46	138	75	<b>46</b>	63	<b>63</b>	CMEF
CMKC	KANZA LOAMY FINE SAND, FREQUENTLY FLOODED	<b>10</b>	138	75	<b>10</b>	63	<b>63</b>	CMKC
CMLN	LINCOLN LOAMY SAND, OCCASIONALLY FLOODED	<b>10</b>	227	164	99	53	<b>53</b>	CMLN
CMQR	QUINLAN - WOODWARD LOAMS, 6 TO 15 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	CMQR

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>KIOWA COUNTY (Page 2 of 3)</b>								
CMSH	SHELLABARGER SANDY LOAM, 1 TO 3 PERCENT SLOPES	101	318	255	190	32	<b>32</b>	CMSH
CMSM	SHELLABARGER SANDY LOAM, 3 TO 6 PERCENT SLOPES	98	300	238	172	32	<b>32</b>	CMSM
CO	COLY SILT LOAM, 4 TO 9 PERCENT SLOPES	73	266	203	138	32	<b>32</b>	CO
CP	COLY SILT LOAM, 20 TO 40 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	12	<b>12</b>	CP
CT	COLY-TOBIN SILT LOAMS, 0 TO 20 PERCENT SLOPES	46	145	82	<b>46</b>	43	<b>43</b>	CT
DA	DALE SILT LOAM, RARELY FLOODED	104	339	276	211	53	<b>53</b>	DA
EDPA	PLATTE SOILS, OCCASIONALLY FLOODED	<b>10</b>	205	142	77	53	<b>53</b>	EDPA
EDWA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	31	242	178	114	63	<b>63</b>	EDWA
FA	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	120	345	282	217	32	<b>32</b>	FA
FB	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	113	339	276	211	32	<b>32</b>	FB
FOHD	HOLDREGE FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	113	339	276	211	32	<b>32</b>	FOHD
FOPR	PRATT LOAMY FINE SAND, 3 TO 10 PERCENT SLOPES	23	250	186	121	32	<b>32</b>	FOPR
FOPT	PRATT-TIVOLI LOAMY FINE SANDS, 4 TO 15 PERCENT SLOPES	<b>10</b>	157	94	29	32	<b>32</b>	FOPT
FOTV	TIVOLI FINE SAND, 5 TO 20 PERCENT SLOPES	<b>10</b>	78	15	<b>10</b>	22	<b>22</b>	FOTV
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	110	323	260	195	32	<b>32</b>	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	104	304	241	176	32	<b>32</b>	HB
HE	HEDVILLE-ROCK OUTCROP COMPLEX, 15 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	22	<b>22</b>	HE
HO	HOLDREGE SILT LOAM, 0 TO 1 PERCENT SLOPES	118	339	276	211	32	<b>32</b>	HO
HP	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	104	317	254	189	32	<b>32</b>	HP
KR	KRIER SANDY LOAM, OCCASIONALLY FLOODED	<b>10</b>	58	<b>10</b>	<b>10</b>	53	<b>53</b>	KR
LH	LANCASTER-HEDVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	LH
LN	LINCOLN SANDY LOAM, OCCASIONALLY FLOODED	<b>10</b>	227	164	99	53	<b>53</b>	LN
NA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	106	339	276	211	32	<b>32</b>	NA
NB	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	100	317	254	189	32	<b>32</b>	NB
NE	NESS SILTY CLAY	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	22	<b>22</b>	NE
NW	NEW CAMBRIA SILTY CLAY, RARELY FLOODED	64	334	271	206	43	<b>43</b>	NW
OE	WELLSFORD CLAY, 6 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	22	<b>22</b>	OE
PE	PLEVNA LOAM, FREQUENTLY FLOODED	25	89	26	<b>25</b>	63	<b>63</b>	PE
PR	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	32	276	213	148	32	<b>32</b>	PR
PRBC	BLANKET SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES, ERODED	89	286	223	158	32	<b>32</b>	PRBC
PRBH	BLANKET SILT LOAM, 1 TO 3 PERCENT SLOPES	99	304	241	176	32	<b>32</b>	PRBH
PRFE	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	118	345	282	217	32	<b>32</b>	PRFE
PRNM	NARON LOAM, 1 TO 3 PERCENT SLOPES	113	339	276	211	32	<b>32</b>	PRNM
PRSE	SHELLABARGER FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	99	314	251	186	32	<b>32</b>	PRSE

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>KIOWA COUNTY (Page 3 of 3)</b>								
PS	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	19	209	146	81	32	<b>32</b>	PS
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	<b>10</b>	157	94	29	32	<b>32</b>	PT
QW	QUINLAN-WOODWARD LOAMS, 6 TO 25 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	27	<b>27</b>	QW
SH	SHELLABARGER LOAM, 2 TO 6 PERCENT SLOPES	104	309	246	181	32	<b>32</b>	SH
TH	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	22	<b>22</b>	TH
TO	TOBIN SILT LOAM, CHANNELED	56	156	93	<b>56</b>	63	<b>63</b>	TO
TS	TOBIN SILT LOAM, OCCASIONALLY FLOODED	102	323	260	195	63	<b>63</b>	TS
UC	ULY SILT LOAM, 3 TO 7 PERCENT SLOPES	100	288	225	160	63	<b>63</b>	UC
WA	WALDECK LOAM, OCCASIONALLY FLOODED	45	242	178	114	63	<b>63</b>	WA
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>PAWNEE COUNTY (Page 1 of 2)</b>								
AT	ATTICA SANDY LOAM, 1 TO 4 PERCENT SLOPES	84	282	223	161	31	<b>31</b>	AT
BR	BRIDGEPORT SILT LOAM, RARELY FLOODED	119	322	262	200	40	<b>40</b>	BR
BTNW	NIBSON-WAKEEN SILT LOAMS, 3 TO 15 PERCENT SLOPES	<b>10</b>	41	<b>10</b>	<b>10</b>	31	<b>31</b>	BTNW
BTPA	PLATTE FINE SANDY LOAM, OCCASIONALLY FLOODED	<b>10</b>	145	86	24	60	<b>60</b>	BTPA
CA	CANADIAN FINE SANDY LOAM, RARELY FLOODED	94	301	241	179	50	<b>50</b>	CA
CV	DARR FINE SANDY LOAM, RARELY FLOODED	44	280	220	158	50	<b>50</b>	CV
CW	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	26	<b>26</b>	<b>26</b>	<b>26</b>	31	<b>31</b>	CW
EDAB	ATTICA FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	86	287	227	165	31	<b>31</b>	EDAB
EDAC	ATTICA-CARWILE FINE SANDY LOAMS, 0 TO 3 PERCENT SLOPES	73	215	156	94	31	<b>31</b>	EDAC
EDBK	COLY-TOBIN SILT LOAMS, 0 TO 15 PERCENT SLOPES	88	223	163	101	31	<b>31</b>	EDBK
EDHE	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES	103	238	178	116	31	<b>31</b>	EDHE
EDNF	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	126	305	245	184	31	<b>31</b>	EDNF
EDNG	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	124	301	241	179	31	<b>31</b>	EDNG
EDZA	ZENDA CLAY LOAM, OCCASIONALLY FLOODED	104	288	229	167	60	<b>60</b>	EDZA
FA	FARNUM LOAM, 0 TO 1 PERCENT SLOPES	139	327	267	205	31	<b>31</b>	FA
FR	FARNUM LOAM, 1 TO 3 PERCENT SLOPES	131	322	262	200	31	<b>31</b>	FR
HA	HARNEY SILT LOAM, 0 TO 1 PERCENT SLOPES	128	306	246	184	31	<b>31</b>	HA
HB	HARNEY SILT LOAM, 1 TO 3 PERCENT SLOPES	122	288	228	166	31	<b>31</b>	HB
HC	HARNEY SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	117	239	180	118	31	<b>31</b>	HC
HD	HARNEY-ULY COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED	87	221	161	100	31	<b>31</b>	HD
HGBR	FLUVENTS, FREQUENTLY FLOODED	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	60	<b>60</b>	HGBR
HGPN	PENDEN-HUMBARGER COMPLEX, 0 TO 12 PERCENT SLOPES	41	197	138	76	31	<b>31</b>	HGPN
HGRX	ROXBURY SILT LOAM, RARELY FLOODED	126	322	262	200	40	<b>40</b>	HGRX
HO	HOLDREGE SILT LOAM, 1 TO 3 PERCENT SLOPES	130	316	257	195	31	<b>31</b>	HO
HR	HORD SILT LOAM, RARELY FLOODED	155	322	262	200	40	<b>40</b>	HR
KA	KASKI LOAM, RARELY FLOODED	142	322	262	200	60	<b>60</b>	KA
LH	LESHO CLAY LOAM, OCCASIONALLY FLOODED	66	254	195	133	60	<b>60</b>	LH
LU	LUBBOCK SILT LOAM, 0 TO 1 PERCENT SLOPES	121	327	267	205	31	<b>31</b>	LU
NA	NARON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	128	301	241	179	31	<b>31</b>	NA
NE	NESS CLAY	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	21	<b>21</b>	NE
NSPC	PENDEN CLAY LOAM, 3 TO 6 PERCENT SLOPES	54	273	213	151	31	<b>31</b>	NSPC
NW	NEW CAMBRIA SILTY CLAY LOAM, RARELY FLOODED	95	322	262	200	60	<b>60</b>	NW
PA	PLATTE SOILS, OCCASIONALLY FLOODED	<b>10</b>	145	86	24	60	<b>60</b>	PA
PH	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	35	198	138	76	31	<b>31</b>	PH

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>PAWNEE COUNTY (Page 2 of 2)</b>								
PO	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	49	262	202	140	31	<b>31</b>	PO
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	14	159	99	37	31	<b>31</b>	PT
RBB	ROXBURY SILT LOAM, OCCASIONALLY FLOODED	100	268	209	147	60	<b>60</b>	RBB
RO	ROXBURY SILT LOAM, FREQUENTLY FLOODED	77	184	125	<b>77</b>	60	<b>60</b>	RO
SFAT	ATTICA FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	82	282	223	161	31	<b>31</b>	SFAT
SFPC	PLEVNA SOILS, CHANNELED	42	116	56	<b>42</b>	31	<b>31</b>	SFPC
TA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	123	321	262	200	31	<b>31</b>	TA
TV	TIVOLI FINE SAND, 10 TO 20 PERCENT SLOPES	<b>10</b>	100	40	<b>10</b>	21	<b>21</b>	TV
UB	ULY SILT LOAM, 1 TO 3 PERCENT SLOPES	120	306	246	185	31	<b>31</b>	UB
UC	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES	114	273	213	151	31	<b>31</b>	UC
UE	ULY SILT LOAM, 3 TO 6 PERCENT SLOPES, ERODED	86	218	159	97	31	<b>31</b>	UE
WB	WAKEEN SILT LOAM, 1 TO 3 PERCENT SLOPES	<b>10</b>	213	153	92	31	<b>31</b>	WB
WC	WAKEEN SILT LOAM, 3 TO 6 PERCENT SLOPES	<b>10</b>	220	161	99	31	<b>31</b>	WC
WH	WAKEEN-NIBSON SILT LOAMS, 5 TO 15 PERCENT SLOPES	<b>10</b>	50	<b>10</b>	<b>10</b>	31	<b>31</b>	WH
WK	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	45	229	169	108	60	<b>60</b>	WK
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST
ZA	ZENDA LOAM, OCCASIONALLY FLOODED	108	288	229	167	60	<b>60</b>	ZA

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land	Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	
<b>PRATT COUNTY (Page 1 of 3)</b>							
5416	Case clay loam, 3 to 7 percent slopes	76	243	184	122	31	<b>31</b> 5416
5419	Case-Clark clay loams, 3 to 7 percent slopes	75	242	183	121	31	<b>31</b> 5419
5420	Case-Clark clay loams, 7 to 15 percent slopes	47	156	97	<b>47</b>	31	<b>31</b> 5420
5561	Kanza-Plevna complex, frequently flooded	31	99	39	<b>31</b>	70	<b>70</b> 5561
5563	Kingman clay loam, occasionally flooded	88	254	194	133	70	<b>70</b> 5563
5670	Waldeck fine sandy loam, occasionally flooded	91	228	169	107	70	<b>70</b> 5670
5680	Yaggy-Saxman complex, occasionally flooded	84	205	145	<b>84</b>	50	<b>50</b> 5680
5690	Zenda clay loam, occasionally flooded	109	300	241	180	70	<b>70</b> 5690
5693	Zenda-Drummond complex, occasionally flooded	74	188	128	<b>74</b>	60	<b>60</b> 5693
5740	Dillwyn-Plevna complex, occasionally flooded	33	112	52	<b>33</b>	70	<b>70</b> 5740
5850	Albion and Shellabarger sandy loams, 6 to 15 percent slopes	74	147	88	<b>74</b>	31	<b>31</b> 5850
5853	Albion sandy loam, 1 to 3 percent slopes	78	250	191	130	31	<b>31</b> 5853
5855	Albion sandy loam, 3 to 6 percent slopes, eroded	58	179	119	<b>58</b>	31	<b>31</b> 5855
5857	Albion-Kaski complex, 0 to 15 percent slopes	90	200	140	<b>90</b>	50	<b>50</b> 5857
5870	Carway and Carbika soils, 0 to 1 percent slopes	42	<b>42</b>	<b>42</b>	<b>42</b>	31	<b>31</b> 5870
5873	Clark clay loam, 1 to 3 percent slopes	64	287	227	166	31	<b>31</b> 5873
5875	Clark fine sandy loam, 1 to 3 percent slopes	65	287	227	166	31	<b>31</b> 5875
5876	Clark loam, 1 to 3 percent slopes	63	288	228	167	31	<b>31</b> 5876
5877	Clark loam, 3 to 7 percent slopes	71	243	184	122	31	<b>31</b> 5877
5878	Clark-Ost clay loams, 0 to 1 percent slopes	103	310	251	189	31	<b>31</b> 5878
5886	Farnum and Funmar loams, 0 to 1 percent slopes	199	326	266	205	31	<b>31</b> 5886
5887	Farnum and Funmar loams, 1 to 3 percent slopes	188	321	261	200	31	<b>31</b> 5887
5890	Farnum clay loam, 3 to 6 percent slopes, eroded	143	254	194	<b>143</b>	31	<b>31</b> 5890
5891	Farnum fine sandy loam, 0 to 1 percent slopes	182	326	266	205	31	<b>31</b> 5891
5892	Farnum loam, 0 to 1 percent slopes	199	326	266	205	31	<b>31</b> 5892
5893	Farnum loam, 1 to 3 percent slopes	187	321	261	200	31	<b>31</b> 5893
5894	Farnum loam, 3 to 6 percent slopes	173	290	231	<b>173</b>	31	<b>31</b> 5894
5898	Farnum-Carwile complex, 0 to 1 percent slopes	131	190	<b>131</b>	<b>131</b>	31	<b>31</b> 5898
5902	Hayes fine sandy loam, 1 to 5 percent slopes	73	234	174	113	31	<b>31</b> 5902
5904	Hayes loamy fine sand, 5 to 10 percent slopes	49	161	101	<b>49</b>	31	<b>31</b> 5904
5905	Hayes-Solvay loamy fine sands, 0 to 5 percent slopes	61	144	85	<b>61</b>	31	<b>31</b> 5905
5906	Hayes-Turon complex, 0 to 5 percent slopes	72	234	175	113	31	<b>31</b> 5906
5907	Langdon fine sand, 0 to 15 percent slopes	22	138	78	<b>22</b>	31	<b>31</b> 5907
5908	Nalim loam, 0 to 1 percent slopes	201	327	267	206	31	<b>31</b> 5908

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>PRATT COUNTY (Page 2 of 3)</b>								
5909	Naron fine sandy loam, 0 to 1 percent slopes	167	307	248	187	31	<b>31</b>	5909
5910	Naron fine sandy loam, 1 to 3 percent slopes	163	289	230	168	31	<b>31</b>	5910
5911	Naron fine sandy loam, 3 to 7 percent slopes	150	256	197	<b>150</b>	31	<b>31</b>	5911
5914	Naron loam, 0 to 1 percent slopes	175	313	253	192	31	<b>31</b>	5914
5915	Naron loam, 1 to 3 percent slopes	168	295	235	174	31	<b>31</b>	5915
5917	Naron-Farnum complex, 0 to 3 percent slopes	177	313	253	192	50	<b>50</b>	5917
5918	Ost clay loam, 0 to 1 percent slopes	138	307	248	187	70	<b>70</b>	5918
5919	Ost clay loam, 1 to 3 percent slopes	94	271	212	150	31	<b>31</b>	5919
5921	Ost loam, 0 to 1 percent slopes	111	311	251	190	31	<b>31</b>	5921
5922	Ost loam, 1 to 3 percent slopes	100	272	213	151	31	<b>31</b>	5922
5927	Pratt fine sand, 5 to 10 percent slopes	41	161	101	<b>41</b>	31	<b>31</b>	5927
5928	Pratt loamy fine sand, 1 to 5 percent slopes	64	230	171	109	31	<b>31</b>	5928
5929	Pratt loamy fine sand, 5 to 12 percent slopes	42	158	99	<b>42</b>	31	<b>31</b>	5929
5935	Pratt-Carwile complex, 0 to 5 percent slopes	51	128	68	<b>51</b>	31	<b>31</b>	5935
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	22	138	78	<b>22</b>	31	<b>31</b>	5941
5942	Pratt-Turon fine sands, 1 to 5 percent slopes	29	149	89	<b>29</b>	31	<b>31</b>	5942
5944	Saltcreek and Naron fine sandy loams, 1 to 3 percent slopes	166	295	235	174	31	<b>31</b>	5944
5945	Saltcreek-Funmar-Farnum complex, 1 to 3 percent slopes	175	314	254	193	50	<b>50</b>	5945
5948	Shellabarger fine sandy loam, 0 to 1 percent slopes	169	320	261	200	31	<b>31</b>	5948
5949	Shellabarger fine sandy loam, 1 to 3 percent slopes	153	282	222	161	31	<b>31</b>	5949
5951	Shellabarger fine sandy loam, 3 to 6 percent slopes, eroded	135	200	140	<b>135</b>	31	<b>31</b>	5951
5955	Shellabarger sandy loam, 0 to 1 percent slopes	171	321	262	200	31	<b>31</b>	5955
5956	Shellabarger sandy loam, 1 to 3 percent slopes	156	283	223	162	31	<b>31</b>	5956
5957	Shellabarger sandy loam, 3 to 6 percent slopes	136	203	143	<b>136</b>	31	<b>31</b>	5957
5961	Solvay loamy fine sand, 0 to 2 percent slopes	48	<b>48</b>	<b>48</b>	<b>48</b>	31	<b>31</b>	5961
5964	Tabler clay loam, 0 to 1 percent slopes	163	320	261	200	31	<b>31</b>	5964
5970	Taver loam, 0 to 1 percent slopes	164	321	262	200	31	<b>31</b>	5970
5971	Tivin fine sand, 10 to 30 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	5971
5975	Turon-Carway complex, 0 to 5 percent slopes	56	140	80	<b>56</b>	31	<b>31</b>	5975
6051	Elandco silt loam, frequently flooded	100	166	107	<b>100</b>	70	<b>70</b>	6051
6052	Elandco silt loam, occasionally flooded	142	280	221	159	70	<b>70</b>	6052
6057	Lincoln loamy sand, occasionally flooded	27	253	194	132	60	<b>60</b>	6057
6060	Lincoln soils, frequently flooded	24	234	173	113	60	<b>60</b>	6060
6322	Blanket silt loam, 0 to 1 percent slopes	180	326	266	205	31	<b>31</b>	6322

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>PRATT COUNTY (Page 3 of 3)</b>								
6323	Blanket silt loam, 1 to 3 percent slopes	175	321	261	200	31	<b>31</b>	6323
6324	Blanket silty clay loam, 1 to 3 percent slopes, eroded	139	259	199	<b>139</b>	31	<b>31</b>	6324
6330	Carwile fine sandy loam, 0 to 1 percent slopes	36	<b>36</b>	<b>36</b>	<b>36</b>	31	<b>31</b>	6330
9970	Aquolls	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9970
9982	Fluvents, frequently flooded	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	31	<b>31</b>	9982
9983	Gravel pits and quarries	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9983
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>RENO COUNTY (Page 1 of 3)</b>								
2266	Tobin silt loam, occasionally flooded	239	314	252	<b>239</b>	53	<b>53</b>	2266
3405	Longford silty clay loam, 3 to 7 percent slopes, moderately eroded	153	270	209	<b>153</b>	41	<b>41</b>	3405
3824	Crete silt loam, 0 to 1 percent slopes	215	334	273	<b>215</b>	53	<b>53</b>	3824
3825	Crete silt loam, 1 to 3 percent slopes	205	321	260	<b>205</b>	49	<b>49</b>	3825
3843	Geary silt loam, 1 to 3 percent slopes	234	329	268	<b>234</b>	41	<b>41</b>	3843
3847	Geary silty clay loam, 3 to 7 percent slopes, moderately eroded	187	229	<b>187</b>	<b>187</b>	15	<b>15</b>	3847
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	202	334	273	210	41	<b>41</b>	3890
3921	Smolan silty clay loam, 1 to 3 percent slopes	238	329	268	<b>238</b>	41	<b>41</b>	3921
5505	Abbyville-Kisiwa complex, occasionally flooded	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	65	<b>65</b>	5505
5550	Imano clay loam, occasionally flooded	75	273	212	149	60	<b>60</b>	5550
5560	Kanza-Ninnescah sandy loams, frequently flooded	68	148	87	<b>68</b>	60	<b>60</b>	5560
5562	Kaskan silty clay loam, frequently flooded, channeled	130	145	<b>130</b>	<b>130</b>	55	<b>55</b>	5562
5675	Willowbrook fine sandy loam, occasionally flooded	101	231	170	107	60	<b>60</b>	5675
5680	Yaggy-Saxman complex, occasionally flooded	62	236	175	112	68	<b>68</b>	5680
5710	Abbyville loam, 0 to 1 percent slopes	39	<b>39</b>	<b>39</b>	<b>39</b>	65	<b>65</b>	5710
5720	Blazefork silty clay loam, rarely flooded	159	318	257	194	45	<b>45</b>	5720
5722	Blazefork-Kaskan complex, rarely flooded	176	324	263	200	41	<b>41</b>	5722
5728	Buhler-Blazefork silty clay loams, rarely flooded	129	179	<b>129</b>	<b>129</b>	15	<b>15</b>	5728
5730	Darlow-Elmer complex, 0 to 2 percent slopes	33	<b>33</b>	<b>33</b>	<b>33</b>	67	<b>67</b>	5730
5750	Kaskan loam, rarely flooded	236	324	263	<b>236</b>	56	<b>56</b>	5750
5751	Kisiwa loam, 0 to 1 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	54	<b>54</b>	5751
5800	Mahone loamy fine sand, rarely flooded	116	316	255	192	65	<b>65</b>	5800
5820	Nickerson fine sandy loam, 0 to 2 percent slopes	115	334	273	210	41	<b>41</b>	5820
5821	Nickerson loamy fine sand, 0 to 2 percent slopes	132	250	189	<b>132</b>	41	<b>41</b>	5821
5822	Nickerson-Punkin fine sandy loams, 0 to 2 percent slopes	96	225	164	101	41	<b>41</b>	5822
5830	Ninnescah fine sandy loam, occasionally flooded	95	153	<b>95</b>	<b>95</b>	60	<b>60</b>	5830
5831	Punkin silt loam, 0 to 1 percent slopes	44	<b>44</b>	<b>44</b>	<b>44</b>	40	<b>40</b>	5831
5832	Punkin-Taver complex, 0 to 1 percent slopes	71	<b>71</b>	<b>71</b>	<b>71</b>	40	<b>40</b>	5832
5833	Saxman loamy sand, 0 to 1 percent slopes	47	257	196	133	64	<b>64</b>	5833
5834	Urban land-Blazefork-Kaskan complex, 0 to 1 percent slopes, protected	81	<b>81</b>	<b>81</b>	<b>81</b>	19	<b>19</b>	5834
5835	Urban land-Darlow-Elmer complex, 0 to 1 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	14	<b>14</b>	5835
5837	Urban land-Imano complex, 0 to 1 percent slopes, protected	43	<b>43</b>	<b>43</b>	<b>43</b>	18	<b>18</b>	5837
5838	Urban land-Mahone complex, 0 to 1 percent slopes, protected	36	<b>36</b>	<b>36</b>	<b>36</b>	20	<b>20</b>	5838
5839	Urban land-Saltcreek-Naron complex, 0 to 1 percent slopes	74	75	<b>74</b>	<b>74</b>	15	<b>15</b>	5839

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>RENO COUNTY (Page 2 of 3)</b>								
5840	Urban land-Saxman complex, 0 to 1 percent slopes, protected	10	10	10	10	22	22	5840
5842	Urban land-Willowbrook complex, 0 to 1 percent slopes, protected	33	33	33	33	22	22	5842
5843	Urban land-Yaggy complex, 0 to 1 percent slopes, protected	10	10	10	10	22	22	5843
5844	Warnut fine sandy loam, 0 to 1 percent slopes	19	19	19	19	53	53	5844
5845	Yaggy fine sandy loam, 0 to 1 percent slopes	39	159	98	39	68	68	5845
5846	Ninnescah fine sandy loam, occasionally flooded, saline	51	78	51	51	60	60	5846
5852	Albion sandy loam, 0 to 1 percent slopes	107	296	235	172	41	41	5852
5858	Albion-Shellabarger sandy loams, 1 to 3 percent slopes	159	273	212	159	51	51	5858
5867	Avans loam, 0 to 1 percent slopes	236	334	273	236	49	49	5867
5868	Avans loam, 1 to 3 percent slopes	213	329	268	213	41	41	5868
5869	Avans loam, 3 to 7 percent slopes	176	239	178	176	45	45	5869
5870	Carway and Carbika soils, 0 to 1 percent slopes	46	46	46	46	54	54	5870
5871	Carway-Dillhut-Solvay complex, 0 to 2 percent slopes	98	189	128	98	41	41	5871
5880	Clark-Ost loams, 3 to 7 percent slopes	65	255	194	131	41	41	5880
5881	Dillhut fine sand, 1 to 3 percent slopes	60	276	214	151	72	72	5881
5882	Dillhut-Plev complex, 0 to 2 percent slopes	55	242	181	118	72	72	5882
5883	Dillhut-Solvay complex, 0 to 3 percent slopes	93	221	160	97	60	60	5883
5886	Farnum and Funmar loams, 0 to 1 percent slopes	241	339	278	241	15	15	5886
5901	Funmar-Taver loams, 0 to 2 percent slopes	223	334	273	223	41	41	5901
5902	Hayes fine sandy loam, 1 to 5 percent slopes	147	268	207	147	45	45	5902
5905	Hayes-Solvay loamy fine sands, 0 to 5 percent slopes	136	237	176	136	45	45	5905
5906	Hayes-Turon complex, 0 to 5 percent slopes	146	297	236	173	41	41	5906
5907	Langdon fine sand, 0 to 15 percent slopes	66	149	88	66	35	35	5907
5908	Nalim loam, 0 to 1 percent slopes	233	339	278	233	53	53	5908
5912	Naron fine sandy loam, 3 to 7 percent slopes, moderately eroded	187	244	187	187	59	59	5912
5913	Naron fine sandy loam, 7 to 15 percent slopes, moderately eroded	140	192	140	140	59	59	5913
5921	Ost loam, 0 to 1 percent slopes	144	321	260	197	41	41	5921
5924	Ost-Clark loams, 1 to 3 percent slopes	120	297	236	173	41	41	5924
5925	Penalosa silt loam, 0 to 1 percent slopes	217	339	278	217	15	15	5925
5926	Penalosa silt loam, 1 to 3 percent slopes	232	326	265	232	41	41	5926
5927	Pratt fine sand, 5 to 10 percent slopes	62	242	181	118	41	41	5927
5942	Pratt-Turon fine sands, 1 to 5 percent slopes	91	244	183	120	41	41	5942
5943	Saltcreek and Naron fine sandy loams, 0 to 1 percent slopes	176	329	268	205	41	41	5943
5944	Saltcreek and Naron fine sandy loams, 1 to 3 percent slopes	187	308	247	187	41	41	5944

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>RENO COUNTY (Page 3 of 3)</b>								
5945	Saltcreek-Funmar-Farnum complex, 1 to 3 percent slopes	198	331	270	207	41	<b>41</b>	5945
5947	Shellabarger and Nalim soils, 3 to 6 percent slopes	185	246	<b>185</b>	<b>185</b>	49	<b>49</b>	5947
5954	Shellabarger loamy sand, 0 to 3 percent slopes	174	292	230	<b>174</b>	49	<b>49</b>	5954
5955	Shellabarger sandy loam, 0 to 1 percent slopes	210	334	273	<b>210</b>	49	<b>49</b>	5955
5956	Shellabarger sandy loam, 1 to 3 percent slopes	191	308	247	<b>191</b>	41	<b>41</b>	5956
5959	Shellabarger, eroded, and Albion soils, 6 to 15 percent slopes	108	160	<b>108</b>	<b>108</b>	49	<b>49</b>	5959
5960	Shellabarger-Nalim complex, 1 to 3 percent slopes	213	321	260	<b>213</b>	41	<b>41</b>	5960
5961	Solvay loamy fine sand, 0 to 2 percent slopes	86	230	169	106	58	<b>58</b>	5961
5962	Spelvin loamy sand, 0 to 1 percent slopes	147	302	241	178	41	<b>41</b>	5962
5970	Taver loam, 0 to 1 percent slopes	197	334	273	210	41	<b>41</b>	5970
5971	Tivin fine sand, 10 to 30 percent slopes	<b>10</b>	76	15	<b>10</b>	35	<b>35</b>	5971
5973	Tivin-Dillhut fine sands, 0 to 15 percent slopes	39	170	109	45	41	<b>41</b>	5973
5974	Tivin-Willowbrook, occasionally flooded, complex, 0 to 12 percent slopes	46	244	183	120	52	<b>52</b>	5974
5975	Turon-Carway complex, 0 to 5 percent slopes	95	211	150	<b>95</b>	49	<b>49</b>	5975
6346	Jamash clay loam, 0 to 8 percent slopes	10	<b>10</b>	<b>10</b>	<b>10</b>	49	<b>49</b>	6346
6347	Jamash-Piedmont clay loams, 0 to 1 percent slopes	56	100	<b>56</b>	<b>56</b>	41	<b>41</b>	6347
6348	Jamash-Piedmont clay loams, 1 to 3 percent slopes	37	50	<b>37</b>	<b>37</b>	53	<b>53</b>	6348
6349	Jamash-Piedmont clay loams, 3 to 12 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	53	<b>53</b>	6349
6384	Nash silt loam, 1 to 3 percent slopes	76	175	114	<b>76</b>	53	<b>53</b>	6384
6385	Nash-Lucien silt loams, 3 to 7 percent slopes	56	86	<b>56</b>	<b>56</b>	49	<b>49</b>	6385
6386	Nash-Lucien silt loams, 7 to 15 percent slopes, moderately eroded	41	66	<b>41</b>	<b>41</b>	27	<b>27</b>	6386
6490	Zellmont and Poxmash sandy loams, 0 to 3 percent slopes	112	233	171	<b>112</b>	53	<b>53</b>	6490
9969	Aquents, frequently ponded	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	70	<b>70</b>	9969
9971	Arents, earthen dam	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	32	<b>10</b>	9971
9972	Arents, loamy	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9972
9995	Sand Pits	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	22	<b>10</b>	9995
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>SEDGWICK COUNTY (Page 1 of 3)</b>								
2152	Lesho clay loam, occasionally flooded	109	283	220	155	74	74	2152
3725	Detroit silty clay loam, rarely flooded	189	341	278	212	74	<b>74</b>	3725
3824	Crete silt loam, 0 to 1 percent slopes	194	346	283	218	53	<b>53</b>	3824
3825	Crete silt loam, 1 to 3 percent slopes	184	333	269	204	53	<b>53</b>	3825
3843	Geary silt loam, 1 to 3 percent slopes	211	333	269	<b>211</b>	53	<b>53</b>	3843
3857	Goessel silty clay, 0 to 1 percent slopes	133	332	269	204	53	<b>53</b>	3857
3858	Goessel silty clay, 1 to 3 percent slopes	127	310	247	182	53	<b>53</b>	3858
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	180	341	277	212	53	<b>53</b>	3890
3891	Ladysmith silty clay loam, 1 to 3 percent slopes	178	340	276	211	53	<b>53</b>	3891
3911	Rosehill silty clay, 1 to 3 percent slopes	63	253	190	125	53	<b>53</b>	3911
3921	Smolan silty clay loam, 1 to 3 percent slopes	192	281	218	<b>192</b>	53	<b>53</b>	3921
3930	Urban land-Irwin complex, 1 to 3 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	53	<b>53</b>	3930
4570	Clime silty clay, 3 to 7 percent slopes	37	189	125	60	53	<b>53</b>	4570
4671	Irwin silty clay loam, 1 to 3 percent slopes	168	335	272	207	53	<b>53</b>	4671
4673	Irwin silty clay loam, 3 to 7 percent slopes	154	297	234	169	53	<b>53</b>	4673
4674	Irwin silty clay loam, 3 to 7 percent slopes, eroded	132	269	206	141	53	<b>53</b>	4674
5324	Kaski loam, occasionally flooded	148	313	250	185	64	<b>64</b>	5324
5464	Wellsford-Rock outcrop complex, 3 to 10 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	43	<b>43</b>	5464
5480	Wellsford clay loam, 1 to 3 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	43	<b>43</b>	5480
5550	Imano clay loam, occasionally flooded	110	283	220	155	74	<b>74</b>	5550
5560	Kanza-Ninnescah sandy loams, frequently flooded	41	97	<b>41</b>	<b>41</b>	74	<b>74</b>	5560
5633	Plevna fine sandy loam, frequently flooded	39	86	<b>39</b>	<b>39</b>	74	<b>74</b>	5633
5670	Waldeck fine sandy loam, occasionally flooded	71	243	179	114	61	<b>61</b>	5670
5672	Waldeck sandy loam, occasionally flooded	67	243	179	114	61	<b>61</b>	5672
5675	Willowbrook fine sandy loam, occasionally flooded	71	243	180	115	61	<b>61</b>	5675
5832	Punkin-Taver complex, 0 to 1 percent slopes	75	250	187	121	64	<b>64</b>	5832
5836	Urban land-Farnum complex, 0 to 3 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	53	<b>53</b>	5836
5841	Urban land-Tabler complex, 0 to 1 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	53	<b>53</b>	5841
5845	Yaggy fine sandy loam, 0 to 1 percent slopes	<b>10</b>	116	53	<b>10</b>	74	<b>74</b>	5845
5850	Albion and Shellabarger sandy loams, 6 to 15 percent slopes	79	155	92	<b>79</b>	64	<b>64</b>	5850
5856	Albion sandy loam, 6 to 15 percent slopes	78	155	92	<b>78</b>	64	<b>64</b>	5856
5858	Albion-Shellabarger sandy loams, 1 to 3 percent slopes	115	277	214	149	64	<b>64</b>	5858
5867	Avans loam, 0 to 1 percent slopes	225	346	283	<b>225</b>	53	<b>53</b>	5867
5868	Avans loam, 1 to 3 percent slopes	214	341	278	<b>214</b>	53	<b>53</b>	5868

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land	Symbol	
			100 ft	200 ft	300 ft	Native \$/Acre		Tame \$/Acre
<b>SEDGWICK COUNTY (Page 2 of 3)</b>								
5869	Avans loam, 3 to 7 percent slopes	191	294	231	<b>191</b>	53	<b>53</b>	5869
5879	Clark-Ost clay loams, 1 to 3 percent slopes	95	288	225	160	53	<b>53</b>	5879
5891	Farnum fine sandy loam, 0 to 1 percent slopes	218	346	283	<b>218</b>	53	<b>53</b>	5891
5892	Farnum loam, 0 to 1 percent slopes	220	346	283	<b>220</b>	53	<b>53</b>	5892
5893	Farnum loam, 1 to 3 percent slopes	209	341	278	212	53	<b>53</b>	5893
5894	Farnum loam, 3 to 6 percent slopes	208	337	274	209	53	<b>53</b>	5894
5896	Nalim-Shellabarger sandy loams, 0 to 1 percent slopes	205	341	277	212	53	<b>53</b>	5896
5908	Nalim loam, 0 to 1 percent slopes	220	347	284	<b>220</b>	53	<b>53</b>	5908
5909	Naron fine sandy loam, 0 to 1 percent slopes	177	341	277	212	64	<b>64</b>	5909
5924	Ost-Clark loams, 1 to 3 percent slopes	95	289	226	161	53	<b>53</b>	5924
5925	Penalosa silt loam, 0 to 1 percent slopes	197	347	284	219	53	<b>53</b>	5925
5926	Penalosa silt loam, 1 to 3 percent slopes	188	333	270	205	53	<b>53</b>	5926
5928	Pratt loamy fine sand, 1 to 5 percent slopes	71	261	198	132	53	<b>53</b>	5928
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	27	139	76	<b>27</b>	53	<b>53</b>	5941
5956	Shellabarger sandy loam, 1 to 3 percent slopes	185	324	261	196	64	<b>64</b>	5956
5957	Shellabarger sandy loam, 3 to 6 percent slopes	164	272	209	<b>164</b>	64	<b>64</b>	5957
5958	Shellabarger sandy loam, 3 to 6 percent slopes, eroded	136	236	173	<b>136</b>	64	<b>64</b>	5958
5960	Shellabarger-Nalim complex, 1 to 3 percent slopes	186	324	261	196	64	<b>64</b>	5960
5967	Tabler silty clay loam, 0 to 1 percent slopes	180	341	277	212	53	<b>53</b>	5967
5970	Taver loam, 0 to 1 percent slopes	179	341	278	212	53	<b>53</b>	5970
5976	Vanoss silt loam, 0 to 1 percent slopes	227	346	283	<b>227</b>	53	<b>53</b>	5976
5977	Vanoss silt loam, 1 to 3 percent slopes	217	341	278	<b>217</b>	53	<b>53</b>	5977
5978	Vanoss silt loam, 3 to 7 percent slopes	195	294	231	<b>195</b>	53	<b>53</b>	5978
5979	Vanoss silt loam, 3 to 7 percent slopes, eroded	179	231	<b>179</b>	<b>179</b>	53	<b>53</b>	5979
6051	Elandco silt loam, frequently flooded	116	196	133	<b>116</b>	74	<b>74</b>	6051
6052	Elandco silt loam, occasionally flooded	166	298	235	169	74	<b>74</b>	6052
6057	Lincoln loamy sand, occasionally flooded	<b>10</b>	120	57	<b>10</b>	74	<b>74</b>	6057
6060	Lincoln soils, frequently flooded	<b>10</b>	99	36	<b>10</b>	74	<b>74</b>	6060
6220	Brewer silty clay loam, rarely flooded	192	344	280	215	53	<b>53</b>	6220
6224	Canadian fine sandy loam, rarely flooded	138	316	253	187	64	<b>64</b>	6224
6228	Canadian-Waldeck fine sandy loams, rarely flooded	116	292	228	163	74	<b>74</b>	6228
6236	Dale and Reinach silt loams, rarely flooded	191	341	278	212	74	<b>74</b>	6236
6244	Elandco silt loam, rarely flooded	185	341	278	212	74	<b>74</b>	6244
6246	Elandco silty clay loam, rarely flooded	184	334	271	205	74	<b>74</b>	6246

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>SEDGWICK COUNTY (Page 3 of 3)</b>								
6250	Urban land-Canadian complex, 0 to 3 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	64	<b>64</b>	6250
6252	Urban land-Elandco complex, 0 to 1 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	74	<b>74</b>	6252
6254	Waurika silt loam, 0 to 1 percent slopes	171	295	231	<b>171</b>	43	<b>43</b>	6254
6320	Bethany silt loam, 0 to 1 percent slopes	199	346	283	218	53	<b>53</b>	6320
6321	Bethany silt loam, 1 to 3 percent slopes	189	333	269	204	53	<b>53</b>	6321
6322	Blanket silt loam, 0 to 1 percent slopes	194	346	283	218	53	<b>53</b>	6322
6323	Blanket silt loam, 1 to 3 percent slopes	185	333	269	204	53	<b>53</b>	6323
6330	Carwile fine sandy loam, 0 to 1 percent slopes	34	<b>34</b>	<b>34</b>	<b>34</b>	64	<b>64</b>	6330
6346	Jamash clay loam, 0 to 8 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	43	<b>43</b>	6346
6347	Jamash-Piedmont clay loams, 0 to 1 percent slopes	71	220	156	91	43	<b>43</b>	6347
6348	Jamash-Piedmont clay loams, 1 to 3 percent slopes	69	213	150	85	43	<b>43</b>	6348
6364	Milan clay loam, 3 to 6 percent slopes, eroded	169	269	206	<b>169</b>	53	<b>53</b>	6364
6369	Milan loam, 1 to 3 percent slopes	213	333	269	<b>213</b>	53	<b>53</b>	6369
6370	Milan loam, 3 to 6 percent slopes	192	278	215	<b>192</b>	53	<b>53</b>	6370
6419	Renfrow silty clay loam, 1 to 3 percent slopes	80	252	189	124	43	<b>43</b>	6419
6420	Renfrow silty clay loam, 3 to 6 percent slopes	60	230	167	102	43	<b>43</b>	6420
6423	Renfrow-Wellsford clay loams, 1 to 4 percent slopes	60	107	<b>60</b>	<b>60</b>	43	<b>43</b>	6423
6442	Vernon sandy loam, 1 to 3 percent slopes	54	266	203	138	43	<b>43</b>	6442
6443	Vernon sandy loam, 3 to 7 percent slopes	47	225	162	97	43	<b>43</b>	6443
9970	Aquolls	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9970
9971	Arents, earthen dam	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9971
9986	Miscellaneous water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9986
9993	Pits	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9993
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>STAFFORD COUNTY (Page 1 of 2)</b>								
990	ABBYVILLE LOAM, 0 TO 1 PERCENT SLOPES	46	<b>46</b>	<b>46</b>	<b>46</b>	50	<b>50</b>	990
991	ABBYVILLE-KISIWA COMPLEX, 0 TO 2 PERCENT SLOPES, FLOODED	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	50	<b>50</b>	991
1005	ALBION SANDY LOAM, 1 TO 3 PERCENT SLOPES	120	177	<b>120</b>	<b>120</b>	30	<b>30</b>	1005
1011	ALBION-SHELLABARGER SANDY LOAMS, 1 TO 3 PERCENT SLOPES	180	<b>180</b>	<b>180</b>	<b>180</b>	30	<b>30</b>	1011
1324	CARWAY AND CARBIKA SOILS, 0 TO 1 PERCENT SLOPES	93	<b>93</b>	<b>93</b>	<b>93</b>	30	<b>30</b>	1324
1359	CLARK-OST LOAMS, 3 TO 7 PERCENT SLOPES	92	195	135	<b>92</b>	30	<b>30</b>	1359
1553	DARLOW-ELMER COMPLEX, 0 TO 2 PERCENT SLOPES	29	<b>29</b>	<b>29</b>	<b>29</b>	50	<b>50</b>	1553
1555	DILLHUT-PLEV COMPLEX, 0 TO 2 PERCENT SLOPES	72	154	95	<b>72</b>	60	<b>60</b>	1555
1556	DILLHUT-SOLVAY COMPLEX, 0 TO 3 PERCENT SLOPES	109	<b>109</b>	<b>109</b>	<b>109</b>	60	<b>60</b>	1556
1725	FARNUM AND FUNMAR LOAMS, 0 TO 1 PERCENT SLOPES	280	<b>280</b>	<b>280</b>	<b>280</b>	30	<b>30</b>	1725
1726	FUNMAR AND FARNUM LOAMS, 1 TO 3 PERCENT SLOPES	268	<b>268</b>	<b>268</b>	<b>268</b>	30	<b>30</b>	1726
1985	HAYES FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES	167	177	<b>167</b>	<b>167</b>	30	<b>30</b>	1985
1986	HAYES-SOLVAY LOAMY FINE SANDS, 0 TO 5 PERCENT SLOPES	150	<b>150</b>	<b>150</b>	<b>150</b>	30	<b>30</b>	1986
1987	HAYES-TURON COMPLEX, 0 TO 5 PERCENT SLOPES	157	180	<b>157</b>	<b>157</b>	30	<b>30</b>	1987
1988	HAYES LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	130	<b>130</b>	<b>130</b>	<b>130</b>	30	<b>30</b>	1988
2381	KANZA-NINESCAH SANDY LOAMS, 0 TO 2 PERCENT SLOPES, COMMONLY FLOODED	84	<b>84</b>	<b>84</b>	<b>84</b>	60	<b>60</b>	2381
2556	LANGDON FINE SAND, 0 TO 15 PERCENT SLOPES	23	60	<b>23</b>	<b>23</b>	30	<b>30</b>	2556
2958	NINNESCAH FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES, OCCASIONALLY FLOODED	87	<b>87</b>	<b>87</b>	<b>87</b>	60	<b>60</b>	2958
3053	OST LOAM, 1 TO 3 PERCENT SLOPES	172	204	<b>172</b>	<b>172</b>	30	<b>30</b>	3053
3180	PRATT FINE SAND, 5 TO 10 PERCENT SLOPES	73	130	<b>73</b>	<b>73</b>	30	<b>30</b>	3180
3181	PRATT-TURON FINE SANDS, 1 TO 5 PERCENT SLOPES	101	130	<b>101</b>	<b>101</b>	30	<b>30</b>	3181
3511	SALTCREEK AND NARON FINE SANDY LOAMS, 0 TO 1 PERCENT SLOPES	233	239	<b>233</b>	<b>233</b>	30	<b>30</b>	3511
3512	SALTCREEK AND NARON FINE SANDY LOAMS, 1 TO 3 PERCENT SLOPES	233	236	<b>233</b>	<b>233</b>	30	<b>30</b>	3512
3520	SAXMAN LOAMY SAND, 0 TO 1 PERCENT SLOPES	70	170	111	<b>70</b>	60	<b>60</b>	3520
3540	SOLVAY LOAMY FINE SAND, 0 TO 2 PERCENT SLOPES	133	180	<b>133</b>	<b>133</b>	30	<b>30</b>	3540
3639	TAVER LOAM, 0 TO 1 PERCENT SLOPES	236	243	<b>236</b>	<b>236</b>	30	<b>30</b>	3639
3640	TIVIN FINE SAND, 10 TO 30 PERCENT SLOPES	<b>10</b>	13	<b>10</b>	<b>10</b>	30	<b>30</b>	3640
3641	TIVIN-DILLHUT FINE SANDS, 0 TO 15 PERCENT SLOPES	46	66	<b>46</b>	<b>46</b>	30	<b>30</b>	3641
3644	TURON-CARWAY COMPLEX, 0 TO 5 PERCENT SLOPES	91	<b>91</b>	<b>91</b>	<b>91</b>	30	<b>30</b>	3644
AN	ALBION SANDY LOAM, 1 TO 4 PERCENT SLOPES	120	260	200	139	30	<b>30</b>	AN
AT	ATTICA FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	155	280	221	160	30	<b>30</b>	AT
BA	BLANKET SILT LOAM, 0 TO 1 PERCENT SLOPES	237	324	265	<b>237</b>	30	<b>30</b>	BA
BTDT	DILLWYN-TIVOLI COMPLEX, 0 TO 15 PERCENT SLOPES	47	226	167	106	50	<b>50</b>	BTDT
BTTV	TIVOLI FINE SAND, 15 TO 30 PERCENT SLOPES	<b>10</b>	36	<b>10</b>	<b>10</b>	30	<b>30</b>	BTTV

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>STAFFORD COUNTY (Page 2 of 2)</b>								
CA	CARWILE FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	54	<b>54</b>	<b>54</b>	<b>54</b>	30	<b>30</b>	CA
CW	CARWILE COMPLEX, 0 TO 1 PERCENT SLOPES	50	<b>50</b>	<b>50</b>	<b>50</b>	30	<b>30</b>	CW
CX	CLARK LOAM, 1 TO 3 PERCENT SLOPES	92	288	229	168	30	<b>30</b>	CX
DP	DILLWYN-PLEVNA COMPLEX, 0 TO 5 PERCENT SLOPES	69	212	153	92	60	<b>60</b>	DP
DT	DILLWYN-TIVOLI LOAMY FINE SANDS, 0 TO 15 PERCENT SLOPES	50	226	167	106	50	<b>50</b>	DT
EDCS	CARWILE-DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	12	<b>12</b>	<b>12</b>	<b>12</b>	50	<b>50</b>	EDCS
FA	FARNUM FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	245	324	265	<b>245</b>	30	<b>30</b>	FA
FR	FARNUM LOAM, 0 TO 2 PERCENT SLOPES	263	324	265	<b>263</b>	30	<b>30</b>	FR
KG	KINGMAN SILTY CLAY LOAM, OCCASIONALLY FLOODED	132	244	185	<b>132</b>	60	<b>60</b>	KG
NA	NARON FINE SANDY LOAM, 0 TO 3 PERCENT SLOPES	243	319	260	<b>243</b>	30	<b>30</b>	NA
NAA	NARON FINE SANDY LOAM, 0 TO 1 PERCENT SLOPES	246	323	264	<b>246</b>	30	<b>30</b>	NAA
NBB	NARON FINE SANDY LOAM, 1 TO 3 PERCENT SLOPES	243	319	260	<b>243</b>	30	<b>30</b>	NBB
NU	NATRUSTOLLS, OCCASIONALLY FLOODED	<b>10</b>	64	<b>10</b>	<b>10</b>	50	<b>50</b>	NU
PA	PLEVNA SOILS, FREQUENTLY FLOODED	64	81	<b>64</b>	<b>64</b>	60	<b>60</b>	PA
PC	PLEVNA SOILS, CHANNELED	54	<b>54</b>	<b>54</b>	<b>54</b>	60	<b>60</b>	PC
PH	PRATT LOAMY FINE SAND, 5 TO 10 PERCENT SLOPES	80	196	137	<b>80</b>	30	<b>30</b>	PH
PO	PRATT LOAMY FINE SAND, 1 TO 5 PERCENT SLOPES	100	260	200	139	30	<b>30</b>	PO
PR	PRATT-CARWILE COMPLEX, 0 TO 8 PERCENT SLOPES	77	132	<b>77</b>	<b>77</b>	30	<b>30</b>	PR
PRKP	KANZA-PLEVNA COMPLEX, FREQUENTLY FLOODED	57	102	<b>57</b>	<b>57</b>	60	<b>60</b>	PRKP
PT	PRATT-TIVOLI LOAMY FINE SANDS, 5 TO 15 PERCENT SLOPES	55	175	116	<b>55</b>	30	<b>30</b>	PT
RCDP	DILLWYN-PLEVNA LOAMY FINE SANDS, 0 TO 1 PERCENT SLOPES	69	204	144	83	60	<b>60</b>	RCDP
RCDT	DILLWYN-TIVOLI COMPLEX, 0 TO 20 PERCENT SLOPES	50	218	159	98	50	<b>50</b>	RCDT
RCDU	DRUMMOND COMPLEX, 0 TO 1 PERCENT SLOPES	66	143	84	<b>66</b>	50	<b>50</b>	RCDU
RCPE	PLEVNA FINE SANDY LOAM, FREQUENTLY FLOODED	64	81	<b>64</b>	<b>64</b>	60	<b>60</b>	RCPE
TA	TABLER LOAM, 0 TO 1 PERCENT SLOPES	222	324	265	<b>222</b>	30	<b>30</b>	TA
TAA	TABLER CLAY LOAM, 0 TO 1 PERCENT SLOPES	229	324	265	<b>229</b>	30	<b>30</b>	TAA
TV	TIVOLI FINE SAND, 5 TO 20 PERCENT SLOPES	<b>10</b>	99	40	<b>10</b>	30	<b>30</b>	TV
WA	WALDECK FINE SANDY LOAM, OCCASIONALLY FLOODED	97	227	168	107	61	<b>61</b>	WA
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	10	<b>10</b>	WST
ZA	ZENDA-NATRUSTOLLS COMPLEX, OCCASIONALLY FLOODED	100	243	183	122	49	<b>49</b>	ZA
ZSS	ZENDA-DRUMMOND COMPLEX, OCCASIONALLY FLOODED	114	213	154	<b>114</b>	49	<b>49</b>	ZSS

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>SUMNER COUNTY (Page 1 of 3)</b>								
2152	Lesho clay loam, occasionally flooded	76	267	208	146	70	<b>70</b>	2152
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	153	330	271	209	50	<b>50</b>	3890
3908	Rosehill clay loam, 1 to 3 percent slopes	55	275	215	153	50	<b>50</b>	3908
3909	Rosehill clay loam, 3 to 6 percent slopes	43	234	175	113	50	<b>50</b>	3909
3910	Rosehill clay loam, 3 to 6 percent slopes, eroded	33	225	166	104	50	<b>50</b>	3910
4671	Irwin silty clay loam, 1 to 3 percent slopes	144	319	260	198	50	<b>50</b>	4671
5322	Kaski loam, frequently flooded	100	284	225	163	60	<b>60</b>	5322
5456	Wellsford-Elandco complex, 0 to 25 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	70	<b>70</b>	5456
5465	Wellsford-Renfrow clay loams, 2 to 6 percent slopes, eroded	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	40	<b>40</b>	5465
5466	Wellsford-Shale outcrop complex, 8 to 25 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	40	<b>40</b>	5466
5480	Wellsford clay loam, 1 to 3 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	40	<b>40</b>	5480
5482	Wellsford clay loam, 3 to 8 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	40	<b>40</b>	5482
5492	Woodward-Port complex, 0 to 20 percent slopes	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	70	<b>70</b>	5492
5633	Plevna fine sandy loam, frequently flooded	<b>10</b>	109	49	<b>10</b>	50	<b>50</b>	5633
5740	Dillwyn-Plevna complex, occasionally flooded	32	<b>32</b>	<b>32</b>	<b>32</b>	60	<b>60</b>	5740
5892	Farnum loam, 0 to 1 percent slopes	164	332	272	211	50	<b>50</b>	5892
5893	Farnum loam, 1 to 3 percent slopes	154	322	262	200	50	<b>50</b>	5893
5894	Farnum loam, 3 to 6 percent slopes	137	275	216	154	50	<b>50</b>	5894
5895	Farnum loam, 3 to 6 percent slopes, eroded	104	265	205	143	50	<b>50</b>	5895
5929	Pratt loamy fine sand, 5 to 12 percent slopes	38	218	158	97	50	<b>50</b>	5929
5941	Pratt-Tivoli loamy fine sands, 5 to 15 percent slopes	<b>10</b>	29	<b>10</b>	<b>10</b>	31	<b>31</b>	5941
5946	Shellabarger and Albion soils, 7 to 15 percent slopes	83	212	152	91	60	<b>60</b>	5946
5956	Shellabarger sandy loam, 1 to 3 percent slopes	131	301	241	179	60	<b>60</b>	5956
5957	Shellabarger sandy loam, 3 to 6 percent slopes	115	252	192	130	60	<b>60</b>	5957
5958	Shellabarger sandy loam, 3 to 6 percent slopes, eroded	87	220	135	99	60	<b>60</b>	5958
5967	Tabler silty clay loam, 0 to 1 percent slopes	129	327	267	205	50	<b>50</b>	5967
5972	Tivoli fine sand, 10 to 30 percent slopes	<b>10</b>	16	<b>10</b>	<b>10</b>	31	<b>31</b>	5972
5976	Vanoss silt loam, 0 to 1 percent slopes	165	332	272	211	50	<b>50</b>	5976
5977	Vanoss silt loam, 1 to 3 percent slopes	155	322	262	200	50	<b>50</b>	5977
5978	Vanoss silt loam, 3 to 7 percent slopes	138	273	213	151	50	<b>50</b>	5978
6051	Elandco silt loam, frequently flooded	79	185	125	<b>79</b>	70	<b>70</b>	6051
6056	Lincoln loamy fine sand, occasionally flooded	<b>10</b>	109	50	<b>10</b>	70	<b>70</b>	6056
6060	Lincoln soils, frequently flooded	<b>10</b>	94	34	<b>10</b>	70	<b>70</b>	6060
6063	Lincoln-Tivoli complex, 0 to 10 percent slopes	<b>10</b>	112	52	<b>10</b>	70	<b>70</b>	6063

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>SUMNER COUNTY (Page 2 of 3)</b>								
6220	Brewer silty clay loam, rarely flooded	117	286	226	165	70	<b>70</b>	6220
6222	Brewer-Drummond silty clay loams, rarely flooded	69	239	180	118	70	<b>70</b>	6222
6224	Canadian fine sandy loam, rarely flooded	100	303	244	182	60	<b>60</b>	6224
6226	Canadian sandy loam, rarely flooded	100	303	244	182	60	<b>60</b>	6226
6230	Corbin silt loam, 0 to 1 percent slopes	147	327	267	206	50	<b>50</b>	6230
6232	Corbin silt loam, 1 to 3 percent slopes	147	326	266	205	50	<b>50</b>	6232
6234	Crisfield sandy loam, rarely flooded	32	<b>32</b>	<b>32</b>	<b>32</b>	60	<b>60</b>	6234
6236	Dale and Reinach silt loams, rarely flooded	147	322	262	200	70	<b>70</b>	6236
6238	Dale silt loam, 2 to 8 percent slopes	116	270	210	149	70	<b>70</b>	6238
6240	Dale silt loam, rarely flooded	144	322	262	200	70	<b>70</b>	6240
6244	Elandco silt loam, rarely flooded	143	322	262	200	70	<b>70</b>	6244
6246	Elandco silty clay loam, rarely flooded	124	281	222	160	70	<b>70</b>	6246
6254	Waurika silt loam, 0 to 1 percent slopes	123	283	223	162	40	<b>40</b>	6254
6320	Bethany silt loam, 0 to 1 percent slopes	158	332	272	211	50	<b>50</b>	6320
6321	Bethany silt loam, 1 to 3 percent slopes	148	322	262	200	50	<b>50</b>	6321
6330	Carwile fine sandy loam, 0 to 1 percent slopes	18	<b>18</b>	<b>18</b>	<b>18</b>	60	<b>60</b>	6330
6340	Grant silt loam, 0 to 1 percent slopes	160	332	272	211	50	<b>50</b>	6340
6342	Grant silt loam, 3 to 6 percent slopes	135	278	218	157	50	<b>50</b>	6342
6354	Kirkland silt loam, 0 to 1 percent slopes	117	332	272	210	50	<b>50</b>	6354
6356	Kirkland silt loam, 1 to 3 percent slopes	110	309	249	187	50	<b>50</b>	6356
6358	Kirkland silty clay loam, 1 to 3 percent slopes, eroded	95	260	200	138	50	<b>50</b>	6358
6360	Kirkland-Renfrow clay loams, 1 to 3 percent slopes	55	248	189	127	50	<b>50</b>	6360
6362	Kirkland-Renfrow soils, 1 to 3 percent slopes, eroded	54	246	186	125	50	<b>50</b>	6362
6368	Milan loam, 0 to 1 percent slopes	164	332	272	211	50	<b>50</b>	6368
6369	Milan loam, 1 to 3 percent slopes	157	314	254	193	50	<b>50</b>	6369
6370	Milan loam, 3 to 6 percent slopes	140	262	203	141	50	<b>50</b>	6370
6371	Milan loam, 3 to 6 percent slopes, eroded	108	228	169	<b>108</b>	50	<b>50</b>	6371
6408	Pond Creek silt loam, 0 to 1 percent slopes	162	332	272	211	50	<b>50</b>	6408
6409	Pond Creek silt loam, 1 to 3 percent slopes	155	322	262	200	50	<b>50</b>	6409
6410	Pond Creek silt loam, 3 to 6 percent slopes	138	278	218	157	50	<b>50</b>	6410
6412	Pond Creek silty clay loam, 3 to 6 percent slopes, eroded	117	267	207	146	50	<b>50</b>	6412
6418	Renfrow clay loam, 1 to 3 percent slopes	49	248	189	127	50	<b>50</b>	6418
6419	Renfrow silty clay loam, 1 to 3 percent slopes	49	248	189	127	50	<b>50</b>	6419
6421	Renfrow-Grainola complex, 1 to 3 percent slopes	49	248	189	127	50	<b>50</b>	6421

## Kansas Division of Property Valuation

### 2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Irrigated Land \$/Acre by Well Depth			Grass Land		Symbol
			100 ft	200 ft	300 ft	Native \$/Acre	Tame \$/Acre	
<b>SUMNER COUNTY (Page 3 of 3)</b>								
8302	Verdigris silt loam, occasionally flooded	133	285	226	164	70	<b>70</b>	8302
9970	Aquolls	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9970
9971	Arents, earthen dam	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9971
9976	Borrow pits	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9976
9983	Gravel pits and quarries	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9983
9986	Miscellaneous water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9986
9998	Ustifluvents, channeled	<b>10</b>	119	59	20	50	<b>50</b>	9998
9999	Water	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	9999
WST	WASTE	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	<b>10</b>	WST