

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
ATCHISON COUNTY (Page 1 of 2)					
4020	Chase silty clay loam, occasionally flooded	289	68	71	4020
4350	Chase silty clay loam, rarely flooded	290	68	71	4350
4752	Sogn-Vinland complex, 3 to 25 percent slopes	10	68	71	4752
4834	Wamego-Vinland silty clay loams, 3 to 15 percent slopes	10	68	71	4834
7050	Kennebec silt loam, occasionally flooded	304	68	71	7050
7051	Kennebec silt loam, frequently flooded	143	68	71	7051
7052	Kennebec-Colo silt loams, occasionally flooded	273	68	71	7052
7060	Muscotah silt loam, overwash, occasionally flooded	196	68	71	7060
7090	Wabash silty clay loam, occasionally flooded	184	68	71	7090
7091	Wabash silty clay, occasionally flooded	105	68	71	7091
7170	Reading silt loam, rarely flooded	332	68	71	7170
7206	Aksarben silty clay loam, 2 to 5 percent slopes	286	68	71	7206
7207	Aksarben silty clay loam, 5 to 11 percent slopes	276	68	71	7207
7215	Bendena-Rock Outcrop complex, 20 to 40 percent slopes	10	68	71	7215
7216	Bendena-Vinland complex, 8 to 30 percent slopes	10	68	71	7216
7252	Grundy silty clay loam, 1 to 3 percent slopes	251	68	71	7252
7253	Grundy silty clay loam, 3 to 7 percent slopes	228	68	71	7253
7254	Grundy silty clay, 3 to 7 percent slopes, eroded	159	68	71	7254
7255	Grundy silt loam, 0 to 1 percent slopes	255	68	71	7255
7285	Ladoga silt loam, 3 to 8 percent slopes	282	68	71	7285
7302	Martin silty clay loam, 3 to 7 percent slopes	249	68	71	7302
7325	Martin-Oska silty clay loams, 3 to 6 percent slopes	239	68	71	7325
7470	Padonia-Martin silty clay loams, 5 to 9 percent slopes	231	68	71	7470
7502	Pawnee clay loam, 3 to 7 percent slopes	176	57	57	7502
7510	Pawnee clay, 3 to 7 percent slopes, eroded	89	57	57	7510
7540	Sharpsburg silty clay loam, 1 to 4 percent slopes	288	68	71	7540
7541	Sharpsburg silty clay loam, 4 to 8 percent slopes	281	68	71	7541
7585	Shelby clay loam, 7 to 12 percent slopes	222	68	71	7585
7586	Shelby clay loam, 7 to 15 percent slopes, eroded	181	68	71	7586
7587	Shelby clay loam, 12 to 18 percent slopes, moderately eroded	181	68	71	7587
7589	Shelby loam, 3 to 7 percent slopes	224	68	71	7589
7590	Shelby loam, 7 to 12 percent slopes	222	68	71	7590
7591	Shelby-Pawnee complex, 3 to 7 percent slopes	224	68	71	7591
7594	Shelby-Steinauer loams, 12 to 25 percent slopes	10	68	71	7594
7655	Vinland silty clay loam, 4 to 15 percent slopes	10	68	71	7655
7658	Vinland-Rock outcrop complex, 15 to 45 percent slopes	10	68	71	7658
7681	Wymore silty clay loam, 1 to 3 percent slopes	253	68	71	7681
7683	Wymore silty clay loam, 3 to 6 percent slope:	230	68	71	7683
7684	Wymore silty clay loam, 3 to 6 percent slopes, eroded	162	68	71	7684
7710	Albaton silty clay, occasionally flooded	37	68	71	7710
7741	Haynie silt loam, occasionally flooded	207	68	71	7741
7743	Haynie-Onawa complex, occasionally flooded	82	68	71	7743
7750	Nodaway silt loam, occasionally flooded	276	68	71	7750
7760	Onawa and Waldron silty clay loams, occasionally flooded	45	68	71	7760
7761	Onawa loam, overwash, occasionally flooded	51	68	71	7761
7765	Onawet silty clay loam, depressional, frequently flooded	27	68	71	7765
7790	Wathena-Haynie complex, occasionally flooded	184	68	71	7790
7851	Judson silt loam, 1 to 5 percent slopes	345	68	71	7851
7910	Armster clay loam, 6 to 12 percent slopes	169	57	57	7910
7911	Armster clay loam, 6 to 12 percent slopes, eroded	163	57	57	7911
7912	Armster clay loam, 12 to 20 percent slopes	26	57	57	7912
7950	Gosport complex, 10 to 30 percent slopes	10	21	21	7950
7951	Gosport silty clay loam, 25 to 45 percent slopes	10	21	21	7951
7953	Knox silt loam, 3 to 7 percent slopes	218	21	21	7953
7954	Knox silt loam, 3 to 7 percent slopes, eroded	215	21	21	7954
7955	Knox silt loam, 7 to 12 percent slopes	184	21	21	7955

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
ATCHISON COUNTY (Page 2 of 2)					
7959	Knox-Gosport complex, 10 to 30 percent slopes	10	21	21	7959
7970	Palermo silty clay loam, 18 to 30 percent slopes	157	21	21	7970
7971	Palermo-Knox complex, 10 to 18 percent slopes	207	21	21	7971
9971	Arents, earthen dam	10	10	10	9971
9980	Fluvaquents, ponded	10	57	57	9980
9983	Gravel pits and quarries	10	10	10	9983
9986	Miscellaneous water	10	10	10	9986
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
BROWN COUNTY (Page 1 of 2)					
AC	AKSARBEN SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	423	67	69	AC
AD	AKSARBEN SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	404	67	69	AD
AE	AKSARBEN SILTY CLAY LOAM, 5 TO 11 PERCENT SLOPES	347	67	69	AE
BS	BURCHARD CLAY LOAM, 6 TO 12 PERCENT SLOPES	294	67	69	BS
BX	BURCHARD-STEINAUER CLAY LOAMS, 12 TO 18 PERCENT SLOPES	128	67	69	BX
CH	CHASE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY	418	67	69	CH
CO	CONTRARY SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	351	67	69	CO
GA	GRUNDY SILT LOAM, 0 TO 2 PERCENT SLOPES	404	67	69	GA
JU	JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES	483	67	69	JU
KD	KENNEBEC SILT LOAM, CHANNELED, FREQUENTLY FLOODED KENNEBEC SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY	244	67	69	KD
KE	FLOODED	440	67	69	KE
KP	KIPSON-SOIGN SILTY CLAY LOAMS, 5 TO 30 PERCENT SLOPES	10	67	69	KP
MA	MARSHALL SILT LOAM, 2 TO 5 PERCENT SLOPES	458	67	69	MA
MB	MARSHALL SILTY CLAY LOAM, 5 TO 11 PERCENT SLOPES	394	67	69	MB
MD	MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	395	67	69	MD
MF	MARTIN SILTY CLAY LOAM, 4 TO 9 PERCENT SLOPES	313	67	69	MF
MH	MAYBERRY CLAY LOAM, 2 TO 6 PERCENT SLOPES	234	55	56	MH
MK	MONONA SILT LOAM, 2 TO 5 PERCENT SLOPES	460	67	69	MK
MN	MONONA SILT LOAM, 5 TO 11 PERCENT SLOPES, MODERATELY	346	67	69	MN
MT	MORRILL LOAM, 6 TO 12 PERCENT SLOPES MUSCOTAH SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY	342	67	69	MT
MW	FLOODED, OVERWASH	390	67	69	MW
MY	MUSCOTAH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED NODAWAY SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY	380	67	69	MY
NO	FLOODED	425	67	69	NO
OM	OLMITZ LOAM, 2 TO 5 PERCENT SLOPES	408	67	69	OM
PD	PADONIA-MARTIN SILTY CLAY LOAMS, 5 TO 9 PERCENT SLOPES	217	55	56	PD
PE	PADONIA-MARTIN SILTY CLAY LOAMS, 9 TO 25 PERCENT SLOPES	108	67	69	PE
PF	PADONIA-OSKA SILTY CLAY LOAMS, 5 TO 9 PERCENT SLOPES	185	67	69	PF
PM	PAWNEE CLAY LOAM, 2 TO 6 PERCENT SLOPES	241	67	69	PM
PN	PAWNEE CLAY LOAM, 6 TO 12 PERCENT SLOPES	186	67	69	PN
PO	PAWNEE CLAY, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	132	67	69	PO
PW	POHOCCO-NETAWAKA SILT LOAMS, 11 TO 17 PERCENT SLOPES	219	67	69	PW
PX	POHOCCO-NETAWAKA SILT LOAMS, 17 TO 30 PERCENT SLOPES	67	67	69	PX
RE	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, MODERATELY WET, RARELY FLOODED	465	67	69	RE
SG	SHELBY CLAY LOAM, 6 TO 12 PERCENT SLOPES	347	67	69	SG
SM	SHELBY CLAY LOAM, 12 TO 18 PERCENT SLOPES, MODERATELY WABASH SILTY CLAY, 0 TO 2 PERCENT SLOPES, OCCASIONALLY	215	67	69	SM
WA	FLOODED	190	67	69	WA
WE	WAMEGO SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	52	67	69	WE
WG	WAMEGO-VINLAND SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	10	67	69	WG
WM	WYMORE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	355	67	69	WM

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
BROWN COUNTY (Page 2 of 2)					
WN	WYMORE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	325	67	69	WN
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
DONIPHAN COUNTY					
4834	Wamego-Vinland silty clay loams, 3 to 15 percent slopes	10	69	71	4834
7050	Kennebec silt loam, occasionally flooded	565	69	71	7050
7051	Kennebec silt loam, frequently flooded	327	69	71	7051
7060	Muscotah silt loam, overwash, occasionally flooded	559	69	71	7060
7080	Sarpy fine sand, occasionally flooded	10	69	71	7080
7170	Reading silt loam, rarely flooded	605	69	71	7170
7206	Aksarben silty clay loam, 2 to 5 percent slopes	595	69	71	7206
7207	Aksarben silty clay loam, 5 to 11 percent slopes	548	69	71	7207
7215	Bendena-Rock outcrop complex, 20 to 40 percent slopes	10	69	71	7215
7216	Bendena-Vinland complex, 8 to 30 percent slopes	10	51	51	7216
7290	Marshall silt loam, 2 to 5 percent slopes	609	69	71	7290
7293	Marshall silty clay loam, 5 to 9 percent slopes	555	69	71	7293
7303	Martin silty clay loam, 3 to 7 percent slopes, eroded	400	69	71	7303
7304	Martin silty clay loam, 7 to 12 percent slopes	396	69	71	7304
7434	Morrill loam, 3 to 7 percent slopes, eroded	376	69	71	7434
7436	Morrill loam, 7 to 12 percent slopes, eroded	312	69	71	7436
7439	Morrill loam, 12 to 18 percent slopes, eroded	162	69	71	7439
7504	Pawnee clay loam, 7 to 12 percent slopes	307	69	71	7504
7681	Wymore silty clay loam, 1 to 3 percent slopes	490	69	71	7681
7683	Wymore silty clay loam, 3 to 6 percent slopes	464	69	71	7683
7710	Albaton silty clay, occasionally flooded	173	69	71	7710
7741	Haynie silt loam, occasionally flooded	423	69	71	7741
7743	Haynie-Onawa complex, occasionally flooded	296	69	71	7743
7750	Nodaway silt loam, occasionally flooded	501	69	71	7750
7760	Onawa and Waldron silty clay loams, occasionally flooded	109	69	71	7760
7762	Onawa loamy fine sand, overwash, occasionally flooded	135	69	71	7762
7765	Onawet silty clay loam, depressional, frequently flooded	83	69	71	7765
7770	Smithland silt loam, occasionally flooded	495	69	71	7770
7790	Wathena-Haynie complex, occasionally flooded	197	69	71	7790
7851	Judson silt loam, 1 to 5 percent slopes	630	69	71	7851
7911	Armster clay loam, 6 to 12 percent slopes, eroded	312	69	71	7911
7913	Armster clay loam 12 to 20 percent slopes, eroded	153	69	71	7913
7925	Contrary-Monona silt loams, 9 to 17 percent slopes, eroded	381	69	71	7925
7930	Contrary-Pohocco silt loams, 17 to 30 percent slopes, eroded	64	69	71	7930
7952	Hamburg silt loam, 25 to 50 percent slopes	10	69	71	7952
7953	Knox silt loam, 3 to 7 percent slopes	446	21	21	7953
7954	Knox silt loam, 3 to 7 percent slopes, eroded	442	21	21	7954
7963	Monona silt loam, 1 to 4 percent slopes, bench	588	69	71	7963
7964	Monona silt loam, 2 to 5 percent slopes	586	69	71	7964
7966	Monona silt loam, 5 to 11 percent slopes, eroded	489	69	71	7966
7970	Palermo silty clay loam, 18 to 30 percent slopes	79	21	21	7970
7971	Palermo-Knox complex, 10 to 18 percent slopes	337	21	21	7971
7981	Pohocco-Netawaka silt loams, 11 to 17 percent slopes, eroded	366	69	71	7981
7982	Pohocco-Netawaka silt loams, 17 to 30 percent slopes	71	69	71	7982
9980	Fluvaquents, ponded	10	10	10	9980
9983	Gravel pits and quarries	10	10	10	9983
9986	Miscellaneous water	10	10	10	9986
9992	Orthents, stony	10	10	10	9992
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
JACKSON COUNTY (Page 1 of 2)					
ATPD	PAWNEE CLAY, 3 TO 7 PERCENT SLOPES, ERODED	120	55	56	ATPD
ATSS	SHELBY-STEINAUER LOAMS, 12 TO 25 PERCENT SLOPES	47	67	69	ATSS
ATVS	VINLAND SILTY CLAY LOAM, 4 TO 15 PERCENT SLOPES	10	67	69	ATVS
BA	BURCHARD-SHELBY CLAY LOAMS, 7 TO 12 PERCENT SLOPES	228	67	69	BA
BB	BURCHARD-SHELBY CLAY LOAMS, 7 TO 12 PERCENT SLOPES, ERODED	184	67	69	BB
BC	BURCHARD-SHELBY CLAY LOAMS, 12 TO 25 PERCENT SLOPES	104	67	69	BC
BRBS	BURCHARD CLAY LOAM, 6 TO 12 PERCENT SLOPES	217	67	69	BRBS
BRBX	BURCHARD-STEINAUER CLAY LOAMS, 12 TO 18 PERCENT SLOPES	78	67	69	BRBX
BRMF	MARTIN SILTY CLAY LOAM, 4 TO 12 PERCENT SLOPES	239	67	69	BRMF
BRMY	MUSCOTAH SILTY CLAY LOAM, OCCASIONALLY FLOODED	288	67	69	BRMY
BRPN	PAWNEE CLAY LOAM, 6 TO 12 PERCENT SLOPES	130	55	56	BRPN
BRPO	PAWNEE CLAY, 6 TO 12 PERCENT SLOPES, MODERATELY ERODED	94	55	56	BRPO
BRWE	WAMEGO SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	87	67	69	BRWE
BRWG	WAMEGO-VINLAND SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	10	67	69	BRWG
BRWN	WYMORE SILTY CLAY LOAM, 5 TO 9 PERCENT SLOPES	225	55	56	BRWN
	CHASE SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED				
CA	FLOODED	314	67	69	CA
CB	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	10	44	44	CB
JFMO	MARTIN-OSKA SILTY CLAY LOAMS, 3 TO 6 PERCENT SLOPES	173	67	69	JFMO
JFSS	SIBLEYVILLE COMPLEX, 3 TO 7 PERCENT SLOPES	17	67	69	JFSS
JFSW	SOIGN-VINLAND COMPLEX, 5 TO 20 PERCENT SLOPES	10	49	49	JFSW
JFVC	VINLAND COMPLEX, 3 TO 7 PERCENT SLOPES	10	67	69	JFVC
JFVO	VINLAND COMPLEX, 7 TO 15 PERCENT SLOPES	10	67	69	JFVO
	KENNEBEC SILT LOAM, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED				
KA	FLOODED	334	67	69	KA
KB	KENNEBEC SOILS, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	334	67	69	KB
KC	KENNEBEC SOILS, CHANNELED	165	67	69	KC
KD	KENNEBEC SILT LOAM, CHANNELED	165	67	69	KD
MA	MARTIN SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES	244	67	69	MA
MAA	MARTIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	304	55	56	MAA
MB	MARTIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	217	67	69	MB
MC	MARTIN-VINLAND SILTY CLAY LOAMS, 5 TO 10 PERCENT SLOPES	68	67	69	MC
NMBS	BURCHARD-STEINAUER CLAY LOAMS, 6 TO 12 PERCENT SLOPES	170	67	69	NMBS
NMOM	OLMITZ LOAM, 1 TO 5 PERCENT SLOPES	301	67	69	NMOM
NMST	STEINAUER CLAY LOAM, 12 TO 25 PERCENT SLOPES	10	67	69	NMST
OA	OLMITZ CLAY LOAM, 2 TO 5 PERCENT SLOPES	301	67	69	OA
PA	PAWNEE CLAY LOAM, 1 TO 3 PERCENT SLOPES	185	55	56	PA
PB	PAWNEE CLAY LOAM, 3 TO 7 PERCENT SLOPES	172	55	56	PB
PC	PAWNEE CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	141	55	56	PC
PTCE	CHASE SILTY CLAY LOAM, RARELY FLOODED	309	67	69	PTCE
PTCS	CLIME-SOIGN SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	10	44	44	PTCS
PTMO	MORRILL LOAM, 3 TO 7 PERCENT SLOPES	268	67	69	PTMO
RA	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	360	67	69	RA
	READING SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED				
RE	FLOODED	339	67	69	RE
SA	SHELBY CLAY LOAM, 4 TO 8 PERCENT SLOPES	268	67	69	SA

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
JACKSON COUNTY (Page 2 of 2)					
SB	SHELBY CLAY LOAM, 4 TO 8 PERCENT SLOPES, ERODED	236	67	69	SB
SNEL	ELMONT SILT LOAM, 4 TO 7 PERCENT SLOPES	306	67	69	SNEL
SNKS	KIPSON-SOQN COMPLEX, 3 TO 25 PERCENT SLOPES	10	44	44	SNKS
SNLM	LADYSMITH SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	273	55	56	SNLM
SNMF	MARTIN SILTY CLAY LOAM, 7 TO 11 PERCENT SLOPES	234	67	69	SNMF
SNMM	MORRILL CLAY LOAM, 3 TO 8 PERCENT SLOPES	268	67	69	SNMM
SNSK	SHELBY CLAY LOAM, 1 TO 3 PERCENT SLOPES	305	67	69	SNSK
SNST	SIBLEYVILLE LOAM, 3 TO 7 PERCENT SLOPES	17	67	69	SNST
SNSV	SOQN-VINLAND COMPLEX, 3 TO 25 PERCENT SLOPES	10	49	49	SNSV
VA	VINLAND SILTY CLAY LOAM, 6 TO 14 PERCENT SLOPES	10	67	69	VA
VB	VINLAND-ROCK OUTCROP COMPLEX, 20 TO 40 PERCENT SLOPES	10	67	69	VB
VC	VINLAND-SOQN COMPLEX, 5 TO 20 PERCENT SLOPES	10	49	49	VC
WA	WABASH SILTY CLAY, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	132	67	69	WA
WAA	WABASH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	195	67	69	WAA
WB	WYMORE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	293	55	56	WB
WC	WYMORE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	209	55	56	WC
WST	WASTE	10	10	10	WST
ZA	ZOOK SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	217	67	69	ZA

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
JEFFERSON COUNTY (Page 1 of 2)					
4752	Sogn-Vinland complex, 3 to 25 percent slopes	10	43	43	4752
7005	Bourbonais-Bismarckgrove complex, occasionally flooded	248	66	68	7005
7031	Eudora silt loam, occasionally flooded	281	66	68	7031
7035	Eudora-Bismarckgrove fine sandy loams, overwash, occasionally flooded	260	66	68	7035
7036	Eudora-Bismarckgrove silt loams, occasionally flooded	252	66	68	7036
7050	Kennebec silt loam, occasionally flooded	300	66	68	7050
7051	Kennebec silt loam, frequently flooded	144	66	68	7051
7055	Kimo silty clay loam, occasionally flooded	202	66	68	7055
7089	Stonehouse-Eudora fine sandy loams, overwash, occasionally flooded	97	66	68	7089
7090	Wabash silty clay loam, occasionally flooded	170	66	68	7090
7091	Wabash silty clay, occasionally flooded	108	66	68	7091
7105	Belvue silt loam, escarpment, 2 to 12 percent slopes	262	66	68	7105
7107	Bismarckgrove-Kimo complex, rarely flooded	271	66	68	7107
7109	Bourbonais-Bismarckgrove complex, rarely flooded	253	66	68	7109
7123	Eudora silt loam, rarely flooded	365	66	68	7123
7150	Haig silty clay loam, 0 to 1 percent slopes	227	54	55	7150
7155	Kimo silty clay loam, rarely flooded	222	66	68	7155
7170	Reading silt loam, rarely flooded	322	66	68	7170
7176	Rossville silt loam, very rarely flooded	366	66	68	7176
7208	Muscotah silty clay loam, very rarely flooded	183	66	68	7208
7213	Reading silt loam, moderately wet, very rarely flooded	322	66	68	7213
7252	Grundy silty clay loam, 1 to 3 percent slopes	243	66	68	7252
7253	Grundy silty clay loam, 3 to 7 percent slopes	224	66	68	7253
7261	Gymer silt loam, 3 to 7 percent slopes	279	66	68	7261
7280	Wabash silty clay, very rarely flooded	109	66	68	7280
7281	Konawa fine sandy loam, 4 to 8 percent slopes	138	43	43	7281
7301	Martin silty clay loam, 1 to 3 percent slopes	294	66	68	7301
7302	Martin silty clay loam, 3 to 7 percent slopes	246	66	68	7302
7307	Martin soils, 3 to 7 percent slopes, eroded	186	66	68	7307
7325	Martin-Oska silty clay loams, 3 to 6 percent slopes	187	66	68	7325
7330	Martin-Vinland silty clay loams, 5 to 10 percent slopes	168	66	68	7330
7423	Morrill clay loam, 3 to 7 percent slopes	225	66	68	7423
7433	Morrill loam, 3 to 7 percent slopes	225	66	68	7433
7460	Oska silty clay loam, 3 to 6 percent slopes	171	66	68	7460
7500	Pawnee clay loam, 1 to 3 percent slopes	158	54	55	7500
7502	Pawnee clay loam, 3 to 7 percent slopes	172	54	55	7502
7503	Pawnee clay loam, 3 to 7 percent slopes, eroded	170	54	55	7503
7520	Pawnee soils, 3 to 7 percent slopes, eroded	83	54	55	7520
7583	Shelby clay loam, 3 to 7 percent slopes	216	66	68	7583
7585	Shelby clay loam, 7 to 12 percent slopes	174	60	61	7585

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
JEFFERSON COUNTY (Page 2 of 2)					
7586	Shelby clay loam, 7 to 15 percent slopes, eroded	172	60	61	7586
7589	Shelby loam, 3 to 7 percent slopes	216	66	68	7589
7590	Shelby loam, 7 to 12 percent slopes	174	60	61	7590
7591	Shelby-Pawnee complex, 3 to 7 percent slopes	216	66	68	7591
7593	Shelby-Pawnee complex, 7 to 12 percent slopes	174	60	61	7593
7600	Sibleyville complex, 3 to 7 percent slopes	59	66	68	7600
7602	Sibleyville complex, 7 to 12 percent slopes	10	66	68	7602
7651	Vinland complex, 3 to 7 percent slopes	10	66	68	7651
7653	Vinland complex, 7 to 15 percent slopes	10	66	68	7653
7655	Vinland silty clay loam, 4 to 15 percent slopes	10	66	68	7655
7657	Vinland-Martin complex, 7 to 15 percent slopes	10	66	68	7657
7658	Vinland-Rock outcrop complex, 15 to 45 percent slopes	10	66	68	7658
7681	Wymore silty clay loam, 1 to 3 percent slopes	232	66	68	7681
7683	Wymore silty clay loam, 3 to 6 percent slopes	226	66	68	7683
9971	Arents, earthen dam	10	10	10	9971
9982	Fluvents, frequently flooded	10	10	10	9982
9983	Gravel pits and quarries	10	10	10	9983
9984	Made land	10	10	10	9984
9986	Miscellaneous water	10	10	10	9986
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
LEAVENWORTH COUNTY (Page 1 of 3)					
4752	Sogn-Vinland complex, 3 to 25 percent slopes	10	68	71	4752
7005	Bourbonais-Bismarckgrove complex, occasionally flooded	238	68	71	7005
7006	Bismarckgrove silt loam, occasionally flooded	250	68	71	7006
7035	Eudora-Bismarckgrove fine sandy loams, overwash, occasionally flooded	250	68	71	7035
7036	Eudora-Bismarckgrove silt loams, occasionally flooded	250	68	71	7036
7050	Kennebec silt loam, occasionally flooded	280	68	71	7050
7051	Kennebec silt loam, frequently flooded	147	68	71	7051
7052	Kennebec-Colo silt loams, occasionally flooded	276	68	71	7052
7055	Kimo silty clay loam, occasionally flooded	109	57	57	7055
7061	Muscotah silty clay loam, occasionally flooded	185	68	71	7061
7087	Sarpy-Haynie complex, occasionally flooded	31	68	71	7087
7088	Stonehouse sand, occasionally flooded	10	68	71	7088
7089	Stonehouse-Eudora fine sandy loams, overwash, occasionally flooded	27	68	71	7089
7090	Wabash silty clay loam, occasionally flooded	101	68	71	7090
7091	Wabash silty clay, occasionally flooded	88	68	71	7091
7095	Kiro silty clay, depressionnal, occasionally flooded	86	57	57	7095
7099	Zook silty clay loam, occasionally flooded	177	68	71	7099
7105	Belvue silt loam, escarpment, 2 to 12 percent slopes	49	68	71	7105
7106	Eudora-Bismarckgrove silt loams, rarely flooded	259	68	71	7106
7107	Bismarckgrove-Kimo complex, rarely flooded	249	68	71	7107
7120	Eudora complex, rarely flooded, overwash	252	68	71	7120
7123	Eudora silt loam, rarely flooded	259	68	71	7123
7132	Stonehouse-Eudora complex, rarely flooded	222	68	71	7132
7150	Haig silty clay loam, 0 to 1 percent slopes	210	57	57	7150
7155	Kimo silty clay loam, rarely flooded	113	57	57	7155
7176	Rossville silt loam, very rarely flooded	310	68	71	7176
7208	Muscotah silty clay loam, very rarely flooded	205	68	71	7208
7210	Basehor complex, 5 to 30 percent slopes	10	10	10	7210
7211	Bremer silty clay loam, rarely flooded	198	68	71	7211
7213	Reading silt loam, moderately wet, very rarely flooded	310	68	71	7213
7214	Eudora silt loam, very rarely flooded	309	68	71	7214
7233	Elmont silt loam, 3 to 7 percent slopes	213	68	71	7233
7235	Elmont silt loam, 7 to 12 percent slopes	162	68	71	7235
7250	Gosport-Sogn complex, 7 to 35 percent slopes	10	21	21	7250

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
LEAVENWORTH COUNTY (Page 2 of 3)					
7252	Grundy silty clay loam, 1 to 3 percent slopes	233	68	71	7252
7253	Grundy silty clay loam, 3 to 7 percent slopes	210	68	71	7253
7261	Gymer silt loam, 3 to 7 percent slopes	265	68	71	7261
7281	Konawa fine sandy loam, 4 to 8 percent slopes	145	10	10	7281
7282	Konawa fine sandy loam, 8 to 12 percent slopes	33	10	10	7282
7285	Ladoga silt loam, 3 to 8 percent slopes	251	68	71	7285
7290	Marshall silt loam, 2 to 5 percent slopes	325	68	71	7290
7291	Marshall silt loam, 5 to 9 percent slopes	297	68	71	7291
7292	Marshall silt loam, 9 to 15 percent slopes	223	68	71	7292
7302	Martin silty clay loam, 3 to 7 percent slopes	251	68	71	7302
7304	Martin silty clay loam, 7 to 12 percent slopes	188	68	71	7304
7305	Martin silty clay loam, 7 to 12 percent slopes, eroded	105	68	71	7305
7423	Morrill clay loam, 3 to 7 percent slopes	238	68	71	7423
7460	Oska silty clay loam, 3 to 6 percent slopes	156	68	71	7460
7500	Pawnee clay loam, 1 to 3 percent slopes	169	57	57	7500
7502	Pawnee clay loam, 3 to 7 percent slopes	106	57	57	7502
7503	Pawnee clay loam, 3 to 7 percent slopes, eroded	79	57	57	7503
7540	Sharpsburg silty clay loam, 1 to 4 percent slopes	264	68	71	7540
7541	Sharpsburg silty clay loam, 4 to 8 percent slopes	253	68	71	7541
7585	Shelby clay loam, 7 to 12 percent slopes	236	68	71	7585
7588	Shelby loam, 1 to 3 percent slopes	258	68	71	7588
7589	Shelby loam, 3 to 7 percent slopes	238	68	71	7589
7590	Shelby loam, 7 to 12 percent slopes	208	68	71	7590
7591	Shelby-Pawnee complex, 3 to 7 percent slopes	215	68	71	7591
7592	Shelby-Pawnee complex, 3 to 7 percent slopes, eroded	185	68	71	7592
7600	Sibleyville complex, 3 to 7 percent slopes	61	68	71	7600
7602	Sibleyville complex, 7 to 12 percent slopes	10	68	71	7602
7603	Sibleyville loam, 3 to 7 percent slopes	61	68	71	7603
7653	Vinland complex, 7 to 15 percent slopes	10	68	71	7653
7657	Vinland-Martin complex, 7 to 15 percent slopes	10	68	71	7657
7658	Vinland-Rock outcrop complex, 15 to 45 percent slopes	10	68	71	7658
7659	Vinland-Sibleyville complex, 5 to 12 percent slopes	10	68	71	7659
7678	Welda silt loam, 5 to 9 percent slopes	217	10	10	7678
7679	Welda silt loam, 9 to 15 percent slopes	167	10	10	7679
7741	Haynie silt loam, occasionally flooded	189	68	71	7741
7743	Haynie-Onawa complex, occasionally flooded	177	68	71	7743
7760	Onawa and waldron silty clay loams, occasionally flooded	95	57	57	7760
7761	Onawa loam, overwash, occasionally flooded	97	57	57	7761
7763	Onawa silty clay loam, occasionally flooded	95	57	57	7763
7764	Onawa soils, occasionally flooded, overwash	93	57	57	7764
7765	Onawet silty clay loam, depressional, frequently flooded	78	57	57	7765

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
LEAVENWORTH COUNTY (Page 3 of 3)					
7790	Wathena-Haynie complex, occasionally flooded	167	68	71	7790
7850	Judson silt loam, 0 to 1 percent slopes	310	68	71	7850
7910	Armster clay loam, 6 to 12 percent slopes	171	57	57	7910
7911	Armster clay loam, 6 to 12 percent slopes, eroded	100	57	57	7911
7915	Armster loam, 3 to 6 percent slopes	202	57	57	7915
7916	Armster loam, 6 to 12 percent slopes	175	57	57	7916
7950	Gosport complex, 10 to 30 percent slopes	10	21	21	7950
7951	Gosport silty clay loam, 25 to 45 percent slopes	10	21	21	7951
7955	Knox silt loam, 7 to 12 percent slopes	219	21	21	7955
7956	Knox silt loam, 12 to 18 percent slopes	146	21	21	7956
7957	Knox complex, 18 to 30 percent slopes	10	21	21	7957
7958	Knox silty clay loam, 7 to 12 percent slopes, eroded	187	21	21	7958
7959	Knox-Gosport complex, 10 to 30 percent slopes	130	21	21	7959
7970	Palermo silty clay loam, 18 to 30 percent slopes	10	21	21	7970
7971	Palermo-Knox complex, 10 to 18 percent slopes	150	21	21	7971
9971	Arents, earthen dam	10	10	10	9971
9980	Fluvaquents, ponded	10	10	10	9980
9982	Fluvents, frequently flooded	10	10	10	9982
9983	Gravel pits and quarries	10	10	10	9983
9984	Made land	10	10	10	9984
9986	Miscellaneous water	10	10	10	9986
9988	Orthents	10	10	10	9988
9993	Pits	10	10	10	9993
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
MARSHALL COUNTY					
3561	Hobbs silt loam, occasionally flooded	246	67	69	3561
3775	Muir silt loam, rarely flooded	270	67	69	3775
3828	Crete silty clay loam, 1 to 3 percent slopes	213	55	56	3828
3830	Crete silty clay loam, 3 to 7 percent slopes	161	55	56	3830
3831	Crete silty clay loam, 3 to 7 percent slopes, eroded	158	55	56	3831
3844	Geary silt loam, 3 to 7 percent slopes	172	67	69	3844
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	191	55	56	3890
3904	Ortello sandy loam, 4 to 10 percent slopes	69	55	56	3904
4530	Benfield-Florence complex, 5 to 30 percent slopes	10	44	44	4530
4590	Clime-Sogn complex, 3 to 20 percent slopes	10	44	44	4590
4725	Kipson-Sogn complex, 5 to 30 percent slopes	10	44	44	4725
4783	Tully silty clay loam, 3 to 7 percent slopes	168	67	69	4783
4784	Tully silty clay loam, 3 to 7 percent slopes, eroded	117	67	69	4784
7030	Eudora loam, occasionally flooded	240	67	69	7030
7050	Kennebec silt loam, occasionally flooded	255	67	69	7050
7051	Kennebec silt loam, frequently flooded	130	67	69	7051
7070	Paxico silt loam, frequently flooded	228	67	69	7070
7090	Wabash silty clay loam, occasionally flooded	131	67	69	7090
7091	Wabash silty clay, occasionally flooded	121	67	69	7091
7123	Eudora silt loam, rarely flooded	251	67	69	7123
7224	Burchard-Steinauer clay loams, 6 to 12 percent slopes	83	44	44	7224
7415	Mayberry clay loam, 3 to 7 percent slopes	112	67	69	7415
7424	Morrill clay loam, 3 to 7 percent slopes, eroded	151	67	69	7424
7430	Morrill loam, 1 to 3 percent slopes	201	67	69	7430
7433	Morrill loam, 3 to 7 percent slopes	209	67	69	7433
7455	Olmitz loam, 1 to 5 percent slopes	251	67	69	7455
7500	Pawnee clay loam, 1 to 3 percent slopes	133	67	69	7500
7502	Pawnee clay loam, 3 to 7 percent slopes	112	67	69	7502
7510	Pawnee clay, 3 to 7 percent slopes, eroded	68	55	56	7510
7585	Shelby clay loam, 7 to 12 percent slopes	153	67	69	7585
7608	Steinauer clay loam, 12 to 25 percent slopes	10	44	44	7608
7609	Steinauer-Shelby clay loams, 10 to 14 percent slopes	77	44	44	7609
7681	Wymore silty clay loam, 1 to 3 percent slopes	218	55	56	7681
7684	Wymore silty clay loam, 3 to 6 percent slopes, eroded	160	55	56	7684
7688	Wymore-Baileyville complex, 3 to 6 percent slopes, eroded	205	55	56	7688
7750	Nodaway silt loam, occasionally flooded	260	67	69	7750
9971	Arents, earthen dam	10	10	10	9971
9993	Pits	10	10	10	9993
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
NEMAHA COUNTY					
4020	CHASE SILTY CLAY LOAM, OCCASIONALLY FLOODED	317	67	69	4020
4525	BENFIELD SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	10	67	69	4525
4590	CLIME-SOIGN COMPLEX, 3 TO 20 PERCENT SLOPES	10	67	69	4590
4710	KIPSON SILTY CLAY LOAM, 5 TO 30 PERCENT SLOPES	10	67	69	4710
4725	KIPSON-SOIGN COMPLEX, 5 TO 30 PERCENT SLOPES	10	67	69	4725
4830	WAMEGO SILT LOAM, 3 TO 7 PERCENT SLOPES	21	67	69	4830
4831	WAMEGO SILT LOAM, 7 TO 20 PERCENT SLOPES	10	67	69	4831
7010	CALCO SILTY CLAY LOAM, FREQUENTLY FLOODED	28	67	69	7010
7050	KENNEBEC SILT LOAM, OCCASIONALLY FLOODED	342	67	69	7050
7051	KENNEBEC SILT LOAM, FREQUENTLY FLOODED	165	67	69	7051
7090	WABASH SILTY CLAY LOAM, OCCASIONALLY FLOODED	217	67	69	7090
7170	READING SILT LOAM, RARELY FLOODED	377	67	69	7170
7171	READING SILT LOAM, MODERATELY WET, RARELY FLOODED	277	67	69	7171
7206	AKSARBEN SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	313	55	56	7206
7207	AKSARBEN SILTY CLAY LOAM, 5 TO 11 PERCENT SLOPES	283	55	56	7207
7220	BURCHARD CLAY LOAM, 6 TO 12 PERCENT SLOPES	204	67	69	7220
7224	BURCHARD-STEINAUER CLAY LOAMS, 6 TO 12 PERCENT SLOPES	166	67	69	7224
7225	BURCHARD-STEINAUER CLAY LOAMS, 12 TO 18 PERCENT SLOPES	128	67	69	7225
7233	ELMONT SILT LOAM, 3 TO 7 PERCENT SLOPES	285	67	69	7233
7301	MARTIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	294	67	69	7301
7424	MORRILL CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	200	67	69	7424
7433	MORRILL LOAM, 3 TO 7 PERCENT SLOPES	277	67	69	7433
7435	MORRILL LOAM, 7 TO 12 PERCENT SLOPES	264	67	69	7435
7436	MORRILL LOAM, 7 TO 12 PERCENT SLOPES, ERODED	261	67	69	7436
7455	OLMITZ LOAM, 1 TO 5 PERCENT SLOPES	320	67	69	7455
7470	PADONIA-MARTIN SILTY CLAY LOAMS, 5 TO 9 PERCENT SLOPES	96	67	69	7470
7500	PAWNEE CLAY LOAM, 1 TO 3 PERCENT SLOPES	174	67	69	7500
7502	PAWNEE CLAY LOAM, 3 TO 7 PERCENT SLOPES	160	67	69	7502
7510	PAWNEE CLAY, 3 TO 7 PERCENT SLOPES, ERODED	84	67	69	7510
7603	SIBLEYVILLE LOAM, 3 TO 7 PERCENT SLOPES	87	67	69	7603
7608	STEINAUER CLAY LOAM, 12 TO 25 PERCENT SLOPES	10	67	69	7608
7656	VINLAND VARIANT LOAM, 5 TO 25 PERCENT SLOPES	10	67	69	7656
7681	WYMORE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	289	55	56	7681
7684	WYMORE SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	258	55	56	7684
7688	WYMORE-BAILEYVILLE COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED	252	55	56	7688
7851	JUDSON SILT LOAM, 2 TO 6 PERCENT SLOPES	377	67	69	7851
9971	Arents, earthen dam	10	10	10	9971
9983	Gravel pits and quarries	10	10	10	9983
9986	Miscellaneous water	10	10	10	9986
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
POTTAWATOMIE COUNTY (Page 1 of 2)					
2284	Wann fine sandy loam, channeled	17	72	74	2284
3775	Muir silt loam, rarely flooded	346	72	74	3775
3900	Ortello fine sandy loam, 3 to 7 percent slopes	111	60	60	3900
3902	Ortello fine sandy loam, 7 to 12 percent slopes	70	60	60	3902
4010	Carr-Sarpy complex, occasionally flooded	76	72	74	4010
4018	Chase silty clay loam, very rarely flooded	336	72	74	4018
4020	Chase silty clay loam, occasionally flooded	336	72	74	4020
4051	Ivan silt loam, channeled	183	72	74	4051
4350	Chase silty clay loam, rarely flooded	334	72	74	4350
4525	Benfield silty clay loam, 3 to 7 percent slopes	65	72	74	4525
4530	Benfield-Florence complex, 5 to 30 percent slopes	10	72	74	4530
4545	Clime silty clay loam, 20 to 40 percent slopes, stony	10	60	60	4545
4590	Clime-Sogn complex, 3 to 20 percent slopes	10	47	47	4590
4725	Kipson-Sogn complex, 5 to 30 percent slopes	10	47	47	4725
4783	Tully silty clay loam, 3 to 7 percent slopes	218	72	74	4783
4786	Tully silty clay, 3 to 7 percent slopes, eroded	173	72	74	4786
4825	Tuttle channery silty clay loam, 20 to 60 percent slopes, stony	10	60	60	4825
4830	Wamego silt loam, 3 to 7 percent slopes	35	72	74	4830
4831	Wamego silt loam, 7 to 20 percent slopes	10	72	74	4831
7005	Bourbonais-Bismarckgrove complex, occasionally flooded	284	72	74	7005
7006	Bismarckgrove silt loam, occasionally flooded	323	72	74	7006
7028	Belvue silt loam, occasionally flooded	130	72	74	7028
7031	Eudora silt loam, occasionally flooded	326	72	74	7031
7035	Eudora-Bismarckgrove fine sandy loams, overwash, occasionally flooded	298	72	74	7035
7036	Eudora-Bismarckgrove silt loams, occasionally flooded	324	72	74	7036
7040	Zeandale silt loam, occasionally flooded	133	72	74	7040
7050	Kennebec silt loam, occasionally flooded	339	72	74	7050
7051	Kennebec silt loam, frequently flooded	188	72	74	7051
7055	Kimo silty clay loam, occasionally flooded	229	72	74	7055
7058	Stonehouse - Belvue complex, occasionally flooded	82	72	74	7058
7061	Muscotah silty clay loam, occasionally flooded	330	72	74	7061
7070	Paxico silt loam, frequently flooded	50	72	74	7070
7083	Sarpy loamy fine sand, occasionally flooded	10	72	74	7083
7085	Sarpy sand, frequently flooded	10	72	74	7085
7087	Sarpy-Haynie complex, occasionally flooded	82	72	74	7087
7088	Stonehouse sand, occasionally flooded	10	72	74	7088
7091	Wabash silty clay, occasionally flooded	134	72	74	7091
7099	Zook silty clay loam, occasionally flooded	210	72	74	7099
7104	Belvue silt loam, rarely flooded	135	72	74	7104
7105	Belvue silt loam, escarpment, 2 to 12 percent slopes	311	72	74	7105
7106	Eudora-Bismarckgrove silt loams, rarely flooded	308	72	74	7106
7107	Bismarckgrove-Kimo complex, rarely flooded	296	72	74	7107
7109	Bourbonais-Bismarckgrove complex, rarely flooded	290	72	74	7109
7119	Eudora-Urbanland complex, rarely flooded	303	72	74	7119

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
POTTAWATOMIE COUNTY (Page 2 of 2)					
7123	Eudora silt loam, rarely flooded	333	72	74	7123
7132	Stonehouse-Eudora complex, rarely flooded	83	72	74	7132
7155	Kimo silty clay loam, rarely flooded	234	72	74	7155
7171	Reading silt loam, moderately wet, rarely flooded	341	72	74	7171
7173	Reading silty clay loam, rarely flooded	338	72	74	7173
7176	Rossville silt loam, very rarely flooded	353	72	74	7176
7208	Muscotah silty clay loam, very rarely flooded	224	72	74	7208
7209	Muscotah silty clay, very rarely flooded	162	72	74	7209
7214	Eudora silt loam, very rarely flooded	333	72	74	7214
7224	Burchard-Steinauer clay loams, 6 to 12 percent slopes	35	72	74	7224
7240	Elmont silty clay loam, 3 to 7 percent slopes	281	72	74	7240
7241	Elmont silty clay loam, 3 to 7 percent slopes, eroded	244	72	74	7241
7261	Gymer silt loam, 3 to 7 percent slopes	297	72	74	7261
7265	Gymer silty clay loam, 3 to 7 percent slopes	297	72	74	7265
7302	Martin silty clay loam, 3 to 7 percent slopes	225	72	74	7302
7424	Morrill clay loam, 3 to 7 percent slopes, eroded	240	72	74	7424
7433	Morrill loam, 3 to 7 percent slopes	272	72	74	7433
7438	Morrill loam, 5 to 20 percent slopes, stony	10	72	74	7438
7500	Pawnee clay loam, 1 to 3 percent slopes	199	60	60	7500
7502	Pawnee clay loam, 3 to 7 percent slopes	172	60	60	7502
7510	Pawnee clay, 3 to 7 percent slopes, eroded	116	60	60	7510
7530	Sharpsburg silt loam, 1 to 4 percent slopes	326	72	74	7530
7585	Shelby clay loam, 7 to 12 percent slopes	270	72	74	7585
7609	Steinauer-Shelby clay loams, 10 to 14 percent slopes	27	72	74	7609
7650	Thurman loamy fine sand, 3 to 8 percent slopes	53	60	60	7650
7680	Wymore silty clay loam, 0 to 1 percent slopes	322	60	60	7680
7681	Wymore silty clay loam, 1 to 3 percent slopes	305	60	60	7681
7683	Wymore silty clay loam, 3 to 6 percent slopes	265	60	60	7683
7687	Wymore variant fine sandy loam, 1 to 3 percent slopes	245	72	74	7687
7742	Haynie very fine sandy loam, occasionally flooded	111	72	74	7742
7966	Monona silt loam, 5 to 11 percent slopes, eroded	243	72	74	7966
9971	Arents, earthen dam	10	10	10	9971
9982	Fluvents, frequently flooded	10	10	10	9982
9983	Gravel pits and quarries	10	10	10	9983
9986	Miscellaneous water	10	10	10	9986
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
RILEY COUNTY (Page 1 of 3)						
3391	Lancaster loam, 3 to 7 percent slopes	240	273	69	71	3391
3545	Hobbs silt loam, channeled	100	155	69	71	3545
3561	Hobbs silt loam, occasionally flooded	278	363	69	71	3561
3633	Sutphen silty clay, occasionally flooded	119	291	69	71	3633
3775	Muir silt loam, rarely flooded	297	367	69	71	3775
3825	Crete silt loam, 1 to 3 percent slopes	259	338	69	71	3825
3827	Crete silty clay loam, 0 to 1 percent slopes	300	398	69	71	3827
3828	Crete silty clay loam, 1 to 3 percent slopes	260	337	69	71	3828
3830	Crete silty clay loam, 3 to 7 percent slopes	233	290	69	71	3830
3831	Crete silty clay loam, 3 to 7 percent slopes, eroded	174	174	57	58	3831
3843	Geary silt loam, 1 to 3 percent slopes	254	344	69	71	3843
3844	Geary silt loam, 3 to 7 percent slopes	221	296	69	71	3844
3884	Kenesaw silt loam, 2 to 5 percent slopes	224	295	69	71	3884
3886	Kenesaw silt loam, 5 to 12 percent slopes	186	244	69	71	3886
3919	Smolan silt loam, 1 to 3 percent slopes	257	347	69	71	3919
3920	Smolan silt loam, 3 to 7 percent slopes	217	269	69	71	3920
3923	Smolan silty clay loam, 3 to 7 percent slopes, eroded	194	250	57	58	3923
4010	Carr-Sarpy complex, occasionally flooded	39	247	69	71	4010
4018	Chase silty clay loam, very rarely flooded	346	384	69	71	4018
4050	Ivan and Kennebec silt loams, occasionally flooded	283	369	69	71	4050
4051	Ivan silt loam, channeled	99	161	69	71	4051
4052	Ivan silt loam, occasionally flooded	275	369	69	71	4052
4053	Ivan silty clay loam, channeled	99	166	69	71	4053
4150	Kahola silt loam, channeled	103	162	69	71	4150
4151	Kahola silt loam, occasionally flooded	223	374	69	71	4151
4350	Chase silty clay loam, rarely flooded	309	362	69	71	4350
4400	Kahola silt loam, rarely flooded	224	376	69	71	4400
4525	Benfield silty clay loam, 3 to 7 percent slopes	10	122	69	71	4525
4530	Benfield-Florence complex, 5 to 30 percent slopes	10	98	69	71	4530
4545	Clime silty clay loam, 20 to 40 percent slopes, stony	10	10	45	45	4545
4550	Clime silty clay loam, 20 to 40 percent slopes, very stony	10	10	45	45	4550
4555	Clime silty clay loam, 3 to 7 percent slopes	84	166	57	58	4555
4590	Clime-Sogn complex, 3 to 20 percent slopes	10	10	33	33	4590
4625	Dwight-Irwin complex, 1 to 3 percent slopes	141	252	33	33	4625
4630	Dwight-Irwin complex, 1 to 3 percent slopes, eroded	113	216	33	33	4630
4655	Florence-Labette complex, 2 to 12 percent slopes	10	119	69	71	4655
4671	Irwin silty clay loam, 1 to 3 percent slopes	173	251	57	58	4671
4673	Irwin silty clay loam, 3 to 7 percent slopes	168	231	57	58	4673
4674	Irwin silty clay loam, 3 to 7 percent slopes, eroded	117	207	57	58	4674
4700	Ivan silty clay loam, 1 to 3 percent slopes	195	362	69	71	4700
4725	Kipson-Sogn complex, 5 to 30 percent slopes	10	10	33	33	4725
4781	Tully silty clay loam, 1 to 3 percent slopes	238	350	69	71	4781
4782	Tully silty clay loam, 1 to 3 percent slopes, eroded	195	228	57	58	4782
4783	Tully silty clay loam, 3 to 7 percent slopes	212	295	69	71	4783
4784	Tully silty clay loam, 3 to 7 percent slopes, eroded	160	227	57	58	4784

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
RILEY COUNTY (Page 2 of 3)						
4832	Wamego silty clay loam, 3 to 7 percent slopes	128	228	57	58	4832
7005	Bourbonais-Bismarckgrove complex, occasionally flooded	280	379	69	71	7005
7006	Bismarckgrove silt loam, occasionally flooded	292	381	69	71	7006
7028	Belvue silt loam, occasionally flooded	136	333	69	71	7028
7031	Eudora silt loam, occasionally flooded	294	381	69	71	7031
7036	Eudora-Bismarckgrove silt loams, occasionally flooded	223	368	69	71	7036
7040	Zeandale silt loam, occasionally flooded	139	309	69	71	7040
7050	Kennebec silt loam, occasionally flooded	289	369	69	71	7050
7055	Kimo silty clay loam, occasionally flooded	214	368	69	71	7055
7058	Stonehouse - Belvue complex, occasionally flooded	10	10	33	33	7058
7070	Paxico silt loam, frequently flooded	40	219	69	71	7070
7083	Sarpy loamy fine sand, occasionally flooded	10	199	57	58	7083
7088	Stonehouse sand, occasionally flooded	10	154	57	58	7088
7095	Kiro silty clay, depressional, occasionally flooded	106	224	69	71	7095
7104	Belvue silt loam, rarely flooded	141	335	69	71	7104
7105	Belvue silt loam, escarpment, 2 to 12 percent slopes	281	381	69	71	7105
7106	Eudora-Bismarckgrove silt loams, rarely flooded	301	382	69	71	7106
7107	Bismarckgrove-Kimo complex, rarely flooded	222	368	69	71	7107
7109	Bourbonais-Bismarckgrove complex, rarely flooded	286	390	69	71	7109
7119	Eudora-Urbanland complex, rarely flooded	297	366	69	71	7119
7123	Eudora silt loam, rarely flooded	301	382	69	71	7123
7132	Stonehouse-Eudora complex, rarely flooded	10	199	57	58	7132
7155	Kimo silty clay loam, rarely flooded	219	378	69	71	7155
7170	Reading silt loam, rarely flooded	350	398	69	71	7170
7171	Reading silt loam, moderately wet, rarely flooded	349	397	69	71	7171
7173	Reading silty clay loam, rarely flooded	347	397	69	71	7173
7174	Reading silt loam, 1 to 3 percent slopes	315	371	69	71	7174
7176	Rossville silt loam, very rarely flooded	304	374	69	71	7176
7209	Muscotah silty clay, very rarely flooded	139	291	69	71	7209
7213	Reading silt loam, moderately wet, very rarely flooded	350	399	69	71	7213
7214	Eudora silt loam, very rarely flooded	301	373	69	71	7214
7233	Elmont silt loam, 3 to 7 percent slopes	265	280	69	71	7233
7245	Elmont-Clime complex, 5 to 15 percent slopes	107	159	57	58	7245
7415	Mayberry clay loam, 3 to 7 percent slopes	148	248	57	58	7415
7416	Mayberry clay loam, 3 to 7 percent slopes, eroded	123	184	57	58	7416
7500	Pawnee clay loam, 1 to 3 percent slopes	151	251	57	58	7500
7502	Pawnee clay loam, 3 to 7 percent slopes	148	250	57	58	7502
7680	Wymore silty clay loam, 0 to 1 percent slopes	307	399	69	69	7680
7681	Wymore silty clay loam, 1 to 3 percent slopes	266	337	69	69	7681
7682	Wymore silty clay loam, 1 to 3 percent slopes, eroded	218	280	57	58	7682
7683	Wymore silty clay loam, 3 to 6 percent slopes	234	288	69	69	7683
7684	Wymore silty clay loam, 3 to 6 percent slopes, eroded	176	176	57	58	7684
7690	Wymore-Kennebec complex, 0 to 17 percent slopes	196	214	69	71	7690
7740	Haynie silt loam, frequently flooded	119	317	69	71	7740
7742	Haynie very fine sandy loam, occasionally flooded	120	336	69	71	7742
9971	Arents, earthen dam	10	10	10	10	9971
9976	Borrow pits	10	10	10	10	9976
9982	Fluvents, frequently flooded	10	10	10	10	9982

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
RILEY COUNTY (Page 3 of 3)						
9983	Gravel pits and quarries	10	10	10	10	9983
9986	Miscellaneous water	10	10	10	10	9986
9999	Water	10	10	10	10	9999
WST	WASTE	10	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
WYANDOTTE COUNTY (Page 1 of 2)					
7006	Bismarckgrove silt loam, occasionally flooded	224	66	68	7006
7035	Eudora-Bismarckgrove fine sandy loams, overwash, occasionally flooded	225	66	68	7035
7036	Eudora-Bismarckgrove silt loams, occasionally flooded	225	66	68	7036
7050	Kennebec silt loam, occasionally flooded	253	66	68	7050
7051	Kennebec silt loam, frequently flooded	129	66	68	7051
7055	Kimo silty clay loam, occasionally flooded	94	55	55	7055
7087	Sarpy-Haynie complex, occasionally flooded	21	66	68	7087
7089	Stonehouse-Eudora fine sandy loams, overwash, occasionally flooded	17	66	68	7089
7095	Kiro silty clay, depressionnal, occasionally flooded	72	55	55	7095
7099	Zook silty clay loam, occasionally flooded	156	66	68	7099
7106	Eudora-Bismarckgrove silt loams, rarely flooded	234	66	68	7106
7107	Bismarckgrove-Kimo complex, rarely flooded	223	66	68	7107
7119	Eudora-Urbanland complex, rarely flooded	230	66	68	7119
7123	Eudora silt loam, rarely flooded	234	66	68	7123
7155	Kimo silty clay loam, rarely flooded	99	55	55	7155
7170	Reading silt loam, rarely flooded	280	66	68	7170
7176	Rossville silt loam, very rarely flooded	280	66	68	7176
7208	Muscotah silty clay loam, very rarely flooded	184	66	68	7208
7210	Basehor complex, 5 to 30 percent slopes	10	10	10	7210
7211	Bremer silty clay loam, rarely flooded	176	66	68	7211
7214	Eudora silt loam, very rarely flooded	280	66	68	7214
7233	Elmont silt loam, 3 to 7 percent slopes	192	66	68	7233
7235	Elmont silt loam, 7 to 12 percent slopes	145	66	68	7235
7250	Gosport-Sogn complex, 7 to 35 percent slopes	10	20	20	7250
7252	Grundy silty clay loam, 1 to 3 percent slopes	208	66	68	7252
7253	Grundy silty clay loam, 3 to 7 percent slopes	187	66	68	7253
7261	Gymer silt loam, 3 to 7 percent slopes	239	66	68	7261
7281	Konawa fine sandy loam, 4 to 8 percent slopes	127	10	10	7281
7282	Konawa fine sandy loam, 8 to 12 percent slopes	24	10	10	7282
7285	Ladoga silt loam, 3 to 8 percent slopes	226	66	68	7285
7286	Ladoga silt loam, 8 to 15 percent slopes	218	66	68	7286
7290	Marshall silt loam, 2 to 5 percent slopes	294	66	68	7290
7291	Marshall silt loam, 5 to 9 percent slopes	268	66	68	7291
7292	Marshall silt loam, 9 to 15 percent slopes	200	66	68	7292
7302	Martin silty clay loam, 3 to 7 percent slopes	225	66	68	7302
7304	Martin silty clay loam, 7 to 12 percent slopes	167	66	68	7304
7305	Martin silty clay loam, 7 to 12 percent slopes, eroded	91	66	68	7305

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
WYANDOTTE COUNTY (Page 2 of 2)					
7460	Oska silty clay loam, 3 to 6 percent slopes	137	66	68	7460
7502	Pawnee clay loam, 3 to 7 percent slopes	92	55	55	7502
7503	Pawnee clay loam, 3 to 7 percent slopes, eroded	67	55	55	7503
7540	Sharpsburg silty clay loam, 1 to 4 percent slopes	238	66	68	7540
7541	Sharpsburg silty clay loam, 4 to 8 percent slopes	228	66	68	7541
7545	Sharpsburg-Urban land complex, 4 to 8 percent slopes	228	66	68	7545
7588	Shelby loam, 1 to 3 percent slopes	232	66	68	7588
7589	Shelby loam, 3 to 7 percent slopes	213	66	68	7589
7590	Shelby loam, 7 to 12 percent slopes	186	66	68	7590
7591	Shelby-Pawnee complex, 3 to 7 percent slopes	192	66	68	7591
7592	Shelby-Pawnee complex, 3 to 7 percent slopes, eroded	165	66	68	7592
7603	Sibleyville loam, 3 to 7 percent slopes	48	66	68	7603
7658	Vinland-Rock outcrop complex, 15 to 45 percent slopes	10	66	68	7658
7659	Vinland-Sibleyville complex, 5 to 12 percent slopes	10	66	68	7659
7678	Welda silt loam, 5 to 9 percent slopes	194	10	10	7678
7679	Welda silt loam, 9 to 15 percent slopes	149	10	10	7679
7741	Haynie silt loam, occasionally flooded	168	66	68	7741
7763	Onawa silty clay loam, occasionally flooded	80	55	55	7763
7764	Onawa soils, occasionally flooded, overwash	78	55	55	7764
7850	Judson silt loam, 0 to 1 percent slopes	280	66	68	7850
7911	Armster clay loam, 6 to 12 percent slopes, eroded	86	55	55	7911
7915	Armster loam, 3 to 6 percent slopes	180	55	55	7915
7916	Armster loam, 6 to 12 percent slopes	155	55	55	7916
7950	Gospport complex, 10 to 30 percent slopes	10	20	20	7950
7955	Knox silt loam, 7 to 12 percent slopes	196	20	20	7955
7956	Knox silt loam, 12 to 18 percent slopes	128	20	20	7956
7957	Knox complex, 18 to 30 percent slopes	10	20	20	7957
7958	Knox silty clay loam, 7 to 12 percent slopes, eroded	167	20	20	7958
9971	Arents, earthen dam	10	10	10	9971
9982	Fluvents, frequently flooded	10	10	10	9982
9983	Gravel pits and quarries	10	10	10	9983
9984	Made land	10	10	10	9984
9988	Orthents	10	10	10	9988
9993	Pits	10	10	10	9993
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST