

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame \$/Acre	
ANDERSON COUNTY (Page 1 of 2)					
602CM	CLARESON-ROCK OUTCROP COMPLEX, 2 TO 15 PERCENT SLOPES	10	76	76	602CM
602EF	ERAM-LEBO SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	10	76	76	602EF
602LB	LEBO CHANNERY SILTY CLAY LOAM, 15 TO 30 PERCENT SLOPES	10	76	76	602LB
ALCA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	107	101	101	ALCA
ALCB	CATOOSA-ROCK OUTCROP COMPLEX, 1 TO 8 PERCENT SLOPES	50	101	101	ALCB
ALCC	COLLINSVILLE-BATES COMPLEX, 2 TO 15 PERCENT SLOPES	10	52	52	ALCC
ALEC	ERAM SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	15	76	76	ALEC
CB	CATOOSA SILT LOAM, 0 TO 3 PERCENT SLOPES	105	101	101	CB
CC	CLARESON COMPLEX, 1 TO 4 PERCENT SLOPES	10	64	64	CC
CD	COLLINSVILLE COMPLEX, 2 TO 15 PERCENT SLOPES	10	52	52	CD
CFEB	ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	63	76	76	CFEB
CFEC	ERAM SILT LOAM, 3 TO 7 PERCENT SLOPES	52	76	76	CFEC
CFEP	ERAM-APPERSON SILTY CLAY LOAMS, 4 TO 7 PERCENT SLOPES	43	76	76	CFEP
CFER	ERAM-COLLINSVILLE COMPLEX, 4 TO 15 PERCENT SLOPES	16	76	76	CFER
CFLU	LULA SILT LOAM, 0 TO 2 PERCENT SLOPES	169	101	101	CFLU
DB	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	99	101	101	DB
DE	DENNIS SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES, ERODED	80	101	101	DE
EB	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	52	76	76	EB
EC	ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	38	76	76	EC
ED	ERAM SOILS, 1 TO 4 PERCENT SLOPES, ERODED	26	76	76	ED
EH	ERAM SOILS, 4 TO 7 PERCENT SLOPES, ERODED	10	76	76	EH
EK	ERAM-CLARESON COMPLEX, 1 TO 15 PERCENT SLOPES	39	76	76	EK
EO	ERAM-GULLIED LAND COMPLEX, 3 TO 7 PERCENT SLOPES	10	76	76	EO
EP	ERAM-TALIHINA SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	10	76	76	EP
EV	ERAM-VERDIGRIS COMPLEX, 0 TO 8 PERCENT SLOPES	105	101	101	EV
FRCM	CLARESON-ERAM SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	32	76	76	FRCM
FRDN	DENNIS-BATES COMPLEX, 2 TO 6 PERCENT SLOPES	97	101	101	FRDN
FREA	ERAM-LEBO SILTY CLAY LOAMS, 7 TO 12 PERCENT SLOPES	10	76	76	FREA
FREC	ERAM-LULA COMPLEX, 3 TO 7 PERCENT SLOPES	91	76	76	FREC
FRLN	LEBO-ROCK OUTCROP COMPLEX, 20 TO 40 PERCENT SLOPES	10	76	76	FRLN
FROV	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	71	101	101	FROV
KB	KENOMA SILT LOAM, 1 TO 4 PERCENT SLOPES	175	76	76	KB
KD	KENOMA SOILS, 1 TO 4 PERCENT SLOPES, ERODED	152	76	76	KD
KH	KENOMA-OLPE COMPLEX, 2 TO 7 PERCENT SLOPES	103	101	101	KH
LA	LANTON SILTY CLAY LOAM	164	101	101	LA
LE	LEANNA SILT LOAM	156	101	101	LE
LH	LULA SILT LOAM, 0 TO 3 PERCENT SLOPES	166	101	101	LH
ME	MASON SILT LOAM	211	101	101	ME
MF	MAYES SILTY CLAY LOAM	170	101	101	MF
OK	OKEMAH SILT LOAM, 0 TO 2 PERCENT SLOPES	181	101	101	OK
OP	OLPE GRAVELLY SILT LOAM, 3 TO 15 PERCENT SLOPES	10	101	101	OP

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land	Native	Tame	
		\$/Acre	\$/Acre	\$/Acre	
ANDERSON COUNTY (Page 2 of 2)					
OS	OSAGE SILTY CLAY LOAM	92	101	101	OS
SE	STONY LAND-TALIHINA COMPLEX, STEEP	10	76	76	SE
SF	SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	158	101	101	SF
SH	SUMMIT SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	150	101	101	SH
SK	SUMMIT SOILS, 1 TO 4 PERCENT SLOPES, ERODED	134	101	101	SK
SO	SUMMIT-ERAM COMPLEX, 4 TO 7 PERCENT SLOPES, ERODED	103	89	89	SO
VC	VERDIGRIS SILT LOAM, CHANNELED	133	101	101	VC
VF	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	219	101	101	VF
VX	VERDIGRIS SOILS, FREQUENTLY FLOODED	133	101	101	VX
WB	WELDA SILT LOAM, 0 TO 2 PERCENT SLOPES	207	101	101	WB
WC	WELDA SILT LOAM, 2 TO 6 PERCENT SLOPES	180	101	101	WC
WD	WOODSON SILT LOAM, 0 TO 1 PERCENT SLOPES	165	76	76	WD
WF	WOODSON SILT LOAM, 1 TO 3 PERCENT SLOPES	153	76	76	WF
WH	WOODSON SOILS, 1 TO 3 PERCENT SLOPES, ERODED	134	76	76	WH
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame \$/Acre	
CHASE COUNTY (Page 1 of 2)					
AR	ALLUVIAL LAND AND READING SOILS	146	77	77	AR
BUCS	CLIME-SOQN COMPLEX, 3 TO 15 PERCENT SLOPES	10	46	46	BUCS
BUFC	FLORENCE CHERTY SILT LOAM, 5 TO 10 PERCENT SLOPES	42	52	52	BUFC
BUTU	TULLY SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	212	77	77	BUTU
CH	CHASE SILTY CLAY LOAM	252	77	77	CH
CS	CLIME-SOQN COMPLEX	10	46	46	CS
CSS	CLIME-SOQN COMPLEX, 5 TO 20 PERCENT SLOPES	10	46	46	CSS
DT	DWIGHT SILT LOAM, 0 TO 2 PERCENT SLOPES	123	28	28	DT
DW	DWIGHT SILT LOAM, 1 TO 3 PERCENT SLOPES	123	28	28	DW
FA	FLORENCE-LABETTE COMPLEX	84	77	77	FA
FM	FLORENCE-MATFIELD CHERTY SILT LOAMS	27	52	52	FM
GWLD	LABETTE-DWIGHT COMPLEX, 0 TO 3 PERCENT SLOPES	143	52	52	GWLD
GWLS	LABETTE-SOQN SILTY CLAY LOAMS, 0 TO 8 PERCENT SLOPES	61	52	52	GWLS
IC	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	194	65	65	IC
IN	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	155	65	65	IN
IR	IRWIN SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES	176	65	65	IR
IS	IRWIN SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES, ERODED	143	65	65	IS
IV	IVAN SILT LOAM	203	77	77	IV
KA	KAHOLA SILT LOAM	244	77	77	KA
LA	LABETTE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	186	77	77	LA
LAA	LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	183	77	77	LAA
LB	LABETTE SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES	165	77	77	LB
LC	LABETTE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	120	77	77	LC
LD	LABETTE-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	143	52	52	LD
LE	LABETTE-SOQN COMPLEX	46	52	52	LE
LEE	LABETTE-SOQN COMPLEX, 2 TO 8 PERCENT SLOPES	55	52	52	LEE
LM	LADYSMITH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	202	65	65	LM
LO	LADYSMITH SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	203	65	65	LO
LS	LADYSMITH SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	163	65	65	LS
LSS	LADYSMITH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	205	65	65	LSS
LYLD	LABETTE-DWIGHT COMPLEX, 0 TO 2 PERCENT SLOPES	143	52	52	LYLD
LYOA	OLPE-KENOMA COMPLEX, 3 TO 15 PERCENT SLOPES	85	77	77	LYOA
LYTA	TULLY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES	212	77	77	LYTA
LYZA	ZAAR SILTY CLAY, 2 TO 5 PERCENT SLOPES	171	65	65	LYZA
MA	MARTIN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	227	77	77	MA
MBB	MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	221	77	77	MBB
MC	MARTIN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	190	77	77	MC
MG	MARTIN-GULLIED LAND COMPLEX	80	77	77	MG
MNCR	CLIME STONY SILTY CLAY LOAM, 15 TO 30 PERCENT SLOPES	10	46	46	MNCR
MNFC	FLORENCE SILT LOAM, 2 TO 15 PERCENT SLOPES	84	77	77	MNFC
MNIC	IRWIN SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	170	65	65	MNIC

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land	Native	Tame	
		\$/Acre	\$/Acre	\$/Acre	
CHASE COUNTY (Page 2 of 2)					
MNLG	LABETTE-SOGN SILTY CLAY LOAMS, 2 TO 15 PERCENT SLOPES	46	52	52	MNLG
MNTU	TULLY SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	212	77	77	MNTU
MRFC	FLORENCE CHERTY SILT LOAM, 5 TO 15 PERCENT SLOPES	39	52	52	MRFC
MRLB	LABETTE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	168	77	77	MRLB
OM	OLPE-SMOLAN COMPLEX	103	77	77	OM
OS	OSAGE SILTY CLAY	122	77	77	OS
RA	READING SILT LOAM, 0 TO 1 PERCENT SLOPES	283	77	77	RA
RAA	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	283	77	77	RAA
RD	READING SILT LOAM, 1 TO 3 PERCENT SLOPES	264	77	77	RD
RE	READING SOILS, 6 TO 12 PERCENT SLOPES, ERODED	170	77	77	RE
SM	SMOLAN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	227	77	77	SM
SO	SOLOMON SILTY CLAY	84	77	77	SO
ST	STONY STEEP LAND	10	52	52	ST
TC	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	205	77	77	TC
TS	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	151	77	77	TS
TU	TULLY CHERTY SILTY CLAY LOAM, 5 TO 15 PERCENT SLOPES	99	77	77	TU
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 3 TO 7 PERCENT SLOPES	162	65	65	ZA
ZD	ZAAR-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	158	46	46	ZD

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame \$/Acre	
COFFEY COUNTY (Page 1 of 2)					
AE	APPERSON-ERAM SILTY CLAY LOAMS, 1 TO 4 PERCENT SLOPES	114	92	92	AE
ANCC	CLARESON COMPLEX, 1 TO 4 PERCENT SLOPES	10	44	44	ANCC
ANEK	ERAM-CLARESON COMPLEX, 1 TO 15 PERCENT SLOPES	59	85	85	ANEK
ANWF	WOODSON SILT LOAM, 1 TO 3 PERCENT SLOPES	180	85	85	ANWF
BB	BATES LOAM, 1 TO 4 PERCENT SLOPES	130	99	99	BB
BC	BATES LOAM, 4 TO 7 PERCENT SLOPES	71	99	99	BC
CS	CLARESON-SHIDLER SILTY CLAY LOAMS, 1 TO 8 PERCENT SLOPES	10	44	44	CS
DB	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	128	99	99	DB
DE	DENNIS SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	134	99	99	DE
EB	ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	81	85	85	EB
EC	ERAM SILT LOAM, 3 TO 7 PERCENT SLOPES	69	85	85	EC
EH	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	10	85	85	EH
EN	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	53	85	85	EN
EP	ERAM-APPERSON SILTY CLAY LOAMS, 4 TO 7 PERCENT SLOPES	53	85	85	EP
ER	ERAM-COLLINSVILLE COMPLEX, 4 TO 15 PERCENT SLOPES	10	65	65	ER
ES	ERAM-SHIDLER SILTY CLAY LOAMS, 4 TO 15 PERCENT SLOPES	10	44	44	ES
FRCM	CLARESON-ERAM SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	68	92	92	FRCM
KB	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	189	85	85	KB
KE	KENOMA SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	147	85	85	KE
KO	KENOMA-OLPE COMPLEX, 2 TO 7 PERCENT SLOPES	122	92	92	KO
LA	LANTON SILTY CLAY LOAM	204	99	99	LA
LE	LEANNA SILT LOAM	182	99	99	LE
LU	LULA SILT LOAM, 0 TO 2 PERCENT SLOPES	207	99	99	LU
LYCA	CHASE SILTY CLAY LOAM, OCCASIONALLY FLOODED	152	99	99	LYCA
LYEC	ELMONT SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	147	99	99	LYEC
LYKC	KENOMA SILT LOAM, 3 TO 6 PERCENT SLOPES	163	92	92	LYKC
LYLA	LABETTE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	183	99	99	LYLA
LYLB	LABETTE SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	170	99	99	LYLB
LYOA	OLPE-KENOMA COMPLEX, 3 TO 15 PERCENT SLOPES	79	92	92	LYOA
MA	MASON SILT LOAM	249	99	99	MA
OB	OLPE GRAVELLY SILT LOAM, 4 TO 15 PERCENT SLOPES	10	99	99	OB
OC	ORTHENTS, CLAYEY	35	85	85	OC
OH	ORTHENTS, HILLY	10	85	85	OH
OS	OSAGE SILTY CLAY LOAM	112	99	99	OS
OSCM	CLARESON-ERAM COMPLEX, 3 TO 15 PERCENT SLOPES	36	92	92	OSCM
OSDN	DENNIS SILT LOAM, 2 TO 6 PERCENT SLOPES	145	99	99	OSDN
OSLU	LULA SILT LOAM, 1 TO 3 PERCENT SLOPES	202	99	99	OSLU
OT	OSAGE SILTY CLAY	85	99	99	OT
SA	SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	189	99	99	SA
SC	SUMMIT SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	164	99	99	SC
SD	SUMMIT-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	127	51	51	SD

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land	Native	Tame	
		\$/Acre	\$/Acre	\$/Acre	
COFFEY COUNTY (Page 2 of 2)					
VB	VERDIGRIS SILT LOAM	241	99	99	VB
VC	VERDIGRIS SILT LOAM, CHANNELED	131	99	99	VC
WO	WOODSON SILT LOAM	188	85	85	WO
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame	
DOUGLAS COUNTY (Page 1 of 3)					
4752	Sogn-Vinland complex, 3 to 25 percent slopes	10	54	54	4752
7031	Eudora silt loam, occasionally flooded	327	91	91	7031
7035	Eudora-Bismarckgrove fine sandy loams, overwash, occasionally flooded	272	91	91	7035
7036	Eudora-Bismarckgrove silt loams, occasionally flooded	326	91	91	7036
7050	Kennebec silt loam, occasionally flooded	322	91	91	7050
7051	Kennebec silt loam, frequently flooded	196	91	91	7051
7055	Kimo silty clay loam, occasionally flooded	259	91	91	7055
7088	Stonehouse sand, occasionally flooded	109	91	91	7088
7089	Stonehouse-Eudora fine sandy loams, overwash, occasionally flooded	121	92	92	7089
7090	Wabash silty clay loam, occasionally flooded	229	91	91	7090
7091	Wabash silty clay, occasionally flooded	171	91	91	7091
7105	Belvue silt loam, escarpment, 2 to 12 percent slopes	318	91	91	7105
7106	Eudora-Bismarckgrove silt loams, rarely flooded	297	91	91	7106
7107	Bismarckgrove-Kimo complex, rarely flooded	324	91	91	7107
7123	Eudora silt loam, rarely flooded	331	91	91	7123
7127	Eudora-Kimo complex, overwash, rarely flooded	291	91	91	7127
7128	Eudora-Kimo complex, rarely flooded	270	91	91	7128
7155	Kimo silty clay loam, rarely flooded	263	91	91	7155
7170	Reading silt loam, rarely flooded	346	91	91	7170
7173	Reading silty clay loam, rarely flooded	344	92	92	7173
7176	Rossville silt loam, very rarely flooded	351	91	91	7176
7208	Muscotah silty clay loam, very rarely flooded	342	92	92	7208
7210	Basehor complex, 5 to 30 percent slopes	10	10	10	7210
7213	Reading silt loam, moderately wet, very rarely flooded	346	92	92	7213
7214	Eudora silt loam, very rarely flooded	331	91	91	7214
7230	Elmont loam, 3 to 7 percent slopes	147	91	91	7230
7260	Gymer silt loam, 1 to 3 percent slopes	267	91	91	7260
7261	Gymer silt loam, 3 to 7 percent slopes	306	91	91	7261
7280	Wabash silty clay, very rarely flooded	172	91	91	7280
7282	Konawa fine sandy loam, 8 to 12 percent slopes	170	54	54	7282
7301	Martin silty clay loam, 1 to 3 percent slopes	310	91	91	7301
7302	Martin silty clay loam, 3 to 7 percent slopes	273	91	91	7302
7304	Martin silty clay loam, 7 to 12 percent slopes	268	92	92	7304
7307	Martin soils, 3 to 7 percent slopes, eroded	215	91	91	7307
7325	Martin-Oska silty clay loams, 3 to 6 percent slopes	227	91	91	7325
7423	Morrill clay loam, 3 to 7 percent slopes	265	91	91	7423
7425	Morrill clay loam, 7 to 12 percent slopes	246	91	91	7425
7433	Morrill loam, 3 to 7 percent slopes	265	91	91	7433
7441	Morrill-gravelly loam, 4 to 20 percent slopes, stony	10	91	91	7441
7460	Oska silty clay loam, 3 to 6 percent slopes	221	91	91	7460
7500	Pawnee clay loam, 1 to 3 percent slopes	204	79	79	7500

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame \$/Acre	
DOUGLAS COUNTY (Page 2 of 3)					
7502	Pawnee clay loam, 3 to 7 percent slopes	190	79	79	7502
7503	Pawnee clay loam, 3 to 7 percent slopes, eroded	168	79	79	7503
7530	Sharpsburg silt loam, 1 to 4 percent slopes	308	91	91	7530
7535	Sharpsburg silt loam, 4 to 8 percent slopes	279	91	91	7535
7600	Sibleyville complex, 3 to 7 percent slopes	120	91	91	7600
7601	Sibleyville complex, 3 to 7 percent slopes, eroded	60	91	91	7601
7602	Sibleyville complex, 7 to 12 percent slopes	46	91	91	7602
7603	Sibleyville loam, 3 to 7 percent slopes	127	91	91	7603
7604	Sibleyville loam, 3 to 7 percent slopes, eroded	88	91	91	7604
7607	Sibleyville-Vinland loams, 3 to 7 percent slopes	10	54	54	7607
7649	Thurman complex, 4 to 10 percent slopes	165	54	54	7649
7651	Vinland complex, 3 to 7 percent slopes	85	91	91	7651
7652	Vinland complex, 3 to 7 percent slopes, eroded	10	91	91	7652
7657	Vinland-Martin complex, 7 to 15 percent slopes	57	91	91	7657
7658	Vinland-Rock outcrop complex, 15 to 45 percent slopes	10	91	91	7658
7852	Judson silt loam, rarely flooded	351	91	91	7852
8160	Leanna silt loam, occasionally flooded	241	91	91	8160
8201	Osage silty clay loam, occasionally flooded	227	91	91	8201
8300	Verdigris silt loam, channeled	197	91	91	8300
8301	Verdigris silt loam, frequently flooded	197	92	92	8301
8302	Verdigris silt loam, occasionally flooded	325	91	91	8302
8501	Mason silt loam, rarely flooded	346	92	92	8501
8621	Bates loam, 1 to 3 percent slopes	129	91	91	8621
8626	Bates-Collinsville complex, 3 to 7 percent slopes	110	91	91	8626
8627	Bates-Collinsville complex, 3 to 15 percent slopes	43	91	91	8627
8659	Clareson-Eram complex, 3 to 15 percent slopes	55	91	91	8659
8661	Clareson-Eram silty clay loams, 3 to 15 percent slopes	63	91	91	8661
8695	Dennis-Bates complex, 3 to 7 percent slopes	130	91	91	8695
8755	Eram-Lebo silty clay loams, 5 to 20 percent slopes	57	91	91	8755
8757	Eram-Lula complex, 3 to 7 percent slopes	227	91	91	8757
8775	Kenoma silt loam, 1 to 3 percent slopes	240	79	79	8775
8791	Lebo-Rock outcrop complex, 20 to 40 percent slopes	10	91	91	8791
8911	Summit silty clay loam, 1 to 3 percent slopes	307	91	91	8911
8912	Summit silty clay loam, 3 to 7 percent slopes	271	92	92	8912
8961	Woodson silt loam, 0 to 1 percent slopes	256	79	79	8961
8962	Woodson silt loam, 1 to 3 percent slopes	238	79	79	8962
8964	Woodson silty clay loam, 1 to 3 percent slopes, eroded	306	91	91	8964
9211	Bolivar-Hector complex, 5 to 15 percent slopes	47	91	91	9211
9971	Arents, earthen dam	10	10	10	9971
9982	Fluents, frequently flooded	10	10	10	9982
9983	Gravel pits and quarries	10	10	10	9983
9986	Miscellaneous water	10	10	10	9986

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land	Native	Tame	
		\$/Acre	\$/Acre	\$/Acre	
DOUGLAS COUNTY (Page 3 of 3)					
9995	Sand Pits	10	10	10	9995
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame \$/Acre	
FRANKLIN COUNTY (Page 1 of 2)					
1366	CLARESON-ROCK OUTCROP COMPLEX, 2 TO 15 PERCENT SLOPES	26	78	78	1366
2326	KENOMA SILT LOAM, 1 TO 4 PERCENT SLOPES	205	78	78	2326
2540	LEANNA SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODI	193	102	102	2540
3494	SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	202	102	102	3494
3815	VERDIGRIS SILT LOAM, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODI	144	102	102	3815
3816	VERDIGRIS SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOC	253	102	102	3816
3951	WOODSON SILT LOAM, 1 TO 3 PERCENT SLOPES	184	78	78	3951
602CB	CATOOSA SILT LOAM, 1 TO 3 PERCENT SLOPES	168	102	102	602CB
602CM	CLARESON-ROCK OUTCROP COMPLEX, 2 TO 15 PERCENT SLOPES	26	78	78	602CM
602LA	LANTON SILT LOAM, OCCASIONALLY FLOODED	206	102	102	602LA
602VC	VERDIGRIS SILT LOAM, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODI	144	102	102	602VC
ANDB	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	138	102	102	ANDB
ANEC	ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	87	102	102	ANEC
ANLA	LANTON SILTY CLAY LOAM, OCCASIONALLY FLOODED	206	102	102	ANLA
BC	BATES LOAM, 1 TO 4 PERCENT SLOPES	147	102	102	BC
BD	BATES-COLLINSVILLE LOAMS, 3 TO 7 PERCENT SLOPES	41	90	90	BD
BH	BATES-COLLINSVILLE LOAMS, 7 TO 12 PERCENT SLOPES	30	84	84	BH
BO	BOLIVAR-HECTOR LOAMS, 2 TO 6 PERCENT SLOPES	37	40	40	BO
BS	BOLIVAR-HECTOR LOAMS, 6 TO 12 PERCENT SLOPES	10	34	34	BS
CFEC	ERAM SILT LOAM, 3 TO 7 PERCENT SLOPES	103	102	102	CFEC
CM	CLARESON-ERAM SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	47	78	78	CM
DC	DENNIS SILT LOAM, 2 TO 5 PERCENT SLOPES	136	102	102	DC
DN	DENNIS-BATES COMPLEX, 2 TO 6 PERCENT SLOPES	144	102	102	DN
DO	DENNIS-BATES COMPLEX, 3 TO 6 PERCENT SLOPES, ERODED	118	102	102	DO
EA	ERAM-LEBO SILTY CLAY LOAMS, 7 TO 12 PERCENT SLOPES	13	102	102	EA
EC	ERAM-LULA COMPLEX, 3 TO 7 PERCENT SLOPES	153	102	102	EC
KE	KENOMA SILT LOAM, 1 TO 4 PERCENT SLOPES	205	78	78	KE
LE	LEANNA SILT LOAM	193	102	102	LE
LN	LEBO-ROCK OUTCROP COMPLEX, 20 TO 40 PERCENT SLOPES	10	102	102	LN
LO	LULA SILT LOAM, 0 TO 2 PERCENT SLOPES	221	102	102	LO
LU	LULA SILT LOAM, 1 TO 3 PERCENT SLOPES	216	102	102	LU
MB	MASON SILT LOAM	266	102	102	MB
OE	OLPE-KENOMA COMPLEX, 1 TO 5 PERCENT SLOPES	115	90	90	OE
OS	OSAGE SILTY CLAY LOAM	126	102	102	OS
OSCM	CLARESON-ERAM COMPLEX, 3 TO 15 PERCENT SLOPES	15	78	78	OSCM
OV	OSAGE SILTY CLAY	110	102	102	OV
SN	SUMMIT SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	202	102	102	SN
SO	SUMMIT SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	180	102	102	SO
VB	VERDIGRIS SILT LOAM	253	102	102	VB
VC	VERDIGRIS SILT LOAM, CHANNELED	144	102	102	VC
WB	WELDA SILT LOAM, 2 TO 6 PERCENT SLOPES	225	53	53	WB

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land	Native	Tame	
		\$/Acre	\$/Acre	\$/Acre	
FRANKLIN COUNTY (Page 2 of 2)					
WO	WOODSON SILT LOAM, 0 TO 1 PERCENT SLOPES	201	78	78	WO
WS	WOODSON SILT LOAM, 1 TO 2 PERCENT SLOPES	184	78	78	WS
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
GEARY COUNTY						
BE	BENFIELD-FLORENCE COMPLEX, 5 TO 30 PERCENT SLOPES	60	60	79	79	BE
CC	CLIME SILTY CLAY LOAM, 20 TO 40 PERCENT SLOPES, VERY STONY	10	10	54	54	CC
CF	CLIME-SOIGN SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	10	10	54	54	CF
CR	CRETE SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	272	373	66	66	CR
CS	CRETE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	260	342	66	66	CS
CT	CRETE SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES	212	295	66	66	CT
EU	EUDORA SILT LOAM, OCCASIONALLY FLOODED	277	358	79	79	EU
GE	GEARY SILT LOAM, 3 TO 8 PERCENT SLOPES	236	295	79	79	GE
GF	GEARY SILT LOAM, 7 TO 15 PERCENT SLOPES	193	193	79	79	GF
HE	HAYNIE SILT LOAM, FREQUENTLY FLOODED	152	180	79	79	HE
HF	HOBBS SILT LOAM, CHANNELED	176	176	79	79	HF
HG	HOBBS SILT LOAM, OCCASIONALLY FLOODED	270	277	79	79	HG
HM	HOLDER SILT LOAM, 1 TO 3 PERCENT SLOPES	258	372	79	79	HM
HO	HOLDER SILT LOAM, 3 TO 7 PERCENT SLOPES	243	322	79	79	HO
ID	IRWIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	202	202	66	66	ID
KA	KAHOLA SILT LOAM, CHANNELED	189	189	79	79	KA
KB	KAHOLA SILT LOAM, OCCASIONALLY FLOODED	293	355	79	79	KB
KO	KONZA SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	172	179	28	28	KO
LM	LADYSMITH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	240	319	66	66	LM
LO	LONGFORD LOAM, 1 TO 3 PERCENT SLOPES	248	351	79	79	LO
MB	MCCOOK SILT LOAM, OCCASIONALLY FLOODED	237	328	79	79	MB
MC	MCCOOK SILT LOAM, RARELY FLOODED	258	335	79	79	MC
MK	MCCOOK-SMOKYHILL SILT LOAMS, OCCASIONALLY FLOODED	227	303	79	79	MK
MU	MUIR SILT LOAM, RARELY FLOODED	306	353	79	79	MU
OC	ORTHENTS	59	59	79	79	OC
RA	READING SILT LOAM, 0 TO 1 PERCENT SLOPES	317	376	79	79	RA
RE	READING SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	319	377	79	79	RE
SA	SARPY LOAMY FINE SAND, 0 TO 4 PERCENT SLOPES	53	197	79	79	SA
SC	SARPY GRAVELLY LOAMY SAND, 0 - 4 % SLOPES, OCCASIONALLY FLOO	10	153	79	79	SC
SH	SOLOMON SILTY CLAY, OCCASIONALLY FLOODED	124	268	79	79	SH
ST	SUTPHEN SILTY CLAY, OCCASIONALLY FLOODED	188	287	79	79	ST
TN	TULLY SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	258	339	79	79	TN
TO	TULLY SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES	238	280	79	79	TO
VC	VALENTINE LOAMY FINE SAND, 5 TO 15 PERCENT SLOPES	42	103	66	66	VC
WE	WELLS-ORTELO COMPLEX, 1 TO 4 PERCENT SLOPES	252	294	73	73	WE
WF	WELLS-ORTELO COMPLEX, 4 TO 8 PERCENT SLOPES	234	244	73	73	WF
WST	WASTE	10	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame \$/Acre	
JOHNSON COUNTY (Page 1 of 2)					
4015	Chase silt loam, occasionally flooded	239	77	77	4015
4752	Sogn-Vinland complex, 3 to 25 percent slopes	10	77	77	4752
7031	Eudora silt loam, occasionally flooded	267	77	77	7031
7035	Eudora-Bismarckgrove fine sandy loams, overwash, occasionally flooded	248	77	77	7035
7036	Eudora-Bismarckgrove silt loams, occasionally flooded	231	77	77	7036
7050	Kennebec silt loam, occasionally flooded	264	77	77	7050
7051	Kennebec silt loam, frequently flooded	154	77	77	7051
7055	Kimo silty clay loam, occasionally flooded	210	77	77	7055
7089	Stonehouse-Eudora fine sandy loams, overwash, occasionally flooded	230	77	77	7089
7090	Wabash silty clay loam, occasionally flooded	161	77	77	7090
7105	Belvue silt loam, escarpment, 2 to 12 percent slopes	259	77	77	7105
7106	Eudora-Bismarckgrove silt loams, rarely flooded	236	77	77	7106
7123	Eudora silt loam, rarely flooded	271	77	77	7123
7155	Kimo silty clay loam, rarely flooded	213	77	77	7155
7170	Reading silt loam, rarely flooded	283	77	77	7170
7251	Grundy silt loam, 1 to 3 percent slopes	223	77	77	7251
7261	Gymer silt loam, 3 to 7 percent slopes	240	77	77	7261
7285	Ladoga silt loam, 3 to 8 percent slopes	240	77	77	7285
7286	Ladoga silt loam, 8 to 15 percent slopes	182	77	77	7286
7302	Martin silty clay loam, 3 to 7 percent slopes	237	77	77	7302
7330	Martin-Vinland silty clay loams, 5 to 10 percent slopes	69	89	89	7330
7433	Morrill loam, 3 to 7 percent slopes	215	89	89	7433
7460	Oska silty clay loam, 3 to 6 percent slopes	173	89	89	7460
7462	Oska-Martin complex, 4 to 8 percent slopes	158	89	89	7462
7502	Pawnee clay loam, 3 to 7 percent slopes	150	77	77	7502
7525	Chillicothe silt loam, 2 to 5 percent slopes	241	77	77	7525
7535	Sharpsburg silt loam, 4 to 8 percent slopes	244	77	77	7535
7545	Sharpsburg-Urban land complex, 4 to 8 percent slopes	163	89	89	7545
7603	Sibleyville loam, 3 to 7 percent slopes	99	89	89	7603
7607	Sibleyville-Vinland loams, 3 to 7 percent slopes	68	89	89	7607
7658	Vinland-Rock outcrop complex, 15 to 45 percent slopes	10	89	89	7658
7805	Arisburg silt loam, 1 to 3 percent slopes	224	77	77	7805
8101	Hepler silt loam, occasionally flooded	259	77	77	8101
8301	Verdigris silt loam, frequently flooded	155	77	77	8301
8302	Verdigris silt loam, occasionally flooded	266	77	77	8302
8390	Wynona silt loam, occasionally flooded	266	77	77	8390
8501	Mason silt loam, rarely flooded	283	77	77	8501
8640	Bucyrus silt loam, 1 to 3 percent slopes	236	77	77	8640
8641	Bucyrus silty clay loam, 3 to 8 percent slopes	234	77	77	8641
8663	Clareson-Rock outcrop complex, 3 to 15 percent slopes	10	77	77	8663
8789	Lebo channery silty clay loam, 15 to 30 percent slopes	10	89	89	8789
8911	Summit silty clay loam, 1 to 3 percent slopes	236	77	77	8911
8912	Summit silty clay loam, 3 to 7 percent slopes	234	77	77	8912
8953	Wagstaff silt loam, 1 to 3 percent slopes	172	89	89	8953
8955	Wagstaff silty clay loam, 3 to 7 percent slopes	170	89	89	8955

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land	Native	Tame	
		\$/Acre	\$/Acre	\$/Acre	
JOHNSON COUNTY (Page 2 of 2)					
8957	Wagstaff-Summit complex, 3 to 7 percent slopes	163	89	89	8957
8962	Woodson silt loam, 1 to 3 percent slopes	191	77	77	8962
9967	Landfill	10	10	10	9967
9971	Arents, earthen dam	10	10	10	9971
9982	Fluvents, frequently flooded	10	10	10	9982
9983	Gravel pits and quarries	10	10	10	9983
9984	Made Land	10	10	10	9984
9986	Miscellaneous water	10	10	10	9986
9991	Orthents, shallow	31	77	77	9991
9993	Pits	10	10	10	9993
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame \$/Acre	
LINN COUNTY					
ANCD	COLLINSVILLE COMPLEX, 2 TO 15 PERCENT SLOPES	10	68	68	ANCD
ANDE	DENNIS SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES, ERODED	110	107	107	ANDE
ANEH	ERAM SOILS, 4 TO 7 PERCENT SLOPES, ERODED	37	81	81	ANEH
ANEK	ERAM-CLARESON COMPLEX, 1 TO 15 PERCENT SLOPES	33	94	94	ANEK
ANLE	LEANNA SILT LOAM, 0 TO 2 PERCENT SLOPES, OCCASIONALLY FLOODED	182	107	107	ANLE
ANLH	LULA SILT LOAM, 0 TO 3 PERCENT SLOPES	176	107	107	ANLH
ANSE	STONY LAND-TALIHINA COMPLEX, 15 TO 45 PERCENT SLOPES	10	107	107	ANSE
ANWF	WOODSON SILT LOAM, 1 TO 3 PERCENT SLOPES	184	81	81	ANWF
BB	BATES LOAM, 1 TO 4 PERCENT SLOPES	128	107	107	BB
BBCA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	130	107	107	BBCA
BC	BATES LOAM, 4 TO 8 PERCENT SLOPES	65	107	107	BC
CB	CATOOSA SILT LOAM, 1 TO 3 PERCENT SLOPES	128	107	107	CB
CM	CLARESON-ROCK OUTCROP COMPLEX, 2 TO 15 PERCENT SLOPES	17	68	68	CM
DE	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	110	107	107	DE
DF	DENNIS SILT LOAM, 3 TO 6 PERCENT SLOPES	97	107	107	DF
EC	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	66	81	81	EC
ED	ERAM SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	52	81	81	ED
EF	ERAM-LEBO SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	22	94	94	EF
FRCM	CLARESON-ERAM SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	30	94	94	FRCM
GC	GRUNDY SILT LOAM, 1 TO 3 PERCENT SLOPES	120	81	81	GC
HP	HEPLER SILT LOAM	155	107	107	HP
KE	KENOMA SILT LOAM, 1 TO 4 PERCENT SLOPES	199	81	81	KE
LA	LANTON SILT LOAM	197	107	107	LA
LB	LEBO CHANNERY SILTY CLAY LOAM, 15 TO 30 PERCENT SLOPES	10	107	107	LB
MB	MASON SILT LOAM	243	107	107	MB
NF	NEWTONIA SILT LOAM, 0 TO 1 PERCENT SLOPES	234	107	107	NF
NG	NEWTONIA SILT LOAM, 1 TO 4 PERCENT SLOPES	192	107	107	NG
NH	NEWTONIA SILT LOAM, 4 TO 8 PERCENT SLOPES	177	107	107	NH
OH	OKEMAH SILT LOAM, 0 TO 3 PERCENT SLOPES	185	107	107	OH
OM	ORTHENTS, HILLY	10	81	81	OM
OP	ORTHENTS, SLOPING	65	81	81	OP
OT	OSAGE SILTY CLAY LOAM	138	107	107	OT
OV	OSAGE SILTY CLAY	103	107	107	OV
PC	PARSONS SILT LOAM	179	29	29	PC
SN	SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	183	81	81	SN
SO	SUMMIT SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	166	81	81	SO
VB	VERDIGRIS SILT LOAM	230	107	107	VB
VC	VERDIGRIS SILT LOAM, FREQUENTLY FLOODED	151	107	107	VC
WE	WELDA SILT LOAM, 2 TO 5 PERCENT SLOPES	217	55	55	WE
WO	WOODSON SILT LOAM, 0 TO 2 PERCENT SLOPES	184	81	81	WO
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native	Tame	Symbol
			\$/Acre	\$/Acre	
LYON COUNTY (Page 1 of 2)					
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	175	66	66	3890
3923	Smolan silty clay loam, 3 to 7 percent slopes, eroded	156	91	91	3923
4020	Chase silty clay loam, occasionally flooded	222	91	91	4020
4051	Ivan silt loam, channeled	109	91	91	4051
4052	Ivan silt loam, occasionally flooded	176	91	91	4052
4053	Ivan silty clay loam, channeled	109	91	91	4053
4555	Clime silty clay loam, 3 to 7 percent slopes	18	53	53	4555
4570	Clime silty clay, 3 to 7 percent slopes	16	53	53	4570
4575	Clime silty clay, 3 to 7 percent slopes, eroded	10	53	53	4575
4590	Clime-Sogn complex, 3 to 20 percent slopes	10	41	41	4590
4655	Florence-Labette complex, 2 to 12 percent slopes	59	91	91	4655
4671	Irwin silty clay loam, 1 to 3 percent slopes	172	66	66	4671
4672	Irwin silty clay loam, 1 to 3 percent slopes, eroded	140	66	66	4672
4673	Irwin silty clay loam, 3 to 7 percent slopes	158	66	66	4673
4674	Irwin silty clay loam, 3 to 7 percent slopes, eroded	123	66	66	4674
4740	Labette silty clay loam, 1 to 3 percent slopes	162	91	91	4740
4742	Labette silty clay loam, 3 to 7 percent slopes	140	91	91	4742
4743	Labette silty clay loam, 3 to 7 percent slopes, eroded	91	91	91	4743
4744	Labette-Dwight complex, 0 to 3 percent slopes	123	66	66	4744
4783	Tully silty clay loam, 3 to 7 percent slopes	173	91	91	4783
4784	Tully silty clay loam, 3 to 7 percent slopes, eroded	126	91	91	4784
4788	Tully-Clime complex, 7 to 15 percent slopes	113	91	91	4788
4832	Wamego silty clay loam, 3 to 7 percent slopes	10	91	91	4832
4833	Wamego silty clay loam, 7 to 15 percent slopes	10	91	91	4833
7170	Reading silt loam, rarely flooded	248	91	91	7170
7232	Elmont silt loam, 1 to 3 percent slopes	211	91	91	7232
7233	Elmont silt loam, 3 to 7 percent slopes	197	91	91	7233
7241	Elmont silty clay loam, 3 to 7 percent slopes, eroded	156	91	91	7241
7301	Martin silty clay loam, 1 to 3 percent slopes	210	91	91	7301
7302	Martin silty clay loam, 3 to 7 percent slopes	192	91	91	7302
7306	Martin silty clay, 3 to 7 percent slopes, eroded	148	91	91	7306
7654	Vinland loam, 3 to 12 percent slopes	10	91	91	7654
8203	Osage silty clay, occasionally flooded	99	91	91	8203
8300	Verdigris silt loam, channeled	112	91	91	8300
8302	Verdigris silt loam, occasionally flooded	185	91	91	8302
8501	Mason silt loam, rarely flooded	248	91	91	8501
8623	Bates loam, 3 to 7 percent slopes	87	91	91	8623
8624	Bates loam, 3 to 7 percent slopes, eroded	55	91	91	8624
8627	Bates-Collinsville complex, 3 to 15 percent slopes	24	78	78	8627
8665	Clareson-Shidler silty clay loams, 1 to 8 percent slopes	169	91	91	8665
8679	Dennis silt loam, 1 to 3 percent slopes	207	91	91	8679

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native	Tame	Symbol
			\$/Acre	\$/Acre	
LYON COUNTY (Page 2 of 2)					
8683	Dennis silt loam, 3 to 7 percent slopes	192	91	91	8683
8691	Dennis silty clay loam, 3 to 7 percent slopes, eroded	152	91	91	8691
8727	Eram and Bates soils, 5 to 15 percent slopes	55	78	78	8727
8731	Eram silt loam, 3 to 7 percent slopes	74	66	66	8731
8735	Eram silty clay loam, 3 to 7 percent slopes	70	66	66	8735
8737	Eram silty clay loam, 3 to 7 percent slopes, eroded	16	66	66	8737
8761	Eram-Shidler silty clay loams, 4 to 15 percent slopes	10	41	41	8761
8775	Kenoma silt loam, 1 to 3 percent slopes	177	66	66	8775
8776	Kenoma silt loam, 3 to 5 percent slopes	163	66	66	8776
8777	Kenoma silty clay loam, 1 to 3 percent slopes, eroded	144	66	66	8777
8778	Kenoma silty clay loam, 3 to 5 percent slopes, eroded	128	66	66	8778
8793	Lebo-Summit silty clay loams, 8 to 12 percent slopes	10	91	91	8793
8795	Lula silt loam, 0 to 1 percent slopes	163	91	91	8795
8797	Lula silt loam, 1 to 3 percent slopes	162	91	91	8797
8857	Olpe-Kenoma complex, 3 to 15 percent slopes	54	78	78	8857
8911	Summit silty clay loam, 1 to 3 percent slopes	208	91	91	8911
8912	Summit silty clay loam, 3 to 7 percent slopes	190	91	91	8912
8961	Woodson silt loam, 0 to 1 percent slopes	181	66	66	8961
8992	Zaar silty clay, 3 to 7 percent slopes	150	66	66	8992
9970	Aquolls	10	10	10	9970
9971	Arents, earthen dam	10	10	10	9971
9983	Gravel pits and quarries	10	10	10	9983
9986	Miscellaneous water	10	10	10	9986
9989	Orthents, clayey	66	78	78	9989
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame \$/Acre	
MIAMI COUNTY (Page 1 of 2)					
7251	Grundy silt loam, 1 to 3 percent slopes	225	104	104	7251
7462	Oska-Martin complex, 4 to 8 percent slopes	178	79	79	7462
7525	Chillicothe silt loam, 2 to 5 percent slopes	157	104	104	7525
7677	Welda silt loam, 2 to 5 percent slopes	242	53	53	7677
7805	Arisburg silt loam, 1 to 3 percent slopes	226	104	104	7805
8101	Hepler silt loam, occasionally flooded	175	104	104	8101
8150	Lanton silt loam, occasionally flooded	218	104	104	8150
8201	Osage silty clay loam, occasionally flooded	156	104	104	8201
8203	Osage silty clay, occasionally flooded	119	104	104	8203
8301	Verdigris silt loam, frequently flooded	170	104	104	8301
8302	Verdigris silt loam, occasionally flooded	258	104	104	8302
8390	Wynona silt loam, occasionally flooded	221	104	104	8390
8501	Mason silt loam, rarely flooded	274	104	104	8501
8621	Bates loam, 1 to 3 percent slopes	140	104	104	8621
8623	Bates loam, 3 to 7 percent slopes	80	104	104	8623
8640	Bucyrus silt loam, 1 to 3 percent slopes	214	104	104	8640
8641	Bucyrus silty clay loam, 3 to 8 percent slopes	196	104	104	8641
8645	Catoosa silt loam, 1 to 3 percent slopes	145	104	104	8645
8661	Clareson-Eram silty clay loams, 3 to 15 percent slopes	33	91	91	8661
8663	Clareson-Rock outcrop complex, 3 to 15 percent slopes	22	66	66	8663
8679	Dennis silt loam, 1 to 3 percent slopes	146	104	104	8679
8683	Dennis silt loam, 3 to 7 percent slopes	138	104	104	8683
8733	Eram silty clay loam, 1 to 3 percent slopes	84	79	79	8733
8735	Eram silty clay loam, 3 to 7 percent slopes	63	79	79	8735
8755	Eram-Lebo silty clay loams, 5 to 20 percent slopes	28	91	91	8755
8757	Eram-Lula complex, 3 to 7 percent slopes	76	79	79	8757
8761	Eram-Shidler silty clay loams, 4 to 15 percent slopes	56	79	79	8761
8775	Kenoma silt loam, 1 to 3 percent slopes	210	79	79	8775
8789	Lebo channery silty clay loam, 15 to 30 percent slopes	10	104	104	8789
8791	Lebo-Rock outcrop complex, 20 to 40 percent slopes	10	104	104	8791
8797	Lula silt loam, 1 to 3 percent slopes	151	104	104	8797
8837	Newtonia silt loam, 0 to 1 percent slopes	233	104	104	8837
8838	Newtonia silt loam, 1 to 3 percent slopes	215	104	104	8838
8839	Newtonia silt loam, 3 to 8 percent slopes	199	104	104	8839
8847	Okemah silt loam, 0 to 3 percent slopes	228	104	104	8847
8863	Parsons silt loam, 0 to 1 percent slopes	199	28	28	8863
8911	Summit silty clay loam, 1 to 3 percent slopes	206	79	79	8911
8912	Summit silty clay loam, 3 to 7 percent slopes	184	79	79	8912
8953	Wagstaff silt loam, 1 to 3 percent slopes	145	104	104	8953
8955	Wagstaff silty clay loam, 3 to 7 percent slopes	143	104	104	8955
8957	Wagstaff-Summit complex, 3 to 7 percent slopes	182	79	79	8957

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land	Native	Tame	
		\$/Acre	\$/Acre	\$/Acre	
MIAMI COUNTY (Page 2 of 2)					
8961	Woodson silt loam, 0 to 1 percent slopes	203	79	79	8961
8962	Woodson silt loam, 1 to 3 percent slopes	200	79	79	8962
9971	Arents, earthen dam	10	10	10	9971
9983	Gravel pits and quarries	10	10	10	9983
9986	Miscellaneous water	10	10	10	9986
9991	Orthents, shallow	10	79	79	9991
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	Symbol
MORRIS COUNTY (Page 1 of 2)						
AR	ALLUVIAL LAND AND READING SOILS	126	170	79	79	AR
CH	CHASE SILTY CLAY LOAM	244	319	79	79	CH
CS	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	10	10	41	41	CS
CSIN	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	143	218	67	67	CSIN
CSIS	IRWIN SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES, ERODED	130	201	67	67	CSIS
CSRA	READING SILT LOAM, 0 TO 1 PERCENT SLOPES, RARELY FLOODED	270	336	79	79	CSRA
CSTU	TULLY CHERTY SILTY CLAY LOAM, 5 TO 15 PERCENT SLOPES	120	160	79	79	CSTU
DH	DWIGHT SILT LOAM, 1 TO 3 PERCENT SLOPES	112	227	29	29	DH
DKHA	HOBBS SILT LOAM, OCCASIONALLY FLOODED	226	267	79	79	DKHA
DKHB	HOBBS SILT LOAM, CHANNELED	143	143	79	79	DKHB
FC	FLORENCE CHERTY SILT LOAM, 5 TO 15 PERCENT SLOPES	29	92	79	79	FC
FE	FLORENCE-LABETTE COMPLEX, 2 TO 12 PERCENT SLOPES	47	139	79	79	FE
GEBE	BENFIELD-FLORENCE COMPLEX, 5 TO 30 PERCENT SLOPES	14	14	79	79	GEBE
GECF	CLIME-SOIGN SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	10	40	79	79	GECF
GEID	IRWIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	159	174	67	67	GEID
GEKB	KAHOLA SILT LOAM, OCCASIONALLY FLOODED	226	294	79	79	GEKB
GEKO	KONZA SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	118	145	29	29	GEKO
GERA	READING SILT LOAM, 0 TO 1 PERCENT SLOPES	249	330	79	79	GERA
GETN	TULLY SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	194	278	79	79	GETN
IC	IRWIN SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	191	324	67	67	IC
ID	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	173	295	67	67	ID
IE	IRWIN SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES	165	267	67	67	IE
IN	IRWIN SOILS, 1 TO 3 PERCENT SLOPES, ERODED	143	257	67	67	IN
IO	IRWIN SOILS, 3 TO 5 PERCENT SLOPES, ERODED	121	229	67	67	IO
IV	IVAN AND KENNEBEC SILT LOAMS	226	239	79	79	IV
IVV	IVAN SILT LOAM, OCCASIONALLY FLOODED	229	294	79	79	IVV
KS	KIPSON-SOIGN COMPLEX, 3 TO 15 PERCENT SLOPES	10	10	41	41	KS
LB	LABETTE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	168	168	79	79	LB
LD	LABETTE-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	106	179	54	54	LD
LE	LABETTE-SOIGN COMPLEX, 2 TO 8 PERCENT SLOPES	10	10	67	67	LE
LS	LADYSMITH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	194	301	67	67	LS
LT	LADYSMITH SILTY CLAY LOAM, 1 TO 2 PERCENT SLOPES, ERODED	152	227	67	67	LT
LYRA	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	267	341	79	79	LYRA
MNCS	CLIME-SOIGN SILTY CLAY LOAMS, 3 TO 20 PERCENT SLOPES	10	10	41	41	MNCS
MNLA	LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	168	215	79	79	MNLA
MR	MASON AND READING SILT LOAMS, 0 TO 1 PERCENT SLOPES	243	330	79	79	MR
OS	OSAGE SILTY CLAY	112	193	79	79	OS
RD	READING SILT LOAM, 1 TO 3 PERCENT SLOPES	248	324	79	79	RD
SM	SMOLAN SILT LOAM, 1 TO 3 PERCENT SLOPES	209	310	79	79	SM
SN	SMOLAN SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	191	207	79	79	SN
TS	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	162	224	79	79	TS
TT	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	140	175	79	79	TT
TY	TULLY SOILS, 5 TO 15 PERCENT SLOPES	114	144	79	79	TY
WBCE	CHASE SILTY CLAY LOAM, RARELY FLOODED	247	330	79	79	WBCE
WBFL	FLORENCE-LABETTE COMPLEX, 3 TO 15 PERCENT SLOPES	47	172	79	79	WBFL

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	Symbol
MORRIS COUNTY (Page 2 of 2)						
WBIX	IVAN SILTY CLAY LOAM, CHANNELED	134	159	79	79	WBIX
WBRE	READING SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOO	258	336	79	79	WBRE
WST	WASTE	10	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame \$/Acre	
OSAGE COUNTY (Page 1 of 2)					
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	213	78	78	3890
3891	Ladysmith silty clay loam, 1 to 3 percent slopes	207	78	78	3891
3892	Ladysmith silty clay loam, 1 to 3 percent slopes, eroded	206	78	78	3892
4020	Chase silty clay loam, occasionally flooded	148	91	91	4020
4053	Ivan silty clay loam, channeled	155	91	91	4053
4350	Chase silty clay loam, rarely flooded	148	91	91	4350
4590	Clime-Sogn complex, 3 to 20 percent slopes	10	66	66	4590
4605	Dwight silt loam, 1 to 3 percent slopes	135	28	28	4605
4615	Dwight silty clay loam, 1 to 3 percent slopes	134	28	28	4615
4635	Dwight-Martin silty clay loams, 1 to 3 percent slopes	138	28	28	4635
4671	Irwin silty clay loam, 1 to 3 percent slopes	208	78	78	4671
4740	Labette silty clay loam, 1 to 3 percent slopes	224	91	91	4740
4742	Labette silty clay loam, 3 to 7 percent slopes	207	78	78	4742
4743	Labette silty clay loam, 3 to 7 percent slopes, eroded	201	78	78	4743
4752	Sogn-Vinland complex, 3 to 25 percent slopes	10	72	72	4752
4832	Wamego silty clay loam, 3 to 7 percent slopes	72	78	78	4832
7050	Kennebec silt loam, occasionally flooded	273	91	91	7050
7051	Kennebec silt loam, frequently flooded	157	91	91	7051
7173	Reading silty clay loam, rarely flooded	284	91	91	7173
7230	Elmont loam, 3 to 7 percent slopes	228	91	91	7230
7233	Elmont silt loam, 3 to 7 percent slopes	228	91	91	7233
7235	Elmont silt loam, 7 to 12 percent slopes	105	91	91	7235
7302	Martin silty clay loam, 3 to 7 percent slopes	201	91	91	7302
7304	Martin silty clay loam, 7 to 12 percent slopes	196	91	91	7304
7320	Martin-Kennebec complex, 0 to 12 percent slopes	157	91	91	7320
7325	Martin-Oska silty clay loams, 3 to 6 percent slopes	196	91	91	7325
7460	Oska silty clay loam, 3 to 6 percent slopes	220	91	91	7460
7603	Sibleyville loam, 3 to 7 percent slopes	92	91	91	7603
7605	Sibleyville loam, 7 to 12 percent slopes	90	91	91	7605
7657	Vinland-Martin complex, 7 to 15 percent slopes	84	91	91	7657
7658	Vinland-Rock outcrop complex, 15 to 45 percent slopes	10	91	91	7658
7661	Vinland-Sogn complex, 15 to 45 percent slopes	10	91	91	7661
8201	Osage silty clay loam, occasionally flooded	140	91	91	8201
8202	Osage silty clay, frequently flooded	50	91	91	8202
8203	Osage silty clay, occasionally flooded	109	91	91	8203
8300	Verdigris silt loam, channeled	158	91	91	8300
8302	Verdigris silt loam, occasionally flooded	275	91	91	8302
8501	Mason silt loam, rarely flooded	286	91	91	8501
8623	Bates loam, 3 to 7 percent slopes	99	91	91	8623
8659	Clareson-Eram complex, 3 to 15 percent slopes	10	72	72	8659
8661	Clareson-Eram silty clay loams, 3 to 15 percent slopes	16	72	72	8661

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land	Native	Tame	
		\$/Acre	\$/Acre	\$/Acre	
OSAGE COUNTY (Page 2 of 2)					
8683	Dennis silt loam, 3 to 7 percent slopes	139	91	91	8683
8727	Eram and Bates soils, 5 to 15 percent slopes	17	72	72	8727
8735	Eram silty clay loam, 3 to 7 percent slopes	72	78	78	8735
8738	Eram silty clay, 3 to 7 percent slopes, eroded	41	78	78	8738
8755	Eram-Lebo silty clay loams, 5 to 20 percent slopes	84	91	91	8755
8757	Eram-Lula complex, 3 to 7 percent slopes	85	78	78	8757
8775	Kenoma silt loam, 1 to 3 percent slopes	213	78	78	8775
8791	Lebo-Rock outcrop complex, 20 to 40 percent slopes	10	91	91	8791
8793	Lebo-Summit silty clay loams, 8 to 12 percent slopes	94	91	91	8793
8797	Lula silt loam, 1 to 3 percent slopes	224	91	91	8797
8855	Olpe-Kenoma complex, 1 to 3 percent slopes	126	85	85	8855
8911	Summit silty clay loam, 1 to 3 percent slopes	227	91	91	8911
8912	Summit silty clay loam, 3 to 7 percent slopes	198	91	91	8912
8961	Woodson silt loam, 0 to 1 percent slopes	219	78	78	8961
8962	Woodson silt loam, 1 to 3 percent slopes	216	78	78	8962
9970	Aquolls	10	10	10	9970
9971	Arents, earthen dam	10	10	10	9971
9981	Fluvents, channeled, frequently flooded	126	91	91	9981
9983	Gravel pits and quarries	10	10	10	9983
9986	Miscellaneous water	10	10	10	9986
9990	Orthents, hilly	10	78	78	9990
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame	
SHAWNEE COUNTY (Page 1 of 3)					
3775	Muir silt loam, rarely flooded	333	76	76	3775
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	269	64	64	3890
3891	Ladysmith silty clay loam, 1 to 3 percent slopes	249	64	64	3891
3892	Ladysmith silty clay loam, 1 to 3 percent slopes, eroded	199	64	64	3892
4015	Chase silt loam, occasionally flooded	294	76	76	4015
4052	Ivan silt loam, occasionally flooded	308	76	76	4052
4053	Ivan silty clay loam, channeled	185	76	76	4053
4610	Dwight silty clay loam, 0 to 1 percent slopes	165	27	27	4610
4615	Dwight silty clay loam, 1 to 3 percent slopes	156	27	27	4615
4635	Dwight-Martin silty clay loams, 1 to 3 percent slopes	198	58	58	4635
4671	Irwin silty clay loam, 1 to 3 percent slopes	249	64	64	4671
4725	Kipson-Sogn complex, 5 to 30 percent slopes	10	58	58	4725
4740	Labette silty clay loam, 1 to 3 percent slopes	219	76	76	4740
4742	Labette silty clay loam, 3 to 7 percent slopes	189	76	76	4742
4743	Labette silty clay loam, 3 to 7 percent slopes, eroded	128	76	76	4743
4752	Sogn-Vinland complex, 3 to 25 percent slopes	10	40	40	4752
4833	Wamego silty clay loam, 7 to 15 percent slopes	10	76	76	4833
7006	Bismarckgrove silt loam, occasionally flooded	303	76	76	7006
7028	Belvue silt loam, occasionally flooded	272	76	76	7028
7031	Eudora silt loam, occasionally flooded	305	76	76	7031
7035	Eudora-Bismarckgrove fine sandy loams, overwash, occasionally flooded	253	76	76	7035
7036	Eudora-Bismarckgrove silt loams, occasionally flooded	331	76	76	7036
7050	Kennebec silt loam, occasionally flooded	317	76	76	7050
7051	Kennebec silt loam, frequently flooded	188	76	76	7051
7055	Kimo silty clay loam, occasionally flooded	104	76	76	7055
7058	Stonehouse - Belvue complex, occasionally flooded	120	76	76	7058
7088	Stonehouse sand, occasionally flooded	10	76	76	7088
7089	Stonehouse-Eudora fine sandy loams, overwash, occasionally flooded	117	76	76	7089
7090	Wabash silty clay loam, occasionally flooded	225	76	76	7090
7091	Wabash silty clay, occasionally flooded	169	76	76	7091
7095	Kiro silty clay, depression, occasionally flooded	89	76	76	7095
7099	Zook silty clay loam, occasionally flooded	226	76	76	7099
7104	Belvue silt loam, rarely flooded	300	76	76	7104
7105	Belvue silt loam, escarpment, 2 to 12 percent slopes	217	76	76	7105
7106	Eudora-Bismarckgrove silt loams, rarely flooded	282	76	76	7106
7107	Bismarckgrove-Kimo complex, rarely flooded	330	76	76	7107
7109	Bourbonais-Bismarckgrove complex, rarely flooded	272	76	76	7109
7119	Eudora-Urbanland complex, rarely flooded	307	76	76	7119
7121	Eudora fine sandy loam, 1 to 3 percent slopes	277	76	76	7121
7123	Eudora silt loam, rarely flooded	309	76	76	7123
7124	Eudora soils, 6 to 12 percent slopes, eroded	220	76	76	7124

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame \$/Acre	
SHAWNEE COUNTY (Page 2 of 3)					
7132	Stonehouse-Eudora complex, rarely flooded	286	76	76	7132
7150	Haig silty clay loam, 0 to 1 percent slopes	273	64	64	7150
7155	Kimo silty clay loam	262	76	76	7155
7170	Reading silt loam, rarely flooded	338	76	76	7170
7173	Reading silty clay loam, rarely flooded	335	76	76	7173
7176	Rossville silt loam, very rarely flooded	338	76	76	7176
7208	Muscotah silty clay loam, very rarely flooded	185	76	76	7208
7213	Reading silt loam, moderately wet, very rarely flooded	338	76	76	7213
7214	Eudora silt loam, very rarely flooded	309	76	76	7214
7230	Elmont loam, 3 to 7 percent slopes	261	76	76	7230
7233	Elmont silt loam, 3 to 7 percent slopes	267	76	76	7233
7234	Elmont silt loam, 3 to 7 percent slopes, eroded	220	76	76	7234
7235	Elmont silt loam, 7 to 12 percent slopes	230	76	76	7235
7236	Elmont silt loam, 7 to 12 percent slopes, eroded	171	76	76	7236
7247	Elmont-Dwight silty clay loams, 3 to 7 percent slopes, eroded	188	27	27	7247
7252	Grundy silty clay loam, 1 to 3 percent slopes	254	64	64	7252
7261	Gymer silt loam, 3 to 7 percent slopes	300	76	76	7261
7262	Gymer silt loam, 3 to 7 percent slopes, eroded	246	76	76	7262
7280	Wabash silty clay, very rarely flooded	170	76	76	7280
7281	Konawa fine sandy loam, 4 to 8 percent slopes	172	40	40	7281
7282	Konawa fine sandy loam, 8 to 12 percent slopes	164	40	40	7282
7301	Martin silty clay loam, 1 to 3 percent slopes	292	76	76	7301
7302	Martin silty clay loam, 3 to 7 percent slopes	262	76	76	7302
7303	Martin silty clay loam, 3 to 7 percent slopes, eroded	216	76	76	7303
7304	Martin silty clay loam, 7 to 12 percent slopes	222	76	76	7304
7305	Martin silty clay loam, 7 to 12 percent slopes, eroded	159	76	76	7305
7308	Martin soils, 3 to 7 percent slopes, severely eroded	168	76	76	7308
7320	Martin-Kennebec complex, 0 to 12 percent slopes	223	76	76	7320
7330	Martin-Vinland silty clay loams, 5 to 10 percent slopes	224	76	76	7330
7423	Morrill clay loam, 3 to 7 percent slopes	261	76	76	7423
7424	Morrill clay loam, 3 to 7 percent slopes, eroded	210	76	76	7424
7425	Morrill clay loam, 7 to 12 percent slopes	239	76	76	7425
7426	Morrill fine sandy loam, 3 to 7 percent slopes	249	76	76	7426
7427	Morrill fine sandy loam, 3 to 7 percent slopes, eroded	206	76	76	7427
7428	Morrill fine sandy loam, 7 to 12 percent slopes	197	76	76	7428
7429	Morrill gravelly loam, 4 to 20 percent slopes, stony	21	76	76	7429
7433	Morrill loam, 3 to 7 percent slopes	211	76	76	7433
7437	Morrill loam, 7 to 12 percent slopes, very stony	210	76	76	7437
7440	Morrill-Gravelly land complex, 4 to 12 percent slopes	23	76	76	7440
7455	Shelby clay loam, 1 to 3 percent slopes	301	76	76	7455
7460	Oska silty clay loam, 3 to 6 percent slopes	186	76	76	7460

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land	Native	Tame	
		\$/Acre	\$/Acre	\$/Acre	
SHAWNEE COUNTY (Page 3 of 3)					
7500	Pawnee clay loam, 1 to 3 percent slopes	239	64	64	7500
7502	Pawnee clay loam, 3 to 7 percent slopes	248	64	64	7502
7503	Pawnee clay loam, 3 to 7 percent slopes, eroded	171	64	64	7503
7504	Pawnee clay loam, 7 to 12 percent slopes	178	64	64	7504
7540	Sharpsburg silty clay loam, 1 to 4 percent slopes	317	76	76	7540
7541	Sharpsburg silty clay loam, 4 to 8 percent slopes	295	76	76	7541
7580	Shelby clay loam, 1 to 3 percent slopes	297	76	76	7580
7583	Shelby clay loam, 3 to 7 percent slopes	279	76	76	7583
7584	Shelby clay loam, 3 to 7 percent slopes, eroded	240	76	76	7584
7585	Shelby clay loam, 7 to 12 percent slopes	242	76	76	7585
7593	Shelby-Pawnee complex, 7 to 12 percent slopes	242	76	76	7593
7602	Sibleyville complex, 7 to 12 percent slopes	10	40	40	7602
7603	Sibleyville loam, 3 to 7 percent slopes	130	76	76	7603
7605	Sibleyville loam, 7 to 12 percent slopes	106	76	76	7605
7655	Vinland silty clay loam, 4 to 15 percent slopes	10	76	76	7655
7657	Vinland-Martin complex, 7 to 15 percent slopes	10	76	76	7657
7658	Vinland-Rock outcrop complex, 15 to 45 percent slopes	10	40	40	7658
7661	Vinland-Sogn complex, 15 to 45 percent slopes	10	64	64	7661
7678	Welda silt loam, 5 to 9 percent slopes	250	40	40	7678
7683	Wymore silty clay loam, 3 to 6 percent slopes	259	76	76	7683
8962	Woodson silt loam, 1 to 3 percent slopes	254	64	64	8962
9971	Arents, earthen dam	10	10	10	9971
9976	Borrow pits	10	10	10	9976
9981	Fluents, channeled, frequently flooded	72	76	76	9981
9982	Fluents, frequently flooded	72	76	76	9982
9983	Gravel pits and quarries	10	10	10	9983
9984	Made land	10	10	10	9984
9986	Miscellaneous water	10	10	10	9986
9995	Sand Pits	10	10	10	9995
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native	Tame	Symbol
			\$/Acre	\$/Acre	
WABAUNSEE COUNTY (Page 1 of 3)					
CE	CHASE SILTY CLAY LOAM	265	76	76	CE
CM	CLIME SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	55	64	64	CM
CR	CLIME SILTY CLAY LOAM, 20 TO 40 PERCENT SLOPES, STONY	10	64	64	CR
CS	CLIME-SOIGN SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	10	52	52	CS
EO	ELMONT SILT LOAM, 3 TO 7 PERCENT SLOPES	233	76	76	EO
EU	EUDORA SILT LOAM	266	76	76	EU
EX	EUDORA-KIMO COMPLEX	249	76	76	EX
FL	FLORENCE-LABETTE COMPLEX, 3 TO 15 PERCENT SLOPES	46	76	76	FL
FLL	FLORENCE-LABETTE COMPLEX, 2 TO 12 PERCENT SLOPES	68	76	76	FLL
GEBE	BENFIELD-FLORENCE COMPLEX, 5 TO 30 PERCENT SLOPES	46	76	76	GEBE
GEKA	KAHOLA SILT LOAM, CHANNELED	149	76	76	GEKA
GEKB	KAHOLA SILT LOAM, OCCASIONALLY FLOODED	238	76	76	GEKB
GEKO	KONZA SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	156	64	64	GEKO
GETO	TULLY SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES	208	76	76	GETO
GY	GYMER SILTY CLAY LOAM, 3 TO 8 PERCENT SLOPES	234	76	76	GY
HE	HAYNIE VERY FINE SANDY LOAM, OCCASIONALLY FLOODED	138	76	76	HE
HS	HAYNIE SARPY COMPLEX, OCCASIONALLY FLOODED	109	76	76	HS
IB	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	203	64	64	IB
ID	IRWIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	169	64	64	ID
IV	IVAN SILT LOAM, OCCASIONALLY FLOODED	238	76	76	IV
IX	IVAN SILTY CLAY LOAM, CHANNELED	136	76	76	IX
LA	LABETTE SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES	176	76	76	LA
LBB	LABETTE SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES	167	76	76	LBB
LM	LADYSMITH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	221	64	64	LM
LYCD	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	10	52	52	LYCD
LYEA	ELMONT SILT LOAM, 1 TO 4 PERCENT SLOPES	251	76	76	LYEA
LYIB	IVAN SILT LOAM, CHANNELED	118	76	76	LYIB
LYKA	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	224	64	64	LYKA
LYKB	KENOMA SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	203	64	64	LYKB
LYKC	KENOMA SILT LOAM, 3 TO 6 PERCENT SLOPES	203	64	64	LYKC
LYKD	KENOMA SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	181	64	64	LYKD
LYLA	LABETTE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	189	76	76	LYLA
LYMB	MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	230	76	76	LYMB
LYMC	MARTIN SILTY CLAY, 3 TO 7 PERCENT SLOPES, ERODED	181	76	76	LYMC
LYRA	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	288	76	76	LYRA
LYTA	TULLY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES	211	76	76	LYTA
LYTB	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	162	76	76	LYTB
MB	MARTIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	218	76	76	MB
MC	MARTIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	184	76	76	MC
MR	MORRILL LOAM, 4 TO 7 PERCENT SLOPES	229	76	76	MR
MRIE	IRWIN SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES	175	64	64	MRIE

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native	Tame \$/Acre	
WABAUNSEE COUNTY (Page 2 of 3)					
MRRD	READING SILT LOAM, 1 TO 3 PERCENT SLOPES, RARELY FLOODED	273	76	76	MRRD
MRTS	TULLY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	211	76	76	MRTS
MS	MORRILL LOAM, 5 TO 12 PERCENT SLOPES, VERY STONY	10	76	76	MS
OSCS	CLIME-SOQN COMPLEX, 3 TO 15 PERCENT SLOPES	10	52	52	OSCS
OSEN	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	66	76	76	OSEN
OSKE	KENOMA SILT LOAM, 1 TO 4 PERCENT SLOPES	212	64	64	OSKE
OSLS	LEBO-SUMMIT SILTY CLAY LOAMS, 7 TO 12 PERCENT SLOPES	70	76	76	OSLS
OSMB	MASON SILT LOAM, RARELY FLOODED	291	76	76	OSMB
OSSO	SUMMIT SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	211	76	76	OSSO
OSVB	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	253	76	76	OSVB
OSVC	VERDIGRIS SILT LOAM, CHANNELED	155	76	76	OSVC
PA	PAWNEE CLAY LOAM, 1 TO 3 PERCENT SLOPES	199	64	64	PA
PN	PAWNEE CLAY LOAM, 3 TO 7 PERCENT SLOPES	185	64	64	PN
PO	PAWNEE CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	141	64	64	PO
PTHS	HAYNIE-SARPY COMPLEX, OCCASIONALLY FLOODED	97	76	76	PTHS
PTSF	SARPY SAND, FREQUENTLY FLOODED	10	76	76	PTSF
PX	PAXICO SILT LOAM, FREQUENTLY FLOODED	82	76	76	PX
RB	READING SILT LOAM	285	76	76	RB
RE	READING SILTY CLAY LOAM	276	76	76	RE
RLEM	ELMONT SILT LOAM, 3 TO 8 PERCENT SLOPES	245	76	76	RLEM
RLIC	IRWIN SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	172	64	64	RLIC
RLTT	TULLY SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES, ERODED	202	76	76	RLTT
RLTU	TULLY SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	184	76	76	RLTU
SA	SARPY LOAMY SAND, FREQUENTLY FLOODED	10	76	76	SA
SC	SARPY-HAYNIE COMPLEX, OCCASIONALLY FLOODED	87	76	76	SC
SF	SARPY SAND, FREQUENTLY FLOODED	10	76	76	SF
SNAN	KENNEBEC SILT LOAM, CHANNELED	149	76	76	SNAN
SNBK	MARTIN-KENNEBEC COMPLEX, 0 TO 12 PERCENT SLOPES	187	76	76	SNBK
SNGM	GYMER SILT LOAM, 3 TO 8 PERCENT SLOPES	259	76	76	SNGM
SNKB	KENNEBEC SILT LOAM, OCCASIONALLY FLOODED	256	76	76	SNKB
SNLD	LADYSMITH SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	215	64	64	SNLD
SNLM	LADYSMITH SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	215	64	64	SNLM
SNMB	MARTIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	230	76	76	SNMB
SNMH	MARTIN SILTY CLAY LOAM, 7 TO 11 PERCENT SLOPES, ERODED	165	76	76	SNMH
SNPA	PAWNEE CLAY LOAM, 0 TO 3 PERCENT SLOPES	199	64	64	SNPA
SNSE	SARPY-EUDORA COMPLEX, OVERWASH, OCCASIONALLY FLOODED	94	76	76	SNSE
SNSV	SOQN-VINLAND COMPLEX, 3 TO 25 PERCENT SLOPES	10	76	76	SNSV
TZ	TUTTLE CHANNERY SILTY CLAY LOAM, 20 TO 60 PERCENT SLOPES, STC	10	64	64	TZ
WB	WABASH SILTY CLAY, OCCASIONALLY FLOODED	145	76	76	WB
WE	WAMEGO SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	66	76	76	WE
WF	WAMEGO SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	24	76	76	WF

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land	Native	Tame	
		\$/Acre	\$/Acre	\$/Acre	
WABAUNSEE COUNTY (Page 3 of 3)					
WST	WASTE	10	10	10	WST
WY	WYMORE SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES	243	64	64	WY