

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
ALLEN COUNTY					
8150	Lanton silt loam, occasionally flooded	158	67	67	8150
8160	Leanna silt loam, occasionally flooded	154	67	67	8160
8201	Osage silty clay loam, occasionally flooded	102	67	67	8201
8203	Osage silty clay, occasionally flooded	107	67	67	8203
8300	Verdigris silt loam, channeled	122	67	67	8300
8302	Verdigris silt loam, occasionally flooded	219	67	67	8302
8501	Mason silt loam, rarely flooded	215	67	67	8501
8621	Bates loam, 1 to 3 percent slopes	117	67	67	8621
8623	Bates loam, 3 to 7 percent slopes	74	67	67	8623
8624	Bates loam, 3 to 7 percent slopes, eroded	51	67	67	8624
8627	Bates-Collinsville complex, 3 to 15 percent slopes	10	50	50	8627
8643	Catoosa silt loam, 0 to 1 percent slopes	123	67	67	8643
8647	Catoosa-Rock outcrop complex, 1 to 8 percent slopes	25	67	67	8647
8671	Collinsville complex, 3 to 15 percent slopes	10	50	50	8671
8673	Collinsville-Bates complex, 3 to 15 percent slopes	10	50	50	8673
8679	Dennis silt loam, 1 to 3 percent slopes	151	67	67	8679
8683	Dennis silt loam, 3 to 7 percent slopes	141	67	67	8683
8701	Dennis-Kenoma silt loams, 1 to 3 percent slopes	164	59	59	8701
8733	Eram silty clay loam, 1 to 3 percent slopes	70	45	45	8733
8735	Eram silty clay loam, 3 to 7 percent slopes	53	45	45	8735
8737	Eram silty clay loam, 3 to 7 percent slopes, eroded	33	45	45	8737
8745	Eram-Clareson complex, 1 to 15 percent slopes	54	45	45	8745
8753	Eram-Gullied land complex, 3 to 7 percent slopes	31	45	45	8753
8763	Eram-Talihina silty clay loams, 5 to 20 percent slopes	10	45	45	8763
8775	Kenoma silt loam, 1 to 3 percent slopes	169	45	45	8775
8843	Nowata silt loam, 3 to 7 percent slopes	40	67	67	8843
8849	Olpe gravelly silt loam, 3 to 15 percent slopes	26	67	67	8849
8851	Olpe soils, 3 to 15 percent slopes	22	67	67	8851
8863	Parsons silt loam, 0 to 1 percent slopes	168	45	45	8863
8875	Ringo-Clareson complex, 8 to 15 percent slopes	10	45	45	8875
8877	Ringo-Sogn complex, 5 to 15 percent slopes	28	67	67	8877
8885	Shidler-Catoosa complex, 1 to 8 percent slopes	23	67	67	8885
8911	Summit silty clay loam, 1 to 3 percent slopes	143	45	45	8911
8912	Summit silty clay loam, 3 to 7 percent slopes	127	45	45	8912
8921	Talihina silty clay loam, 5 to 20 percent slopes	10	45	45	8921
8922	Talihina stony silty clay loam, 8 to 25 percent slopes	10	45	45	8922
8961	Woodson silt loam, 0 to 1 percent slopes	171	45	45	8961
8962	Woodson silt loam, 1 to 3 percent slopes	168	45	45	8962
8990	Zaar silty clay, 0 to 1 percent slopes	143	45	45	8990
8991	Zaar silty clay, 1 to 3 percent slopes	141	45	45	8991
8992	Zaar silty clay, 3 to 7 percent slopes	125	45	45	8992
9983	Gravel pits and quarries	10	10	10	9983
9984	Made land	10	10	10	9984
9993	Pits	10	10	10	9993
9999	Water	10	10	10	9999
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
BOURBON COUNTY					
ALCB	CATOOSA-ROCK OUTCROP COMPLEX, 1 TO 8 PERCENT SLOPES	79	66	66	ALCB
ALCC	COLLINSVILLE-BATES COMPLEX, 2 TO 15 PERCENT SLOPES	10	12	12	ALCC
BA	BATES LOAM, 1 TO 4 PERCENT SLOPES	136	66	66	BA
BC	BATES LOAM, 4 TO 7 PERCENT SLOPES	83	66	66	BC
BD	BATES LOAM, 4 TO 7 PERCENT SLOPES, ERODED	62	66	66	BD
BH	BOLIVAR-HECTOR FINE SANDY LOAMS, 5 TO 15 PERCENT SLOPES	10	12	12	BH
CA	CATOOSA SILT LOAM	144	66	66	CA
CRMD	KANIMA SILTY CLAY LOAM, 3 TO 50 PERCENT SLOPES	63	66	66	CRMD
CS	CLARESON STONY SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	10	34	34	CS
DE	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	180	66	66	DE
DF	DENNIS SILT LOAM, 3 TO 6 PERCENT SLOPES	156	66	66	DF
EC	ERAM-COLLINSVILLE COMPLEX, 5 TO 12 PERCENT SLOPES	14	23	23	EC
KE	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	179	44	44	KE
LA	LANTON SILTY CLAY LOAM	205	66	66	LA
LE	LEANNA SILT LOAM	178	66	66	LE
LNCM	CLARESON-ROCK OUTCROP COMPLEX, 2 TO 15 PERCENT SLOPES	10	34	34	LNCM
LNEF	ERAM-LEBO SILTY CLAY LOAMS, 5 TO 20 PERCENT SLOPES	28	23	23	LNEF
LNSN	SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	174	44	44	LNSN
LNSO	SUMMIT SILTY CLAY LOAM, 4 TO 8 PERCENT SLOPES	152	44	44	LNSO
LNVC	VERDIGRIS SILT LOAM, FREQUENTLY FLOODED	138	66	66	LNVC
MA	MASON SILT LOAM	249	66	66	MA
NO	NOWATA SILT LOAM, 3 TO 5 PERCENT SLOPES	72	66	66	NO
NOEC	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	33	23	23	NOEC
NOSC	SHIDLER-CATOOSA SILT LOAMS, 1 TO 8 PERCENT SLOPES	72	66	66	NOSC
OR	ORTHENTS, HILLY	10	66	66	OR
OS	OSAGE SILTY CLAY	121	66	66	OS
PA	PARSONS SILT LOAM	169	44	44	PA
RC	RINGO-CLARESON COMPLEX, 9 TO 15 PERCENT SLOPES	57	44	44	RC
TA	TAMAHA SILT LOAM, 1 TO 5 PERCENT SLOPES	167	23	23	TA
VE	VERDIGRIS SILT LOAM	248	66	66	VE
VF	VERDIGRIS SILT LOAM, CHANNELED	138	66	66	VF
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	167	44	44	ZA
ZB	ZAAR SILTY CLAY, 2 TO 6 PERCENT SLOPES	138	44	44	ZB

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
BUTLER COUNTY (Page 1 of 2)						
3491	Wells loam, 1 to 3 percent slopes	240	324	44	44	3491
3561	Hobbs silt loam, occasionally flooded	237	305	44	44	3561
3725	Detroit silty clay loam, rarely flooded	224	316	44	44	3725
3842	Geary silt loam, 0 to 1 percent slopes	249	330	44	44	3842
3843	Geary silt loam, 1 to 3 percent slopes	235	324	44	44	3843
3844	Geary silt loam, 3 to 7 percent slopes	209	295	44	44	3844
3857	Goessel silty clay, 0 to 1 percent slopes	151	316	34	34	3857
3858	Goessel silty clay, 1 to 3 percent slopes	138	295	34	34	3858
3890	Ladysmith silty clay loam, 0 to 1 percent slopes	190	311	34	34	3890
3911	Rosehill silty clay, 1 to 3 percent slopes	94	279	34	34	3911
4020	Chase silty clay loam, occasionally flooded	228	313	44	44	4020
4051	Ivan silt loam, channeled	163	207	44	44	4051
4052	Ivan silt loam, occasionally flooded	235	309	44	44	4052
4535	Benfield-Labette cherty silty clay loams, 2 to 12 percent slopes	72	114	44	44	4535
4580	Clime stony silty clay loam, 15 to 30 percent slopes	10	10	18	18	4580
4590	Clime-Sogn complex, 3 to 20 percent slopes	10	19	18	18	4590
4600	Dwight silt loam, 0 to 1 percent slopes	122	169	10	10	4600
4620	Dwight soils, 1 to 3 percent slopes, eroded	55	107	10	10	4620
4645	Florence cherty silt loam, 5 to 15 percent slopes	42	128	44	44	4645
4655	Florence-Labette complex, 2 to 12 percent slopes	43	127	44	44	4655
4660	Florence-Martin complex, 2 to 12 percent slopes	43	130	44	44	4660
4670	Irwin silty clay loam, 0 to 1 percent slopes	202	330	34	34	4670
4671	Irwin silty clay loam, 1 to 3 percent slopes	184	314	34	34	4671
4673	Irwin silty clay loam, 3 to 7 percent slopes	158	282	34	34	4673
4674	Irwin silty clay loam, 3 to 7 percent slopes, eroded	143	241	34	34	4674
4740	Labette silty clay loam, 1 to 3 percent slopes	177	269	44	44	4740
4741	Labette silty clay loam, 1 to 3 percent slopes, eroded	147	222	44	44	4741
4742	Labette silty clay loam, 3 to 7 percent slopes	156	250	44	44	4742
4744	Labette-Dwight complex, 0 to 3 percent slopes	134	221	23	23	4744
4746	Labette-Sogn silty clay loams, 0 to 8 percent slopes	60	60	18	18	4746
4747	Labette-Sogn silty clay loams, 8 to 15 percent slopes	57	57	18	18	4747
4750	Sogn silty clay loam, 0 to 10 percent slopes	10	10	10	10	4750
4751	Sogn soils, 0 to 8 percent slopes	10	10	10	10	4751
4780	Tully cherty silty clay loam, 5 to 15 percent slopes	182	280	44	44	4780
4781	Tully silty clay loam, 1 to 3 percent slopes	205	319	44	44	4781
4783	Tully silty clay loam, 3 to 7 percent slopes	188	284	44	44	4783
4784	Tully silty clay loam, 3 to 7 percent slopes, eroded	150	207	44	44	4784
5976	Vanoss silt loam, 0 to 1 percent slopes	256	330	44	44	5976
5977	Vanoss silt loam, 1 to 3 percent slopes	242	324	44	44	5977
5978	Vanoss silt loam, 3 to 7 percent slopes	240	321	44	44	5978
6051	Elandco silt loam, frequently flooded	158	201	44	44	6051
6220	Brewer silty clay loam, rarely flooded	226	314	44	44	6220
6244	Elandco silt loam, rarely flooded	220	316	44	44	6244
6400	Norge silt loam, 0 to 1 percent slopes	252	330	44	44	6400
6401	Norge silt loam, 1 to 3 percent slopes	239	324	44	44	6401
6402	Norge silt loam, 3 to 7 percent slopes	212	296	44	44	6402
6403	Norge silty clay loam, 3 to 7 percent slopes, eroded	185	263	44	44	6403
7170	Reading silt loam, rarely flooded	232	318	44	44	7170
7301	Martin silty clay loam, 1 to 3 percent slopes	210	320	44	44	7301

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
BUTLER COUNTY (Page 2 of 2)						
7302	Martin silty clay loam, 3 to 7 percent slopes	191	286	44	44	7302
8203	Osage silty clay, occasionally flooded	116	233	44	44	8203
8300	Verdigris silt loam, channeled	166	206	44	44	8300
8302	Verdigris silt loam, occasionally flooded	245	309	44	44	8302
8303	Verdigris soils, frequently flooded	166	206	44	44	8303
8859	Olpe-Norge complex, 2 to 7 percent slopes	106	256	44	44	8859
9970	Aquolls	10	10	10	10	9970
9971	Arents, earthen dam	10	10	10	10	9971
9983	Gravel pits and quarries	10	10	10	10	9983
9986	Miscellaneous water	10	10	10	10	9986
9987	Oil waste land	10	10	10	10	9987
9993	Pits	10	10	10	10	9993
9999	Water	10	10	10	10	9999
WST	WASTE	10	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
CHAUTAUQUA COUNTY (Page 1 of 2)					
BA	BATES FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	86	44	44	BA
BUCS	CLIME-SOIGN COMPLEX, 3 TO 15 PERCENT SLOPES	10	18	18	BUCS
CA	CLARESON SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	45	33	33	CA
CLCC	CLIME-SOIGN COMPLEX, 2 TO 15 PERCENT SLOPES	10	18	18	CLCC
CLLA	LABETTE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	160	44	44	CLLA
CLMC	MARTIN SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	133	44	44	CLMC
CLRA	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	218	44	44	CLRA
CLSA	SMOLAN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	163	44	44	CLSA
CLSC	SMOLAN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	132	44	44	CLSC
CLSD	SOIGN SILTY CLAY LOAM, 0 TO 10 PERCENT SLOPES	10	10	10	CLSD
CLTA	TABLER SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	174	44	44	CLTA
CS	CLARESON-SOIGN COMPLEX	26	23	23	CS
CT	CLEORA FINE SANDY LOAM	148	47	47	CT
CX	CLIME-SOIGN COMPLEX	10	18	18	CX
DB	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	150	44	44	DB
DC	DENNIS SILT LOAM, 3 TO 7 PERCENT SLOPES	138	44	44	DC
DE	DENNIS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	103	44	44	DE
DEE	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	117	44	44	DEE
DS	DENNIS-SLICKSPOTS COMPLEX	130	10	10	DS
EA	ERAM SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	72	33	33	EA
EC	ERAM-COLLINSVILLE COMPLEX	38	23	23	EC
EKCD	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	137	44	44	EKCD
EKCF	CATOOSA-SOIGN COMPLEX, 0 TO 8 PERCENT SLOPES	10	18	18	EKCF
EKCK	CLIME STONY SILTY CLAY LOAM, 20 TO 30 PERCENT SLOPES	10	18	18	EKCK
EKCS	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	10	18	18	EKCS
EKEM	ERAM SILT LOAM, 1 TO 4 PERCENT SLOPES	72	33	33	EKEM
EKKD	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	164	33	33	EKKD
EKLA	LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	155	44	44	EKLA
EKLD	LABETTE-DWIGHT COMPLEX, 0 TO 3 PERCENT SLOPES	132	44	44	EKLD
ELME	MARTIN SILTY CLAY, 3 TO 7 PERCENT SLOPES, ERODED	126	44	44	ELME
EKSH	SOIGN SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES	10	10	10	EKSH
EKST	STEEDMAN STONY LOAM, 5 TO 20 PERCENT SLOPES	10	44	44	EKST
EKVD	VERDIGRIS SILT LOAM, CHanneled	142	44	44	EKVD
IV	IVAN SILT LOAM	151	44	44	IV
KE	KENOMA SILT LOAM	181	33	33	KE
LN	LONGFORD SILTY CLAY LOAM, BEDROCK SUBSTRATUM, 1-4 % SLOPES	112	44	44	LN
LO	LONGFORD SILTY CLAY LOAM, BEDROCK SUBSTRATUM, 1-4 % SLOPES, ERODED	85	44	44	LO
LU	LULA SILT LOAM, 0 TO 2 PERCENT SLOPES	181	44	44	LU
MA	MARTIN SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	202	44	44	MA
MB	MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	181	44	44	MB
MC	MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	158	44	44	MC
ME	MARTIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	129	44	44	ME
MGBG	BATES-COLLINSVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	39	44	44	MGBG
MGDB	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	150	44	44	MGDB
MGBE	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	65	33	33	MGBE
MGET	ERAM-TALIHINA SILTY CLAY LOAMS, 6 TO 20 PERCENT SLOPES	22	23	23	MGET
MGKA	KENOMA SILT LOAM, 0 TO 2 PERCENT SLOPES	181	33	33	MGKA
MGLA	LANTON SILTY CLAY LOAM, OCCASIONALLY FLOODED	202	44	44	MGLA

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
CHAUTAUQUA COUNTY (Page 2 of 2)					
MS	MARTIN-SLICKSPOTS COMPLEX	160	44	44	MS
MT	MASON SILT LOAM	218	44	44	MT
MX	MASON-SLICKSPOTS COMPLEX	160	44	44	MX
ND	NIOTAZE-DARNELL COMPLEX	10	12	12	ND
OA	OSAGE SILTY CLAY LOAM	125	44	44	OA
OC	OSAGE SILTY CLAY	96	44	44	OC
OS	OSAGE-SLICKSPOTS COMPLEX	89	44	44	OS
SO	SOGN SOILS	10	10	10	SO
ST	STEEDMAN STONY CLAY LOAM, 8 TO 20 PERCENT SLOPES	10	44	44	ST
SV	STEPHENVILLE FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	47	23	23	SV
SX	STEPHENVILLE-DARNELL FINE SANDY LOAMS	10	12	12	SX
VE	VERDIGRIS SILT LOAM	202	44	44	VE
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
CHEROKEE COUNTY					
BE	BATES LOAM, 1 TO 3 PERCENT SLOPES	178	71	71	BE
BF	BATES LOAM, 3 TO 6 PERCENT SLOPES	125	71	71	BF
BH	BATES-COLLINSVILLE COMPLEX, 4 TO 15 PERCENT SLOPES	24	48	48	BH
BO	BOLIVAR-HECTOR FINE SANDY LOAMS, 4 TO 15 PERCENT SLOPES	10	25	25	BO
BR	BRAZILTON SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	191	48	48	BR
CD	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	178	71	71	CD
CE	CHEROKEE SILT LOAM, 0 TO 1 PERCENT SLOPES	222	48	48	CE
CK	CLARKSVILLE VERY CHERTY SILT LOAM, 10 TO 30 PERCENT SLOPES	10	25	25	CK
CRZA	ZAAR SILTY CLAY, 1 TO 3 PERCENT SLOPES	215	48	48	CRZA
DB	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	226	71	71	DB
EN	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	86	48	48	EN
ES	ERAM-SHIDLER SILTY CLAY LOAMS, 4 TO 12 PERCENT SLOPES	12	25	25	ES
GE	GERALD SILT LOAM, 0 TO 2 PERCENT SLOPES	44	71	71	GE
HE	HEPLER SILT LOAM, OCCASIONALLY FLOODED	226	71	71	HE
HF	HEPLER SILT LOAM, FREQUENTLY FLOODED	151	71	71	HF
KA	KANIMA SILTY CLAY LOAM, 3 TO 10 PERCENT SLOPES	89	71	71	KA
KN	KANIMA SILTY CLAY LOAM, 15 TO 50 PERCENT SLOPES	10	71	71	KN
LN	LANTON SILT LOAM, OCCASIONALLY FLOODED	240	71	71	LN
NS	NIXA CHERTY SILT LOAM, 2 TO 9 PERCENT SLOPES	14	25	25	NS
OS	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	157	13	13	OS
PR	PARSONS SILT LOAM, 0 TO 2 PERCENT SLOPES	226	13	13	PR
SE	SECESH SILT LOAM	161	71	71	SE
SF	SECESH SILT LOAM, CHANNELED	18	71	71	SF
TO	TALOKA SILT LOAM, 0 TO 1 PERCENT SLOPES	240	71	71	TO
TT	TONTI SILT LOAM, 2 TO 5 PERCENT SLOPES	49	25	25	TT
VB	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	296	71	71	VB
WA	WABEN CHERTY SILT LOAM, 2 TO 5 PERCENT SLOPES	71	71	71	WA
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	224	48	48	ZA

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
COWLEY COUNTY (Page 1 of 2)						
AA	ATTICA LOAMY FINE SAND, 3 TO 6 PERCENT SLOPES	111	246	34	34	AA
AB	ATTICA-TIVOLI LOAMY FINE SANDS, 3 TO 15 PERCENT SLOPES	64	195	26	26	AB
BA	BETHANY SILT LOAM, 0 TO 1 PERCENT SLOPES	217	331	34	34	BA
BB	BETHANY SILT LOAM, 1 TO 3 PERCENT SLOPES	208	326	34	34	BB
BC	BREWER SILTY CLAY LOAM	204	295	34	34	BC
BUCS	CLIME-SOQN COMPLEX, 3 TO 15 PERCENT SLOPES	10	23	12	12	BUCS
BUFC	FLORENCE CHERTY SILT LOAM, 5 TO 10 PERCENT SLOPES	39	125	34	34	BUFC
BULC	LABETTE SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES	138	259	34	34	BULC
BULS	LADYSMITH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	184	331	34	34	BULS
BUNS	NORGE SILT LOAM, 3 TO 5 PERCENT SLOPES	186	280	34	34	BUNS
BUNT	NORGE SILTY CLAY LOAM, 3 TO 5 PERCENT SLOPES, ERODED	163	247	34	34	BUNT
BUON	OLPE-NORGE COMPLEX, 2 TO 7 PERCENT SLOPES	58	169	34	34	BUON
BUVE	VERDIGRIS SOILS, FREQUENTLY FLOODED	177	233	34	34	BUVE
CA	CANADIAN FINE SANDY LOAM	132	276	34	34	CA
CB	CLIME-ROCK OUTCROP COMPLEX, 15 TO 35 PERCENT SLOPES	10	10	23	23	CB
CC	CLIME-SOQN COMPLEX, 2 TO 15 PERCENT SLOPES	11	40	12	12	CC
CQMB	MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	205	317	34	34	CQMB
DA	DALE SILT LOAM	188	300	34	34	DA
DB	DWIGHT SILT LOAM	110	110	10	10	DB
EKFM	FLORENCE-MARTIN COMPLEX, 2 TO 12 PERCENT SLOPES	91	262	34	34	EKFM
EKIV	IVAN SILT LOAM, CHANNELED	144	237	34	34	EKIV
FA	FLORENCE CHERTY SILT LOAM, 5 TO 15 PERCENT SLOPES	36	108	34	34	FA
IA	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	164	305	34	34	IA
IB	IVAN SILT LOAM	171	310	34	34	IB
LA	LABETTE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	159	267	34	34	LA
LB	LABETTE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	138	233	34	34	LB
LC	LABETTE SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	96	199	34	34	LC
LD	LABETTE-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	120	162	12	12	LD
LE	LABETTE-SOQN SILTY CLAY LOAMS, 2 TO 8 PERCENT SLOPES	55	55	12	12	LE
LF	LESHO CLAY LOAM	122	122	34	34	LF
LG	LINCOLN-TIVOLI COMPLEX, 0 TO 10 PERCENT SLOPES	19	198	34	34	LG
MA	MARTIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	205	326	34	34	MA
MB	MARTIN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	186	305	34	34	MB
MC	MARTIN SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, ERODED	162	247	34	34	MC
MCC	MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	186	301	34	34	MCC
MD	MARTIN-FLORENCE COMPLEX, 2 TO 12 PERCENT SLOPES	107	245	34	34	MD
ME	MILAN FINE SANDY LOAM, 1 TO 5 PERCENT SLOPES	197	293	34	34	ME
MF	MINCO SILT LOAM, 3 TO 7 PERCENT SLOPES	155	280	34	34	MF
MG	MINCO SILT LOAM, 7 TO 15 PERCENT SLOPES	116	152	34	34	MG
NA	NORGE SILT LOAM, 1 TO 3 PERCENT SLOPES	217	326	34	34	NA
NB	NORGE SILT LOAM, 3 TO 7 PERCENT SLOPES	184	280	34	34	NB
NC	NORGE SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	161	243	34	34	NC
OA	OLPE GRAVELLY SILT LOAM, 2 TO 12 PERCENT SLOPES	23	160	34	34	OA
OB	OSAGE SILTY CLAY	105	238	34	34	OB
RA	READING SILT LOAM	246	320	34	34	RA
RB	ROSEHILL SILTY CLAY, 1 TO 3 PERCENT SLOPES	83	280	34	34	RB
RC	ROSEHILL SILTY CLAY, 3 TO 6 PERCENT SLOPES	72	251	34	34	RC
SA	SMOLAN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	206	326	34	34	SA
SB	SMOLAN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	187	294	34	34	SB

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Irrigated Land	Grass Land		Symbol
		Land \$/Acre	\$/Acre 100 ft	Native \$/Acre	Tame \$/Acre	
COWLEY COUNTY (Page 2 of 2)						
SC	SMOLAN SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	163	233	34	34	SC
SD	SOGN SILTY CLAY LOAM, 0 TO 10 PERCENT SLOPES	10	10	10	10	SD
SUMB	MILAN LOAM, 1 TO 3 PERCENT SLOPES	208	298	34	34	SUMB
SUMC	MILAN LOAM, 3 TO 6 PERCENT SLOPES	200	281	34	34	SUMC
SUPX	PRATT LOAMY FINE SAND, 3 TO 8 PERCENT SLOPES	74	237	34	34	SUPX
SURO	ROSEHILL CLAY LOAM, 1 TO 3 PERCENT SLOPES	83	280	34	34	SURO
SURS	ROSEHILL CLAY LOAM, 3 TO 6 PERCENT SLOPES	72	247	34	34	SURS
SUTV	TIVOLI FINE SAND, 8 TO 20 PERCENT SLOPES	10	84	26	26	SUTV
SUUS	USTIFLUVENTS, CHANNELED	80	229	34	34	SUUS
TA	TABLER SILTY CLAY LOAM, 0 TO 1 PERCENT SLOPES	187	331	34	34	TA
TB	TABLER SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	174	323	34	34	TB
VA	VANOSS SILT LOAM, 0 TO 1 PERCENT SLOPES	232	331	34	34	VA
VB	VANOSS SILT LOAM, 1 TO 3 PERCENT SLOPES	220	326	34	34	VB
VC	VANOSS SILT LOAM, 3 TO 7 PERCENT SLOPES	195	281	34	34	VC
VD	VERDIGRIS SILT LOAM	228	310	34	34	VD
WA	WAURIKA SILT LOAM	169	281	34	34	WA
WST	WASTE	10	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
CRAWFORD COUNTY					
BA	BATES LOAM, 1 TO 4 PERCENT SLOPES	141	71	71	BA
BB	BATES LOAM, 1 TO 4 PERCENT SLOPES, ERODED	110	71	71	BB
BBBH	BOLIVAR-HECTOR FINE SANDY LOAMS, 5 TO 15 PERCENT SLOPES	10	13	13	BBBH
BBEC	ERAM-COLLINSVILLE COMPLEX, 5 TO 12 PERCENT SLOPES	17	48	48	BBEC
BBLE	LEANNA SILT LOAM, OCCASIONALLY FLOODED	199	71	71	BBLE
BBMA	MASON SILT LOAM, RARELY FLOODED	265	71	71	BBMA
BBRC	RINGO-CLARESON COMPLEX, 9 TO 15 PERCENT SLOPES	41	48	48	BBRC
BBZB	ZAAR SILTY CLAY, 2 TO 6 PERCENT SLOPES	152	48	48	BBZB
BC	BATES LOAM, 4 TO 7 PERCENT SLOPES	86	71	71	BC
BD	BATES LOAM, 4 TO 7 PERCENT SLOPES, ERODED	64	71	71	BD
BE	BOLIVAR-HECTOR COMPLEX, 5 TO 12 PERCENT SLOPES	10	13	13	BE
BK	BREAKS-ALLUVIAL LAND COMPLEX	140	71	71	BK
CE	CHEROKEE SILT LOAM	187	48	48	CE
CF	CLARESON FLAGGY SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES	36	36	36	CF
CKES	ERAM-SHIDLER SILTY CLAY LOAMS, 4 TO 12 PERCENT SLOPES	55	54	54	CKES
CKOS	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	129	71	71	CKOS
DE	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	175	71	71	DE
DF	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES, ERODED	142	71	71	DF
DG	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	163	71	71	DG
DH	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES, ERODED	110	71	71	DH
DP	DENNIS-PARSONS SILT LOAMS, 1 TO 4 PERCENT SLOPES	181	59	59	DP
ER	ERODED LAND, 3 TO 10 PERCENT SLOPES	89	48	48	ER
GD	GIRARD SILTY CLAY LOAM	67	71	71	GD
HE	HEPLER SILT LOAM	211	71	71	HE
LS	LULA SILT LOAM, 1 TO 3 PERCENT SLOPES	199	71	71	LS
LT	LULA SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	171	71	71	LT
LU	LULA-CLARESON COMPLEX, 1 TO 3 PERCENT SLOPES	130	54	54	LU
MC	MCCUNE SILT LOAM	211	71	71	MC
MD	MINE PITS AND DUMPS	72	10	10	MD
NOEB	ERAM SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	89	48	48	NOEB
NOET	ERAM-LEBO SILTY CLAY LOAMS, 4 TO 15 PERCENT SLOPES	31	48	48	NOET
OS	OSAGE CLAY	136	71	71	OS
PA	PARSONS SILT LOAM, 0 TO 1 PERCENT SLOPES	182	71	71	PA
PB	PARSONS SILT LOAM, 1 TO 3 PERCENT SLOPES	174	71	71	PB
PC	PARSONS SILT LOAM, 1 TO 3 PERCENT SLOPES, ERODED	150	48	48	PC
RA	RADLEY SILT LOAM	255	71	71	RA
RH	RADLEY-HEPLER SILT LOAMS	152	71	71	RH
RN	RINGO SILTY CLAY, 3 TO 9 PERCENT SLOPES	51	48	48	RN
RO	RINGO SILTY CLAY, 3 TO 9 PERCENT SLOPES, ERODED	10	48	48	RO
RP	RINGO COMPLEX, 9 TO 15 PERCENT SLOPES	10	48	48	RP
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 1 TO 3 PERCENT SLOPES	172	48	48	ZA
ZAA	ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	167	48	48	ZAA

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
ELK COUNTY (Page 1 of 2)					
BA	BATES FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	136	44	44	BA
BB	BATES LOAM, 4 TO 7 PERCENT SLOPES	105	44	44	BB
BF	BENFIELD CHERTY SILT LOAM, 4 TO 10 PERCENT SLOPES	22	44	44	BF
BUCS	CLIME-SOIGN COMPLEX, 3 TO 15 PERCENT SLOPES	10	17	17	BUCS
BULA	LABETTE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	193	44	44	BULA
BULD	LABETTE-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	151	17	17	BULD
BULS	LADYSMITH SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	204	33	33	BULS
CD	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	177	44	44	CD
CF	CATOOSA-SOIGN COMPLEX, 0 TO 8 PERCENT SLOPES	31	28	28	CF
CK	CLIME STONY SILTY CLAY LOAM, 20 TO 30 PERCENT SLOPES	10	23	23	CK
CLFA	FLORENCE CHERTY SILT LOAM, 5 TO 15 PERCENT SLOPES	90	44	44	CLFA
CLSD	SOIGN SILTY CLAY LOAM, 0 TO 10 PERCENT SLOPES	10	10	10	CLSD
CM	CLIME SILTY CLAY, 3 TO 7 PERCENT SLOPES	46	23	23	CM
CS	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	10	17	17	CS
CV	COLLINSVILLE-BATES FINE SANDY LOAMS, 2 TO 8 PERCENT SLOPES	10	33	33	CV
DE	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	208	44	44	DE
DF	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	190	44	44	DF
DG	DENNIS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	150	44	44	DG
DW	DWIGHT SILT LOAM, 0 TO 2 PERCENT SLOPES	138	10	10	DW
EM	ERAM SILT LOAM, 1 TO 4 PERCENT SLOPES	113	33	33	EM
EN	ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	87	33	33	EN
EO	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	40	33	33	EO
ES	ERAM-DWIGHT SILT LOAMS, 1 TO 4 PERCENT SLOPES	86	33	33	ES
FE	FIAT SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	84	33	33	FE
FM	FLORENCE-MARTIN COMPLEX, 2 TO 12 PERCENT SLOPES	96	44	44	FM
GWCA	CHASE SILTY CLAY LOAM, OCCASIONALLY FLOODED	221	44	44	GWCA
GWEB	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	104	33	33	GWEB
GWRE	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	292	44	44	GWRE
IV	IVAN SILT LOAM, CHANNELED	143	44	44	IV
IW	IVAN SILT LOAM, OCCASIONALLY FLOODED	210	44	44	IW
KD	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	213	33	33	KD
LA	LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	187	44	44	LA
LD	LABETTE-DWIGHT COMPLEX, 0 TO 3 PERCENT SLOPES	151	17	17	LD
LG	LABETTE-SOIGN SILTY CLAY LOAMS, 0 TO 8 PERCENT SLOPES	86	28	28	LG
LN	LANTON SILTY CLAY LOAM, OCCASIONALLY FLOODED	244	44	44	LN
MB	MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	247	44	44	MB
MC	MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	226	44	44	MC
ME	MARTIN SILTY CLAY, 3 TO 7 PERCENT SLOPES, ERODED	182	44	44	ME
MGBF	BATES-COLLINSVILLE COMPLEX, 1 TO 4 PERCENT SLOPES	40	33	33	MGBF
MGET	ERAM-TALIHINA SILTY CLAY LOAMS, 6 TO 20 PERCENT SLOPES	10	44	44	MGET
MGOS	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	155	44	44	MGOS
MN	MASON SILT LOAM	292	44	44	MN
NC	NEWTONIA SILT LOAM, 1 TO 3 PERCENT SLOPES	251	44	44	NC
ND	NIOTAZE-DARNELL COMPLEX, 6 TO 35 PERCENT SLOPES	10	17	17	ND
NDD	NIOTAZE-DARNELL COMPLEX, 8 TO 20 PERCENT SLOPES	10	17	17	NDD
OS	OSAGE SILTY CLAY LOAM, OCCASIONALLY FLOODED	178	44	44	OS
PR	PRUE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	215	44	44	PR
SH	SOIGN SILTY CLAY LOAM, 0 TO 3 PERCENT SLOPES	10	10	10	SH

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
ELK COUNTY (Page 2 of 2)					
ST	STEEDMAN STONY LOAM, 5 TO 20 PERCENT SLOPES	10	44	44	ST
SV	STEPHENVILLE FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	81	23	23	SV
SW	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 1 TO 6 PERCENT SLOPES	37	10	10	SW
SXX	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 1 TO 5 PERCENT SLOPES	37	10	10	SXX
VD	VERDIGRIS SILT LOAM, CHANNELED	172	44	44	VD
VF	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	274	44	44	VF
WLBA	BATES LOAM, 1 TO 4 PERCENT SLOPES	159	44	44	WLBA
WLEB	ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	118	33	33	WLEB
WLND	NIOTAZE-DARNELL COMPLEX, 4 TO 30 PERCENT SLOPES	10	17	17	WLND
WLPE	PRUE LOAM, 2 TO 5 PERCENT SLOPES	215	44	44	WLPE
WLSC	SHIDLER-CATOOSA COMPLEX, 1 TO 8 PERCENT SLOPES	10	28	28	WLSC
WLSF	STEEDMAN GRAVELLY SILT LOAM, 4 TO 25 PERCENT SLOPES, STONY	10	44	44	WLSF
WLSM	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 2 TO 6 PERCENT SLOPES	34	10	10	WLSM
WLWO	WOODSON SILT LOAM, 0 TO 1 PERCENT SLOPES	236	33	33	WLWO
WO	WOODSON SILT LOAM, 0 TO 2 PERCENT SLOPES	227	33	33	WO
WST	WASTE	10	10	10	WST

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop	Grass Land		Symbol
		Land \$/Acre	Native \$/Acre	Tame \$/Acre	
GREENWOOD COUNTY (Page 1 of 2)					
AT	AQUENTS, FLOODED	10	33	33	AT
BUCS	CLIME-SOIGN COMPLEX, 3 TO 15 PERCENT SLOPES	10	18	18	BUCS
BULD	LABETTE-DWIGHT COMPLEX, 1 TO 3 PERCENT SLOPES	76	33	33	BULD
CA	CHASE SILTY CLAY LOAM	235	44	44	CA
CE	CLIME STONY SILTY CLAY LOAM, 20 TO 30 PERCENT SLOPES	10	23	23	CE
CFER	ERAM-COLLINSVILLE COMPLEX, 4 TO 15 PERCENT SLOPES	36	33	33	CFER
CFES	ERAM-SHIDLER SILTY CLAY LOAMS, 4 TO 15 PERCENT SLOPES	14	28	28	CFES
CFSA	SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	212	44	44	CFSA
CFVC	VERDIGRIS SILT LOAM, CHANNELED	146	44	44	CFVC
CM	CLIME SILTY CLAY, 3 TO 7 PERCENT SLOPES	37	23	23	CM
CS	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	10	18	18	CS
CSIN	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	154	33	33	CSIN
DE	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	189	44	44	DE
DN	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	179	44	44	DN
DS	DENNIS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	148	44	44	DS
DW	DWIGHT SILT LOAM, 0 TO 2 PERCENT SLOPES	124	10	10	DW
EB	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	89	33	33	EB
EC	ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	75	33	33	EC
EH	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	31	33	33	EH
EKFM	FLORENCE-MARTIN COMPLEX, 2 TO 12 PERCENT SLOPES	81	44	44	EKFM
EKST	STEEDMAN STONY LOAM, 5 TO 20 PERCENT SLOPES	10	44	44	EKST
FT	FLORENCE-LABETTE COMPLEX, 2 TO 12 PERCENT SLOPES	81	44	44	FT
IBB	IRWIN SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	172	33	33	IBB
IC	IVAN SILT LOAM, CHANNELED	130	44	44	IC
IF	IVAN SILT LOAM, OCCASIONALLY FLOODED	192	44	44	IF
KA	KENOMA SILT LOAM, 1 TO 4 PERCENT SLOPES	191	33	33	KA
KA	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	193	33	33	KA
KE	KENOMA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	167	33	33	KE
LA	LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	169	44	44	LA
LAA	LABETTE SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	174	44	44	LAA
LD	LABETTE-DWIGHT COMPLEX, 0 TO 3 PERCENT SLOPES	136	33	33	LD
LS	LABETTE-SOIGN SILTY CLAY LOAMS, 0 TO 8 PERCENT SLOPES	65	28	28	LS
LUU	LULA SILT LOAM, 0 TO 2 PERCENT SLOPES	199	44	44	LUU
LYBC	BATES-COLLINSVILLE COMPLEX, 3 TO 15 PERCENT SLOPES	16	18	18	LYBC
LYEE	ERAM SILTY CLAY LOAM, 3 TO 6 PERCENT SLOPES, ERODED	33	33	33	LYEE
LYEF	ERAM AND BATES SOILS, 6 TO 15 PERCENT SLOPES	63	33	33	LYEF
LYLD	LABETTE-DWIGHT COMPLEX, 0 TO 2 PERCENT SLOPES	136	33	33	LYLD
LYOA	OLPE-KENOMA COMPLEX, 3 TO 15 PERCENT SLOPES	37	44	44	LYOA
LYVA	VINLAND LOAM, 4 TO 10 PERCENT SLOPES	10	44	44	LYVA
MA	MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	225	44	44	MA
MB	MARTIN SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	206	44	44	MB
ME	MARTIN SILTY CLAY, 3 TO 7 PERCENT SLOPES, ERODED	167	44	44	ME
MSS	MASON SILT LOAM, RARELY FLOODED	271	44	44	MSS
NA	NEWTONIA SILT LOAM, 0 TO 2 PERCENT SLOPES	235	44	44	NA
ND	NIOTAZE-DARNELL COMPLEX, 0 TO 6 PERCENT SLOPES	16	12	12	ND
NZ	NIOTAZE-DARNELL COMPLEX, 6 TO 35 PERCENT SLOPES	10	18	18	NZ
OP	OLPE GRAVELLY SILT LOAM, 4 TO 15 PERCENT SLOPES	15	44	44	OP
OS	OSAGE SILTY CLAY	119	44	44	OS

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
GREENWOOD COUNTY (Page 2 of 2)					
RE	READING SILT LOAM	271	44	44	RE
ST	STEEDMAN STONY LOAM, 3 TO 12 PERCENT SLOPES	10	44	44	ST
WLCA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	148	44	44	WLCA
WLEB	ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	102	33	33	WLEB
WLEC	ERAM SILT LOAM, 3 TO 7 PERCENT SLOPES	91	33	33	WLEC
WLND	NIOTAZE-DARNELL COMPLEX, 4 TO 30 PERCENT SLOPES	10	18	18	WLND
WLSF	STEEDMAN GRAVELLY SILT LOAM, 4 TO 25 PERCENT SLOPES, STONY	10	44	44	WLSF
WLSM	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 2 TO 6 PERCENT SLOPES	21	12	12	WLSM
WLZB	ZAAR SILTY CLAY, 1 TO 4 PERCENT SLOPES	187	33	33	WLZB
WO	WOODSON SILT LOAM, 0 TO 2 PERCENT SLOPES	206	33	33	WO
WODD	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	189	44	44	WODD
WOKA	KENOMA SILT LOAM, 1 TO 2 PERCENT SLOPES	212	33	33	WOKA
WOKO	KENOMA-OLPE COMPLEX, 2 TO 7 PERCENT SLOPES	154	33	33	WOKO
WOVC	VERDIGRIS SOILS, CHANNELED	181	44	44	WOVC
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	190	33	33	ZA

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
LABETTE COUNTY					
AE	APPERSON SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	164	66	66	AE
BE	BATES LOAM, 1 TO 3 PERCENT SLOPES	125	66	66	BE
BF	BATES LOAM, 3 TO 7 PERCENT SLOPES	72	66	66	BF
BM	BATES-COLLINSVILLE COMPLEX, 4 TO 15 PERCENT SLOPES	10	45	45	BM
BO	BOLIVAR-HECTOR FINE SANDY LOAMS, 4 TO 20 PERCENT SLOPES	10	12	12	BO
BR	BRAZILTON SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	117	45	45	BR
CD	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	125	66	66	CD
CH	CHEROKEE SILT LOAM, 0 TO 1 PERCENT SLOPES	161	45	45	CH
CKES	ERAM-SHIDLER SILTY CLAY LOAMS, 4 TO 12 PERCENT SLOPES	29	55	55	CKES
DE	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	158	66	66	DE
EF	ERAM SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	74	45	45	EF
EH	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	45	45	45	EH
EO	ERAM-LEBO SILTY CLAY LOAMS, 4 TO 20 PERCENT SLOPES	33	55	55	EO
ES	ERAM-NOWATA COMPLEX, 2 TO 7 PERCENT SLOPES	70	55	55	ES
FIKA	SATANTA LOAM, 0 TO 1 PERCENT SLOPES	49	66	66	FIKA
HE	HEPLER SILT LOAM, OCCASIONALLY FLOODED	165	66	66	HE
HF	HEPLER SILT LOAM, FREQUENTLY FLOODED	123	66	66	HF
KA	KANIMA SHALY SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	74	66	66	KA
KB	KANIMA SHALY SILTY CLAY LOAM, 10 TO 30 PERCENT SLOPES	10	66	66	KB
KE	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	159	45	45	KE
LN	LANTON SILT LOAM, OCCASIONALLY FLOODED	182	66	66	LN
MGBF	BATES-COLLINSVILLE COMPLEX, 1 TO 4 PERCENT SLOPES	15	45	45	MGBF
OD	OLPE-DENNIS SILT LOAMS, 3 TO 7 PERCENT SLOPES	87	66	66	OD
OR	ORTHENTS, CLAYEY	41	45	45	OR
OS	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	118	66	66	OS
PE	PARSONS SILT LOAM, 0 TO 2 PERCENT SLOPES	153	45	45	PE
SD	SHIDLER-CATOOSA SILT LOAMS, 1 TO 8 PERCENT SLOPES	18	34	34	SD
VC	VERDIGRIS SILT LOAM, FREQUENTLY FLOODED	142	66	66	VC
VF	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	225	66	66	VF
WST	WASTE	10	10	10	WST
ZB	ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	159	45	45	ZB

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
MONTGOMERY COUNTY					
BA	BATES LOAM, 1 TO 3 PERCENT SLOPES	99	54	54	BA
BB	BATES LOAM, 3 TO 6 PERCENT SLOPES	62	54	54	BB
BC	BATES LOAM, 2 TO 6 PERCENT SLOPES, ERODED	33	54	54	BC
BF	BATES-COLLINSVILLE COMPLEX, 1 TO 4 PERCENT SLOPES	12	44	44	BF
BG	BATES-COLLINSVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	10	33	33	BG
BU	BATES-URBAN LAND COMPLEX, 2 TO 6 PERCENT SLOPES	30	54	54	BU
CA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	103	54	54	CA
CQDE	DENNIS SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	99	54	54	CQDE
CQEC	ERAM-COLLINSVILLE COMPLEX, 1 TO 7 PERCENT SLOPES	12	44	44	CQEC
CQST	STEEDMAN STONY CLAY LOAM, 8 TO 20 PERCENT SLOPES	10	44	44	CQST
DB	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	124	54	54	DB
DC	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	113	54	54	DC
EB	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	46	44	44	EB
EC	ERAM SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	18	44	44	EC
EF	ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	35	44	44	EF
ET	ERAM-TALIHINA SILTY CLAY LOAMS, 6 TO 20 PERCENT SLOPES	10	44	44	ET
EU	ERAM-URBAN LAND COMPLEX, 2 TO 6 PERCENT SLOPES	15	44	44	EU
KA	KENOMA SILT LOAM, 0 TO 2 PERCENT SLOPES	147	44	44	KA
KE	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	132	44	44	KE
LA	LANTON SILTY CLAY LOAM	151	54	54	LA
LBEO	ERAM-LEBO SILTY CLAY LOAMS, 4 TO 20 PERCENT SLOPES	10	44	44	LBEO
LBVC	VERDIGRIS SILT LOAM, FREQUENTLY FLOODED	98	54	54	LBVC
LN	LANTON SILT LOAM, OCCASIONALLY FLOODED	149	54	54	LN
MA	MASON SILT LOAM	183	54	54	MA
ND	NIOTAZE-DARNELL COMPLEX, 8 TO 20 PERCENT SLOPES	10	12	12	ND
OD	OLPE-DENNIS COMPLEX, 2 TO 6 PERCENT SLOPES	48	54	54	OD
OR	ORTHENTS, CLAYEY	79	44	44	OR
OS	OSAGE SILTY CLAY	83	54	54	OS
PA	PARSONS SILT LOAM	140	44	44	PA
SC	SHIDLER-CATOOSA SILT LOAMS, 1 TO 4 PERCENT SLOPES	12	44	44	SC
SD	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 1 TO 5 PERCENT SLOPES	10	10	10	SD
TS	TALIHINA-SHALE OUTCROP COMPLEX, 10 TO 50 PERCENT SLOPES	10	44	44	TS
VB	VERDIGRIS SILT LOAM	189	54	54	VB
VC	VERDIGRIS SILT LOAM, CHANNELED	98	54	54	VC
WLBH	BATES-COLLINSVILLE LOAMS, 3 TO 7 PERCENT SLOPES	10	44	44	WLBH
WLBO	BATES-COLLINSVILLE LOAMS, 7 TO 20 PERCENT SLOPES	10	33	33	WLBO
WLEB	ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	57	44	44	WLEB
WLRN	RINGO SILTY CLAY LOAM, 15 TO 35 PERCENT SLOPES	10	44	44	WLRN
WLRS	RINGO-SHIDLER SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	10	44	44	WLRS
WLSC	SHIDLER-CATOOSA COMPLEX, 1 TO 8 PERCENT SLOPES	10	44	44	WLSC
WO	WOODSON SILT LOAM	140	44	44	WO
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 0 TO 1 PERCENT SLOPES	131	44	44	ZA
ZB	ZAAR SILTY CLAY, 1 TO 4 PERCENT SLOPES	117	44	44	ZB

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
NEOSHO COUNTY					
ALOB	OSAGE SILTY CLAY LOAM, OCCASIONALLY FLOODED	117	65	65	ALOB
BA	BATES LOAM, 1 TO 3 PERCENT SLOPES	123	65	65	BA
BBRC	RINGO-CLARESON COMPLEX, 9 TO 15 PERCENT SLOPES	37	54	54	BBRC
BC	BATES LOAM, 3 TO 7 PERCENT SLOPES	71	65	65	BC
BD	BATES-COLLINSVILLE LOAMS, 1 TO 4 PERCENT SLOPES	21	44	44	BD
BH	BATES-COLLINSVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	10	38	38	BH
CA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	123	65	65	CA
CRCE	CHEROKEE SILT LOAM, 0 TO 1 PERCENT SLOPES	155	44	44	CRCE
DA	DEEPWATER SILT LOAM, 1 TO 4 PERCENT SLOPES	192	65	65	DA
DB	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	155	65	65	DB
DC	DENNIS SILT LOAM, 3 TO 6 PERCENT SLOPES	137	65	65	DC
DN	DENNIS-LANTON SILT LOAMS, 2 TO 8 PERCENT SLOPES	140	65	65	DN
EB	ERAM SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	71	44	44	EB
EC	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	46	44	44	EC
ET	ERAM-LEBO SILTY CLAY LOAMS, 4 TO 15 PERCENT SLOPES	28	54	54	ET
KA	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	158	44	44	KA
LA	LANTON SILT LOAM	178	65	65	LA
LBVC	VERDIGRIS SILT LOAM, FREQUENTLY FLOODED	119	65	65	LBVC
NO	NOWATA SILT LOAM, 3 TO 7 PERCENT SLOPES	46	65	65	NO
OD	OLPE-DENNIS COMPLEX, 3 TO 7 PERCENT SLOPES	62	65	65	OD
OS	OSAGE SILTY CLAY	106	65	65	OS
PA	PARSONS SILT LOAM, 0 TO 1 PERCENT SLOPES	151	44	44	PA
SC	SHIDLER-CATOOSA SILT LOAMS, 1 TO 8 PERCENT SLOPES	10	44	44	SC
SD	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 3 TO 20 PERCENT SLOPES	10	10	10	SD
SP	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 6 TO 20 PERCENT SLOPES	10	10	10	SP
VA	VERDIGRIS SILT LOAM	221	65	65	VA
VB	VERDIGRIS SILT LOAM, CHANNELED	119	65	65	VB
VC	VERDIGRIS SILT LOAM, CHANNELED (WILSON)	43	65	65	VC
VF	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED (WILSON)	63	65	65	VF
WA	WOODSON SILT LOAM, 0 TO 1 PERCENT SLOPES	161	44	44	WA
WLBO	BATES-COLLINSVILLE LOAMS, 7 TO 20 PERCENT SLOPES	10	38	38	WLBO
WLKO	KENOMA-OLPE COMPLEX, 2 TO 7 PERCENT SLOPES	95	65	65	WLKO
WLRS	RINGO-SHIDLER SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	10	54	54	WLRS
WLSC	SHIDLER-CATOOSA COMPLEX, 1 TO 8 PERCENT SLOPES	10	44	44	WLSC
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 1 TO 3 PERCENT SLOPES (ALLEN)	48	44	44	ZA
ZB	ZAAR SILTY CLAY, 0 TO 2 PERCENT SLOPES	156	44	44	ZB

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
WILSON COUNTY					
AE	APPERSON SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES	202	56	56	AE
BA	BATES LOAM, 1 TO 4 PERCENT SLOPES	148	56	56	BA
BC	BATES LOAM, 4 TO 7 PERCENT SLOPES	91	56	56	BC
BH	BATES-COLLINSVILLE LOAMS, 3 TO 7 PERCENT SLOPES	35	46	46	BH
BO	BATES-COLLINSVILLE LOAMS, 7 TO 20 PERCENT SLOPES	10	46	46	BO
CA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	155	56	56	CA
DN	DENNIS SILT LOAM, 1 TO 4 PERCENT SLOPES	182	56	56	DN
DO	DENNIS SILT LOAM, 4 TO 7 PERCENT SLOPES	162	56	56	DO
DP	DENNIS SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	152	56	56	DP
DW	DENNIS-DWIGHT SILT LOAMS, 1 TO 5 PERCENT SLOPES	163	35	35	DW
EB	ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	101	46	46	EB
EC	ERAM SILT LOAM, 3 TO 7 PERCENT SLOPES	90	46	46	EC
EF	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES, ERODED	28	46	46	EF
GR	GIRARD SILTY CLAY LOAM, FREQUENTLY FLOODED	76	56	56	GR
GWCS	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	18	29	29	GWCS
IV	IVAN SILT LOAM, OCCASIONALLY FLOODED	196	56	56	IV
KE	KENOMA SILT LOAM, 1 TO 3 PERCENT SLOPES	190	46	46	KE
KO	KENOMA-OLPE SILT LOAMS, 2 TO 7 PERCENT SLOPES	147	46	46	KO
LA	LANTON SILT LOAM, OCCASIONALLY FLOODED	210	56	56	LA
MA	MASON SILT LOAM	260	56	56	MA
MGBF	BATES-COLLINSVILLE COMPLEX, 1 TO 4 PERCENT SLOPES	40	46	46	MGBF
MGBG	BATES-COLLINSVILLE COMPLEX, 4 TO 20 PERCENT SLOPES	27	46	46	MGBG
MGET	ERAM-TALIHINA SILTY CLAY LOAMS, 6 TO 20 PERCENT SLOPES	36	46	46	MGET
MGOD	OLPE-DENNIS COMPLEX, 2 TO 6 PERCENT SLOPES	28	56	56	MGOD
ND	NIOTAZE-DARNELL COMPLEX, 4 TO 30 PERCENT SLOPES	10	13	13	ND
NOEB	ERAM SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES	96	46	46	NOEB
NOED	ERAM SILTY CLAY LOAM, 3 TO 7 PERCENT SLOPES	69	46	46	NOED
OR	OSAGE SILTY CLAY LOAM, OCCASIONALLY FLOODED	142	56	56	OR
OS	OSAGE SILTY CLAY, OCCASIONALLY FLOODED	127	56	56	OS
PE	PRUE LOAM, 2 TO 5 PERCENT SLOPES	196	56	56	PE
RN	RINGO SILTY CLAY LOAM, 15 TO 35 PERCENT SLOPES	10	46	46	RN
RS	RINGO-SHIDLER SILTY CLAY LOAMS, 3 TO 15 PERCENT SLOPES	10	29	29	RS
SC	SHIDLER-CATOOSA COMPLEX, 1 TO 8 PERCENT SLOPES	10	35	35	SC
SF	STEEDMAN GRAVELLY SILT LOAM, 4 TO 25 PERCENT SLOPES, STONY	10	56	56	SF
SM	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 2 TO 6 PERCENT SLOPES	18	24	24	SM
SP	STEPHENVILLE-DARNELL FINE SANDY LOAMS, 6 TO 20 PERCENT SLOPES	10	10	10	SP
VC	VERDIGRIS SILT LOAM, CHANNELED	151	56	56	VC
VF	VERDIGRIS SILT LOAM, OCCASIONALLY FLOODED	257	56	56	VF
WO	WOODSON SILT LOAM	187	46	46	WO
WST	WASTE	10	10	10	WST
ZA	ZAAR SILTY CLAY, 0 TO 1 PERCENT SLOPES	194	46	46	ZA
ZB	ZAAR SILTY CLAY, 1 TO 4 PERCENT SLOPES	158	46	46	ZB

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		Symbol
			Native \$/Acre	Tame \$/Acre	
WOODSON COUNTY (Page 1 of 2)					
ALCA	CATOOSA SILT LOAM, 0 TO 2 PERCENT SLOPES	142	56	56	ALCA
ALCB	CATOOSA-ROCK OUTCROP COMPLEX, 1 TO 8 PERCENT SLOPES	11	23	23	ALCB
ALCC	COLLINSVILLE-BATES COMPLEX, 2 TO 15 PERCENT SLOPES	39	56	56	ALCC
ALZB	ZAAR SILTY CLAY, 3 TO 7 PERCENT SLOPES	141	56	56	ALZB
BB	BATES LOAM, 1 TO 4 PERCENT SLOPES	120	56	56	BB
BC	BATES LOAM, 4 TO 7 PERCENT SLOPES	70	56	56	BC
CA	CLARESON-SOIGN COMPLEX, 1 TO 8 PERCENT SLOPES	10	23	23	CA
CD	CLEORA FINE SANDY LOAM	148	56	56	CD
CFEP	ERAM-APPERSON SILTY CLAY LOAMS, 4 TO 7 PERCENT SLOPES	51	45	45	CFEP
CFES	ERAM-SHIDLER SILTY CLAY LOAMS, 4 TO 15 PERCENT SLOPES	10	23	23	CFES
DA	DARNELL-NIOTAZE COMPLEX, 24 TO 45 PERCENT SLOPES	10	10	10	DA
DD	DENNIS SILT LOAM, 1 TO 3 PERCENT SLOPES	147	56	56	DD
DE	DENNIS SILT LOAM, 3 TO 6 PERCENT SLOPES	132	56	56	DE
DF	DENNIS SILTY CLAY LOAM, 1 TO 3 PERCENT SLOPES, ERODED	122	56	56	DF
DG	DENNIS AND ERAM SOILS, 3 TO 7 PERCENT SLOPES, ERODED	93	50	50	DG
DW	DWIGHT SILT LOAM, 0 TO 2 PERCENT SLOPES	112	10	10	DW
EB	ERAM SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	63	45	45	EB
EC	ERAM SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	51	45	45	EC
EX	ERAM-COLLINSVILLE COMPLEX, 4 TO 25 PERCENT SLOPES	13	34	34	EX
GWAT	AQUENTS, FREQUENTLY FLOODED	10	56	56	GWAT
GWCA	CHASE SILTY CLAY LOAM, OCCASIONALLY FLOODED	158	56	56	GWCA
GWCM	CLIME SILTY CLAY, 3 TO 7 PERCENT SLOPES	51	45	45	GWCM
GWCS	CLIME-SOIGN COMPLEX, 5 TO 20 PERCENT SLOPES	10	23	23	GWCS
GWDS	DENNIS SILTY CLAY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	104	50	50	GWDS
GWIC	IVAN SILT LOAM, CHANNELED	100	56	56	GWIC
GWIF	IVAN SILT LOAM, OCCASIONALLY FLOODED	174	56	56	GWIF
GWKE	KENOMA SILTY CLAY LOAM, 2 TO 5 PERCENT SLOPES, ERODED	122	45	45	GWKE
GWLA	LABETTE SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	138	56	56	GWLA
GWLD	LABETTE-DWIGHT COMPLEX, 0 TO 3 PERCENT SLOPES	112	39	39	GWLD
GWMA	MARTIN SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	184	56	56	GWMA
GWNZ	NIOTAZE-DARNELL COMPLEX, 6 TO 35 PERCENT SLOPES	10	10	10	GWNZ
GWRE	READING SILT LOAM, 0 TO 2 PERCENT SLOPES, RARELY FLOODED	221	56	56	GWRE
GWST	STEEDMAN STONY LOAM, 3 TO 12 PERCENT SLOPES	10	23	23	GWST
HA	HEPLER SILT LOAM	191	56	56	HA
KA	KENOMA SILT LOAM, 1 TO 2 PERCENT SLOPES	172	45	45	KA
KO	KENOMA-OLPE COMPLEX, 2 TO 7 PERCENT SLOPES	116	50	50	KO
KW	KENOMA AND WOODSON SOILS, 1 TO 3 PERCENT SLOPES, ERODED	149	45	45	KW
LA	LEANNA SILT LOAM	155	56	56	LA
LB	LULA SILT LOAM, 0 TO 2 PERCENT SLOPES	185	56	56	LB
LD	LULA-DWIGHT COMPLEX, 0 TO 2 PERCENT SLOPES	148	39	39	LD
MA	MASON SILT LOAM	219	56	56	MA
NS	NIOTAZE-STEPHENVILLE COMPLEX, 4 TO 25 PERCENT SLOPES	10	34	34	NS
OD	OLPE SOILS, 4 TO 15 PERCENT SLOPES	30	56	56	OD
OG	OSAGE SILTY CLAY	98	56	56	OG
OS	OSAGE SILTY CLAY LOAM	115	56	56	OS
RC	RINGO SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	136	45	45	RC
RD	RINGO-SOIGN COMPLEX, 4 TO 15 PERCENT SLOPES	26	23	23	RD
SA	STEPHENVILLE FINE SANDY LOAM, 1 TO 4 PERCENT SLOPES	41	23	23	SA

Kansas Division of Property Valuation

2008 Agricultural Use Values

Symbol	Soil Map Unit Name	Dry Crop Land \$/Acre	Grass Land		
			Native \$/Acre	Tame \$/Acre	Symbol
WOODSON COUNTY (Page 2 of 2)					
SD	SUMMIT SILTY CLAY LOAM, 1 TO 4 PERCENT SLOPES	166	56	56	SD
SE	SUMMIT SILTY CLAY LOAM, 4 TO 7 PERCENT SLOPES	159	56	56	SE
VA	VERDIGRIS SILT LOAM	221	56	56	VA
VC	VERDIGRIS SOILS, CHANNELED	121	56	56	VC
WA	WOODSON SILT LOAM, 0 TO 2 PERCENT SLOPES	164	45	45	WA
WLBH	BATES-COLLINSVILLE LOAMS, 3 TO 7 PERCENT SLOPES	43	56	56	WLBH
WLBO	BATES-COLLINSVILLE LOAMS, 7 TO 20 PERCENT SLOPES	10	34	34	WLBO
WLDW	DENNIS-DWIGHT SILT LOAMS, 1 TO 5 PERCENT SLOPES	118	56	56	WLDW
WLEB	ERAM SILT LOAM, 1 TO 3 PERCENT SLOPES	75	45	45	WLEB
WLEC	ERAM SILT LOAM, 3 TO 7 PERCENT SLOPES	64	45	45	WLEC
WLLA	LANTON SILT LOAM, OCCASIONALLY FLOODED	171	56	56	WLLA
WLND	NIOTAZE-DARNELL COMPLEX, 4 TO 30 PERCENT SLOPES	10	10	10	WLND
WLSC	SHIDLER-CATOOSA COMPLEX, 1 TO 8 PERCENT SLOPES	10	23	23	WLSC
WLSF	STEEDMAN GRAVELLY SILT LOAM, 4 TO 25 PERCENT SLOPES, STONY	10	23	23	WLSF
WST	WASTE	10	10	10	WST